


The CodeDoc class  
v.0.3  
2010/03/30

Paul Isambert  
zappathustra@free.fr



CodeDoc is a class designed to produce  $\text{\LaTeX}$  files such as packages and classes along with their documentations. It does not depart from  $\text{\LaTeX}$ 's ordinary syntax, unlike e.g. DocStrip, allows any existing class to be loaded with its options and offers various fully customizable verbatim environments that allows authors to typeset the code and documentation of their files as they want. To create the documentation, we compile the document as usual; to create the external file(s), we simply put `produce` in the class options and compile as before.

Despite my earliest expectations, CodeDoc is not better than DocStrip. It is simply different. If you want a well-delimited approach to literate programming, use DocStrip. On the other hand, CodeDoc is more natural, in the sense that it is ordinary  $\text{\LaTeX}$  all the way down. Note that you can 'mimick' DocStrip, either by putting any character at the beginning of each line of your code and setting the `\Gobble` parameter to 1 (this would be 'inverted DocStrip'), or by setting the comment character to be of category 9 ('ignored') and beginning each line of the documentation with this character. In this latter case, only commands that are considered by CodeDoc when producing a file should not be commented out... but I'm going too fast here, and you should learn the basics first...

CodeDoc is still in its infancy, as indicated by its version number. Although it has passed the test of producing this documentation, countless bugs will probably be reported, and meaningful suggestions will be made. Be patient, and send them to me. *Any reported bug and meaningful suggestion will be rewarded by a musical note, played by a virtual instrument, and sent in the mp3 format.* Isn't it amazing? I know it is. I will have to hire musically educated secretaries to face the consequences of such a reckless proposition. But it is worth it. Once a stable version is reached, I might even write a symphony.<sup>1</sup>

Some of the ideas of this class are not mine; some were inspired by others; some are mine but were independantly implemented in other places; may all these people be thanked, as well as all the verbatim wizards around the world. And, oh, yeah, some ideas are mine, too.

---

<sup>1</sup>'Meaningful suggestion' and 'stable version' are fuzzy terms, you complain. Of course they are. Give me a chance!

**Changes in version 0.3**

⇒ Fixed `\ProduceFile`, which ruined everything in produce mode when used without optional arguments.

**Changes in version 0.2**

⇒ Bug fix to make `\ref` work properly in the unmodified `code` environment.

⇒ Files `\input` and `read` in `produce` mode won't produce error messages anymore... at least with  $\varepsilon$ -`TEX`.

# Contents

<b>I</b>	<b>User's manual</b>	<b>4</b>
<b>1</b>	<b>Code &amp; Documentation</b>	<b>4</b>
1.1	Writing code . . . . .	4
1.2	Macros to describe macros . . . . .	7
1.3	Choosing the class . . . . .	9
1.4	Dangerous strings . . . . .	9
<b>2</b>	<b>Verbatim Madness</b>	<b>10</b>
2.1	Example environments . . . . .	10
2.2	<code>\ShortVerb</code> and friends . . . . .	14
2.3	Using <code>fancyvrb</code> . . . . .	16
<b>3</b>	<b>Summary of commands</b>	<b>17</b>
3.1	Class options . . . . .	17
3.2	Environments . . . . .	17
3.3	Commands . . . . .	17
<b>II</b>	<b>Implementation</b>	<b>21</b>
<b>4</b>	<b>Options and basic definitions</b>	<b>21</b>
<b>5</b>	<b>Normal mode</b>	<b>22</b>
5.1	Describing macros . . . . .	22
5.2	<code>\ShortVerb</code> and associates . . . . .	25
5.3	Verbatim definitions . . . . .	30
5.4	The default <code>code</code> environment . . . . .	32
5.5	Example environments . . . . .	34
5.5.1	Examples without $\varepsilon$ - <code>TEX</code> . . . . .	39
5.5.2	Examples with $\varepsilon$ - <code>TEX</code> . . . . .	40
5.6	File management . . . . .	43
<b>6</b>	<b>Produce mode</b>	<b>45</b>
6.1	Messages . . . . .	45
6.2	Testing strings . . . . .	45
6.3	Macros executed in produce mode . . . . .	48
6.4	Writing environments . . . . .	54
6.5	File management . . . . .	56
	<b>Index</b>	<b>60</b>

# Part I

## User's manual

### 1 Code & Documentation

The source of this documentation looks roughly like this:

```
\documentclass[article(a4paper),
%produce,
]{codedoc}

Preamble of the document

\begin{document}
\section{Code \& Documentation}
The source of this document...

\ProduceFile{codedoc.cls}[codedoc][v.0.3][2010/03/30]
\begin{code}
Material here will be written to codedoc.cls
and typeset verbatim in the documentation.
\end{code}

\ShortCode/
/
This too...
/

\begin{invisible}
This material will be written to codedoc.cls
but not typeset in the documentation.
\end{invisible}

\end{document}
```

Everything between `\begin{code}` and `\end{code}` is written verbatim to the dvi file. It is also the case for everything between two `\ShortCode` symbol, in this example `'/'`. Finally, if the comment sign at the beginning of the second line were removed, thus enabling the `produce` option, then this code would be written to `codedoc.cls` and no documentation would be produced. This is CodeDoc's basic mechanism. Let's review it more precisely. In what follows, I will say 'normal mode' if the `produce` option is not turned on, that is when we're typesetting the documentation, and 'produce mode' otherwise, that is when `produce` is present among the class options and CodeDoc is used to create an external file.

The first two sections of this manual explain how CodeDoc works and provide many examples. The third section lists all commands in alphabetical order, and explains what they do in each mode in a more systematic fashion.

#### 1.1 Writing code

- `\ProduceFile{<File>}[<File name>][<File version>][<File date>]`

In normal mode, this macro provides four commands: `\FileSource` stores `<File>`, and the next three arguments are stored in `\FileName`, `\FileVersion` and `\FileDate` respectively. Those are optional, as indicated by their syntax.

In produce mode, CodeDoc opens *<File>* and writes to it everything in a code environment. `\FileName`, `\FileVersion` and `\FileDate` are also provided and may be used in `\Header` (see below) or in the file itself with `\CodeEscape` (see page 16). Thus, you can avoid mismatches between your documentation and the `\ProvidesPackage` declaration, for instance.

- `\CloseFile{<File>}`

In produce mode, when the `autoclose` option is on, `\ProduceFile` closes the file that was currently under production, if any. But you might want to keep a file open, in case you're writing to several files at the same time. That's why CodeDoc's basic behavior is to keep all files open. Thus


```
\ProduceFile{myfile}
\begin{code}
\def\foo{%
\end{code}

\ProduceFile{myotherfile}
\begin{code}
\relax
\end{code}

\ProduceFile{myfile}
\begin{code}
FOO}
\end{code}
```

will write `\def\foo{FOO}` to `myfile` and `\relax` to `myotherfile`. This might not be very good practice, but who knows? that might be useful when building a complicated package.

But T<sub>E</sub>X cannot keep open as many files as one wants. Actually, CodeDoc will start complaining when more than 16 files are simultaneously in production. `\CloseFile` is used to close those whose production is over and allocate their streams to new files.



- `code`

This is the basic environment that writes its content to an external file in produce mode or displays it verbatim in the documentation in normal mode. There is nothing much to say. Each line is numbered, as one generally wants the implementation of a code to be. One important thing is that everything on the line after `\begin{code}` will be gobbled. `\end{code}` can appear wherever you want.

- `\CodeFont{<Font specifications>}`

The font of the code environment may be changed with `\CodeFont` (by default, it's `\ttfamily`). Since everything is in a group, you can use 'spreading commands'.

- `\LineNumber{code}{<Font specifications>}{<Width>}[<Number>]`

This sets the style of the line number, the width of the box it is put in (by default, it's `0pt`, so numbers are in the left margin), and the starting value. The first argument is `code` and not *<code>*, because `\LineNumber` is a macro that applies to all `example` environments (see the next section), and its first argument is the name of the environment to modify. By default, `code` is not an `example` environment (although it might be redefined as such) but this command is nonetheless available.

```
\CodeFont{\color{red}\itshape}
\LineNumber{code}{\ttfamily\footnotesize}
\color{green}{2cm}[25]
\begin{code} This will be gobbled
\def\foo{%
FOO}
\end{code}
```

```
25 | def\foo{%
26 | FOO}
```

Note that `\LineNumber` inherits the specification of `\CodeFont` that it doesn't override, in this example the italic shape. The `\color` command does *not* belong to CodeDoc, but to the `xcolor` package. If you want to do really interesting things with `code`, it is better to redefine it as an `example` (see next section).

As usual with `verbatim` environments, there exists a starred version of `code` that shows spaces.

- `invisible`

In normal mode, everything in a `invisible` environment is skipped. In produce mode, however, the material is written to the file in production. This is useful to write code you don't want to comment in the documentation, like specifications at the beginning of the file or repetitive macro definitions. As you might imagine, there is no starred variant.

- `\Header{<Text>}`

In produce mode, unless the `noheader` option is on, CodeDoc writes the following at the beginning of every file:

```
% This is <FileName>, produced by the CodeDoc class
% with the 'produce' option on.
%
% To create the documentation, compile <jobname.tex>
% without the 'produce' option.
%
% SOURCE: <File (\input in File...)>
% DATE: <FileDate>
% VERSION: <FileVersion>
```

where `\FileName`, `\FileDate` and `\FileVersion` are set by `\ProduceFile`. The `'\input in file'` part is optional and recursive, depending on files `\input` in your document. With `\Header`, you can change this and print `<Text>` instead. In `<Text>`, ends of line are obeyed, and a comment sign followed by a space will start every line. Comment signs are normal sign. `\Header` should appear before `\ProduceFile`.

- `\AddBlankLine`

In produce mode, CodeDoc writes a blank line to the file under production. Useful to delimit macros.


- `\TabSize{<Number>}`

This is the number of spaces by which a tabulation will be represented in verbatim context. Default is 2. In produce mode, however, tabs are written as tabs, so this parameter has no effect.

- `\Gobble{<Number>}`

The number of characters that will be gobbled at the beginning of each line. This works both in normal mode and in produce mode. This might be useful to indent code lines to make them more visible. When gobbling, a tab is considered as a single character and not as  $n$  characters,  $n$  being the value of `\TabSize`.

A totally blank line is written as a totally blank line in both modes, i.e. CodeDoc does not fill its need for gobbled characters on the next line. The `\end{code}` line doesn't need to be indented, although it can be. If there are more characters than the value of `\Gobble` before `\end{code}`, then a new line is created.



- `\BoxTolerance{<Dimension>}`

Verbatim lines often go into the right margin. This is the threshold above which T<sub>E</sub>X reports an overfull box. Default is 0pt.

## 1.2 Macros to describe macros

Most of the commands in this section are similar to those in DocStrip. CodeDoc has an indexing mechanism that simply uses MakeIndex; if the `index` option is on, the `makeidx` package is loaded and `\makeindex` is executed. This also means that `\printindex` is available. CodeDoc does not require a special style file for MakeIndex. Thus, users can compile a documentation made with CodeDoc with MakeIndex's default specifications.

- `\DescribeMacro{<Macro>}`

- `\DefineMacro{<Macro>}`

These commands print their argument according to `\PrintMacro` (see below). The first token is `\string'ed`,<sup>2</sup> so it can be a control sequence. They also create an index entry with the first token, and here lies their difference: they print the page number differently to distinguish whether a macro is described or defined (in the implementation). By default `described` macros have normal page numbers while `defined` macros have theirs in italics. This is not conventional, I agree, but it can be changed.<sup>3</sup>


- `\DescribeEnvironment{<Environment>}`

- `\DefineEnvironment{<Environment>}`

This is similar to the `macro` version above, except that the entry is followed by '(environment)' in the index.

- `\DescribeIndexFont{<Font specifications>}`

- `\DefineIndexFont{<Font specifications>}`



This sets how the page numbers are printed for `described` and `defined` macros (and environments) respectively. `{<Font specifications>}` should be commands like `\ttfamily` and not argument-taking commands like `\texttt`. You know that if you use MakeIndex.

- `\PrintMacro{<Macro or environment>}`

This is the command that typeset the (`\string'ed`) macro. It takes one argument. It is shown here not to use it as is but to redefine it. Its default definition is:

```
\def\PrintMacro#1{%
  \noindent%
  \marginpar{\raggedleft\strut\ttfamily#1}%
  \ignorespaces}
```

That is, it puts the macro in the margin. (Obviously, it was redefined in this documentation.) To achieve the same effect as with DocStrip, the following command is needed.

- `\DocStripMarginpar`

This reverses `marginpar` and sets the right value for `\marginparpush` and `\marginparwidth`. They weren't included by default because you have the right to do what you want with your margins.

---

<sup>2</sup>Verbatim text does not break by itself. I've used `\VerbCommand` here (see below) to include a discretionary.

<sup>3</sup>Since CodeDoc doesn't index macros when *used* in the code, I've found this choice more readable.

- `\IgnorePrefix{Macro prefix}`

Many package and class authors prefix their internal commands with a string of letters to avoid clashes with other packages. For instance, if one writes a package `mypack`, one may name all internal commands `\mp@foo`, `\mp@boo`, `\mp@moo`, etc. Unfortunately, when indexed, they will all end up in the ‘M’ letter, whereas one might want to have them sorted without the prefix, with `\mp@foo` indexed as if it was `\foo`, etc. This is what `\IgnorePrefix` does; when sorting entries produced by `\DescribeMacro` and `\DefineMacro`, `\IgnorePrefix` is ignored, although it is printed of course as part of the name. In our example, one would say `\IgnorePrefix{mp@}`. This command has two restrictions: first, `\IgnorePrefix` should be no more than 8 characters long; second, any macro described with `\DescribeMacro` or `\DefineMacro` should have as many characters as `\IgnorePrefix`, 3 in our example. A simple way to circumvent the latter shortcoming is to temporarily define `\IgnorePrefix` as an empty string:

```
\IgnorePrefix{mp@}
\DefineMacro\mp@foo Will be indexed as \foo

\DefineMacro\fo This will cause an error message

\IgnorePrefix{}
\DefineMacro\fo This is perfectly ok
\IgnorePrefix{mp@}
```

You can have several `\IgnorePrefix` specifications, they are effective for the macros that follow them. For instance, some macros in CodeDoc are prefixed with `cd@@`, and when I define them in this documentation I specify `\IgnorePrefix{cd@@}` and then immediately `\IgnorePrefix{cd@}`, which is the normal prefix.

- `\PrintPrefix{Macro prefix}`

Like `\PrintMacro`, this command is not shown here to be used but to be redefined. It is put just before `\PrintMacro` when printing the index, so that you can typeset it differently. For instance, most CodeDoc’s internal macros are prefixed with `cd@`. I have specified `\IgnorePrefix{cd@}` for this documentation and defined `\PrintPrefix` as `\def\PrintPrefix{\textcolor{gray}}` so that all prefixes are printed in gray (thanks to the `xcolor` package). For instance, `\cd@BadChar` is printed `\cd@BadChar` in the index (which you can verify if the `obeystop` option is commented out, thus including the implementation in the documentation). Obviously, `\def\PrintPrefix#1{\textcolor{gray}{#1}}` would have been equally efficient. Just note that since `\PrintPrefix` is `\let` to `\relax` by default, you have to use `\newcommand` and not `\renewcommand` when defining it for the first time, in case you prefer L<sup>A</sup>T<sub>E</sub>X’s command definitions.

- `\meta{Argument}`
- `\marg{Argument}`
- `\oarg{Argument}`
- `\parg{Argument}`

These are well-known. In case you’ve forgotten:

```
\meta{Argument} ⇒ Argument
\marg{Mandatory argument} ⇒ {Mandatory argument}
\oarg{Optional argument} ⇒ [Optional argument]
\parg{Picture argument} ⇒ (Picture argument)
```

- `\bslash`

Everybody needs a backslash. This one is meant to print equally well in usual contexts and in PDF bookmarks created by `hyperref`, if any. So it can be used in titles without restriction.

- `\StopHere{Code}`

If the `obeystop` command is on, CodeDoc will execute `\StopHere` and then `\end{document}`, otherwise nothing happens. If the `index` option is also on, `\printindex` will be automatically executed after `\StopHere`. This is useful to let the user print a version of the documentation with some part(s) left out, typically the implementation.



### 1.3 Choosing the class

CodeDoc by itself defines nothing that one wants a class to define. It lets the user call the desired class. To do so, just add the name of the class in the options of the `\documentclass` declaration. If you want the class to load options itself, put them after the name of the class, between parenthesis, and separated by semi-colons. Thus, `\documentclass[memoir]{codedoc}` loads the `memoir` class without options while `\documentclass[memoir(a4paper;oneside)]{codedoc}` loads it with the `a4paper` and `oneside` options.<sup>4</sup>

By default, CodeDoc loads the article class without options.

### 1.4 Dangerous strings



In produce mode, CodeDoc becomes a string tester and nothing else. Hence, there are strings you don't want it to see because you don't want it to execute them. For instance, you don't want `\end{document}` to be executed unless at the end of the document. So when you say `\verb+\end{document}+`, you want CodeDoc to identify that `\end{document}` is not for real. Fortunately, CodeDoc does so. To some extent.

More precisely, CodeDoc identifies its own verbatim commands (described in the next section), L<sup>A</sup>T<sub>E</sub>X's `\verb` and `verbatim` environment, as well as verbatim environments created with the `fancyvrb` package and the 'short verb' characters defined with `\DefineShortVerb` from the same package. Thus, you can safely use `fancyvrb` and its companion `fvr-b-ex`.

However, `\begin`'s and `\end`'s are not the only strings that must be used carefully. The most important things you want CodeDoc to ignore in case they shouldn't be executed are its own macros. For instance, you don't want `\ProduceFile` to be executed when there's no reason to do so. But, unless you're documenting CodeDoc itself, what might be the situation where `\ProduceFile` is executed wrongly? Simply if you use it in a statement with `\let`, `\def`, `\newcommand`, etc. In produce mode, CodeDoc does not recognize these commands and for instance in `\let\ProduceFile\mycommand`, `\let` will be skipped and `\ProduceFile` executed. Hence the following.

- `\DangerousEnvironment{<List of environments>}`

Whenever you want CodeDoc to skip an environment in produce mode, for instance because it's a verbatim environment designed by yourself, you can add its name to `\DangerousEnvironment`. If you add more than one name, use commas as separators.

- `\StartIgnore`

- `\StopIgnore`

In produce mode, when CodeDoc encounters `\StartIgnore`, everything is skipped until `\StopIgnore` is found. This is useful to hide parts of your document that are irrelevant to the file you're building in produce mode (which is probably contained in the 'implementation' section). You should be careful to define your `example` environments and other verbatim devices outside the skipped material, if you want CodeDoc to identify them properly when it stops ignoring things.

```
\DangerousEnvironment{myenv,myotherenv}
\begin{myenv}
\end{document} This will be skipped by CodeDoc
\end{myenv}

\StartIgnore
\let\ProduceFile\myproduce This too, but that will be taken into
account in normal mode
\StopIgnore
```

However, you should be aware of the following points:

- *Any command that has some effect in produce mode should appear verbatim in your document.*

<sup>4</sup>This means that if you specify an unknown option for CodeDoc, it will try to load an (probably) unknown class, and you will get the corresponding error message.

Conversely,

- *Commands that have some effect in produce mode cannot be redefined for that mode.*
- And when I say ‘cannot’, I mean ‘you can try, it won’t work’. This leads to the final principle:
- *You can redefine a command to have the desired effect in normal mode as long as you respect its arguments, so that it can work properly in produce mode. And this should be done between `\StartIgnore` and `\StopIgnore`, of course.*

For instance, you can say:

```
\StartIgnore
\renewcommand\CloseFile[1]{End of #1\clearpage}
\StopIgnore
```

and when you say `\CloseFile{myfile}`, ‘End of myfile’ will be printed to the documentation, and a new page will be created, while in produce mode CodeDoc will do its usual job. On the other hand, although `\let\cf\CloseFile` is meaningful in normal mode, in produce mode it won’t take effect, i.e. CodeDoc won’t close anything. Finally, the previous example would have been catastrophic without `\StartIgnore` and `\StopIgnore`, because in produce mode, CodeDoc would have tried to execute `\CloseFile`.

`\StartIgnore` and `\StopIgnore` are also useful to make CodeDoc go faster and avoid errors, if you use it with `\input`. For instance, the following file would be perfect, provided everything that should be written to an external file is contained in `implementation.tex`

```
\documentclass{codedoc}
Write your verbatim definitions here, so that CodeDoc can see them
\begin{document}

\StartIgnore
\input{documentation}
\StopIgnore
\input{implementation}

\end{document}
```

This example leads us to the final restriction:

- *You should use `\input` in the  $\LaTeX$ ’s way, i.e. `\input{myfile}`, and not in  $\TeX$ ’s original way, i.e. `\input myfile`, if the file in question is to be read in produce mode.* In the example above, documentation can be `\input` as you want, but implementation should be `\input` as shown.

To know what commands have some effect in produce mode, see the summary of commands.

## 2 Verbatim Madness


### 2.1 Example environments

- `example`
- `\CodeInput`
- `\CodeOutput`

At first sight, the `example` environment is totally useless. Indeed, the following code does nothing:

```
\begin{example}
\TeX
\end{example}
```

However, it provides two commands `\CodeInput` and `\CodeOutput`. The former prints the code verbatim (and in typewriter font), and the latter executes it. So in the end it's very useful to document your package or class, because it avoids typing the code twice (and therefore errors are avoided).



The `example` environment is just one instance of a family of environments that you can create by yourself with the following commands.


- `\NewExample[⟨Options⟩]{⟨Name⟩}{⟨Code input⟩}{⟨Code output⟩}{⟨Immediate execution⟩}`
- `\RenewExample[⟨Options⟩]{⟨Name⟩}{⟨Code input⟩}{⟨Code output⟩}{⟨Immediate execution⟩}`

These two macros (whose difference is similar to the one between `\newcommand` and `\renewcommand`) create an environment `⟨Name⟩` that will provide two commands, `\CodeInput` and `\CodeOutput`, whose effect is defined by `⟨Code input⟩` and `⟨Code output⟩`. Moreover, `⟨Name⟩` will execute `⟨Immediate execution⟩`.

`⟨Code input⟩` and `⟨Code output⟩` have a peculiar syntax. The code to be processed is represented by `#`. For instance, the `example` environment is defined as:

```
\NewExample{example}   This is ⟨Name⟩
                        {\ttfamily#} \CodeInput yields but the code in typewriter font
                        {#}           \CodeOutput simply executes the code
                        {}             Nothing is done when example is called
```

You can do whatever you want. The code, represented by `#`, may be the argument of a macro. For instance:



What does `myex` do? It sets the verbatim code in typewriter font and underlines it (which is admittedly not the most interesting thing you can do). `⟨Code output⟩` is empty, so `\CodeOutput` will yield nothing. Finally, `⟨Immediate execution⟩` calls `\CodeInput`, so there's no need to call it after the environment.

The following points apply:

- All environments thus defined have a starred variant that shows spaces as characters.
- `\CodeInput`, `\CodeOutput` and `⟨Immediate execution⟩` are groups, so you can put any command in them, they won't spread. For instance, in `myex` above, there's no need to add a group to restrict the application of `\ttfamily`.
- `\CodeOutput` *really* executes your code. Any error will appear as such.
- Since `\CodeOutput` is a group, the definition you make won't work for the rest of your document, unless you make them global. For instance:

```

\NewExample{myex}{#}{#}


\begin{myex}
\def\foo{FOO!}
\end{myex}

\CodeOutput
\foo


```

will yield an error message, because `\foo` was only locally defined in `\CodeOutput`.

- Everything on the same line after the `\begin` statement of an environment will be gobbled.
- By default, CodeDoc does not add any space or `\par` before `\CodeInput`, `\CodeOutput` and (*Immediate execution*). A `\par` is added after `\CodeInput` if and only if the `\end` statement appears on its own line. Here's an illustration:



- The `code` environment can be freely redefined as an example environment.
- All example environments obey `\TabSize` and `\Gobble` as defined in the previous section, as well as `\LineNumber` if they are numbered (see below). See the description of `\eTeXOff` and `\eTeXOn` below for a comment on `\Gobble`.
  - *Options* may be one or several of the following (separated by commas):
    - numbered**  
Each line of `\CodeInput` is numbered. The count starts back to 1 at each occurrence of the environment.
    - continuous**  
Each line of `\CodeInput` is numbered. The count starts where the last occurrence of the same environment left. As an (utterly boring) example:



**visibleEOL**

This is more complicated and requires some knowledge of how CodeDoc builds examples.

Although you might not know it, your TeX distribution is very probably running on  $\epsilon$ -TeX. That's the reason why CodeDoc can process some code verbatim and executes it at the same time, as in the example environments, without the need for an external file. This is completely impossible with the original implementation of TeX. If, for some reason, you don't have  $\epsilon$ -TeX, or you're not running on it, then CodeDoc will use an external file.

However,  $\epsilon$ -TeX's 'virtual external file' mechanism is not perfect, and CodeDoc has to cope with it. What happens is that when you use `\CodeOutput`, CodeDoc hacks your code a little in order to simulate a real TeX code; namely, before anything is processed, CodeDoc removes ends of lines and commented parts of lines. For instance, if you say:

```

\def\foo{%
  FOO!}
\foo

```

what CodeDoc really processes with `\CodeInput` is `\def\foo{FOO!}\foo`. Most of the time, that's exactly what you want. But it might happen that you're toying around with ends of lines or comment characters, and in that case everything will go wrong, as in:

```

\catcode'\%=12
I'm writing a % sign.

```



This will *not* produce 'I'm writing a % sign', because CodeDoc will remove everything from the comment sign to the end of the line, so that what `\CodeOutput` will try to execute is:

```

\catcode'\
I'm writing a

```

and of course the aborted `\catcode` declaration will yield an error message. To avoid this problem, the `visibleEOL` option makes `CodeDoc` keeps everything. But now there's another issue: comments and end of line characters are processed at the same time as other macros and aren't interpreted independently as in normal  $\TeX$ . For instance, the following code, if the `visibleEOL` option is on for the environment in question, will apply `\emph` to the end of line character and not to `A`.

```
\emph
A
```

So you should be sure that comments and line ends occur where they won't hinder anything. If you find this utterly complicated, then you can use an external file whenever you're hacking ends of line, thanks to the following two macros.

- `\eTeXOff`
- `\eTeXOn`

The former makes `CodeDoc` process all examples environments with an external file (whose extension is `.exp`). The latter makes everything back to normal. If `\eTeXOff` applies, the `visibleEOL` option is of course irrelevant. Note that these two macros apply to examples that follow them and not to example definitions. For instance, `\eTeXOff` and then `\NewExample{myex}{#}{}` will not lead `CodeDoc` to use an external file whenever `myex` is called, but simply as long as no `\eTeXOn` appears. To put simply, these two macros have no effect on `\NewExample`.


If `\Gobble` is positive, examples with  $\varepsilon$ - $\TeX$  and examples without behave differently. The latter gobble characters before writing to the external file. Thus, `\CodeOutput` will execute line with the first characters gobbled. With  $\varepsilon$ - $\TeX$ , however, nothing is gobbled in `\CodeOutput`. This means that first characters, if meant to be gobbled, will be executed. Most of the time, such characters are spaces, and the difference won't be noticed. If, for some reason, you use other characters instead, and if you want to call `\CodeOutput` nonetheless, then a switch to an external file may be a good idea.

## 2.2 `\ShortVerb` and friends

`CodeDoc` provides a number of facilities to act on verbatim contexts. They declare one or more character(s) to have a special effect under certain circumstances.

- `\ShortVerb{⟨Character⟩}`
- `\UndoShortVerb`

This is well-known. `⟨Character⟩` is turned into a shorthand for `\verb`. You can define only one such character, and that's why `\UndoShortVerb` doesn't take an argument (like all `\Undo...` below). In `CodeDoc` verbatim contexts, this character returns to its normal value.



- `\ShortCode[⟨Example name⟩]{⟨Character⟩}`
- `\UndoShortCode`

This turns `⟨Character⟩` into an equivalent of `\begin{code}` and `\end{code}`. In normal mode, the verbatim material will be printed according to `⟨Example name⟩`'s specifications. If this optional argument is not present, then `\ShortCode` will follow `code`'s style. Most importantly, in produce mode everything between two `⟨Characters⟩` will be written to the file under production.


```

\RenewExample[continuous]{code}
{\itshape\ttfamily#}{\CodeInput}
\LineNumber{code}{\small\rmfamily}{1em}
\ShortCode+ Oh yeah, braces are never
             needed...

\begin{code}
Here it's +normal+
\end{code}

+
Here it writes code...
+

```



```

4 Here it's +normal+
5 Here it writes code...

```

`\ShortVerb` and `\ShortCode` have one caveat. If you `\Undo...` them and the next character (disregarding spaces, comments and ends of lines) is a short verb or a short code respectively, in produce mode it will fire as if it was still active. A pair of braces after the `\Undo...` statement prevents this.

- `\VerbBreak{⟨Character⟩}`
- `\UndoVerbBreak`

Every once in a while, breaking a verbatim line may be useful. In verbatim contexts, `⟨Character⟩` breaks the line, creates an unnumbered new one and indents it to the indentation of the original line. When `\CodeOutput` is processed, the `\VerbBreak` character is ignored. However, you should not break in the middle of a control sequence (admittedly a strange idea), or it won't form. It is also ignored, of course, when writing to a file in produce mode.

```

\VerbBreak{=} An escape character is ok
\begin{example*}
\TeX
  \emph=\TeX
\end{example*}\CodeInput

And the result is: \CodeOutput

```




```

\TeX
  \emph
  \TeX
And the result is:  $\TeX$   $\TeX$ 


```

- `\VerbCommand{⟨Escape⟩}{⟨Left brace⟩}{⟨Right brace⟩}`
- `\UndoVerbCommand`

In verbatim contexts, those three characters will serve to form control sequences. In `\CodeOutput` and produce mode, they are ignored. More specifically, `⟨Escape⟩` gobbles all letters following it (forming a putative command name) while everything vanishes that appears between `⟨Left brace⟩` and `⟨Right brace⟩`. This is not a very sound device, and above all you should add a `⟨Left brace⟩-⟨Right brace⟩` pair after a command called with `⟨Escape⟩`, if it precedes a command to be executed in `\CodeOutput`. That is, suppose `\VerbCommand{!}{(}{)}`, then `!foo\foo` is a very bad idea in your code, while `!foo()``\foo` is ok. All the comments in the examples here are done with `\VerbCommand`.



Since numbered examples environment define the current label to be the number of the current line, an interesting application is to use `\label` to refer to it.



- `\CodeEscape{<Character>}`
- `\UndoCodeEscape`

In normal mode, this command does absolutely nothing. However, in produce mode, `<Character>` becomes an escape character to form control sequences that will be expanded when writing to the file under production. It's useful mainly to put the values defined by `\ProduceFile` somewhere in your file. For instance, the following code

```

\CodeEscape!
\ProduceFile{mypack.sty}[mypack][v.2.1][2009/02/24]
\begin{code}
\ProvidesPackage{!FileName}[!FileDate!space !FileVersion!space My super package.]
\end{code}

```

will write `\ProvidesPackage{mypack}[2009/02/24 v.2.1 My super package.]` to `mypack.sty`.

## 2.3 Using fancyvrb

CodeDoc is minimally compatible with `fancyvrb`, in the sense that verbatim characters defined and undefined with `\DefineShortVerb` and `\UndefineShortVerb` are recognized in produce mode (hopefully). Besides, verbatim environments defined with `\DefineVerbatimEnvironment` are automatically added to the list of dangerous environments. The environments offered by `fancyvrb` and the `fvr-ex` companion package already belong to that list.

You can even redefine the `code` environment with `fancyvrb` facilities.<sup>5</sup> However:

- `\ShortCode` will stick to the last style defined for `code` (if it is set to follow this environment).
- Since everything is gobbled after `\begin{code}` in produce mode, you can freely put your `keyval` pairs here, as usual with `fancyvrb`. However, *you should not input these pairs on the following line(s)*, although it's ok with `fancyvrb`. The following code will lead `xleftmargin=1cm` to be written on the file under production.

<sup>5</sup>It will indeed add `code` to the list of dangerous environment, which is already the case when `code` is redefined with `\RenewExample`. But CodeDoc evaluates whether an environment is `code` before checking the list of dangerous environments.



```
\begin{code}[frame=single,
xleftmargin=1cm]
\def\foo{FOO}
\end{code}
```

- The `gobble` and `commandchars` parameters will be obeyed in normal mode (since `fancyvrb` is in charge), but *not in produce mode, unless you also specify the `\Gobble` and `\VerbCommand` parameters (see above) accordingly.*

### 3 Summary of commands

In this section I explain the behavior of all CodeDoc constructions in normal and produce mode respectively. Commands which have some effect in produce mode are subject to the restrictions given in section 1.4.

#### 3.1 Class options

- `autoclose`  
**Normal Mode:** Does nothing.  
**Produce Mode:** *The current file is closed when a new one is opened with `\ProduceFile`.*
- `index`  
**Normal Mode:** Loads `makeidx` and calls `\makeindex`. `\StopHere` automatically launches `\printindex`.  
**Produce Mode:** *Does nothing.*
- `noheader`  
**Normal Mode:** Does nothing.  
**Produce Mode:** *No header is written to the file when it is opened.*
- `obeystop`  
**Normal Mode:** The document stops at `\StopHere{<Code>}` and executes `<Code>`. If the `index` option is on, `\printindex` is executed after `<Code>`.  
**Produce Mode:** *Does nothing.*
- `tracing0`, `tracing1`, `tracing2`  
**Normal Mode:** Does nothing.  
**Produce Mode:** *CodeDoc normally writes a report to the log file. If `tracing0` is on, there's no report; if `tracing1` is on (which is default), CodeDoc reports only about opening files and writing code. With `tracing2`, it also reports about characters defined as `\ShortVerb` or `\CodeEscape`, environments added to the list of dangerous environments, etc.*

#### 3.2 Environments

- `code`  
**Normal Mode:** The content is displayed verbatim according to the style defined for `code`.  
**Produce Mode:** *The content is written to the file in production.*
- `example`  
**Normal Mode:** A minimal example environment that provides `\CodeInput` (in typewriter font) and `\CodeInput`.  
**Produce Mode:** *The content is skipped.*
- `invisible`  
**Normal Mode:** The content is skipped.  
**Produce Mode:** *The content is written to the file in production.*

#### 3.3 Commands

- `\AddBlankLine`  
**Normal Mode:** Does nothing.  
**Produce Mode:** *Adds a blank line to the file in production.*
- `\bslash`  
**Normal Mode:** Prints `\`. Designed to adapt to `hyperref`'s bookmarks.  
**Produce Mode:** *Does nothing.*

- `\BoxTolerance{⟨Dimension⟩}`  
**Normal Mode:** Excess size tolerated before a verbatim line is reported as an overfull box.  
**Produce Mode:** Does nothing.
- `\CloseFile{⟨File⟩}`  
**Normal Mode:** `\FileName` and others are not available anymore.  
**Produce Mode:** Closes `⟨File⟩`. No file is considered in production until the next `\ProduceFile`, even if there are open files. Useless in `autoclose` mode.
- `\CodeEscape{⟨Character⟩}`  
**Normal Mode:** Does nothing.  
**Produce Mode:** `⟨Character⟩` turns into an escape character in `code` contexts.
- `\CodeFont{⟨Font specifications⟩}`  
**Normal Mode:** The style of the code environment if it has not been redefined with `\RenewExample`. Default is `\ttfamily`.  
**Produce Mode:** Does nothing.
- `\CodeInput`  
**Normal Mode:** Displays the code of the last example environment verbatim, according to the style defined for that environment.  
**Produce Mode:** Does nothing.
- `\CodeOutput`  
**Normal Mode:** Executes the code of the last example environment, according to the style defined for that environment.  
**Produce Mode:** Does nothing.
- `\DangerousEnvironment{⟨List of environments⟩}`  
**Normal Mode:** Does nothing.  
**Produce Mode:** The environments in the list are skipped during processing.
- `\DefineEnvironment{⟨Environment⟩}`  
**Normal Mode:** Prints `⟨Environment⟩` according to `\PrintMacro` and adds it to the index with ‘(environment)’ and a line number typeset according to `\DefineIndexFont`.  
**Produce Mode:** Gobbles the first characters of `⟨Environment⟩`, just in case.
- `\DefineIndexFont{⟨Font specifications⟩}`  
**Normal Mode:** Style of the page number in the index for `\DefineMacro` and `\DefineEnvironment` entries.  
**Produce Mode:** Does nothing.
- `\DefineMacro{⟨Macro⟩}`  
**Normal Mode:** Prints `⟨Macro⟩` according to `\PrintMacro` and adds it to the index with a line number typeset according to `\DefineIndexFont`.  
**Produce Mode:** Gobbles the first characters of `⟨Macro⟩`, just in case.
- `\DescribeEnvironment{⟨Environment⟩}`  
**Normal Mode:** Prints `⟨Environment⟩` according to `\PrintMacro` and adds it to the index with ‘(environment)’ and a line number typeset according to `\DescribeIndexFont`.  
**Produce Mode:** Gobbles the first characters of `⟨Environment⟩`, just in case.
- `\DescribeIndexFont{⟨Font specifications⟩}`  
**Normal Mode:** Style of the page number in the index for `\DescribeMacro` and `\DescribeEnvironment` entries.  
**Produce Mode:** Does nothing.
- `\DescribeMacro{⟨Macro⟩}`  
**Normal Mode:** Prints `⟨Macro⟩` according to `\PrintMacro` and adds it to the index with a line number typeset according to `\DescribeIndexFont`.  
**Produce Mode:** Gobbles the first characters of `⟨Macro⟩`, just in case.
- `\DocStripMarginpar`  
**Normal Mode:** Sets the adequate values for the proper printing of macros with `\DescribeMacro` and `\DefineMacro` (and variants for environments), so that they appear `\marginpar`’ed as with `DocStrip`. More precisely, it executes `\reversmarginpar`, and sets `\marginparpush` to 0pt and `\marginparwidth` to 8pc.  
**Produce Mode:** Does nothing.
- `\eTeXOff`  
**Normal Mode:** All subsequent example environments are processed with an external file, whose extension is `.exp`.  
**Produce Mode:** Does nothing.
- `\eTeXOn`  
**Normal Mode:** All subsequent example environments are processed without an external file. This is default. (Requires `ε-TeX`, of course.)  
**Produce Mode:** Does nothing.

- `\Gobble{<Number>}`

**Normal Mode:** The number of characters that will be gobbled at the beginning of each example and code environments. In case of a blank line, nothing is gobbled, but a blank line is added. Tab characters count as one character.

**Produce Mode:** Same as in normal mode, but when writing to the file in production.

- `\Header{<Text>}`

**Normal Mode:** Does nothing.

**Produce Mode:** Text to be written at the beginning of a file when it is opened with `\ProduceFile`. Comment characters will be automatically added at the beginning of each line. Ends of lines are obeyed. If the `noheader` option is on, nothing is written.

- `\IgnorePrefix{<Macro prefix>}`

**Normal Mode:** Ignores `<Macro prefix>` when sorting index entries generated by `\DescribeMacro` and `\DefineMacro`. `<Macro prefix>` will be typeset according to `\PrintPrefix` in the index.

**Produce Mode:** Does nothing.

- `\LineNumber{<Name>}{<Font specifications>}{<Width>}[<Number>]`

**Normal Mode:** The line number of `<Name>` will be typeset according to `<Font specifications>` in a box that will spread from the left margin into the main text width by a length of `<Width>` (0pt by default). The next `<Name>` will start at `<Number>` if specified.

**Produce Mode:** Does nothing.

- `\marg{<Argument>}`

**Normal Mode:** `\marg{Argument}` prints `{<Argument>}` (mandatory argument).

**Produce Mode:** Does nothing.

- `\meta{<Argument>}`

**Normal Mode:** `\meta{Argument}` prints `<Argument>`.

**Produce Mode:** Does nothing.

- `\NewExample[<Options>]{<Name>}{<Code input>}{<Code output>}{<Immediate execution>}`

**Normal Mode:** Creates `<Name>` as an example environment to provide `\CodeInput` as `<Code input>` (where the code to be typeset is represented by #) and `\CodeOutput` as `<Code output>` (where the code to be executed is represented by #). When encountered, `<Name>` executes `<Immediate execution>`. `<Code input>`, `<Code output>` and `<Immediate execution>` can be empty.

Options are:

`numbered`: Each line of `<Name>` is numbered.

`continuous`: Each line of `<Name>` is numbered and numbering continues from one `<Name>` to the other.

`visibleEOL`: If `<Name>` is processed with  $\epsilon$ -TeX, This prevents ends of lines and commented parts of lines from being removed before anything is executed in `\CodeInput`. See page 13 for a discussion.

**Produce Mode:** Adds `<Name>` to the list of dangerous environments and gobbles the remaining arguments.

- `\oarg{<Argument>}`

**Normal Mode:** `\oarg{Argument}` prints `[<Argument>]` (optional argument).

**Produce Mode:** Does nothing.

- `\parg{<Argument>}`

**Normal Mode:** `\parg{Argument}` prints `((<Argument>))` (picture argument).

**Produce Mode:** Does nothing.

- `\PrintMacro{<Macro or environment>}`

**Normal Mode:** Typesets the argument to `\DescribeMacro`, `\DefineMacro`, `\DescribeEnvironment` and `\DefineEnvironment`. Should be freely redefined by users. By default, it prints its argument as with `DocStrip`, provided `\DocStripMarginpar` has been executed beforehand.

**Produce Mode:** Does nothing.

- `\PrintPrefix{<Macro prefix>}`

**Normal Mode:** Typesets `<Macro prefix>`, as defined by `\IgnorePrefix`, in the index. Should be redefined by the user. By default, it does nothing.

**Produce Mode:** Does nothing.

- `\ProduceFile{<File>}[<File name>][<File version>][<File date>]`

**Normal Mode:** Provides `<File>` as `\FileSource`, `<File name>` as `\FileName`, `<File version>` as `\FileVersion` and `<File date>` as `\FileDate`.

**Produce Mode:** Opens `<File>` and writes the header (unless `noheader` is on), unless `<File>` is already open and `autoclose` is not specified, in which case `CodeDoc` will simply puts `<File>` back in production. Subsequent code will be written to this file. Closes the current file if `autoclose` is on. Provides `<File name>` as `\FileName`, `<File version>` as `\FileVersion` and `<File date>` as `\FileDate`, to be used with `\CodeEscape`.

- `\RenewExample[<Options>]{<Name>}{<Code input>}{<Code output>}{<Immediate execution>}`

**Normal Mode:** Same as `\NewExample` to redefine `<Name>`.

**Produce Mode:** Adds `<Name>` to the list of dangerous environments and gobbles the remaining arguments.

What???

- **\ShortCode{⟨Character⟩}**  
**Normal Mode:** Turns ⟨Character⟩ into a shorthand for `\begin{document}` and `\end{document}`.  
**Produce Mode:** Like in normal mode: everything between two ⟨Characters⟩ will be written to the file in production.
- **\ShortVerb{⟨Character⟩}**  
**Normal Mode:** Turns ⟨Character⟩ into a shorthand for `\verb`.  
**Produce Mode:** Subsequently gobbles everything between two ⟨Characters⟩.
- **\StartIgnore**  
**Normal Mode:** Does nothing.  
**Produce Mode:** Stops executing anything until `\StopIgnore`.
- **\StopHere{⟨Code⟩}**  
**Normal Mode:** If the `obeystop` option is on, executes ⟨Code⟩ followed by `\printindex` if `index` is on, and ends the document.  
**Produce Mode:** Does nothing.
- **\StopIgnore**  
**Normal Mode:** Does nothing.  
**Produce Mode:** Marks the end of `\StartIgnore`.
- **\TabSize{⟨Number⟩}**  
**Normal Mode:** Sets the number of spaces to represent a tab character in verbatim contexts.  
**Produce Mode:** Does nothing.
- **\UndoCodeEscape**  
**Normal Mode:** Does nothing.  
**Produce Mode:** Sets the `\CodeEscape` character to a normal character.
- **\UndoShortCode**  
**Normal Mode:** Sets the `\ShortCode` character to a normal character.  
**Produce Mode:** Sets the `\ShortCode` character to a normal character.
- **\UndoShortVerb**  
**Normal Mode:** Sets the `\ShortVerb` character to a normal character.  
**Produce Mode:** Sets the `\ShortVerb` character to a normal character.
- **\UndoVerbBreak**  
**Normal Mode:** Sets the `\VerbBreak` character to a normal character.  
**Produce Mode:** Sets the `\VerbBreak` character to a normal character.
- **\UndoVerbCommand**  
**Normal Mode:** Sets the `\VerbCommand` characters to normal characters.  
**Produce Mode:** Sets the `\VerbCommand` character to normal characters.
- **\VerbBreak{⟨Character⟩}**  
**Normal Mode:** Turns ⟨Character⟩ into a line breaker in verbatim contexts; more precisely, the line will break where ⟨Character⟩ appears and will be indented with the same amount of space as the original one. ⟨Character⟩ is ignored in `\CodeOutput`.  
**Produce Mode:** Ignores ⟨Character⟩ when writing to the file in production.
- **\VerbCommand{⟨Escape⟩}{⟨Left brace⟩}{⟨Right brace⟩}**  
**Normal Mode:** Turns ⟨Escape⟩ into an escape character in verbatim contexts, and ⟨Left brace⟩ and ⟨Right brace⟩ into characters of category 1 and 2 respectively. In `\CodeOutput`, ⟨Escape⟩ gobbles all subsequent letters and everything between ⟨Left brace⟩ and ⟨Right brace⟩ is gobbled too.  
**Produce Mode:** Does the same as normal mode for `\CodeOutput`. Letters following ⟨Escape⟩ are gobbled, as is everything between ⟨Left brace⟩ and ⟨Right brace⟩.

## Part II

# Implementation

The usual things (; is my `\CodeEscape` character). Turning `^^?` into an active character is less usual but useful to delimit ends of code material.

```

1 \NeedsTeXFormat{LaTeX2e}
2 \ProvidesClass{;FileName}[;FileDate ;FileVersion Code and documentation in one file.]
3 \makeatletter
4 \catcode'\^^?=13

```

## 4 Options and basic definitions

`\cd@GetClass` Options are mostly conditional switching. `\cd@tracingmode` will be used in an `\ifcase` statement. `\cd@GetClass` will be analyzed to retrieve the class and its options.

```

5 \newif\ifcd@produce
6 \newif\ifcd@autoclose
7 \newif\ifcd@obeystop
8 \newif\ifcd@makeindex
9 \newif\ifcd@noheader
10 \newcount\cd@tracingmode
11 \cd@tracingmode1
12 \def\cd@GetClass{article()}
13
14 \DeclareOption{autoclose}{\cd@autoclosetrue}
15 \DeclareOption{produce}{\cd@producetrue}
16 \DeclareOption{index}{\cd@makeindextrue}
17 \DeclareOption{obeystop}{\cd@obeystoptrue}
18 \DeclareOption{noheader}{\cd@noheadertrue}
19 \DeclareOption{tracing0}{\cd@tracingmode0}
20 \DeclareOption{tracing1}{\cd@tracingmode1}
21 \DeclareOption{tracing2}{\cd@tracingmode2}
22 \DeclareOption*{\edef\cd@GetClass{\CurrentOption}}
23 \ProcessOptions\relax

```

`\cd@end` We define `\cd@LoadClass` as a recursive retrieval of options, then passed to the class with `\PassOptionsToClass`, which we load. This is done only if we're not in produce mode, in which case no class is loaded.

```

24 \def\cd@end{cd@end}
25 \ifcd@produce
26 \else
27 \def\cd@LoadClass#1(#2){%
28   \def\cd@Class{#1}
29   \expandafter\cd@GetOptions#2;cd@end;%
30   \LoadClass{#1}%
31   \@ifnextchar({\expandafter\@gobble\@gobble}{})
32 \def\cd@GetOptions#1;%
33   \def\cd@TempArg{#1}
34   \ifx\cd@TempArg\cd@end%
35     \let\cd@next\relax
36   \else%
37     \PassOptionsToClass{#1}{\cd@Class}%
38     \let\cd@next\cd@GetOptions%
39   \fi\cd@next}
40 \expandafter\cd@LoadClass\cd@GetClass

```

`\StopHere` Still in normal mode, we load `makeidx` if required and define `\StopHere` accordingly.

```

41 \ifcd@makeindex
42 \RequirePackage{makeidx}
43 \makeindex
44 \else
45 \let\printindex\relax
46 \fi
47 \ifcd@obeystop
48 \ifcd@makeindex
49 \long\def\StopHere#1{#1\relax\par\printindex\end{document}}
50 \else
51 \long\def\StopHere#1{#1\relax\par\end{document}}
52 \fi
53 \else
54 \long\def\StopHere#1{}
55 \fi
56 \fi

```

## 5 Normal mode

Although the following code is used in normal mode only, I did not feel like embedding hundreds of lines under a `\ifcd@produce` conditional. Pure superstition, perhaps.

Here's the switch for  $\varepsilon$ -TeX and some shorthands.

```

57 \newif\ifcd@eTeX
58 \@ifundefined{eTeXversion}{\cd@eTeXfalse}{\cd@eTeXtrue}
59
60 \def\cd@Warning{\ClassWarningNoLine{codedoc}}
61 \def\cd@Error#1{\ClassError{codedoc}{#1}{}}

```

### 5.1 Describing macros

`\DocStripMarginpar` Most of the following macros are imitated from `DocStrip`, in a simpler but less careful manner.  
`\PrintMacro` The first two are straightforward.

```

62 \def\DocStripMarginpar{\reversemarginpar\marginparpushOpt\relax\marginparwidth8pc\relax}
63 \def\PrintMacro#1{\noindent\marginpar{\raggedleft\strut\ttfamily#1}\ignorespaces}

```

`\DescribeIndexFont` `\DescribeMacro` and its companions first turn `@` into a letter, so that a control sequence containing it is recognized as such, sets `\cd@Index`, used in the `\ifcase` statement below (a simple conditional could do the job, since there are only two values, but there might be more someday if one wants to distinguish other index entries, like ‘used’ macros), and pass their arguments to `\PrintMacro` with the first token `\string`’ed (even in the case of an environment, because someone might describe its environment with a `\begin{myenv}` command). In case of a macro, the argument is also passed to `\cd@MakeEntry` to index it.

`\cd@DescribeEnvironment` The hyperref package does not work properly with indexes if a style is specified with `|` in the entry. Since we use such styles, and since we want to use `hyperref`, we circumvent the problem with `\hyperpage` added to the style. By default, it does nothing, but if the user loads `hyperref`, it will have the adequate meaning.

```

64 \newcount\cd@Index
65 \def\hyperpage#1{#1}
66
67 \def\DescribeIndexFont#1{\gdef\cdatDescribeFont##1{#1\hyperpage{##1}}}}
68 \DescribeIndexFont{}
69 \def\DescribeMacro{\makeatletter\cd@DescribeMacro}
70 \def\cd@DescribeMacro#1{%
71 \makeatother%
72 \cd@Index=0 %
73 \cd@MakeEntry#1\cd@EndOfEntry%
74 \PrintMacro{\string#1}}
75 \def\DescribeEnvironment{\makeatletter\cd@DescribeEnvironment}
76 \def\cd@DescribeEnvironment#1{%

```

```

77 \makeatother%
78 \index{#1@texttt{#1} (environment)|cdatDescribeFont}%
79 \PrintMacro{\string#1}}
80
81 \def\DefineIndexFont#1{\gdef\cdatDefineFont##1{{#1\hyperpage{##1}}}}
82 \DefineIndexFont{\itshape}
83 \def\DefineMacro{\makeatletter\cd@DefineMacro}
84 \def\cd@DefineMacro#1{%
85 \makeatother%
86 \cd@Index1 %
87 \cd@MakeEntry#1\cd@EndOfEntry%
88 \PrintMacro{\string#1}}
89 \def\DefineEnvironment{\makeatletter\cd@DefineEnvironment}
90 \def\DefineEnvironment#1{%
91 \makeatother%
92 \index{#1@texttt{#1} (environment)|cdatDefineFont}%
93 \PrintMacro{\string#1}}

```

`\cd@MakeEntry` This takes two arguments but considers only the first one, so that `\DescribeMacro{\foo\marg{Argument}}` will ignore `\marg{Argument}`. We pass that argument to `\cd@AnalyzeEntry` with the escape character removed (for a proper indexing), call `\cd@AnalyzePrefix` on the result and finally `\cd@@MakeEntry`

```

94 \def\cd@MakeEntry#1#2\cd@EndOfEntry{%
95 \def\cd@TempEntry{%
96 \begingroup\escapechar\m@ne\expandafter\cd@AnalyzeEntry\string#1\cd@end\endgroup%
97 \expandafter\cd@AnalyzePrefix\cd@TempEntry\cd@end%
98 \expandafter\cd@@MakeEntry\cd@TempEntry\cd@EndOfEntry}


```

`\cd@AnalyzeEntry`  
`\AtChar` The aim of this macro is to process `@`. Indeed, `@` is `MakelIndex`'s operator to signal that an entry should be indexed under another name (as done here). But `@` is also a very popular letter in `TeX`'s world when it comes to macros. `DocStrip`'s solution is to create a special style file for `MakelIndex`, so that the function of `@` is taken over by another character. But then, when a user compiles a `DocStrip` document, this style file must be indicated to `MakelIndex`, which many people might not do. So I prefer to leave `MakelIndex` alone and process the entry beforehand, replacing `@` by a character denotation. That's the job of `\cd@AnalyzeEntry`, which scans the macro name token by token and replace `@` by `\AtChar`.

```

99 \chardef\AtChar='@
100 \def\cd@AnalyzeEntry#1{%
101 \let\cd@next\cd@AnalyzeEntry%
102 \ifx#1\cd@end%
103 \let\cd@next\relax%
104 \else\if#1@%
105 \expandafter\gdef\expandafter\cd@TempEntry\expandafter{\cd@TempEntry\AtChar}%
106 \else%
107 \expandafter\gdef\expandafter\cd@TempEntry\expandafter{\cd@TempEntry#1}%
108 \fi\fi\cd@next}

```

`\IgnorePrefix`  
 I am a macro Here comes the mechanism to remove prefixes when sorting entries. `\IgnorePrefix` simply resets some values and call `\cd@IgnorePrefix` on its argument along with a terminator.

```

109 \newcount\cd@PrefixCount
110 \def\IgnorePrefix#1{\cd@PrefixCount\z@\def\Prefix{#1}\cd@IgnorePrefix#1\cd@end}

```

`\cd@IgnorePrefix`  
`\cd@MakePrefix` This analyzes the prefix just like `\cd@AnalyzeEntry` above and replaces all occurrences of `@` by `\AtChar`. Since the name of the macro is `\string`'ed when subjected to `\DefineMacro` and others, we also `\string` all letters of the prefix, which have then category code 12.

```

111 \def\cd@IgnorePrefix#1{%
112 \let\cd@next\cd@IgnorePrefix%
113 \ifx#1\cd@end%
114 \def\cd@next{\expandafter\cd@ScanPrefix\Prefix\cd@end}%
115 \else\if#1@%

```

```

116 \expandafter\def\expandafter\Prefix\expandafter{\Prefix\AtChar}%
117 \else%
118 \edef\cd@PrefixLetter{\string#1}%
119 \expandafter\cd@MakePrefix\cd@PrefixLetter%
120 \fi\fi\cd@next}
121 \def\cd@MakePrefix#1{%
122 \expandafter\def\expandafter\Prefix\expandafter{\Prefix#1}}%

```

`\cd@ScanPrefix`      Then we just scan the prefix to compute the number of characters it is made of. `\cd@AnalyzePrefix` is defined accordingly to take the right number of characters out of a macro name (fed in `\cd@MakeEntry` above) and lump them into `\cd@TempPrefix`, and define the rest of the entry as the remaining characters up to the terminator.

```

123 \def\cd@ScanPrefix#1{%
124 \ifx#1\cd@end%
125 \let\cd@next\cd@DefPrefix%
126 \else%
127 \advance\cd@PrefixCount\@ne%
128 \let\cd@next\cd@ScanPrefix%
129 \fi\cd@next}
130 \def\cd@DefPrefix{%
131 \ifcase\cd@PrefixCount%
132 \def\cd@AnalyzePrefix##1\cd@end{}%
133 \or\def\cd@AnalyzePrefix##1##2\cd@end{%
134 \def\cd@TempPrefix{##1}\def\cd@RestOfEntry{##2}\cd@ComparePrefix}%
135 \or\def\cd@AnalyzePrefix##1##2##3\cd@end{%
136 \def\cd@TempPrefix{##1##2}\def\cd@RestOfEntry{##3}\cd@ComparePrefix}%
137 \or\def\cd@AnalyzePrefix##1##2##3##4\cd@end{%
138 \def\cd@TempPrefix{##1##2##3}\def\cd@RestOfEntry{##4}\cd@ComparePrefix}%
139 \or\def\cd@AnalyzePrefix##1##2##3##4##5\cd@end{%
140 \def\cd@TempPrefix{##1##2##3##4}\def\cd@RestOfEntry{##5}\cd@ComparePrefix}%
141 \or\def\cd@AnalyzePrefix##1##2##3##4##5##6\cd@end{%
142 \def\cd@TempPrefix{##1##2##3##4##5}\def\cd@RestOfEntry{##6}\cd@ComparePrefix}%
143 \or\def\cd@AnalyzePrefix##1##2##3##4##5##6##7\cd@end{%
144 \def\cd@TempPrefix{##1##2##3##4##5##6}\def\cd@RestOfEntry{##7}\cd@ComparePrefix}%
145 \or\def\cd@AnalyzePrefix##1##2##3##4##5##6##7##8\cd@end{%
146 \def\cd@TempPrefix{##1##2##3##4##5##6##7}\def\cd@RestOfEntry{##8}\cd@ComparePrefix}%
147 \or\def\cd@AnalyzePrefix##1##2##3##4##5##6##7##8##9\cd@end{%
148 \def\cd@TempPrefix{##1##2##3##4##5##6##7##8}\def\cd@RestOfEntry{##9}\cd@ComparePrefix}%
149 \fi\ignorespaces}

```

`\cd@ComparePrefix`      Comparing prefixes is simply a matter of string testing. In case they match, the entry is redefined as the `\cd@RestOfEntry`, so that macros will be indexed with the prefix removed.

```

150 \newif\ifcd@Prefix
151 \def\cd@ComparePrefix{%
152 \ifx\cd@TempPrefix\Prefix%
153 \expandafter\def\expandafter\cd@TempEntry\expandafter{\cd@RestOfEntry}%
154 \cd@Prefixtrue%
155 \else%
156 \cd@Prefixfalse%
157 \fi}

```

`\cd@MakeEntry`      Finally, `\cd@MakeEntry` indexes the macro under its name with a prefixed escapechar (since it was removed above) and `\Prefix` in case it was found to match. We also set some default values.

```

158 \def\cd@MakeEntry#1\cd@endOfEntry{%
159 \ifcd@Prefix%
160 \ifcase\cd@Index%
161 \index{#1@texttt{\char\escapechar\PrintPrefix\Prefix#1}|cd@DescribeFont}%
162 \or%
163 \index{#1@texttt{\char\escapechar\PrintPrefix\Prefix#1}|cd@DefineFont}%
164 \fi%

```



```

165 \else%
166 \ifcase\cd@Index%
167   \index{#1@\texttt{\char\escapechar#1}| cdatDescribeFont}%
168   \or%
169   \index{#1@\texttt{\char\escapechar#1}| cdatDefineFont}%
170   \fi%
171 \fi}
172
173 \IgnorePrefix{}%
174 \let\PrintPrefix\relax

```

`\meta` These again are imitated from the DocStrip bundle, with less care.

```

\marg 175 \def\meta#1{\ensuremath\langle\emph{#1}\ensuremath\rangle}
\oarg 176 \def\marg#1{\texttt{\{} \meta{#1}\texttt{\}}}
\parg 177 \def\oarg#1{\texttt{[] \meta{#1}\texttt{[]}}
178 \def\parg#1{\texttt{() \meta{#1}\texttt{()}}

```

`\cd@bslash` We define our backslash to adapt to hyperref. To this end, we use `\textorpdfstring`, an hyperref command that expands to its first argument in normal contexts and to its second one in bookmarks.

The only problem is that hyperref defines `\textorpdfstring` with `\newcommand` instead of `\def`. So we obviously can't define it here, and we wait for the beginning of the document.

```

179 \def\cd@bslash{\char'\}
180 \def\bslash{\textorpdfstring{\cd@bslash}{\string'\}}
181 \AtBeginDocument{\ifundefined{texorpdfstring}{\def\texorpdfstring#1#2{#1}{}}}

```

## 5.2 \ShortVerb and associates

`\cd@CharErr` Before entering the intricate realm of verbatim text, here are some simpler definitions.

`\cd@BadChar` First, we delimit what characters we consider to be acceptable in `\ShortVerb` and other. The choice might seem rather conservative, but things are less dangerous this way.

```

182 \def\cd@CharErr#1#2{%
183   \bgroup
184   \escapechar\m@ne
185   \cd@Error{You can't use \string#1 for \string\#2}
186   \egroup}
187
188 \newif\ifcd@BadChar
189
190 \def\cd@BadChar#1#2{%
191   \cd@BadChartrue
192   \ifcase\catcode'#1 % \
193     \cd@CharErr{\}\{#2}%
194   \or% {
195     \cd@CharErr{\}\{#2}%
196   \or% }
197     \cd@CharErr{\}\{#2}%
198   \or% $
199     \cd@BadCharfalse%
200   \or% &
201     \cd@BadCharfalse%
202   \or% ^M
203   \or% #
204     \cd@BadCharfalse%
205   \or% ^
206     \cd@BadCharfalse%
207   \or% _
208     \cd@BadCharfalse%
209   \or% Ignored
210   \or% Spaces
211     \cd@CharErr{spaces}{#2}%

```

```

212 \or% Letters
213   \cd@CharErr{letters}{#2. \MessageBreak That's really bad}%
214 \or% Other
215   \cd@BadCharfalse%
216 \or% Active
217   \cd@CharErr{#1}{#2 - it's already active}%
218 \or% %
219   \cd@CharErr{#1}{#2}%
220 \fi}

```

`\cd@UndoErr` We also define two templates for error messages in case the user wants to `\Undo...` something that was never done or define a new character while one is already in use.

```

221 \def\cd@UndoErr#1{%
222   \bgroup%
223   \escapechar\m@ne%
224   \cd@Error{%
225     There is no \string\\string#1\space defined.\MessageBreak%
226     \string\\Undo\string#1\space on line \the\inputlineno\space is useless}%
227   \egroup}
228 \def\cd@DefErr#1#2{%
229   \bgroup%
230   \escapechar\m@ne%
231   \expandafter\xdef\csname cd@#2Error\endcsname{%
232     \noexpand\cd@Error{%
233       You've already defined \string#1 as a \string\\#2\noexpand\MessageBreak%
234       on l. \the\inputlineno. You can't have two.\noexpand\MessageBreak%
235       Say \string\\Undo#2\space and then \string\\#2\space to change}}%
236   \egroup}

```

`\ShortVerb` Before defining any character, we run some tests: is it a bad character, and is there another character already in use? In the latter case, `\ifcd@ShortVerb` should be switched to `true`.

```

237 \newif\ifcd@ShortVerb
238
239 \def\ShortVerb#1{%
240   \cd@BadChar{#1}{ShortVerb}%
241   \ifcd@BadChar%
242   \else\ifcd@ShortVerb
243     \cd@ShortVerbError

```

If none of the above applies, we switch the conditional to true define `\cd@ShortVerbError` with `\cd@DefErr`. We also store the character's original catcode to restore if undone.

```

244   \else
245     \cd@ShortVerbtrue
246     \cd@DefErr{#1}{ShortVerb}
247     \chardef\cd@ShortVerbCat\catcode'#1%

```

Then we use the `~` with lowercase trick to define the character.

```

248   \bgroup%
249   \lccode'\~='#1%
250   \lowercase{%

```

A `\ShortVerb` character makes the adequate modifications to display text verbatim. `\cd@Verbatim` is CodeDoc's container of all such modifications (mostly catcode changing). `\catcode'#1=13` is necessary because the character might be one of the specials whose catcode is changed in `\cd@Verbatim`, e.g. `&`. We also launch `\cd@ShortVerb` which works like `\verb`.

`\leavevmode` is needed in case the `\ShortVerb` character starts a paragraph, as in the one you're reading.

```

251     \gdef~{\leavevmode\bgroup\ttfamily\cd@Verbatim\catcode'#1\active\cd@ShortVerb}%
252     \gdef\cd@ShortVerb##1~{##1\egroup}%

```

Finally we (re)define `\UndoShortVerb` to restore the original catcode and switch the appropriate conditional. Last but not least, we make the character active.

```

253     \gdef\UndoShortVerb{%
254     \ifcd@ShortVerb%
255     \cd@ShortVerbfalse%
256     \catcode'\~\cd@ShortVerbCat%
257     \else%
258     \cd@UndoErr{\ShortVerb}%
259     \fi}%
260 \egroup%
261 \catcode'#1=13
262 \fi\fi}%

```

`\UndoShortVerb` This is the default definition for this command, when no `\ShortVerb` has been defined.

```

263 \def\UndoShortVerb{\cd@UndoErr{\ShortVerb}}

```

`\ShortCode` `\ShortCode` works with the same pattern as `\ShortVerb` with important variations. First, we check whether there's an optional argument.

```

264 \newif\ifcd@ShortCode
265 \newif\ifcd@ShortCodeChar
266
267 \def\ShortCode{%
268 \@ifnextchar[
269 {\cd@MakeShortCode}
270 {\cd@MakeShortCode[code]}}

```

`\cd@MakeShortCode` Then we define the real macro. We store the name of the environment and run the same tests as above.

```

271 \bgroup
272 \catcode'\~M13%
273 \gdef\cd@MakeShortCode[#1]#2{%
274 \def\cd@TempEnv{#1}%
275 \cd@BadChar{#2}{ShortCode}%
276 \ifcd@BadChar%
277 \else\ifcd@ShortCodeChar%
278 \cd@ShortCodeError%

```

Then we check whether the environment exists, thanks to `\(Environment)\cd@EOL` which is defined for `(Environment)` when created with `\NewExample`.

```

279 \else%
280 \expandafter\ifx\csname #1\cd@EOL\endcsname\relax%
281 \cd@Error{%
282 '#1' is not an example environment.\MessageBreak%
283 'code' is selected instead}%
284 \def\cd@TempEnv{code}%
285 \fi%

```

This is the same as above: we state that a character has been defined as a `\ShortCode`.

```

286 \cd@ShortCodeChartrue%
287 \cd@DefErr{#2}{ShortCode}%
288 \chardef\cd@ShortCodeCat=\catcode'#2%

```

`\cd@ShortCode` Then we define the character to launch the appropriate environment, but with `\ifcd@ShortCode` turned to true. What will happen depends on the status of the environment. If it is the default code environment, it will call `\cd@ShortCode` as defined here, which is equivalent to `\code` itself (see below). On the other hand, if the environment is an `example` environment, the special example macro will be called and delimit its argument with `\cd@ShortEnd`, which is the `\ShortCode` character itself. `\cd@ActivateShortCode` is needed to reactivate the character in case it was one of the specials, as we did for `\ShortVerb`.

```

289 \bgroup%

```

```

290 \lccode'\~='#2%
291 \lowercase{%
292 \gdef~{\cd@ShortCodetrue\csname\cd@TempEnv\endcsname}%
293 \gdef\cd@ShortEnd{~}%
294 \gdef\cd@ShortCode##1~M##2~{\cd@StartGobble##2~?\egroup}%
295 \gdef\cd@ActivateShortCode{\catcode'#2=13\relax}%

```

`\UndoShortCode` The rest is equivalent to `\ShortVerb` above.

```

296 \gdef\UndoShortCode{%
297 \ifcd@ShortCodeChar%
298 \catcode'\~=\cd@ShortCodeCat\relax%
299 \let\cd@ActivateShortCode\relax%
300 \cd@ShortCodeCharfalse%
301 \else%
302 \cd@UndoErr{\ShortCode}%
303 \fi}}%
304 \egroup%
305 \catcode'#2=13 %
306 \fi\fi}%
307 \egroup
308 \def\UndoShortCode{\cd@UndoErr{\ShortCode}}

```

`\VerbBreak` `\VerbBreak` starts as above.

```

309 \newif\ifcd@VerbBreak
310 \newtoks\cd@@Everypar
311
312 \def\VerbBreak#1{%
313 \cd@BadChar{#1}{VerbBreak}%
314 \ifcd@BadChar%
315 \else\ifcd@VerbBreak%
316 \cd@VerbBreakError%
317 \else\cd@VerbBreaktrue
318 \cd@DefErr{#1}{VerbBreak}%
319 \bgroup%
320 \lccode'\~'#1 %
321 \lowercase{%

```

`\cd@ActivateVerbBreak` However, `\VerbBreak` characters become active only in verbatim contexts. We create `\cd@ActivateVerbBreak` to that end. When active the character stores the current value of `\everypar` and then empties it (because the broken line should start with nothing).

```

322 \gdef\cd@ActivateVerbBreak{%
323 \catcode'#1\active%
324 \gdef~{%
325 \cd@@Everypar\everypar%
326 \everypar{}%

```

Then we set a scratch dimension to `\cd@FirstSpaces` times the width of a space in the current font. `\cd@FirstSpaces` is incremented by spaces and tabs at the beginning of each lines. In case the current environment is numbered, we increase our scratch dimension by the width of the box containing the number, stored in `\(Environment)\cd@boxwidth`.

```

327 \dimen0=\cd@FirstSpaces\fontdimen2\font\relax%
328 \expandafter\ifx\csname\cd@ExampleName @cd@boxwidth\endcsname\relax%
329 \else%
330 \advance\dimen0 \csname\cd@ExampleName @cd@boxwidth\endcsname\relax%
331 \fi%

```

Finally, we create a paragraph, turn to horizontal mode, restore `\everypar` in its initial value and create a space of the desired width, namely the same as the space at the beginning of the original broken line.

```
332     \endgraf\leavevmode\everypar\cd@@Everypar\hbox to\dimen0{\hss}}}%
333     \egroup%
```

`\cd@IgnoreVerbBreak` The character should be ignored in `\CodeOutput`, and this is what we do here. The `\Undo...` variant simply sets these commands to `\relax`.

```
334     \def\cd@IgnoreVerbBreak{\catcode'#1=9\relax}%
335     \fi\fi}
336 \def\UndoVerbBreak{%
337   \ifcd@VerbBreak%
338     \let\cd@ActivateVerbBreak\relax
339     \let\cd@IgnoreVerbBreak\relax
340     \cd@VerbBreakfalse
341   \else
342     \cd@UndoErr{\VerbBreak}
343   \fi}
344 \let\cd@ActivateVerbBreak\relax
```

`\VerbCommand` `\VerbCommand` is similar once again. We define `\cd@ActivateVerbCommand` to change the catcodes of the characters to 0, 1 and 2 in verbatim contexts and `\cd@IgnoreVerbCommand` to turn the second character into a command that gobbles its argument, delimited by the third character. This is straightforward, but the first character is more complicated: it has to gobble letters and only letters.

```
345 \newif\ifcd@VerbCommand
346
347 \def\VerbCommand#1#2#3{%
348   \cd@BadChar{#1}{VerbCommand}%
349   \cd@BadChar{#2}{VerbCommand}%
350   \cd@BadChar{#3}{VerbCommand}%
351   \ifcd@BadChar%
352   \else\ifcd@VerbCommand%
353     \cd@VerbCommandError
354   \else%
355     \cd@DefErr{#1, \string#2 and \string#3}{VerbCommand}
356     \cd@VerbCommandtrue%
357     \def\cd@ActivateVerbCommand{\catcode'#1=0 \catcode'#2=1 \catcode'#3=2\relax}%
358     \def\cd@IgnoreVerbCommand{%
359       \catcode'#1=13 %
360       \lccode'\~='#1 %
361       \lowercase{\def~{\cd@GobbleLetters}}}%
362       \catcode'#2=13 %
363       \lccode'\~='#2 %
364       \lowercase{\def~####1#3{}}}%
365     \fi\fi}
366 \def\UndoVerbCommand{%
367   \ifcd@VerbCommand%
368     \let\cd@ActivateVerbCommand\relax%
369     \let\cd@IgnoreVerbCommand\relax%
370     \cd@VerbCommandfalse%
371   \else%
372     \cd@UndoErr{\VerbCommand}%
373   \fi}%
374 \let\cd@IgnoreVerbCommand\relax
375 \let\cd@ActivateVerbCommand\relax
```

`\cd@GobbleLetters` Gobbling letters is not a very delicate process. We take the next token, check whether it is of category 11, and eat it away if it is the case. That's the reason why `\VerbCommand` is not very sound. If the next token happens to be a macro (as might be the case since in `\CodeOutput`, since the escape character is turned back to 0), trying to evaluate its catcode is not a good idea.

```

376 \def\cd@GobbleLetters#1{\ifnum\catcode'#1=11 \expandafter\cd@GobbleLetters\else\expandafter#1\fi}

```

`\CodeEscape` Finally, `\CodeEscape` doesn't do much in normal mode. We simply check characters.

`\UndoCodeEscape`

```

377 \newif\ifcd@CodeEscape%
378
379 \def\CodeEscape#1{%
380   \cd@BadChar{#1}{CodeEscape}%
381   \ifcd@BadChar%
382   \else\ifcd@CodeEscape%
383     \cd@CodeEscapeError%
384   \else%
385     \cd@CodeEscapetrue%
386     \cd@DefErr{#1}{CodeEscape}%
387   \fi\fi}
388 \def\UndoCodeEscape{%
389   \ifcd@CodeEscape%
390     \cd@CodeEscapefalse%
391   \else%
392     \cd@UndoErr{\CodeEscape}%
393   \fi}%

```

### 5.3 Verbatim definitions

`\cd@SpaceChar` Here comes the time to do some verbatim. We start with space. `\ifcd@Star` is the conditional switched to true if we're in a starred verbatim environment. We define the visible space character to be space of category 12 in typewriter font, as usual.

```

394 \newif\ifcd@Star
395 \newif\ifcd@NewLine
396 \newcount\cd@FirstSpaces
397
398 \bgroup
399 \catcode'\ 12%
400 \gdef\cd@SpaceChar{\texttt{ }}%

```

`\cd@MakeSpace` Since we want spaces at the beginning of a line to count how many they are, so that

`\cd@ObeySpaces` `\VerbBreak` can properly break the line, we don't equate the space character with `\@xobeysp` (L<sup>A</sup>T<sub>E</sub>X's verbatim space) or `\cd@SpaceChar` directly; instead, `\cd@ObeySpaces` will print the space, being called by real spaces in `\cd@VerbTab` and `\cd@VerbSpace`. (`^^I` denotes a tab character).

```

401 \catcode'\^^I=13\relax%
402 \catcode'\ =13\relax%
403 \gdef\cd@MakeSpace{%
404   \ifcd@Star%
405   \let\cd@ObeySpaces\cd@SpaceChar%
406   \else%
407   \let\cd@ObeySpaces\@xobeysp%
408   \fi%
409   \catcode'\ =13\relax%
410   \catcode'\^^I=13\relax%
411   \let =\cd@VerbSpace%
412   \let^^I=\cd@VerbTab}%

```

`\cd@VerbSpace` In verbatim contexts, a space takes the next character as an argument; in case `\ifcd@NewLine` is true, which it is at the beginning of every line (thanks to an `\everypar`), it increments `\cd@FirstSpaces`, which is used by `\VerbBreak`. A tab character does the same except that the `\cd@FirstSpaces` is increased by the value of `\TabSize` (stored in `\cd@TabSize`).  
`\cd@VerbTab` In case the next character is not a space or a tab, `\ifcd@NewLine` is set to false.

Spaces leaves a `\cd@ObeySpaces` while tabs create an empty box of width `\TabSize` times the width of a space in the current font.

```
413 \gdef\cd@VerbSpace#1{%
414 \cd@ObeySpaces%
415 \ifcd@NewLine\advance\cd@FirstSpaces1\relax\fi%
416 \ifx#1^^I\else\ifx#1 \else\cd@NewLinefalse\fi\fi#1}%
417 \gdef\cd@VerbTab#1{%
418 \leavevmode\hbox%
419 to\cd@TabSize\fontdimen2\font{\hss}%
420 \ifcd@NewLine\advance\cd@FirstSpaces\cd@TabSize\fi%
421 \ifx#1^^I\else\ifx#1 \else\cd@NewLinefalse\fi\fi#1}
422 \egroup
```

`\cd@Verbatim` Here comes the verbatimizer. First, we cancel the parindent and sets `\hfuzz` to `\cd@BoxTolerance`, which stores the argument of `\BoxTolerance`.

```
423 \def\cd@Verbatim{%
424 \parindent\z@%
425 \hfuzz=\cd@BoxTolerance%
```

Then, if a `\ShortVerb` was defined, we undo it, so that it appears as any other character in this context. If this verbatim was called by the `\ShortVerb` character itself, remember that it restores itself to 13.

```
426 \ifcd@ShortVerb%
427 \UndoShortVerb%
428 \fi%
```

If we're not in a verbatim context called by `\ShortCode`, we undo it, for the same reason.

```
429 \ifcd@ShortCode%
430 \else%
431 \ifcd@ShortCodeChar%
432 \UndoShortCode%
433 \fi%
434 \fi%
```

We change the usual catcodes and reactivate the `\ShortCode` character, just in case it was changed by `\dospecials` or `\@noligs`. We activate the verb break and the verb command, and the rest is straightforward.

```
435 \let\do\@makeother\dospecials\@noligs%
436 \ifcd@ShortCode%
437 \cd@ActivateShortCode%
438 \fi%
439 \cd@ActivateVerbBreak%
440 \cd@ActivateVerbCommand%
441 \frenchspacing%
442 \catcode'\^^M=13\relax%
443 \cd@MakeSpace%
```

`\BoxTolerance` These are pretty straightforward too. I defined a macro instead of a simple dimension or number, because it seems to me that something like `\TabSize{25}` is much more common in the  $\LaTeX$  world than `\TabSize25`. Besides, a `\relax` is automatically added, which avoids errors.

```
444 \newdimen\cd@BoxTolerance
445 \def\BoxTolerance#1{\cd@BoxTolerance=#1\relax}
446 \def\TabSize#1{\chardef\cd@TabSize=#1\relax}
447 \TabSize2
```

```
448 \def\Gobble#1{\chardef\cd@GobbleNum=#1\relax}
449 \Gobble0
```

## 5.4 The default code environment

`\CodeFont` The basic code environment is quite simple. First, we define `\CodeFont`, which simply stores its argument in `\cd@CodeFont`, to be released later. The following macros are explained more properly in the definition of `\NewExample` below.

```
450 \def\CodeFont#1{\def\cd@CodeFont{#1}}
451 \CodeFont{\ttfamily}
452 \newcount\code@cd@LineNumber
453 \def\code@cd@boxwidth{0pt}
454 \def\code@cd@BoxStyle{\rmfamily\footnotesize}
455 \gdef\code@cd@LineNumberBox{%
456   \global\advance\code@cd@LineNumber1\relax%
457   \def\@currentlabel{\the\code@cd@LineNumber}%
458   \hbox to\code@cd@boxwidth{%
459     \hss%
460     \code@cd@BoxStyle\relax%
461     \the\code@cd@LineNumber\enspace}}%
462 \let\code@cd@EOL\iffalse%
```

`\code` We create a paragraph and stores the name of the environment (used in `\VerbBreak` to check the width of the line number box).

```
463 \def\code{%
464   \endgraf%
465   \bgroup%
466   \def\cd@ExampleName{code}%
```

We launch the verbatim definitions and the complicated `\cd@ObeyLines` (see below) that makes ends of lines work properly (gobbling characters if needed).

```
467   \cd@Verbatim%
468   \cd@ObeyLines%
```

Every new paragraph, i.e. every line in that context, typeset the line number and switches some values explained above. We also set the font.

```
469   \everypar{%
470     \code@cd@LineNumberBox
471     \cd@NewLinetrue%
472     \cd@FirstSpaces0\relax}%
473   \cd@CodeFont%
```

Finally, we call the proper macro, depending on whether `\code` was called by `\begin{code}`, `\begin{code*}` or the `\ShortCode` character.

```
474   \ifcd@ShortCode%
475     \global\cd@ShortCodefalse%
476     \let\cd@next\cd@ShortCode%
477   \else\ifcd@Star%
478     \global\cd@Starfalse%
479     \let\cd@next\cd@StarCode%
480   \else%
481     \let\cd@next\cd@Code%
482   \fi\fi\cd@next}
```

`\invisible` The starred variant of `\code` switches to true the conditional used just above. Let's also define the `invisible` environment, which takes an argument delimited by `\end{invisible}` and thus needs to turn some catcodes.

```
483 \expandafter\def\csname code*\endcsname{\cd@Startrue\code}
484 \def\invisible{%
485   \bgroup%
486   \catcode'\=12 \catcode'\=12 \catcode'\}=12 \catcode'\~M=13 %
```



```
487 \cd@Invisible}
```

The `^^?` character is used to delimit the end of the verbatim material (this is important because all ends of line scan ahead, see below). Since it is compared in an `\ifx` conditional, I define it to do nothing but with a distinct definition.

```
488 \gdef^^?{\cd@UnlikelyCommand}
489 \gdef\cd@UnlikelyCommand{}
```

```
\cd@Code      \begin{code} expects \end{code} while \begin{code*} expects \end{code*}. That's the
\cd@StarCode  reason why we distinguish \cd@Code and \cd@StarCode. Apart from that, they do the same:
\cd@Invisible they typeset their argument (the first one is the end of the line) and close the environment.
               \cd@StartGobble is, obviously, the character gobbler for the first line. \cd@Invisible also
               matches its end but prints nothing.
```

```
490 \begingroup
491 \catcode'\|=0
492 \catcode'\<=1
493 \catcode'\>=2
494 \catcode'\{=12
495 \catcode'\}=12
496 \catcode'\^^M=13 %
497 \catcode'\|=12 %
498 |gdef|cd@Code#1^^M#2\end{code}<|cd@StartGobble#2^^?|egroup|end<code>>%
499 |gdef|cd@StarCode#1^^M#2\end{code*}<|cd@StartGobble#2^^?|egroup|end<code*>>%
500 |gdef|cd@Invisible#1^^M#2\end{invisible}<|egroup|end<invisible>|ignorespaces>%
501 |endgroup
```

Here comes a fastidious part. Because we want to gobble characters at the beginning of each line (according to `\Gobble`), ends of lines do not simply create a new paragraph, they also give a look at the next line and gobble the adequate number of characters. Unfortunately, their definition changes slightly according to the context (default `code` and examples with or without  $\varepsilon$ -TEX). Let's set the stage.

```
502 \newcount\cd@GobbleCount%
503 \begingroup
504 \catcode'\^^M13\relax%
```

```
\cd@StartGobble This is the gobbler called at the beginning of the material enclosed in a default code envi-
                  ronment. If we meet ^^?, i.e. if the environment is empty, we do nothing.
```

```
505 \gdef\cd@StartGobble#1{%
506   \ifx#1^^?%
507     \cd@GobbleCount=0 %
508     \let\cd@next\relax%
```

Else, if we have reached the value set by `\Gobble` (stored in `\cd@GobbleNum`), we replace the token we were considering in the stream.

```
509   \else\ifnum\cd@GobbleCount=\cd@GobbleNum%
510     \cd@GobbleCount=0 %
511     \def\cd@next{#1}%
```

If we meet an end of line character, that is, if the environment begins with a blank line, we put it back too (it will create a paragraph, among other things).

```
512   \else\ifx#1^^M%
513     \cd@GobbleCount=0 %
514     \def\cd@next{^^M}%
```

Finally, if none of the above apply, we keep gobbling.

```
515   \else%
516     \advance\cd@GobbleCount1 %
517     \let\cd@next\cd@StartGobble%
518   \fi\fi\fi\cd@next}%
```

`\cd@ObeyLines` In the code environment, ends of lines act exactly like `\cd@StartGobble` except that they create a paragraph in the first three cases.

```

519 \gdef\cd@ObeyLines{%
520   \def^^M##1{%
521     \ifx##1^^?%
522     \cd@GobbleCount=0 %
523     \def\cd@next{\leavevmode\endgraf}%
524   \else\ifnum\cd@GobbleCount=\cd@GobbleNum%
525     \cd@GobbleCount=0 %
526     \def\cd@next{\leavevmode\endgraf##1}%
527   \else\ifx##1^^M%
528     \cd@GobbleCount=0 %
529     \def\cd@next{\leavevmode\endgraf^^M}%
530   \else%
531     \advance\cd@GobbleCount1 %
532     \let\cd@next^^M%
533   \fi\fi\fi\cd@next}}%
534 \endgroup

```

## 5.5 Example environments

Examples are quite different from the default code environment, since they provide both the input and the output of a code. Besides, if available, they make use of  $\varepsilon$ -TeX.

`\eTeXOn` Here's the command to switch from  $\varepsilon$ -TeX to external file.

```

\eTeXOff
535 \def\eTeXOn{%
536   \@ifundefined{eTeXversion}%
537   {\cd@Error{%
538     You're not running on eTeX.\MessageBreak%
539     Command \string\eTeXOn\space ignored}}%
540   {\cd@eTeXtrue}}
541 \def\eTeXOff{\cd@eTeXfalse}

```

`\NewExample` `\RenewExample` and `\RenewExample` work similarly but in an inverted way. Both test for options and launch `\cd@@NewExample` on the options and example name if nothing is wrong. Beforehand, they turn # into an active character, which will be `\let` later to the code material with additional macros.

```

\cd@RenewExample
\cd@GobbleThree
542 \def\NewExample{%
543   \@ifnextchar[%
544     {\cd@NewExample}%
545     {\cd@NewExample[]}]%
546 \def\cd@NewExample[#1]#2{%
547   \expandafter\ifx\csname #2\endcsname\relax
548     \def\cd@next{\catcode'\#=13 \cd@@NewExample{#1}{#2}}%
549   \else%
550     \let\cd@next\relax%
551     \cd@Error{%
552       Style '#2' already defined or the name\MessageBreak%
553       is already in use.\MessageBreak%
554       Use \protect\RenewExample\space if you want to redefine it}%
555     \let\cd@next\cd@GobbleThree%
556   \fi\cd@next}
557
558 \def\RenewExample{%
559   \@ifnextchar[%
560     {\cd@RenewExample}%
561     {\cd@RenewExample[]}]%
562 \def\cd@RenewExample[#1]#2{%
563   \expandafter\ifx\csname #2\endcsname\relax
564     \let\cd@next\relax%
565     \cd@Error{%
566       Style '#2' is undefined.\MessageBreak%

```

```

567 Use \protect\NewExample\space to redefine it}%
568 \let\cd@next\cd@GobbleThree%
569 \else\expandafter\ifx\csname #2\endcsname\code%
570 \def\CodeFont{%
571 \cd@Error{%
572 You have redefined the 'code' environment.\MessageBreak%
573 \string\CodeFont\space is no longer operative}}
574 \fi%
575 \def\cd@next{\catcode'\#=13 \cd@@NewExample{#1}{#2}}%
576 \fi\cd@next}
577
578 \def\cd@GobbleThree#1#2#3{}

```

`\cd@@NewExample` Here is the working mechanism behind both `\NewExample` and `\RenewExample`. Since # will have a special function, we do some catcode changing. The definition is `\long`, of course.

```

579 \begingroup
580 \catcode'\#=6 %
581 \catcode'\#=13 %
582 \long\gdef\cd@@NewExample"1"2"3"4"5{%

```

We define some default values: `\langle Example\rangle\cd@EOL` is a switch used when the example is processed with  $\varepsilon$ -TeX, indicating whether ends of lines are visible or not. By default, they aren't, but options may change it. `\langle Example\rangle\cd@LineNumberBox` is the command used in examples to typeset the line number. By default, it is set to `\relax` because examples have no line number.

`\cd@ExampleName` We store the name of the example to be retrieved when the environment is processed, but actually it is stored here for the options. Finally, we analyze options with a terminator.

```

583 \expandafter\gdef\csname"2\cd@EOL\endcsname{\iffalse}%
584 \expandafter\let\csname"2\cd@LineNumberBox\endcsname\relax%
585 \def\cd@ExampleName{"2}%
586 \cd@ExampleOptions"1,\cd@end,%

```

`\CodeInput` Now we define `\langle Example\rangle`, which will be called by `\begin{\langle Example\rangle}`, as usual in L<sup>A</sup>T<sub>E</sub>X.  
`\CodeOutput` Each time, it redefines `\CodeInput` and `\CodeOutput`. Both store the name of the example,  
`\cd@MakeExample` `\let #` to `\cd@Input` and `\cd@Output` respectively, whose definitions depends on the way the example is processed ( $\varepsilon$ -TeX or not), and finally execute the definition given by the user. `\cd@MakeExample` simply executes the last argument; it will be called at the end of the environment. Note the extra pairs of braces in all cases.

```

587 \expandafter\def\csname"2\endcsname{%
588 \gdef\CodeInput{#{%
589 \def\cd@ExampleName{"2}%
590 \let#\cd@Input%
591 "3}}%
592 \gdef\CodeOutput{%
593 \def\cd@ExampleName{"2}%
594 \let#\cd@Output{"4}}%
595 \gdef\cd@MakeExample{#{"5}}%

```

Finally, we launch the example maker with the name of the environment (to match its proper end).

```

596 \cd@Example{"2}}%

```

We also define the starred version of `\langle Example\rangle`, whose only difference is to switch the star conditional. Finally, we restore the category code of # and close.

```

597 \expandafter\def\csname"2*\endcsname{%
598 \global\cd@Startrue%
599 \gdef\CodeInput{#{%
600 \def\cd@ExampleName{"2}%
601 \cd@Startrue%
602 \let#\cd@Input%

```

```

603     "3}}%
604     \gdef\CodeOutput{%
605         \def\cd@ExampleName{"2}%
606         \let#\cd@Output{"4}}%
607     \gdef\cd@MakeExample{"5}}%
608     \cd@Example{"2*}}%
609     \catcode'\#=6\relax}%
610 \endgroup

```

\cd@numbered Now we process options. First we define some keywords.

```

\cd@continuous 611 \def\cd@numbered{numbered}
\cd@visibleEOL 612 \def\cd@continuous{continuous}
\cd@empty       613 \def\cd@visibleEOL{visibleEOL}
                614 \def\cd@empty{}

```

\cd@ExampleOptions This is the option processor. It is recursive and stops when it meets the terminator. It simply stores the name of the option and acts accordingly.

```

615 \def\cd@ExampleOptions#1,{%
616     \def\cd@TempOption{#1}%
617     \let\cd@next\cd@ExampleOptions%
618     \ifx\cd@TempOption\cd@end%
619         \let\cd@next\relax%

```

If the option is `numbered`, we create a new count register, set the width of the box containing the number to `Opt` by default, and define the style of this number to be `\relax` by default too. They will be modified by `\LineNumber`.

```

620     \else\ifx\cd@TempOption\cd@numbered%
621         \global\expandafter\newcount\csname\cd@ExampleName @cd@LineNumber\endcsname%
622         \expandafter\gdef\csname\cd@ExampleName @cd@boxwidth\endcsname{Opt}%
623         \expandafter\let\csname\cd@ExampleName @cd@BoxStyle\endcsname\relax%

```

We then define the macro executed by the environment for the line number; it increments the count, stores its value as the current label for `\label` and `\ref`, create a box of the desired width, flushes everything to the right, executes the style and typeset the value of the counter.

```

624     \expandafter\gdef\csname\cd@ExampleName @cd@LineNumberBox\endcsname{%
625         \expandafter\advance\csname\cd@ExampleName @cd@LineNumber\endcsname1\relax%
626         \def\@currentlabel{\expandafter\the\csname\cd@ExampleName @cd@LineNumber\endcsname}%
627         \hbox to\csname\cd@ExampleName @cd@boxwidth\endcsname{%
628             \hss%
629             \csname\cd@ExampleName @cd@BoxStyle\endcsname\relax%
630             \expandafter\the\csname\cd@ExampleName @cd@LineNumber\endcsname\enspace}}%

```

If the option is `continuous`, we do the same thing, except that the count register is created if and only if it does not already exists (so that a modified `continuous` example environment will continue where it stopped; the user may use `\LineNumber` to start back from 0), and the `\advance` of the count is `\global`, so that the last value is always retained from one environment to the other.

```

631     \else\ifx\cd@TempOption\cd@continuous%
632         \expandafter\ifx\csname\cd@ExampleName @cd@LineNumber\endcsname\relax%
633         \global\expandafter\newcount\csname\cd@ExampleName @cd@LineNumber\endcsname%
634         \fi%
635         \expandafter\gdef\csname\cd@ExampleName @cd@boxwidth\endcsname{Opt}%
636         \expandafter\let\csname\cd@ExampleName @cd@BoxStyle\endcsname\relax%
637         \expandafter\gdef\csname\cd@ExampleName @cd@LineNumberBox\endcsname{%
638             \global\expandafter\advance\csname\cd@ExampleName @cd@LineNumber\endcsname1\relax%
639             \def\@currentlabel{\expandafter\the\csname\cd@ExampleName @cd@LineNumber\endcsname}%
640             \hbox to\csname\cd@ExampleName @cd@boxwidth\endcsname{%
641                 \hss%
642                 \csname\cd@ExampleName @cd@BoxStyle\endcsname\relax%
643                 \expandafter\the\csname\cd@ExampleName @cd@LineNumber\endcsname\enspace}}%

```

The `visibleEOL` option simply sets the relevant conditional to `true`.

```

644 \else\ifx\cd@TempOption\cd@visibleEOL%
645   \expandafter\gdef\csname\cd@ExampleName @cd@EOL\endcsname{\csname iftrue\endcsname}%
646 \else\ifx\cd@TempOption\cd@empty%
647 \else%
648   \cd@Error{‘#1’ is not a valid option}%
649 \fi\fi\fi\fi\fi\cd@next}%

```

`\LineNumber` `\LineNumber` is straightforward. After some testing, it sets the macro created above to the values specified. If a square bracket follows, it executes `\cd@SetLineNumber`.

```

650 \def\LineNumber#1#2#3{%
651   \expandafter\ifx\csname#1@cd@EOL\endcsname\relax%
652   \cd@Error{‘#1’ is not an example environment’}%
653   \else\expandafter\ifx\csname #1@cd@LineNumber\endcsname\relax%
654   \cd@Warning{%
655     ‘#1’ is not ‘numbered’ nor ‘continuous’.\MessageBreak%
656     \string\LineNumber\space on line \the\inputlineno\space is useless}}%
657 \else%
658   \expandafter\gdef\csname #1@cd@BoxStyle\endcsname{#2}%
659   \expandafter\gdef\csname #1@cd@boxwidth\endcsname{#3}%
660 \fi\fi%
661 \@ifnextchar[{\cd@SetLineNumber#1}\relax]
662 \def\cd@SetLineNumber#1[#2]{%
663   \expandafter\ifx\csname#1@cd@LineNumber\endcsname\relax%
664   \else%
665     \csname#1@cd@LineNumber\endcsname=#2\relax%
666   \expandafter\advance\csname#1@cd@LineNumber\endcsname\m@ne%
667 \fi}

```

`example` The default `example` environment is thus easily created.

```

668 \NewExample{example}{\ttfamily#}{#}{}

```

`\CodeInput` If no example has been created, these two macros yields error messages.

```

\CodeOutput
669 \def\CodeInput{%
670   \cd@Error{%
671     No example environment has been created.\MessageBreak%
672     \string\CodeInput\space is void}}
673 \def\CodeOutput{%
674   \cd@Error{%
675     No example environment has been created.\MessageBreak%
676     \string\CodeOutput\space is void}}

```

And here comes the core example environment. First, some catcode changing.

```

677 \begingroup
678 \catcode‘|=0 %
679 \catcode‘<=1 %
680 \catcode‘>=2 %
681 \catcode‘{=12 %
682 \catcode‘}=12 %
683 \catcode‘\\=12 %

```

`\cd@Example` This prepares the conditions for the processing of the material. Let’s start with the usual stuff:

```

684 |gdef|cd@Example#1<%
685 |bgroup%
686 |let|do|@makeother%
687 |dospecials%

```

Now, if the environment was called by a `\ShortCode` character, there is no environment to close (`\cd@EndEnv` executes `\end{Environment}`). We call `\cd@MakeExampleEnd`, defined below, on the character, and we reactivate this character just in case it was one of the special.

```
688 |ifcd@ShortCode%
689 |global|let|cd@EndEnv|relax
690 |expandafter|cd@MakeExampleEnd|expandafter<|cd@ShortEnd>%
691 |global|cd@ShortCodefalse%
692 |cd@ActivateShortCode%
```

If the environment was called by a regular `\begin{Environment}` statement, we define the proper end (the argument comes from `\{Example}`, see the definition in `\cd@NewExample` above). If there exists a `\ShortCode` character, we undefine it.

```
693 |else%
694 |gdef|cd@EndEnv<|end<#1>>%
695 |cd@MakeExampleEnd<\end{#1}>%
696 |ifcd@ShortCodeChar%
697 |UndoShortCode%
698 |fi%
699 |fi%
```

If there's a short verb, we turn it off, we set tabs to 12 so they are written to the file as any other character, we activate ends of lines and in case  $\varepsilon$ -TeX is to process the example, we also activate comment characters ( $\varepsilon$ -TeX's scanning mechanism is peculiar and commented parts of the code wouldn't be taken into account otherwise).

```
700 |ifcd@ShortVerb%
701 |UndoShortVerb%
702 |fi%
703 |catcode'\^^I=12 %
704 |catcode'\^^M=13 %
705 |ifcd@eTeX%
706 |catcode'\%=13 %
707 |fi%
708 |cd@ExampleEnd>%
709 |endgroup
```

```
\cd@MakeExampleEnd \cd@MakeExampleEnd defines \cd@ExampleEnd so that the environment meets its proper
\cd@ExampleEnd end. It also launches the real processing, depending on the use of  $\varepsilon$ -TeX or not.
```

The argument has been passed in `\cd@Example` above, and is either `\end{Environment}` (with the proper catcodes) or the `\ShortCode` character.

In case we're using  $\varepsilon$ -TeX, we close some groups and environments, empty `\everypar` and assign the input. We switch the star conditional after that, because it is needed when the input is assigned and `\cd@Verbatim` is called.

```
710 \begingroup
711 \catcode'\^^M=13 %
712 %
713 \gdef\cd@MakeExampleEnd#1{%
714 \ifcd@eTeX%
715 \gdef\cd@ExampleEnd#1^^M##2#1{%
716 \egroup%
717 \cd@EndEnv%
718 \bgroup%
719 \everypar{}%
720 \cd@AssigneTeXInput{##2}%
721 \global\cd@Starfalse}%
```

If we're not using  $\epsilon$ -TeX, we do some testing beforehand. We just want to inform the user that we're opening an external file. If it already exists, we keep silent.

```

722 \else%
723 \def\cd@ExampleEnd##1^M##2#1{%
724 \expandafter\ifx\csname cd@TestRead\endcsname\relax%
725 \newread\cd@TestRead%
726 \fi%
727 \openin\cd@TestRead=\jobname.exp %
728 \ifeof\cd@TestRead\relax%
729 \cd@Warning{%
730 You're not running on eTeX or you've said \string\TeXOff.\MessageBreak%
731 I create the file \jobname.exp to produce\MessageBreak%
732 the example environment on line \the\inputlineno.\MessageBreak%
733 You can delete it whenever you want, but\MessageBreak%
734 keeping it prevents this message from reappearing.}%
735 \fi%
736 \closein\cd@TestRead %

```

`\cd@expFile` If it does not already exists, we create the output stream `\cd@expFile`, which opens an external scratch file for example processing.

```

737 \expandafter\ifx\csname cd@expFile\endcsname\relax%
738 \newwrite\cd@expFile%
739 \fi%
740 \immediate\openout\cd@expFile=\jobname.exp %

```

We `\let` ends of lines to a macro equivalent to the one described above for the default code environment, except that each line is written to the external file. We launch it on the material suffixed with a complicated tail to match all cases.

```

741 \let^M\cd@noeTeXEOL%
742 ^^M##2^^?^^M^^?%

```

Finally, we close everything and assign input once again.

```

743 \egroup%
744 \cd@EndEnv%
745 \immediate\closeout\cd@expFile%
746 \bgroup%
747 \everypar{}%
748 \cd@AssignInput%
749 \egroup\global\cd@Starfalse}%
750 \fi%
751 \endgroup

```

### 5.5.1 Examples without $\epsilon$ -TeX

`\cd@noeTeXEOL` Here's how ends of lines are processed when writing the code material to an external file. If we find `^^?`, which marks the end of the material, we stop.

```

752 \begingroup
753 \catcode'\^M\active%
754 \gdef\cd@noeTeXEOL#1{%
755 \ifx#1^^?%
756 \cd@GobbleCount=0 %
757 \let^M\relax%
758 \let\cd@next\relax%

```

If we find an end of line, that means there's a blank line, and we write it to the `jobname.exp`.

```

759 \else\ifx#1^M%
760 \cd@GobbleCount=0 %
761 \def\cd@next{\immediate\write\cd@expFile{}\cd@noeTeXEOL}%

```

If we have gobbled enough characters, we write the line to the external file. Otherwise, we repeat.

```
762 \else\ifnum\cd@GobbleCount=\cd@GobbleNum%
763   \cd@GobbleCount=0 %
764   \def\cd@next{\cd@LineWrite#1}%
765 \else%
766   \advance\cd@GobbleCount1 %
767   \let\cd@next\cd@noeTeXEOL%
768 \fi\fi\fi\cd@next}%
```

`\cd@LineWrite` The line written is delimited by its end. This explains the `^^?^^M^^?` suffix at the end of the material on line 742. In case `\end{Example}` occurs on its own line, we need a terminator, hence the first `^^?`. If it occurs at the end of the last line, as in `... end of code\end{code}`, we need `^^M` so that the argument of `\cd@LineWrite` is properly delimited. The first `^^?` is then written to the file, but it expands to nothing. Since `\cd@LineWrite` calls `\cd@noeTeXEOL`, we need another delimiter, hence the second `^^?`.

```
769 \gdef\cd@LineWrite#1^^M{\immediate\write\cd@expFile{#1}\cd@noeTeXEOL}%
```

`\cd@AssignInput` Now we define the macro that will be used in `\CodeInput` (where # is `\let` to `\cd@Input`) and `\CodeOutput` (where it is `\let` to `\cd@Output`).

`\cd@Input` The input is quite similar to the default `code` environment. We define ends of lines as usual in verbatim contexts and we read from the scratch file.

```
770 \newtoks\cd@Everypar
771 %
772 \gdef\cd@AssignInput{%
773   \gdef\cd@Input{%
774     \bgroup%
775     \cd@Everypar\everypar%
776     \everypar{%
777       \leavevmode\csmode\cd@ExampleName @cd@LineNumberBox\endcsmode\relax%
778       \cd@NewLinetrue\cd@FirstSpaces0\relax\the\cd@Everypar\relax}%
779     \cd@Verbatim%
780     \def^^M{\leavevmode\endgraf}%
781     \input{\jobname.exp}%
782     \egroup}%
```

`\cd@Output` The output also reads from the file and simply ignores verb breaks and commands.

```
783 \gdef\cd@Output{%
784   \bgroup%
785   \cd@IgnoreVerbBreak%
786   \cd@IgnoreVerbCommand%
787   \input{\jobname.exp}%
788   \egroup}%
```

Finally, we execute the last argument to `\NewExample`, i.e. what was dubbed here (*Immediate execution*).

```
789 \cd@MakeExample}%
```

### 5.5.2 Examples with $\varepsilon$ -TeX

`\cd@AssigneTeXInput` Examples with  $\varepsilon$ -TeX are much more complicated. We use the `\scantokens` command, whose function is to read its argument as if catcodes were not fixed. For instance,

```
\def\scan#1{{\catcode'\=12\scantokens{#1}}
\scan\foo
```


yields `\foo`, although the backslash was an escape character when read. The problem is that `\scantokens` interprets ends of lines and comments characters with their current values. Ends of lines yields a `\par` token as usual; the problem is that this token is scanned anew, and if you have turned the backslash to a category 12 character, it will appear as such. Moreover, commented parts of a line are ignored. For instance,

```
\scan{
```



a% mycomment

b}

yields a\par b. So \scantokens as it stands is not appropriate for verbatim material.  Progress...

The solution is to turned ends of lines and comments to other catcodes beforehand. Thus the previous example yields a% mycomment^^M^^Mb^^M. (The final end of line is added by \scantokens.) Now we need some hacking to produce the desired result.

\cd@Input The input begins with the usual verbatim preparation.

```
790 \long\gdef\cd@AssigneTeXInput#1{%
791   \gdef\cd@Input{%
792     \bgroup%
793     \cd@Everypar\everypar%
794     \everypar{%
795       \leavevmode\csname\cd@ExampleName @cd@LineNumberBox\endcsname\relax%
796       \cd@NewLinetrue\cd@FirstSpaces0\relax\the\cd@Everypar\relax}%
797     \cd@Verbatim%
```

We define ends of lines as yet another gobbling mechanism. We use ^^? once again to delimit material, and define it to make ends of lines ignored in case it is read, so that the additional ^^M at the end of \scantokens will be ineffective.

```
798     \catcode'\^^M=13 %
799     \let^^M\cd@eTeXStartGobble%
800     \catcode'\^^?13 %
801     \def^^?{\catcode'\^^M=9\relax}%
802     \scantokens{^^M#1^^?}%
803     \egroup}%
```

\cd@Output Output is still worse. Even comments are active.

```
804   \gdef\cd@Output{%
805     \bgroup%
806     \cd@IgnoreVerbBreak%
807     \catcode'\^^?13 %
808     \catcode'\%=13 %
809     \catcode'\^^M=13 %
```

The next step depends on the user's choice about ends of lines. If they are visible, we process the material as is, with special definitions of % and ^^M to mimick T<sub>E</sub>X's normal behavior.

```
810     \csname\cd@ExampleName @cd@EOL\endcsname%
811     \cd@VisibleComment%
812     \let^^M\cd@eTeXOutVisibleEOL%
813     \def^^?{\let^^M\relax}%
814     \cd@IgnoreVerbCommand%
815     \scantokens{#1^^?}%
```

If ends of lines are not visible, we execute the material beforehand with only %, ^^M and ^^? effective, to remove unwanted code. Macros are not executed because the backslash is still of category 12. Once ends of lines are thus processed, we scan everything anew, ignoring the last ^^M and ^^@, which has a special function (see below).

```
816     \else%
817     \cd@ActiveComment%
818     \let^^M\cd@eTeXOutEOL%
819     \def^^?{\catcode'\^^M9\relax}%
820     \xdef\cd@exinput{#1^^?}%
821     \cd@IgnoreVerbCommand%
822     \catcode'\^^M=9 %
823     \catcode'\^^@=9 %
824     \expandafter\scantokens\expandafter{\cd@exinput}%
825     \fi%
826     \egroup}%
827 \cd@MakeExample\egroup}%
```

`\cd@eTeXStartGobble`      Once again, macros to gobble the right number of characters at the beginning of each line.  
`\cd@eTeXEOL`              These are for the input. It is not possible to put `\cd@eTeXStartGobble` directly at the beginning of `\scantokens`, because the backslash would not be understood as an escape character. Thus we have to `\let ^^M` to it, and once it has done its job, make it change the meaning of `^^M` to `\cd@eTeXEOL`. (That's also the reason why we couldn't reuse the gobble macro of the default code environment, although they are quite similar.)

```

828 \gdef\cd@eTeXStartGobble#1{%
829   \ifx#1^^?%
830     \cd@GobbleCount=0 %
831     \let\cd@next\relax%
832   \else\ifnum\cd@GobbleCount=\cd@GobbleNum%
833     \cd@GobbleCount=0 %
834     \let^^M\cd@eTeXEOL%
835     \def\cd@next{#1}%
836   \else\ifx#1^^M%
837     \cd@GobbleCount=0 %
838     \let^^M\cd@eTeXEOL%
839     \let\cd@next^^M%
840   \else%
841     \advance\cd@GobbleCount1 %
842     \let\cd@next\cd@eTeXStartGobble%
843   \fi\fi\fi\cd@next}%
844 %
845 \gdef\cd@eTeXEOL#1{%
846   \ifx#1^^?%
847     \cd@GobbleCount=0 %
848     \def\cd@next{\let^^M\relax\leavevmode\endgraf}%
849   \else\ifx#1^^M%
850     \cd@GobbleCount=0 %
851     \def\cd@next{\leavevmode\endgraf^^M}%
852   \else\ifnum\cd@GobbleCount=\cd@GobbleNum%
853     \cd@GobbleCount=0 %
854     \def\cd@next{\leavevmode\endgraf#1}%
855   \else%
856     \advance\cd@GobbleCount1 %
857     \let\cd@next^^M%
858   \fi\fi\fi\cd@next}%

```

`\cd@eTeXOutVisibleEOL`      And now, the output. If ends of lines are visible, we set them to create a `\par` if the next character is another end of line (i.e. if we find a blank line) or to put it back into the stream otherwise, with a space before.

```

859 \gdef\cd@eTeXOutVisibleEOL#1{%
860   \ifx#1^^?%
861     \let^^M\relax%
862     \let\cd@next\relax%
863   \else\ifx#1^^M%
864     \par%
865     \let\cd@next^^M%
866   \else%
867     \def\cd@next{ #1}%
868   \fi\fi\cd@next}%

```

`\cd@eTeXOutEOL`              If ends of lines are not visible, i.e. if they are processed before anything else, we do something similar, except that we add a dummy character, which will be ignored when the material is scanned, but will nonetheless prevent the formation of macro names across lines. Tail recursion is forbidden, since this will be used in a `\edef`, so we `\expandafter` instead.

```

869 \catcode'\^^@=12\relax%
870 \gdef\cd@eTeXOutEOL#1{%
871   \ifx#1^^?%
872   \else\ifx#1^^M%

```

```

873 \par%
874 \expandafter^^M%
875 \else%
876 ^^@ \expandafter\expandafter\expandafter#1%
877 \fi\fi}%

```

Now we deal with comments. First we do some catcode changing. (We need a comment character since we're currently in a group where ends of lines are active).

```

878 \catcode'\/=14\relax%
879 \catcode'\%=13\relax/
880 \catcode'\ =12\relax/
881 \catcode'\^^I=12\relax/

```

`\cd@VisibleComment` If ends of lines are visible we define comments to eat everything until the end of the line and  
`\cd@EatBOL` then launch a macro whose sole purpose is to remove spaces at the beginning of the next line.

```

882 \gdef\cd@VisibleComment{/
883 \def%##1^^M{\cd@EatBOL}/
884 \def\cd@EatBOL##1{/
885 \let\cd@next\cd@EatBOL/
886 \ifx##1 /
887 \else\ifx##1^^I/
888 \else\ifx##1^^M/
889 \let\cd@next\par/
890 \else/
891 \def\cd@next{##1}/
892 \fi\fi\fi\cd@next}}/

```

`\cd@ActiveComment` If ends of line are not visible, we do the same in the `\expandafter` way.

```

\cd@EatBOL
893 \gdef\cd@ActiveComment{/
894 \def%##1^^M{\cd@EatBOL}/
895 \def\cd@EatBOL##1{/
896 \ifx##1 /
897 \expandafter\cd@EatBOL/
898 \else\ifx##1^^I/
899 \expandafter\expandafter\expandafter\cd@EatBOL/
900 \else\ifx##1^^M/
901 \par/
902 \else/
903 \expandafter\expandafter\expandafter\expandafter\expandafter\expandafter\expandafter##1/
904 \fi\fi\fi}}/
905 \endgroup

```

## 5.6 File management

Here are some simple macro for the reader's relief.

`\CloseFile` Closing a file in normal mode simply makes all file identification macros unavailable.

```

906 \def\CloseFile#1{%
907 \def\FileSource{%
908 \cd@Error{%
909 No file in production. \string\FileSource\space is empty}}%
910 \def\FileName{%
911 \cd@Error{%
912 No file in production. \string\FileName\space is empty}}%
913 \def\FileVersion{%
914 \cd@Error{%
915 No file in production. \string\FileVersion\space is empty}}%
916 \def\FileDate{%
917 \cd@Error{%
918 No file in production. \string\FileDate\space is empty}}

```

`\cd@LineCount` That's why, in normal mode, we close a file right now. We nonetheless create a dummy file name for the sake of `\ProduceFile` below.

```

919 \ifcd@produce%
920 \def\FileName{}
921 \def\FileVersion{}
922 \def\FileDate{}
923 \else
924 \CloseFile{}
925 \def\FileSource{}
926 \newcount\cd@LineCount%
927 \fi

```

`\ProduceFile` In normal mode, the main job of `\ProduceFile` is to reset some line number counts. In `autoclose` mode, there's only one counter, since files are closed when a new one is opened.

```

928 \def\ProduceFile#1{%
929 \ifcd@autoclose%
930 \code@cd@LineNumber0\relax%

```

If `autoclose` is off, we allocate a count for each file, so lines are numbered according to the file they belong to. We store the last value for the file we're going to close (stored in `\FileSource`), and set the line number of the code to the number for the file we're going to (re)open. That's why we needed a dummy `\FileSource` above, when `\ProduceFile` is executed for the first time.

```

931 \else%
932 \expandafter\csname\FileSource @cd@LineCount\endcsname=\code@cd@LineNumber%
933 \expandafter\ifx\csname #1@cd@LineCount\endcsname\relax%
934 \expandafter\newcount\csname #1@cd@LineCount\endcsname%
935 \code@cd@LineNumber0\relax%
936 \else%
937 \expandafter\code@cd@LineCount\csname #1@cd@LineCount\endcsname%
938 \fi%
939 \fi%

```


`\FileSource` We reset `\FileName` and others, because their definition is optional. `\FileSource` is mandatory and is the actual argument of `\ProduceFile`. We launch the appropriate macro if a left bracket follows.

```

940 \def\FileName{%
941 \cd@Error{%
942 No \string\FileName\space has been given to \FileSource}}%
943 \def\FileVersion{%
944 \cd@Error{%
945 No \string\FileVersion\space has been given to \FileSource}}%
946 \def\FileDate{%
947 \cd@Error{%
948 No \string\FileDate\space has been given to \FileSource}}%
949 \edef\FileSource{#1}%
950 \@ifnextchar[%
951 {\cd@GetFileName}%
952 \relax}

```

`\cd@GetFileName` These are straightforward and don't need any comment.



```

\FileName 953 \def\cd@GetFileName[#1]{%
\cd@GetFileVersion 954 \edef\FileName{#1}%
\FileVersion 955 \@ifnextchar[\cd@GetFileVersion\relax}
\cd@GetFileDate 956 \def\cd@GetFileVersion[#1]{%
\FileDate 957 \edef\FileVersion{#1}%
958 \@ifnextchar[\cd@GetFileDate\relax}
959 \def\cd@GetFileDate[#1]{%
960 \edef\FileDate{#1}}

```

```

\Header      Finally, we define those macros that have no effect in normal mode to have, well, no effect.
\cd@HeaderGobble
\AddBlankLine Since comment signs are ‘other’ characters in produce mode, we change their catcode here
              too, so that the user may close the argument to \Header after a comment sign.
\StartIgnore 961 \def\Header{\bgroup\catcode'\%=12 \cd@HeaderGobble}
\StopIgnore  962 \long\def\cd@HeaderGobble#1{\egroup}
\DangerousEnvironment
              963 \let\AddBlankLine\relax
              964 \let\StartIgnore\relax
              965 \let\StopIgnore\relax
              966 \def\DangerousEnvironment#1{}

```

## 6 Produce mode



We now turn to produce mode, where codedoc becomes CodeDoc and strange things happen.

### 6.1 Messages

`\cd@Tracing` CodeDoc may be quite talkative. According to the tracing option, we define some messages.

```

\cd@TChar 967 \ifcase\cd@tracingmode
\cd@TUChar 968 \def\cd@Tracing#1{}
\cd@TCode 969 \def\cd@TChar#1#2{}
           970 \def\cd@TUChar#1{}
           971 \let\cd@TCode\relax
           972 \or
           973 \def\cd@Tracing#1{}
           974 \def\cd@TChar#1#2{}
           975 \def\cd@TUChar#1{}
           976 \def\cd@TCode{\immediate\write17{%
           977   *** Code written from line \the\cd@ProduceLine\space to
           \the\inputlineno\space to \cd@CurrentFile. ***}}
           978 \or
           979 \def\cd@Tracing#1{\immediate\write17{On line \the\cd@ProduceLine: #1.}}
           980 \def\cd@TChar#1#2{
           981   \bgroup
           982     \escapechar\m@ne\cd@Tracing{'\string#1' defined as \string\\#2}
           983   \egroup}
           984 \def\cd@TUChar#1{
           985   \bgroup
           986     \escapechar\m@ne\cd@Tracing{\string\\#1 undone}
           987   \egroup}
           988 \def\cd@TCode{\immediate\write17{%
           989   *** Code written from line \the\cd@ProduceLine\space to
           \the\inputlineno\space to \cd@CurrentFile. ***}}
           990 \fi

```

`\cd@Error` We also define errors and warnings; there’s no need to follow L<sup>A</sup>T<sub>E</sub>X’s ordinary syntax here.

```

\cd@CDWarning 991 \def\cd@CDError#1{%
\cd@NoFileWarning 992 \immediate\write17{%
                  993   ^^J! CodeDoc Error:^^J#1^^Jl.\the\cd@ProduceLine^^J }}
                  994 \def\cd@CDWarning#1{%
                  995   \immediate\write17{%
                  996     ^^J? CodeDoc Warning: ^^J#1^^Jl.\the\cd@ProduceLine^^J }}
                  997 \def\cd@NoFileWarning{\cd@CDWarning{No file in production. This code will be lost.}}

```

### 6.2 Testing strings

In produce mode, CodeDoc is a string tester; more precisely it imitates T<sub>E</sub>X’s normal mechanism: the escape character is turned into an active character that gathers letters following it and executes the name they form (in a modified fashion, however, to execute only relevant macros).

`\@documentclasshook` First, we redefine what happens at the end of the class to alter the behavior of special characters. However, we maintain comments and turn `\` into an active character.

```

998 \ifcd@produce
999 \def\@documentclasshook{
1000 \let\do\@makeother
1001 \dospecials
1002 \catcode'\^^I=12\relax
1003 \catcode'\%=14\relax
1004 \catcode'\^^\active

```

By default, `\normalsize` is an error message, so we redefine it. We start the report.

```

1005 \let\normalsize\relax
1006 \ifnum\cd@tracingmode>0
1007 \immediate\write17{^^J*** CODEDOC REPORT ***^^J}
1008 \fi


```

We don't load any font, so there's no need to bother with overfull boxes nor outputs. However, by pure superstition, I prefer some care.

```

1009 \hfuzz=100cm%
1010 \output={\deadcycles0\setbox0\box255}
1011 \everypar{}

```



Does he know what he's doing?

Most of the following are already 0. However, `\tracingcommands2` would explode the log file, so we take some care once again.

```

1012 \tracingcommands\z@\tracingmacros\z@\tracingoutput\z@\tracingparagraphs\z@
1013 \tracingpages\z@\tracinglostchars\z@\tracingrestores\z@\tracingstats\z@}
1014 \fi

```

`\cd@LeftBrace` Some characters are special, to say the least. We need to be able to recognize them.

```

\cd@RightBrace 1015 \begingroup
\cd@LeftBracket 1016 \catcode'\{=12 %
\cd@Space 1017 \catcode'\}=12 %
\cd@Tab 1018 \catcode'\<=1 %
\cd@EndOfLine 1019 \catcode'\>=2 %
\cd@Comment 1020 \gdef\cd@LeftBrace<{>
1021 \gdef\cd@RightBrace<>}
1022 \gdef\cd@LeftBracket<[>
1023 \catcode'\ =12\relax
1024 \catcode'\^^I=12\relax
1025 \gdef\cd@Space< >
1026 \gdef\cd@Tab<^^I>
1027 \catcode'\^^M=12\relax%
1028 \gdef\cd@EndOfLine<^^M>%
1029 \catcode'\/=14\relax/
1030 \catcode'\%=12\relax/
1031 \gdef\cd@Comment<%>/
1032 \endgroup

```

`\cd@Escape` Here comes the definition of the escape character as itself... The backslash can't be allowed to have catcode 0, otherwise control sequences would form and fire. We don't want that, obviously. On the other hand, some control sequences should be executed, so they must be form beforehand. Here's how `\` works. First, it stores the current line number for messages.

```

1033 \newcount\cd@ProduceLine
1034
1035 \begingroup
1036 \catcode'|=0 %
1037 \catcode'\=13 %
1038 |gdef|cd@Escape{\}%
1039 |gdef|#1{ %
1040 |cd@ProduceLine|inputlineno%

```

Then it turns ends of lines and comments to other characters, because we don't want to pass them unnoticed. If the next character is of category code 11, we start forming a control sequence. Otherwise, we gobble it and stop.

```

1041 |bgroup
1042 |catcode'\^M=12 %
1043 |catcode'|%=12 %
1044 |gdef|cd@MacroName{}%
1045 |ifnum|catcode'#1=11 %
1046 |def|cd@next{|cd@Gather#1}%
1047 |else
1048 |def|cd@next{|egroup|relax}
1049 |fi
1050 |cd@next}

```

`\cd@Gather`      Forming macro names is quite simple: if the next character is a letter, we add it to the  
`\cd@MacroName`    temporary name. Otherwise, we store it in `\cd@NextChar` and start doing what `TeX` does  
`\cd@NextChar`      when it has formed a control sequence.

```

1051 |long|gdef|cd@Gather#1{%
1052 |ifnum|catcode'#1=11 %
1053 |xdef|cd@MacroName{|cd@MacroName#1}%
1054 |let|cd@next|cd@Gather%
1055 |else%
1056 |gdef|cd@NextChar{#1}%
1057 |let|cd@next|cd@GobbleSpace%
1058 |fi|cd@next}
1059 |endgroup

```

`\cd@GobbleSpace`    That is, we skip spaces and ends of lines, so that the *real* next character will be put next to  
the formed control sequence, in case it is an argument.

In case the next argument is none of the above, we call `\cd@Evaluate`, which will expand the macro, on the next character.

```

1060 \long\def\cd@GobbleSpace{%
1061 \let\cd@next\cd@TakeNextChar
1062 \ifx\cd@NextChar\cd@Space
1063 \else\ifx\cd@NextChar\cd@Tab
1064 \else\ifx\cd@NextChar\cd@EndOfLine
1065 \else\ifx\cd@NextChar\cd@Comment
1066 \let\cd@next\cd@GobbleEndOfLine
1067 \else
1068 \egroup
1069 \def\cd@next{\expandafter\cd@Evaluate\cd@NextChar}
1070 \fi\fi\fi\fi\cd@next}

```

`\cd@TakeNextChar`    These do what they say.

```

\cd@GobbleEndOfLine 1071 \long\def\cd@TakeNextChar#1{\gdef\cd@NextChar{#1}\cd@GobbleSpace}
1072 \begingroup
1073 \catcode'\^M=12%
1074 \gdef\cd@GobbleEndOfLine#1^^M#2{%
1075 \gdef\cd@NextChar{#2}%
1076 \cd@GobbleSpace}%
1077 \endgroup

```

`\cd@Evaluate`      Finally, we take the name thus formed, and execute `\langle Name \rangle@Produce`. As you might  
imagine, the only macros containing the `@Produce` suffix are defined by `CodeDoc`. So, most  
of the time, this execution will be no more than a `\relax`. Which is exactly what we want.


```

1078 \def\cd@Evaluate{\csname\cd@MacroName @Produce\endcsname}

```

### 6.3 Macros executed in produce mode

To understand what follows, simply remember that `\<Macro>@Produce` is executed when CodeDoc encounters `\<Macro>`. So, for instance, `\ShortVerb@Produce` is `\ShortVerb` in produce mode.

Macro names will become quite long, so we add some left margin.  You could have done that before...

```
\cd@Gobble      First, some gobbler.
1079 \def\cd@Gobble#1{}
```

```
\cd@PrepareChar  Macros like \ShortVerb can take four kinds of argument. If you want + to be a
                  \ShortVerb, you can say \ShortVerb+, \ShortVerb\+, \ShortVerb{+} and \Short-
                  Verb{+}. Since CodeDoc has already considered the next character when executing
                  \ShortVerb@Produce, its catcode can't be changed, and a left brace is of category 12
                  and a backslash of category 13. So we have to gobble the next character if it is one
                  of them.
```

`\cd@PrepareChar` takes a macro as an argument and replaces it in the stream with the next character gobbled or not. The backslash is turned into an escape character to handle the `\ShortVerb{+}` case, where the left brace is gobbled; the backslash hasn't been read yet, so we can use it.

```
1080 \def\cd@PrepareChar#1{%
1081   \catcode'\=0 %
1082   \def\cd@next{\expandafter#1\cd@Gobble}
1083   \ifx\cd@NextChar\cd@LeftBrace%
1084   \else\ifx\cd@NextChar\cd@Escape%
1085   \else%
1086     \def\cd@next{#1}
1087   \fi\fi}%
```

```
\ShortVerb@Produce  Thus, \ShortVerb@Produce calls \cd@PrepareChar with \cd@MakeShortVerb@Produce,
\DefineShortVerb@Produce which will do the real job to the character. We define fancyvrb's \DefineShortVerb to
\cd@VerbList         do the same thing. \cd@VerbList contains all such characters, since \DefineShortVerb
                    can define several of them. It will be used in writing environments to neutralize them.
```

```
1088 \def\ShortVerb@Produce{\cd@PrepareChar\cd@MakeShortVerb@Produce\cd@next}
1089 \let\DefineShortVerb@Produce\ShortVerb@Produce
1090 \def\cd@VerbList{}
```

```
\cd@MakeShortVerb@Produce  Now we inform the user that the character was \ShortVerb'ed.
```

```
1091 \def\cd@MakeShortVerb@Produce#1{%
1092   \cd@TChar{#1}{ShortVerb}
```

We add it to `\cd@VerbList`.

```
1093   \expandafter\def\expandafter\cd@VerbList\expandafter{\cd@VerbList#1,}
```

```
\cd@ShortVerb@Produce  And we simply define the character to gobble everything until its next occurrence.
\UndoShortVerb@Produce We also define the \Undo... variant.
```

```
1094   \lccode'\~=#1 %
1095   \lowercase{%
1096     \def~{\bgroup\let\do\@makeother\dospecials\catcode'#1\active\cd@ShortVerb@Produce}%
1097     \def\cd@ShortVerb@Produce#1~{\egroup}}%
1098   \def\UndoShortVerb@Produce{\cd@TUChar{ShortVerb}\catcode'#1=12\relax}%
1099   \catcode'#1=13 %
1100   \catcode'\=13\relax}
1101 \let\UndoShortVerb@Produce\relax
```

```
\UndefineShortVerb@Produce  We define a variant for fancyvrb, because it takes an argument.
```

```
\cd@UndefineShortVerb@Produce
1102 \def\UndefineShortVerb@Produce{\cd@PrepareChar\cd@UndefineShortVerb@Produce\cd@next}%
1103 \def\cd@UndefineShortVerb@Produce#1{
1104   \cd@TUChar{ShortVerb (from fancyvrb)}
1105   \catcode'#1=12 \catcode'\=13\relax}
```



```

\VerbBreak@Produce      In produce mode, the \VerbBreak character is simply ignored.
\cd@MakeVerbBreak@Produce
\cd@IgnoreVerbBreak    1106 \def\VerbBreak@Produce{\cd@PrepareChar\cd@MakeVerbBreak@Produce\cd@next}
\UndoVerbBreak@Produce 1107 \def\cd@MakeVerbBreak@Produce#1{
1108   \cd@TChar{#1}{\VerbBreak}
1109   \def\cd@IgnoreVerbBreak{\catcode'#1=9\relax}
1110   \def\UndoVerbBreak@Produce{\cd@TUChar{\VerbBreak}\let\cd@IgnoreVerbBreak\relax}
1111   \catcode'\=13\relax}
1112 \let\cd@IgnoreVerbBreak\relax
1113 \let\UndoVerbBreak@Produce\relax

\cd@GobbleOptions      This is useful for \ShortCode and also \NewExample
1114 \def\cd@GobbleOptions#1[#2]#3{\def\cd@NextChar{#3}\expandafter#1\cd@NextChar}

\ShortCode@Produce     We check for options.
1115 \def\ShortCode@Produce{%
1116   \ifx\cd@NextChar\cd@LeftBracket%
1117     \def\cd@next{\cd@GobbleOptions\ShortCode@Produce}%
1118   \else%
1119     \cd@PrepareChar\cd@MakeShortCode@Produce
1120   \fi\cd@next}

\cd@MakeShortcode@Produce
\cd@ShortWriteFile     The \ShortCode character in produce mode is similar to its counterpart in normal
\ActivateShortCode@Produce mode, except that it follows what code does in this mode. So give a look at the
\cd@UndoShortCode@Produce definition of the code environment to understand what is going on here.
1121 \begingroup
1122 \catcode'\~M13%
1123 \gdef\cd@MakeShortCode@Produce#1{%
1124   \cd@TChar{#1}{\ShortCode}
1125   \lccode'\~='#1%
1126   \lowercase{%
1127     \def~{\cd@ProduceLine\inputlineno\cd@ShortCodetrue\cd@CodeWrite}%
1128     \def\ActivateShortCode@Produce{\catcode'#1\active}%
1129     \def\cd@ShortWriteFile##1~M##2~{%
1130       ~M##2~?~M~?%
1131       \ifx\cd@NoFileWarning\relax%
1132         \cd@TCode%
1133       \else%
1134         \cd@NoFileWarning%
1135       \fi\egroup}}%
1136   \def\UndoShortCode@Produce{\cd@TUChar{\ShortCode}\catcode'#1=12\relax}%
1137   \catcode'\=13 %
1138   \catcode'#1=13\relax}%
1139 \endgroup
1140 \let\ActivateShortCode@Produce\relax
1141 \let\UndoShortCode@Produce\relax

\VerbCommand@Produce   \VerbCommand characters do what they do in \CodeOutput in normal mode. The
\cd@VerbEscape@Produce escape gobble letters and the braces gobble what they contain.
\cd@TempEsc           First, we store the escape character for the message.
1142 \def\VerbCommand@Produce{\cd@PrepareChar\cd@VerbEscape@Produce\cd@next}
1143 \def\cd@VerbEscape@Produce#1{
1144   \bgroup\escapechar\m@ne\xdef\cd@TempEsc{\string#1}\egroup

\cd@IgnoreEscape@Produce
Then we turn it into a letter gobbler.
1145 \def\cd@IgnoreEscape@Produce{
1146   \catcode'#1=13
1147   \lccode'\~='#1
1148   \lowercase{\def~{\cd@GobbleLetters}}}
```

This is not what you think it is. We're not considering whether the character to come is a left brace, but whether `\cd@NextChar`, i.e. the character following `\VerbCommand`, *was* a left brace; this means that a right brace is to come, and we want to gobble it before processing what follows.

```

1149     \ifx\cd@NextChar\cd@LeftBrace
1150         \def\cd@next{\expandafter\cd@VerbBraces@Produce\cd@Gobble}
1151     \else
1152         \let\cd@next\cd@VerbBraces@Produce
1153     \fi\cd@next}

```

`\cd@VerbBraces@Produce` The rest is pretty straightforward and similar to what we did in normal mode.

```

\cd@VerbBraces@Produce 1154 \def\cd@VerbBraces@Produce{\catcode'\{=1 \catcode'\}=2 \cd@VerbBraces@Produce}
\cd@IgnoreBraces@Produce 1155 \def\cd@VerbBraces@Produce#1#2{%
\UndoVerbCommand@Produce 1156 \expandafter\cd@TChar\expandafter{\cd@TempEsc', '\string#1' and '\string#2'}{VerbCommand}
1157 \def\cd@IgnoreBraces@Produce{%
1158     \catcode'#1=13
1159     \lccode'\~='#1
1160     \lowercase{\def~###1#2{}}
1161     \catcode'\}=13 \catcode'\{=12 \catcode'\}=12\relax}
1162 \def\UndoVerbCommand@Produce{
1163     \cd@TUChar{VerbCommand}
1164     \let\cd@IgnoreEscape@Produce\relax
1165     \let\cd@IgnoreBraces@Produce\relax}
1166 \let\cd@IgnoreEscape@Produce\relax
1167 \let\cd@IgnoreBraces@Produce\relax

```

`\CodeEscape@Produce` `\CodeEscape` is easy: we simply define a macro to turn the character into an escape in code contexts.

```

\cd@ActivateCodeEscape 1168 \def\CodeEscape@Produce{\cd@PreparesChar\cd@CodeEscape@Produce\cd@next}
\UndoCodeEscape@Produce 1169 \def\cd@CodeEscape@Produce#1{%
1170     \cd@TChar{#1}{CodeEscape}
1171     \def\cd@ActivateCodeEscape{\catcode'#1=0\relax}\catcode'\}=13\relax}
1172 \let\cd@ActivateCodeEscape\relax
1173 \def\UndoCodeEscape@Produce{\cd@TUChar{CodeEscape}\let\cd@ActivateCodeEscape\relax}

```

`\NewExample@Produce` `\RenewExample@Produce` These two macros launch the option gobbler if there are any. `\cd@DangerousExample@Produce` is defined later because it takes its argument between braces of category 12, like other macros.

```

1174 \def\NewExample@Produce{%
1175     \ifx\cd@NextChar\cd@LeftBracket%
1176         \def\cd@next{\cd@GobbleOptions\NewExample@Produce}%
1177     \else%
1178         \let\cd@next\cd@DangerousExample@Produce%
1179     \fi\cd@next}
1180 \let\RenewExample@Produce\NewExample@Produce

```

`\cd@@Evaluate` Ignoring the input boils down to modifying the definition of `\cd@Evaluate` until it finds `\StopIgnore`. Meanwhile, it does nothing.

```

\StartIgnore@Produce 1181 \let\cd@@Evaluate\cd@Evaluate
\cd@FindIgnore 1182 \def\StartIgnore@Produce{
1183     \cd@Tracing{\string\StartIgnore\space found. I will ignore everything from now on}
1184     \let\cd@Evaluate\cd@FindIgnore}
1185 \def\cd@FindIgnore{
1186     \expandafter\ifx\csname cd@\cd@MacroName\endcsname\cd@StopIgnore
1187     \cd@Tracing{\string\StopIgnore\space found. I resume my normal behavior}
1188     \let\cd@Evaluate\cd@@Evaluate
1189     \fi}
1190 \def\cd@StopIgnore{\cd@StopIgnore}

```

`\verb@Produce` The produce version of L<sup>A</sup>T<sub>E</sub>X's `\verb` gobbles its argument after it has checked for a star.  
`\cd@VerbEater`

```

\cd@VerbEater 1191 \def\verb@Produce{\count@=0 \cd@VerbEater}
              1192 \def\cd@VerbEater#1{%
              1193   \ifcase\count@ %
              1194     \ifx#1*
              1195       \count@=1 %
              1196       \let\cd@@VerbEater\cd@VerbEater
              1197     \else
              1198       \def\cd@@VerbEater##1#1{}
              1199     \fi
              1200   \else
              1201     \def\cd@@VerbEater##1#1{}
              1202   \fi\cd@@VerbEater}


```

`\DescribeMacro@Produce` The normal counterparts of these might take dangerous arguments, so we need to neutralize them. The first four gobble two tokens, i.e. a left brace and/or an escape character, so the following macro won't form. The last three just gobble the escape character.  
`\DefineMacro@Produce`  
`\DescribeEnvironment@Produce`  
`\DefineEnvironment@Produce`

```

\noexpand@Produce 1203 \def\DescribeMacro@Produce#1#2{}
\string@Produce 1204 \def\DefineMacro@Produce#1#2{}
\protect@Produce 1205 \def\DescribeEnvironment@Produce#1#2{}
              1206 \def\DefineEnvironment@Produce#1#2{}
              1207 \def\noexpand@Produce#1{}
              1208 \def\string@Produce#1{}
              1209 \def\protect@Produce#1{}

```



`\begin@Produce` `\begin` and `\end` statements are executed if and only if there follows a left brace. This decreases the number of possible errors. The double-@ versions take their arguments in 'other' braces, so they are defined later.

```

1210 \def\begin@Produce{
1211   \ifx\cd@NextChar\cd@LeftBrace
1212     \expandafter\begin@@Produce
1213   \fi}
1214 \def\end@Produce{
1215   \ifx\cd@NextChar\cd@LeftBrace
1216     \expandafter\end@@Produce
1217   \fi}

```

`\Gobble@Produce` The produce version of `\Gobble` is similar to the normal version, except that it takes care of braces. `\Gobble@@Produce` is defined below.

```

1218 \def\Gobble@Produce#1{%
1219   \ifx\cd@NextChar\cd@LeftBrace%
1220     \def\cd@next{\expandafter\Gobble@@Produce\cd@NextChar}
1221   \else
1222     \def\cd@next{\chardef\cd@GobbleNum=#1\relax}%
1223   \fi\cd@next}

```

`\Header@Produce` The header is an easy matter. The only thing not to forget is to change the catcode of `\back` to 0.

```

\cd@HeaderEOL
1224 \newif\ifcd@HeaderFirstLine
1225 \begingroup
1226 \catcode'\^M=13 %
1227 \catcode'\/=14 %
1228 \catcode'\%=12 /
1229 \gdef\Header@Produce{/
1230   \bgroup/
1231   \catcode'\^M=13 /
1232   \catcode'\%=12 /
1233   \catcode'\=0 /

```

```

1234 \Header@@Produce}/
1235 \gdef\cd@HeaderEOL{\def^^M{^^J% }}
1236 \endgroup

\cd@DocumentString We'll need these presently.
\cd@CodeString 1237 \def\cd@DocumentString{document}
\cd@StarCodeString 1238 \def\cd@CodeString{code}
\cd@InvisibleString 1239 \def\cd@StarCodeString{code*}
\cd@StoredEnvironments 1240 \def\cd@InvisibleString{invisible}
1241 \def\cd@StoredEnvironments{example,verbatim,Verbatim,BVerbatim,
LVerbatim,SaveVerbatim,VerbatimOut,Example,CenterExample,
SideBySideExample,PCenterExample,PSideBySideExample,}

Here comes the macros that take their arguments between braces of category 12.
The \if... will be needed in \input@Produce.

1242 \newif\ifcd@everyeof
1243 \cd@everyeoftrue
1244
1245 \begingroup
1246 \catcode'\{=12 %
1247 \catcode'\}=12 %
1248 \catcode'\<=1 %
1249 \catcode'\>=2 %

\Header@@Produce This defines \cd@Header, which is executed in \ProduceFile, to write the text
input by the user to the newly opened file. The group we close was opened in
\Header@Produce.

1250 \long\gdef\Header@@Produce{#1}<
1251 \gdef\cd@Header<\bgroup\cd@HeaderEOL\cd@ProduceFile<\cd@Comment\space#1>\egroup>
1252 \egroup>

\Gobble@@Produce This is launched by \Gobble@Produce

1253 \gdef\Gobble@@Produce{#1}<\chardef\cd@GobbleNum=#1\relax>

\DangerousEnvironment@Produce Here we add dangerous environments to the list above, to be checked below.
\cd@DangerousExample@Produce \cd@DangerousExample@Produce has such a cumbersome definition because it is
\DefineVerbatimEnvironment meant to gobble the remaining three arguments of \NewExample and \RenewExample.
They might be separated by spaces, and since spaces have category 12 in produce
mode, they won't be skipped and \cd@DangerousExample@Produce wouldn't match
its definition, as TeX likes to say.

1254 \gdef\DangerousEnvironment@Produce{#1}<
1255 \cd@Tracing<#1 added to dangerous environments>
1256 \xdef\cd@StoredEnvironments<\cd@StoredEnvironments#1,>>
1257 \gdef\cd@DangerousExample@Produce{#1}#2{#3}#4{#5}#6{#7}<
1258 \cd@Tracing<#1 added to dangerous environments (CodeDoc examples)>
1259 \xdef\cd@StoredEnvironments<\cd@StoredEnvironments#1,>>
1260 \let\DefineVerbatimEnvironment@Produce\DangerousEnvironment@Produce

\begin@@Produce \begin statements simply check their argument: if it is code, code* or invisible, it
turns to writing mode. Otherwise, the name of the argument is checked against the
list of dangerous environments. See below where normal braces are restored.

1261 \gdef\begin@@Produce{#1}<
1262 \def\cd@TempArg<#1>
1263 \ifx\cd@TempArg\cd@CodeString
1264 \let\cd@next\cd@CodeWrite
1265 \else\ifx\cd@TempArg\cd@StarCodeString
1266 \cd@Startrue
1267 \let\cd@next\cd@CodeWrite
1268 \else\ifx\cd@TempArg\cd@InvisibleString
1269 \cd@Invisibletrue
1270 \let\cd@next\cd@CodeWrite

```

```

1271 \else
1272 \def\cd@next<\cd@CheckEnvironment<#1>>
1273 \fi\fi\fi\cd@next>
\end@Produce There's only one thing that can wake an \end statement: document. If it finds
\end{document}, CodeDoc stops. Otherwise, \end statements are ignored.
1274 \gdef\end@@Produce{#1}<
1275 \def\cd@TempArg<#1>
1276 \ifx\cd@TempArg\cd@DocumentString
1277 \def\cd@next<\cd@Tracing<\string\end{document}>
1278 \ifnum\cd@tracingmode=0 %
1279 \else
1280 \immediate\write17<^^J*** END OF CODEDOC REPORT ***^^J>
1281 \fi\@@end>
1282 \else
1283 \let\cd@next\relax
1284 \fi\cd@next>
\ProduceFile@Produce We define these right now, to be used later.
\CloseFile@Produce 1285 \gdef\ProduceFile@Produce{#1}<\ProduceFile@@Produce<#1>>
1286 \gdef\CloseFile@Produce{#1}<\CloseFile@@Produce<#1>>
\input@Produce We need a terribly boring definition of \input for the default header, so that files
\cd@CurrentSource are properly tracked back to their source. Besides, \input in TEX's way, i.e. without
braces, is not allowed anymore, if it is to be read by CodeDoc in produce mode. I feel
like removing the whole thing altogether.
Lines 1289 to 1298 were added in version 0.2. I had overlooked the fact that if an
\input file ended with a control sequence, then the rather complicated mechanism of
\cd@Gather and its friends would run into the end of the file and produce an error
message. With good ol' TEX, I don't know how to overcome this; hence the warning.
With ε-TEX, however, I use \everyeof to add a pair of braces just for the sake of
some harmless tokens. Anyway, who's using TEX anymore?
1287 \newcount\cd@InputDepth
1288 \gdef\input@Produce{#1}<
1289 \ifcd@everyeof
1290 \cd@everyeoffalse
1291 \ifx\everyeof\undefined
1292 \cd@CDWarning<%
1293 You're not running on e-TeX; the \string\input\space of files might be problematic.%
1294 ^^JAdd '{}' at the end of \string\input\space files if you ever get a 'File ended...'
message>
1295 \else
1296 \everyeof{>
1297 \fi
1298 \fi
1299 \cd@Tracing<\string\input\space file #1>
1300 \expandafter\let\csname cd@MasterSource\the\cd@InputDepth\endcsname\cd@CurrentSource
1301 \edef\cd@CurrentSource<#1 (\string\input\space in \cd@CurrentSource)>
1302 \advance\cd@InputDepth1\relax
1303 \@@input #1\relax
1304 \advance\cd@InputDepth-1\relax
1305 \expandafter\let\expandafter\cd@CurrentSource\csname cd@MasterSource
\the\cd@InputDepth\endcsname>
\cd@MakeSpecialEater If we find a dangerous environment, we launch this on its name, which eats everything
\cd@SpecialEater until \end{Name}.
1306 \catcode'\|=0 %
1307 \catcode'\|=13 %
1308 |gdef|cd@MakeSpecialEater#1<
1309 |long|def|cd@SpecialEater##1\end{#1}<>
1310 |cd@SpecialEater>

```

```

1311 |endgroup

\cd@CurrentSource      Back to normal braces. This is a default value needed in \input@Produce. The
                        extension is just a guess, of course.

1312 \edef\cd@CurrentSource{\jobname.tex}

\cd@CheckEnvironment  This is the checking mechanism used in \begin statement to detect dangerous envi-
\cd@@CheckEnvironment  ronments. Note that we check all environments in their starred version too.

1313 \def\cd@CheckEnvironment#1{
1314   \def\cd@TempEnv{#1}
1315   \expandafter\cd@@CheckEnvironment\cd@StoredEnvironments cd@end,}
1316 \def\cd@@CheckEnvironment#1,{
1317   \def\cd@@TempEnv{#1}
1318   \def\cd@@StarTempEnv{#1*}
1319   \ifx\cd@@TempEnv\cd@end
1320     \let\cd@next\relax
1321   \else\ifx\cd@@TempEnv\cd@TempEnv
1322     \def\cd@next{\cd@MakeSpecialEater{#1}}
1323   \else\ifx\cd@@StarTempEnv\cd@TempEnv
1324     \def\cd@next{\cd@MakeSpecialEater{#1*}}
1325   \else
1326     \let\cd@next\cd@@CheckEnvironment
1327   \fi\fi\fi
1328   \cd@next}

```

## 6.4 Writing environments

CodeDoc looks for code, code\* and invisible environments and process them line by line.

`\cd@MakeOther` First, we need a recursive catcode changer.

```

1329 \def\cd@MakeOther#1,{%
1330   \def\cd@TempArg{#1}%
1331   \ifx\cd@TempArg\cd@end%
1332   \else%
1333     \catcode'#1=12 %
1334     \expandafter\cd@MakeOther%
1335   \fi}

```

`\cd@CodeWrite` This is the writing macro, called by `\begin` when the appropriate argument is found, or by the `\ShortCode` character. `\dospecials` is probably useless since all specials are already done, but at least it changes the category of the escape and the comment.

```

1336 \newif\ifcd@Invisible
1337 \begingroup
1338 \catcode'\^M=13\relax%
1339 \gdef\cd@CodeWrite{%
1340   \bgroup%
1341   \let\do\@makeother%
1342   \dospecials%
1343   \catcode'\^I=12 %

```

We turn all verb characters (defined by fancyvrb's `\DefineShortVerb`) into other characters, ignore the verb break, neutralize the short code if we're not in a short code environment (the redefinition of `\cd@TUChar` just prevents an unwanted message sent to the user if tracing is 2) an reactivate it otherwise, ignore `\VerbCommand` and activate `\CodeEscape`. We turn ends of lines into proper gobbler once again.

```

1344   \expandafter\cd@MakeOther\cd@VerbList cd@end,%
1345   \cd@IgnoreVerbBreak%
1346   \ifcd@ShortCode%
1347     \ActivateShortCode@Produce%
1348   \else%
1349     \let\cd@TempTUChar\cd@TUChar

```

```

1350     \def\cd@TUChar##1{
1351     \UndoShortCode@Produce%
1352     \let\cd@TUChar\cd@TempTUChar
1353     \fi%
1354     \cd@IgnoreEscape@Produce%
1355     \cd@IgnoreBraces@Produce%
1356     \cd@ActivateCodeEscape%
1357     \catcode'\^^M=13\relax%
1358     \let^^M\cd@produceEOL%

```

Finally we launch the adequate macro. They all do the same thing, but they look for different `\end` statements.

```

1359     \ifcd@ShortCode%
1360     \global\cd@ShortCodefalse\let\cd@next\cd@ShortWriteFile%
1361     \else\ifcd@Star%
1362     \global\cd@Starfalse\let\cd@next\cd@StarWriteFile%
1363     \else\ifcd@Invisible%
1364     \global\cd@Invisiblefalse\let\cd@next\cd@InvisibleWriteFile%
1365     \else%
1366     \let\cd@next\cd@WriteFile%
1367     \fi\fi\fi\cd@next}%

```

`\cd@ProduceEOL` This is similar to the version for examples without  $\epsilon$ -TeX in normal mode, i.e. it writes to an external file, specified in `\cd@ProduceFile`.

`\cd@LineWrite@Produce`

```

1368 \gdef\cd@produceEOL#1{%
1369   \ifx#1^^?%
1370     \cd@GobbleCount=0 %
1371     \let^^M\relax%
1372     \let\cd@next\relax%
1373   \else\ifx#1^^M%
1374     \cd@GobbleCount=0 %
1375     \def\cd@next{\cd@ProduceFile}\cd@produceEOL}%
1376   \else\ifnum\cd@GobbleCount=\cd@GobbleNum%
1377     \cd@GobbleCount=0 %
1378     \def\cd@next{\cd@LineWrite@Produce#1}%
1379   \else%
1380     \advance\cd@GobbleCount1 %
1381     \let\cd@next\cd@produceEOL%
1382   \fi\fi\fi\cd@next}%
1383 \gdef\cd@LineWrite@Produce#1^^M{\cd@ProduceFile{#1}\cd@produceEOL}%

```

`\cd@WriteFile`  
`\cd@StarWriteFile`  
`\cd@InvisibleWriteFile`

And here is the end. It is the first `^^M`, `\let` to `\cd@ProduceEOL`, which launches everything. The conditional switches between an error message (no file in production) and a report (code written).

```

1384 \catcode'|=0 %
1385 \catcode'<=1 %
1386 \catcode'>=2 %
1387 \catcode'{=12 %
1388 \catcode'}=12 %
1389 \catcode'\\=12 %
1390 |long|gdef|cd@WriteFile#1^^M#2\end{code}<%
1391   ^^M#2^^?^^M^^?%
1392   |ifx|cd@NoFileWarning|relax%
1393   |cd@TCode%
1394   |else%
1395   |cd@NoFileWarning%
1396   |filegroup>%
1397 |long|gdef|cd@StarWriteFile#1^^M#2\end{code*}<%
1398   ^^M#2^^?^^M^^?%
1399   |ifx|cd@NoFileWarning|relax%
1400   |cd@TCode%

```

```

1401 |else%
1402 |cd@NoFileWarning%
1403 |filegroup>%
1404 |long|gdef|cd@InvisibleWriteFile#1^^M#2\end{invisible}<%
1405 ^^M#2^^?^^M^^?%
1406 |ifx|cd@NoFileWarning|relax%
1407 |cd@TCode%
1408 |else%
1409 |cd@NoFileWarning%
1410 |filegroup>%
1411 |endgroup

```

## 6.5 File management This sounds strange

This the final step: handling files in produce mode.

```

\cd@Closed      First, some keywords.
\cd@Open 1412 \def\cd@Closed{closed}
\cd@Wait 1413 \def\cd@Open{open}
          1414 \def\cd@Wait{wait}

```

\cd@CurrentFile Some basic definitions. \@unused is L<sup>A</sup>T<sub>E</sub>X's unattributed stream for messages. We let it write to the log file. \cd@ProduceFile is the writing macro (used in writing environments above); as long as no file is open, it does nothing.

```

1415 \newcount\cd@ProduceCount
1416
1417 \def\cd@CurrentFile{}
1418 \chardef\@unused=17
1419
1420 \def\cd@ProduceFile#1{}
1421 \def\AddBlankLine@Produce{\cd@ProduceFile{}}

```

\ProduceFile@@Produce This is called by \ProduceFile, via \ProduceFile@Produce above. If the file is closed or already in production, we signal it to the user:

```

1422 \def\ProduceFile@@Produce#1{%
1423   \let\cd@next\relax
1424   \expandafter\ifx\csname #1@Status\endcsname\cd@Closed
1425     \cd@CDError{%
1426       File ‘#1’ has already been closed.^^J%
1427       If I open it again, it will be erased.^^J%
1428       I can't do that. I quit. Sorry.}
1429     \let\cd@next\@end
1430   \else\expandafter\ifx\csname #1@Status\endcsname\cd@Open
1431     \cd@CDWarning{%
1432       File ‘#1’ is currently in production.^^J%
1433       Why do you try to open it again?}

```

The file is waiting if it has been opened previously and another one has been opened too afterward, provided autoclose is off. In which case, we set it to open:

```

1434   \else\expandafter\ifx\csname #1@Status\endcsname\cd@Wait
1435     \expandafter\let\csname #1@Status\endcsname\cd@Open

```

We disable the warning about the absence of a file in production and define \cd@ProduceFile to write to this file.

```

1436   \let\cd@NoFileWarning\relax
1437   \def\cd@ProduceFile{\immediate\write\csname #1@Stream\endcsname}

```

We set the current file to wait and define the one we're dealing with to be the current file.

```

1438   \expandafter\let\csname \cd@CurrentFile @Status\endcsname\cd@Wait
1439   \def\cd@CurrentFile{#1}

```



Now, if the file has never been opened, we need an output stream. If they were all allocated, we look whether some were made available thanks to a `\CloseFile`.

```
1440 \else\ifnum\cd@ProduceCount>15
1441 \chardef\cd@ProduceStream=16
1442 \expandafter\cd@FindStream\cd@StreamList cd@end,
```

If no stream is found, CodeDoc feels so bad that it quits.

```
1443 \ifnum\cd@ProduceStream=16 %
1444 \cd@CDError{%
1445 No more stream for a new file. Close one with \string\CloseFile\space^^J%
1446 (or use the 'autoclose' option).^~J%
1447 This situation makes me feel bad. I quit.}
1448 \let\cd@next\@@end
```

Else, we're very happy, and if there is already a file in production, we close it or let it wait.

```
1449 \else
1450 \cd@Tracing{I will now produce file #1}
1451 \ifx\cd@CurrentFile\cd@empty
1452 \else
1453 \ifcd@autoclose
1454 \cd@Tracing{I close file \cd@CurrentFile\space (autoclose mode)}
1455 \expandafter\let\csname \cd@CurrentFile @Status\endcsname\cd@Closed
1456 \else
1457 \expandafter\let\csname \cd@CurrentFile @Status\endcsname\cd@Wait
1458 \fi
1459 \fi
```

Then we define our file as the current one, let the world know that it is open, allocate the stream to its name, open it, etc., and launch a macro to retrieve some information if any.

```
1460 \def\cd@CurrentFile{#1}
1461 \expandafter\let\csname #1@Status\endcsname\cd@Open
1462 \expandafter\chardef\csname #1@Stream\endcsname\cd@ProduceStream
1463 \immediate\openout\cd@ProduceStream=#1 %
1464 \let\cd@NoFileWarning\relax
1465 \def\cd@ProduceFile{\immediate\write\cd@ProduceStream}
1466 \let\cd@next\cd@GetFile@Produce
1467 \fi
```

If there was an available stream in the first place, we do exactly the same.

```
1468 \else\chardef\cd@ProduceStream\cd@ProduceCount
1469 \cd@Tracing{I will now produce file #1}
1470 \ifx\cd@CurrentFile\cd@empty
1471 \else
1472 \ifcd@autoclose
1473 \cd@Tracing{I close file \cd@CurrentFile\space (autoclose mode)}
1474 \expandafter\let\csname \cd@CurrentFile @Status\endcsname\cd@Closed
1475 \else
1476 \expandafter\let\csname \cd@CurrentFile @Status\endcsname\cd@Wait
1477 \fi
1478 \fi
1479 \def\cd@CurrentFile{#1}
1480 \expandafter\let\csname #1@Status\endcsname\cd@Open
1481 \expandafter\chardef\csname #1@Stream\endcsname\cd@ProduceStream
1482 \immediate\openout\cd@ProduceStream=#1 %
1483 \let\cd@NoFileWarning\relax
1484 \def\cd@ProduceFile{\immediate\write\cd@ProduceStream}
1485 \ifcd@autoclose
1486 \else
1487 \advance\cd@ProduceCount\@ne
```

```

1488   \fi
1489   \let\cd@next\cd@GetFile@Produce
1490   \fi\fi\fi\fi\cd@next}

```

`\cd@GetFile@Produce` This is designed to retrieve optional information following `\ProduceFile`. We undo `\cd@GetFileName@Produce` the `\ShortVerb` and `\ShortCode` because they might appear there. (My `\ShortCode` is a slash, which is used in date too.) We also set the backslash as an escape character, `\cd@GetFileVersion@Produce` because control sequences might appear here. `\cd@GetFileDate@Produce`

In all cases, if nothing follows, and if the `noheader` option is off, we write the header to the file.

```

1491 \def\cd@GetFile@Produce{
1492   \bgroup
1493   \UndoShortCode@Produce
1494   \UndoShortVerb@Produce
1495   \gdef\FileName{}
1496   \gdef\FileVersion{}
1497   \gdef\FileDate{}
1498   \@ifnextchar[
1499     {\catcode'\z@ \cd@GetFileName@Produce}
1500     {\ifcd@noheader\else\cd@Header\fi\egroup}}
1501 \def\cd@GetFileName@Produce[#1]{
1502   \xdef\FileName{#1}
1503   \catcode'\active
1504   \@ifnextchar[
1505     {\catcode'\z@ \cd@GetFileVersion@Produce}
1506     {\ifcd@noheader\else\cd@Header\fi\egroup}}
1507 \def\cd@GetFileVersion@Produce[#1]{%
1508   \xdef\FileVersion{#1}
1509   \catcode'\active
1510   \@ifnextchar[
1511     {\catcode'\z@ \cd@GetFileDate@Produce}
1512     {\ifcd@noheader\else\cd@Header\fi\egroup}}
1513 \def\cd@GetFileDate@Produce[#1]{%
1514   \xdef\FileDate{#1}
1515   \ifcd@noheader\else\cd@Header\fi\egroup}

```

`\CloseFile@@Produce` Closing a file is a lot of uninteresting testing...

```

1516 \def\CloseFile@@Produce#1{
1517   \ifcd@autoclose
1518     \expandafter\ifx\csname #1@Status\endcsname\relax
1519     \cd@CDWarning{%
1520       You haven't opened '#1'. Closing it does nothing.^^J%
1521       Besides, you're in autoclose mode. \string\CloseFile\space is redundant.}
1522   \else\expandafter\ifx\csname #1@Status\endcsname\cd@Closed
1523     \cd@CDWarning{%
1524       '#1' was already closed. Closing it again does nothing.^^J%
1525       Besides, you're in autoclose mode. \string\CloseFile\space is redundant.}
1526   \else
1527     \cd@CDWarning{%
1528       You're in autoclose mode. \string\CloseFile\space is redundant.}
1529   \fi\fi%
1530   \else
1531     \expandafter\ifx\csname #1@Status\endcsname\relax
1532     \cd@CDWarning{%
1533       You haven't opened '#1'. Closing it does nothing.}
1534   \else\expandafter\ifx\csname #1@Status\endcsname\cd@Closed
1535     \cd@CDWarning{%
1536       '#1' was already closed. Closing it again does nothing.}

```

If everything is okay, beside closing the file, we also define the no-file warning and neutralize the writing macro. We also add the stream allocated to that file to `\cd@StreamList`, so that it may be retrieved if all other streams are unavailable.

```

1537 \else
1538 \cd@Tracing{I close file #1}
1539 \expandafter\let\csname #1@Status\endcsname\cd@Closed
1540 \def\cd@TempFile{#1}
1541 \ifx\cd@TempFile\cd@CurrentFile
1542 \def\cd@NoFileWarning{\cd@CDWarning{No file in production.
1543 This code will be lost.}}
1544 \def\cd@ProduceFile##1{}%
1545 \fi
1546 \edef\cd@StreamList{%
1547 \cd@StreamList\expandafter\the\csname #1@Stream\endcsname,}
1548 \fi\fi\fi}

```

`\cd@StreamList` The last thing to do is to build that list of streams made available by the closing of  
`\cd@BuildList` a file.

```

1548 \def\cd@StreamList{}
1549 \def\cd@BuildList#1cd@end,{\def\cd@StreamList{#1}}

```

`\cd@FindStream` When we look for a stream, we simply check the content of `\cd@BuildList`, and if we find the terminator, this means that no stream has been made available. Otherwise, we define `\cd@ProduceStream`, which will be allocated to the file we're trying to open, as the first stream we find in the list, and we rebuild the latter with the remaining numbers.

```

1550 \newif\ifcd@stream
1551 \def\cd@FindStream#1,{%
1552 \def\cd@TempArg{#1}
1553 \ifx\cd@TempArg\cd@end
1554 \cd@streamfalse
1555 \let\cd@@next\relax
1556 \else
1557 \cd@streamtrue
1558 \chardef\cd@ProduceStream=#1 %
1559 \let\cd@@next\cd@BuildList
1560 \fi\cd@@next}


```

`\cd@Header` Finally, here's the default header.

```

1561 \catcode'\%=12\relax
1562 \edef\cd@Header{
1563 \noexpand\cd@ProduceFile{% This is \noexpand\FileName, produced by the CodeDoc class
1564 ^^J% with the 'produce' option on.
1565 ^^J%
1566 ^^J% To create the documentation, compile \cd@CurrentSource
1567 ^^J% without the 'produce' option.
1568 ^^J%
1569 ^^J% SOURCE: \noexpand\cd@CurrentSource
1570 ^^J% DATE: \noexpand\FileDate
1571 ^^J% VERSION: \noexpand\FileVersion
1572 }}
1573 \catcode'\%=14\relax

```

... and we say goodbye. The end.  See you!

```

1574 \makeatother

```

# Index

*This index was generated by the \DescribeMacro-like commands. It only reports where macros are described (page numbers in normal font) and defined (page numbers in italics). In the current version, CodeDoc does not index macros when used in the code.*

*Entries are sorted ignoring the cd@ and cd@@ prefixes.*

`\cd@LineCount`, 44  
`\@documentclasshook`, 45

`\cd@ActivateCodeEscape`, 50  
`\cd@ActivateShortCode`, 27  
`\ActivateShortCode@Produce`, 49  
`\cd@ActivateVerbBreak`, 28  
`\cd@ActivateVerbCommand`, 29  
`\cd@ActiveComment`, 43  
`\AddBlankLine`, 6, 17, 45  
`\AddBlankLine@Produce`, 56  
`\cd@AnalyzeEntry`, 23  
`\cd@AnalyzePrefix`, 24  
`\cd@AssignTeXInput`, 40  
`\cd@AssignInput`, 40  
`\AtChar`, 23

`\cd@BadChar`, 25  
`\begin@@Produce`, 52  
`\begin@Produce`, 51  
`\BoxTolerance`, 6, 17, 31  
`\cd@bslash`, 25  
`\bslash`, 8, 17, 25  
`\cd@BuildList`, 59


`\cd@CDWarning`, 45  
`\cd@CharErr`, 25  
`\cd@@CheckEnvironment`, 54  
`\cd@CheckEnvironment`, 54  
`\cd@Closed`, 56  
`\CloseFile`, 5, 18, 43  
`\CloseFile@@Produce`, 58  
`\CloseFile@Produce`, 53  
`\cd@Code`, 33  
`\code`, 32  
`code` (environment), 5, 17  
`\CodeEscape`, 16, 18, 30  
`\CodeEscape@Produce`, 50  
`\cd@CodeEscape@Produce`, 50  
`\CodeFont`, 5, 18, 32  
`\CodeInput`, 10, 18, 35, 37  
`\CodeOutput`, 10, 18, 35, 37  
`\cd@CodeString`, 52  
`\cd@CodeWrite`, 54  
`\cd@Comment`, 46  
`\cd@ComparePrefix`, 24

`\cd@continuous`, 36  
`\cd@CurrentFile`, 56  
`\cd@CurrentSource`, 53, 54

`\DangerousEnvironment`, 9, 18, 45  
`\DangerousEnvironment@Produce`, 52  
`\cd@DangerousExample@Produce`, 52  
`\cd@DefErr`, 26  
`\DefineEnvironment`, 7, 18, 22  
`\cd@DefineEnvironment`, 22  
`\DefineEnvironment@Produce`, 51  
`\DefineIndexFont`, 7, 18, 22  
`\DefineMacro`, 7, 18, 22  
`\cd@DefineMacro`, 22  
`\DefineMacro@Produce`, 51  
`\DefineShortVerb@Produce`, 48  
`\DefineVerbatimEnvironment`, 52  
`\cd@DefPrefix`, 24  
`\DescribeEnvironment`, 7, 18, 22  
`\cd@DescribeEnvironment`, 22  
`\DescribeEnvironment@Produce`, 51  
`\DescribeIndexFont`, 7, 18, 22  
`\DescribeMacro`, 7, 18, 22  
`\cd@DescribeMacro`, 22  
`\DescribeMacro@Produce`, 51  
`\DocStripMarginpar`, 7, 18, 22  
`\cd@DocumentString`, 52

`\cd@EatBOL`, 43  
`\cd@empty`, 36  
`\cd@end`, 21  
`\end@Produce`, 51, 53  
`\cd@endOfLine`, 46  
`\cd@Error`, 45  
`\cd@Escape`, 46  
`\cd@eTeXEOL`, 42  
`\eTeXOff`, 14, 18, 34  
`\eTeXOn`, 14, 18, 34  
`\cd@eTeXOutEOL`, 42  
`\cd@eTeXOutVisibleEOL`, 42  
`\cd@eTeXStartGobble`, 42  
`\cd@@Evaluate`, 50  
`\cd@Evaluate`, 47  
`\cd@Example`, 37  
`example` (environment), 10, 17, 37  
`\cd@ExampleEnd`, 38

\cd@ExampleName, 35  
\cd@ExampleOptions, 36  
\cd@expFile, 39  
  
\FileName, 44  
\FileSource, 44  
\FileVersion, 44  
\cd@FindIgnore, 50  
\cd@FindStream, 59  
  
\cd@Gather, 47  
\cd@GetClass, 21  
\cd@GetFile@Produce, 58  
\cd@GetFileDate, 44  
\cd@GetFileDate@Produce, 58  
\cd@GetFileName, 44  
\cd@GetFileName@Produce, 58  
\cd@GetFileVersion, 44  
\cd@GetFileVersion@Produce, 58  
\cd@GetOptions, 21  
\Gobble, 6, 18, 31  
\cd@Gobble, 48  
\Gobble@@Produce, 52  
\Gobble@Produce, 51  
\cd@GobbleEndOfLine, 47  
\cd@GobbleLetters, 30  
\cd@GobbleOptions, 49  
\cd@GobbleSpace, 47  
\cd@GobbleThree, 34  
  
\Header, 6, 19, 45  
\cd@Header, 59  
\Header@@Produce, 52  
\Header@Produce, 51  
\cd@HeaderEOL, 51  
\cd@HeaderGobble, 45  
  
\cd@IgnoreBraces@Produce, 50  
\cd@IgnoreEscape@Produce, 49  
\IgnorePrefix, 7, 19, 23  
\cd@IgnorePrefix, 23  
\cd@IgnoreVerbBreak, 29, 49  
\cd@IgnoreVerbCommand, 29  
\cd@Input, 40, 41  
\input@Produce, 53  
\cd@Invisible, 33  
\invisible, 32  
invisible (environment), 6, 17  
\cd@InvisibleString, 52  
\cd@InvisibleWriteFile, 55  
  
\cd@LeftBrace, 46  
\cd@LeftBracket, 46  
\LineNumber, 5, 19, 37  
\cd@LineWrite, 40  
\cd@LineWrite@Produce, 55  
\cd@LoadClass, 21  
  
\cd@MacroName, 47  
\cd@@MakeEntry, 24  
\cd@MakeEntry, 23  
\cd@MakeExample, 35  
\cd@MakeExampleEnd, 38  
\cd@MakeOther, 54  
\cd@MakePrefix, 23  
\cd@MakeShortCode, 27  
\cd@MakeShortcode@Produce, 49  
\cd@MakeShortVerb@Produce, 48  
\cd@MakeSpace, 30  
\cd@MakeSpecialEater, 53  
\cd@MakeVerbBreak@Produce, 49  
\margin, 8, 19, 25  
\meta, 8, 19, 25  
  
\NewExample, 11, 19, 34  
\cd@@NewExample, 35  
\cd@NewExample, 34  
\NewExample@Produce, 50  
\cd@NextChar, 47  
\cd@noeTeXEOL, 39  
\noexpand@Produce, 51  
\cd@NoFileWarning, 45  
\cd@numbered, 36  
  
\oarg, 8, 19, 25  
\cd@ObeyLines, 34  
\cd@ObeySpaces, 30  
\cd@Open, 56  
\cd@Output, 40, 41  
  
\parg, 8, 19, 25  
\cd@PrepareChar, 48  
\PrintMacro, 7, 19, 22  
\PrintPrefix, 8, 19, 24  
\cd@ProduceEOL, 55  
\ProduceFile, 4, 19, 44  
\cd@ProduceFile, 56  
\ProduceFile@@Produce, 56  
\ProduceFile@Produce, 53  
\protect@Produce, 51  
  
\RenewExample, 11, 19, 34  
\cd@RenewExample, 34  
\RenewExample@Produce, 50  
\cd@RightBrace, 46  
  
\cd@ScanPrefix, 24  
\cd@SetLineNumber, 37  
\ShortCode, 14, 19, 27  
\cd@ShortCode, 27  
\ShortCode@Produce, 49  
\cd@ShortEnd, 27  
\ShortVerb, 14, 20, 26  
\ShortVerb@Produce, 48  
\cd@ShortVerb@Produce, 48  
\cd@ShortWriteFile, 49

`\cd@Space`, 46  
`\cd@SpaceChar`, 30  
`\cd@SpecialEater`, 53  
`\cd@StarCode`, 33  
`\cd@StarCodeString`, 52  
`\cd@StartGobble`, 33  
`\StartIgnore`, 9, 20, 45  
`\StartIgnore@Produce`, 50  
`\cd@StarWriteFile`, 55  
`\StopHere`, 8, 20, 22  
`\StopIgnore`, 9, 20, 45  
`\cd@StopIgnore`, 50  
`\cd@StoredEnvironments`, 52  
`\cd@StreamList`, 59  
`\string@Produce`, 51  
  
`\cd@Tab`, 46  
`\TabSize`, 6, 20, 31  
`\cd@TakeNextChar`, 47  
`\cd@TChar`, 45  
`\cd@TCode`, 45  
`\cd@TempEsc`, 49  
`\cd@Tracing`, 45  
`\cd@TUChar`, 45  
  
`\UndefineShortVerb@Produce`, 48  
`\cd@UndefineShortVerb@Produce`, 48  
`\UndoCodeEscape`, 16, 20, 30  
`\UndoCodeEscape@Produce`, 50  
`\cd@UndoErr`, 26  
`\UndoShortCode`, 14, 20, 28  
`\cd@UndoShortCode@Produce`, 49  
`\UndoShortVerb`, 14, 20, 27  
`\UndoShortVerb@Produce`, 48  
`\UndoVerbBreak`, 15, 20  
`\UndoVerbBreak@Produce`, 49  
`\UndoVerbCommand`, 15, 20, 29  
`\UndoVerbCommand@Produce`, 50  
  
`\verb@Produce`, 51  
`\cd@Verbatim`, 31  
`\cd@@VerbBraces@Produce`, 50  
`\cd@VerbBraces@Produce`, 50  
`\VerbBreak`, 15, 20, 28  
`\VerbBreak@Produce`, 49  
`\VerbCommand`, 15, 20, 29  
`\VerbCommand@Produce`, 49  
`\cd@@VerbEater`, 51  
`\cd@VerbEater`, 51  
`\cd@VerbEscape@Produce`, 49  
`\cd@VerbList`, 48  
`\cd@VerbSpace`, 31  
`\cd@VerbTab`, 31  
`\cd@VisibleComment`, 43  
`\cd@visibleEOL`, 36  
  
`\cd@Wait`, 56  
  
`\cd@WriteFile`, 55  
  
 **What am I doing here?**, 1, 5, 7, 9, 11, 13, 15, 16, 19, 23, 30, 41, 44–46, 48, 51, 56, 59