

The **startrek** package* for use with L^AT_EX 2_ε

Gerd Neugebauer
Brecklinge 10
69256 Mauer
Germany
gene@gerd-neugebauer.de

2026/05/19

1 Introduction

This package provides a means to use some PostScript fonts with L^AT_EX. The fonts are similar to some fonts used in the context of the startrek films.

The PostScript fonts are not contained in the distribution but have to be got separately.

This package has been created for an article in "Die T_EXnische Komödie" [1]. This article contains some more details on the package and its use.

2 Usage

<code>\TNG</code>	The command <code>\TNG</code> changes the current font family to StarTrekTNGCrilleA and the encoding to T1. Usually this should be used in a T _E X group only.
<code>\textTNG</code>	The command <code>\textTNG</code> typesets its argument with the StarTrekTNGCrilleA font.
<code>\STClassic</code>	The command <code>\STClassic</code> changes the current font family to StarTrekClassicA and the encoding to T1. Usually this should be used in a T _E X group only.
<code>\textSTClassic</code>	The command <code>\textSTClassic</code> typesets its argument with the StarTrekClassicA font.
<code>\STMovie</code>	The command <code>\STMovie</code> changes the current font family to StarTrekClassicA and the encoding to T1. Usually this should be used in a T _E X group only.
<code>\textSTMovie</code>	The command <code>\textSTMovie</code> typesets its argument with the StarTrekClassicA font.
<code>\TNGtitle</code>	The command <code>\TNGtitle</code> changes the current font family to StarTrekTNGTitleA and the encoding to T1. Usually this should be used in a T _E X group only.
<code>\textTNGtitle</code>	The command <code>\textTNGtitle</code> typesets its argument with the StarTrekTNGTitleA font.
<code>\TNGmon</code>	The command <code>\TNGmon</code> changes the current font family to TNGMonitorsPlain

*This file has version number v1.3, dated 2026/05/19.

and the encoding to T1. Usually this should be used in a \TeX group only.

`\textTNGmon` The command `\texTNGmon` typesets its argument with the `TNGMonitorsPlain` font.

References

- [1] Gerd Neugebauer. Das unentdeckte Land. *Die \TeX nische Komödie*, 3/96:36–56, December 1996.

3 Implementation

```

\TNG The macro \TNG selects the StarTrekTNGCrilleA family.
      \DeclareRobustCommand\TNG{\fontfamily{ftc}\selectfont}

\textTNG The macro \textTNG typesets its arguments in the StarTrekTNGCrilleA font.
      \DeclareTextFontCommand\textTNG{\fontfamily{ftc}\selectfont}

\STClassic The macro \STClassic selects the StarTrekClassicA family.
      \DeclareRobustCommand\STClassic{\fontfamily{fsc}\selectfont}

\textSTClassic The macro \textSTClassic typesets its arguments in the StarTrekClassicA font.
      \DeclareTextFontCommand\textSTClassic{\fontfamily{fsc}\selectfont}

\STMovie The macro \STMovie selects the StarTrekClassicMoviesA family.
      \DeclareRobustCommand\STMovie{\fontfamily{fsm}\selectfont}

\textSTMovie The macro \textSTMovie typesets its arguments in the StarTrekClassicMoviesA
font.
      \DeclareTextFontCommand\textSTMovie{\fontfamily{fsm}\selectfont}

\TNGtitle The macro \TNGtitle selects the StarTrekTNGTitleA family.
      \DeclareRobustCommand\TNGtitle{\fontfamily{ftt}\selectfont}

\textTNGtitle The macro \textTNGtitle typesets its arguments in the StarTrekTNGTitleA
font.
      \DeclareTextFontCommand\textTNGtitle{\fontfamily{ftt}\selectfont}

\TNGmon The macro \TNGmon selects the TNGMonitorsPlain family.
      \DeclareRobustCommand\TNGmon{\fontfamily{ftm}\selectfont}

\textTNGmon The macro \textTNGmon typesets its arguments in the TNGMonitorsPlain font.
      \DeclareTextFontCommand\textTNGmon{\fontfamily{ftm}\selectfont}

i*mapi
ftc0 StarTrekTNGCrilleA <ftc0.pfb
fsc0 StarTrekClassicA <fsc0.pfb
fsm0 StarTrekClassicMoviesA <fsm0.pfb
ftt0 StarTrekTNGTitleA <ftt0.pfb
ftm0 TNGMonitorsPlain <ftm0.pfb
i/mapi

```

Change History

v1.0		v1.2
General: First release.	1	General: Address updated. 1
v1.1		v1.3
General: License clarified and		General: Minor fixes for CTAN. . . 1
address updated.	1	

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the definition; numbers in roman refer to the pages where the entry is used.

S	T	
	\textSTClassic . . .	1, <u>2</u>
\STClassic	\textSTMovie	1, <u>2</u>
	\textTNG	1, <u>2</u>
\STMovie	\textTNGmon	2, <u>2</u>
	\textTNGtitle	1, <u>2</u>