



The bidi Package

Source documentation for [version 26.01.08](#)

*to my Master, **Ferdowsi The Great***

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please use the issue tracker:

<https://github.com/xepersian/bidi/issues>

In doing so, please always explain your issue well enough, and always include a minimal working example showing the issue.

Copyright (c) 2007–2026 Vafa Khalighi
Copyright (c) 2018–2020 bidi-tex GitHub Organization

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the L^AT_EX Project Public License, either version 1.3c of this license or (at your option) any later version.

The *bidi* Package

Bidirectional typesetting with plain \TeX and \LaTeX formats in Xe \TeX and Lua \TeX engines

Source documentation for [version 26.01.08](#)

Vafa Khalighi*

January 8, 2026

Contents

1	File <code>amsart-xetex-bidi.def</code>	5	18	File <code>beamerbasecompatibility-xetex-bidi.def</code>	44
2	File <code>adjmulticol-xetex-bidi.def</code>	7	19	File <code>beamerbaseframecomponents-xetex-bidi.def</code>	44
3	File <code>algorithm2e-xetex-bidi.def</code>	8	20	File <code>beamerbaseframesize-xetex-bidi.def</code>	52
4	File <code>amsbook-xetex-bidi.def</code>	9	21	File <code>beamerbaselocalstructure-xetex-bidi.def</code>	54
5	File <code>amsmath-xetex-bidi.def</code>	11	22	File <code>beamerbasemisc-xetex-bidi.def</code>	56
6	File <code>amstext-xetex-bidi.def</code>	11	23	File <code>beamerbasenavigation-xetex-bidi.def</code>	56
7	File <code>amsthm-xetex-bidi.def</code>	12	24	File <code>beamerbaseoverlay-xetex-bidi.def</code>	58
8	File <code>array-xetex-bidi.def</code>	12	25	File <code>beamerinnerthemedefault-xetex-bidi.def</code>	58
9	File <code>article-xetex-bidi.def</code>	13	26	File <code>beamerinnerthemecircles-xetex-bidi.def</code>	62
10	File <code>artikel1-xetex-bidi.def</code>	17	27	File <code>beamerinnerthemefocus-xetex-bidi.def</code>	62
11	File <code>artikel2-xetex-bidi.def</code>	22	28	File <code>beamerinnerthemeinmargin-xetex-bidi.def</code>	63
12	File <code>artikel3-xetex-bidi.def</code>	27	29	File <code>beamerinnerthememetropolis-xetex-bidi.def</code>	65
13	File <code>arydshln-xetex-bidi.def</code>	31	30	File <code>beamerinnerthemerectangles-xetex-bidi.def</code>	67
14	File <code>beamer-xetex-bidi.def</code>	34	31	File <code>beamerinnerthemrounded-xetex-bidi.def</code>	68
15	File <code>beamerbaseauxtemplates-xetex-bidi.def</code>	34	32	File <code>beamerouterthemedefault-xetex-bidi.def</code>	68
16	File <code>beamerbaseboxes-xetex-bidi.def</code>	40	33	File <code>beamerouterthemefocus-xetex-bidi.def</code>	69
17	File <code>beamerbasecolor-xetex-bidi.def</code>	42	34	File <code>beamerouterthemeinfolines-xetex-bidi.def</code>	71

*Thanks to the `bidi-tex` GitHub organization consisted of David Carlisle and other members of the \LaTeX team for maintaining the package in the period 2018–2020.

35	File beamerouterthememetropolis-xetex-bidi.def	187
36	File beamerouterthememiniframes-xetex-bidi.def	191
37	File beamerouterthemesidebar-xetex-bidi.def	192
38	File beamerouterthemesplit-xetex-bidi.def	193
39	File beamerouterthemeshadow-xetex-bidi.def	193
40	File beamerouterthesmoothbars-xetex-bidi.def	193
41	File beamerouterthesmoothtree-xetex-bidi.def	194
42	File beamerouterthemetree-xetex-bidi.def	195
43	File beamerthemeHannover-xetex-bidi.def	195
44	File beamerthemeSingapore-xetex-bidi.def	197
45	File bidi.sty	82
46	File bidi.tex	89
47	File bidi2in1.sty	92
48	File bidicode.sty	93
49	File bidiftnxtra.sty	96
50	File bidimoderncv.cls	100
51	File bidi-perpage.sty	105
52	File biditools.sty	107
53	File bidituftefloat.sty	142
54	File bidituftesidenote.sty	153
55	File bidituftetoc.sty	163
56	File bidituftegeneralstructure.sty	166
57	File bidituftehyperref.sty	168
58	File biditufтетitle.sty	169
59	File biditufte-handout.cls	171
60	File biditufte-book.cls	172
61	File bidipoem.sty	173
62	File boek3-xetex-bidi.def	180
63	File boek-xetex-bidi.def	183
64	File bookest-xetex-bidi.def	187
75	File cuted-xetex-bidi.def	198
76	File cvthemebidicasual.sty	206
77	File cvthemebidiclassic.sty	208
78	File dblfnote-xetex-bidi.def	210
79	File diagbox-xetex-bidi.def	213
80	File draftwatermark-xetex-bidi.def	215
81	File eso-pic-xetex-bidi.def	216
82	File empheq-xetex-bidi.def	217
83	File extarticle-xetex-bidi.def	220
84	File extbook-xetex-bidi.def	223
85	File extletter-xetex-bidi.def	226
86	File extrafootnotefeatures-xetex-bidi.def	227
87	File extreport-xetex-bidi.def	265
88	File fancybox-xetex-bidi.def	269
89	File fancyhdr-xetex-bidi.def	269
90	File fix2col-xetex-bidi.def	269
91	File fleqn-xetex-bidi.def	271
92	File float-xetex-bidi.def	271
93	File floatrow-xetex-bidi.def	272
94	File flowfram-xetex-bidi.def	272



95	File fnpct-xetex-bidi.def	275	125	File nththeorem-xetex-bidi.def	352
96	File footnote-xetex-bidi.def	275	126	File nththeorem-hyper-xetex-bidi.def	352
97	File footnotebackref-xetex-bidi.def	282	127	File overpic-xetex-bidi.def	353
98	File framed-xetex-bidi.def	283	128	File pdfbase-xetex-bidi.def	353
99	File ftnright-xetex-bidi.def	286	129	File pdfscape-xetex-bidi.def	354
100	File graphicx-xetex-bidi.def	291	130	File pgfcorescopes.code-xetex-bidi.def	354
101	File geometry-xetex-bidi.def	293	131	File pgfsys-xetex-bidi.def	355
102	File hgeneric-testphase-xetex-bidi.def	294	132	File picinpar-xetex-bidi.def	355
103	File hvfloat-xetex-bidi.def	299	133	File plain-xetex-bidi.def	358
104	File hyperref-xetex-bidi.def	304	134	File pstricks-xetex-bidi.def	360
105	File imspc-xetex-bidi.def	316	135	File quotchap-xetex-bidi.def	361
106	File leqno-xetex-bidi.def	317	136	File ragged2e-xetex-bidi.def	361
107	File letter-xetex-bidi.def	317	137	File rapport1-xetex-bidi.def	363
108	File lettrine-xetex-bidi.def	318	138	File rapport3-xetex-bidi.def	368
109	File lineno-xetex-bidi.def	318	139	File refrep-xetex-bidi.def	373
110	File listings-xetex-bidi.def	319	140	File report-xetex-bidi.def	376
111	File longtable-xetex-bidi.def	321	141	File rotating-xetex-bidi.def	380
112	File lscape-xetex-bidi.def	324	142	File scrartcl-xetex-bidi.def	383
113	File mathtools-xetex-bidi.def	325	143	File scrbook-xetex-bidi.def	396
114	File mdframed-xetex-bidi.def	325	144	File scrreprt-xetex-bidi.def	410
115	File media9-xetex-bidi.def	327	145	File sidecap-xetex-bidi.def	424
116	File bidi-media9.sty	327	146	File soul-xetex-bidi.def	425
117	File memoir-xetex-bidi.def	338	147	File stabular-xetex-bidi.def	426
118	File midfloat-xetex-bidi.def	341	148	File subfigure-xetex-bidi.def	427
119	File minitoc-xetex-bidi.def	345	149	File tabs-xetex-bidi.def	427
120	File multicol-xetex-bidi.def	346	150	File tabularx-xetex-bidi.def	428
121	File multienum-xetex-bidi.def	349	151	File tabulary-xetex-bidi.def	429
122	File natbib-xetex-bidi.def	350	152	File tc-xetex-xetex-bidi.def	430
123	File newfloat-xetex-bidi.def	351	153	File tcolorbox-xetex-bidi.def	430
124	File nicematrix-xetex-bidi.def	351	154	File thmbox-xetex-bidi.def	431



155	File titlesec-xetex-bidi.def	431	161	File todonotes-xetex-bidi.def	459
156	File titletoc-xetex-bidi.def	432	162	File wrapfig-xetex-bidi.def	462
157	File tocbibind-xetex-bidi.def	433	163	File xcolor-xetex-bidi.def	463
158	File tocloft-xetex-bidi.def	434	164	File latex-xetex-bidi.def	465
159	File tocbasic-xetex-bidi.def	440	165	File xltextra-xetex-bidi.def	482
160	File tocstyle-xetex-bidi.def	455	166	Index	483



1 File amsart-xetex-bidi.def

```

1 \ProvidesFile{amsart-xetex-bidi.def}[2025/09/30 v1.2 bidi adaptations for amsart class for X
2 \def\@tocline#1#2#3#4#5#6#7{\relax
3   \ifnum #1>\c@tocdepth % then omit
4   \else
5     \par \addpenalty\@secpenalty\addvspace{#2}%
6     \begingroup \hyphenpenalty\@M
7     \@ifempty{#4}{%
8       \@tempdima\csname r@tocindent\number#1\endcsname\relax
9     }{%
10      \@tempdima#4\relax
11    }%
12    \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\
13    \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
14    #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
15    \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
16    \nobreak
17  \endgroup
18 \fi}
19 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
20 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
21 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
22 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
23 \def\part{\@startsection{part}{0}%
24   \z@{\linespacing\@plus\linespacing}{.5\linespacing}%
25   {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
26 \def\right@footnoterule{%
27   \kern-.4\p@
28   \nointerlineskip
29   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
30   \kern11\p@\kern-\footnotesep}
31 \def\left@footnoterule{\kern-.4\p@
32   \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
33
34
35 \long\def\@footnotetext#1{%
36   \insert\footins{%
37     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
38     \reset@font%
39     \bidi@footnotetext@font% \normalfont\footnotesize
40     \interlinepenalty\interfootnotelinepenalty
41     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
42     \floatingpenalty\@MM \hsize\columnwidth
43     \@parboxrestore \parindent\normalparindent \sloppy
44     \protected@edef\@currentlabel{%
45       \csname p@footnote\endcsname\@thefnmark}%
46     \@makefnmark%
47     \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
48
49 \long\def\@RTLfootnotetext#1{%
50   \insert\footins{%
51     \@RTLtrue%
52     \reset@font%

```



```

53 \bidi@RTLfootnotetext@font% \normalfont\footnotesize
54 \interlinepenalty\interfootnotelinepenalty
55 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
56 \floatingpenalty\@MM \hsize\columnwidth
57 \@parboxrestore \parindent\normalparindent \sloppy
58 \protected@edef\@currentlabel{%
59 \csname p@footnote\endcsname\@thefnmark}%
60 \makefnintext{%
61 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
62
63
64
65 \long\def\@LTRfootnotetext#1{%
66 \insert\footins{%
67 \RTLfalse%
68 \reset@font%
69 \bidi@LTRfootnotetext@font% \normalfont\footnotesize
70 \interlinepenalty\interfootnotelinepenalty
71 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
72 \floatingpenalty\@MM \hsize\columnwidth
73 \@parboxrestore \parindent\normalparindent \sloppy
74 \protected@edef\@currentlabel{%
75 \csname p@footnote\endcsname\@thefnmark}%
76 \makefnintext{%
77 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
78
79
80 \footdir@temp\footdir@ORG\bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
81 \footdir@temp\footdir@ORG\bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
82 \footdir@temp\footdir@ORG\bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%
83
84 \renewenvironment{thebibliography}[1]{%
85 \@bibtitlestyle
86 \normalfont\bibliofont\labelsep .5em\relax
87 \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
88 \ifRTL\ifLTR\bibitems\@RTLfalse\else\fi\else\ifRTL\bibitems\@RTLtrue\else\fi\fi
89 \bidi@thebibliography@font@hook%
90 \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
91 \leftmargin\labelwidth \advance\leftmargin\labelsep
92 \usecounter{enumiv}}%
93 \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
94 \sfcode`\.=\@m
95 }{%
96 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
97 \endlist
98 }
99 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
100 \columnseprule\z@ \columnsep 35\p@
101 \@indextitlestyle
102 \thispagestyle{plain}%
103 \let\item\@idxitem
104 \parindent\z@ \parskip\z@\@plus.3\p@\relax
105 \ifRTL\raggedleft\else\raggedright\fi
106 \hyphenpenalty\@M

```



```

107 \footnotesize}
108 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
109 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
110 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
111 \def\maketitle{\par
112 \@topnum\z@ % this prevents figures from falling at the top of page 1
113 \@setcopyright
114 \thispagestyle{firstpage}% this sets first page specifications
115 \uppercasenonmath\shorttitle
116 \ifx\@empty\shortauthors \let\shortauthors\shorttitle
117 \else \andify\shortauthors
118 \fi
119 \@maketitle@hook
120 \begingroup
121 \@maketitle
122 \toks@\@xp{\shortauthors}\@temptokena\@xp{\shorttitle}%
123 \toks4{\def\{\ \ignorespaces}}% defend against questionable usage
124 \edef\@tempa{%
125 \nx\markboth{\the\toks4
126 \nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
127 \@tempa
128 \endgroup
129 \c@footnote\z@
130 \clearatopmattertags
131 }

```

2 File adjmulticol-xetex-bidi.def

```

132 \ProvidesFile{adjmulticol-xetex-bidi.def}[2015/04/25 v0.1 bidi adaptations for adjmulticol p
133 \def\adjmulticols#1#2#3{\col@number#1\relax
134 \def\@tempa{#2}%
135 \ifx\@tempa\@empty\adjmc@inner\z@\else\adjmc@inner#2\fi
136 \def\@tempa{#3}%
137 \ifx\@tempa\@empty\adjmc@outer\z@\else\adjmc@outer#3\fi
138 \ifnum\col@number<\@ne
139 \PackageWarning{adjmulticol}%
140 {Using ``\number\col@number'
141 columns doesn't seem a good idea.^^J
142 I therefore use one columns instead}%
143 \col@number\@ne\fi
144 \ifnum\col@number>10
145 \PackageError{adjmulticol}%
146 {Too many columns}%
147 {Current implementation doesn't
148 support more than 10 columns.%
149 \MessageBreak
150 I therefore use 10 columns instead}%
151 \col@number10 \fi
152 \ifx\@footnotetext\mult@footnotetext\else
153 \let\orig@footnotetext\@footnotetext
154 \let\@footnotetext\mult@footnotetext
155 \fi
156 \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
157 \let\orig@LTRfootnotetext\@LTRfootnotetext

```




```

158     \let\@LTRfootnotetext\mult@LTRfootnotetext
159     \fi
160     \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
161         \let\orig@RTLfootnotetext\@RTLfootnotetext
162         \let\@RTLfootnotetext\mult@RTLfootnotetext
163     \fi
164     \@ifnextchar[\adjmult@cols{\adjmult@cols[]}]{}
165     \let\adjmc@page@sofar@orig=\page@sofar

```

3 File algorithm2e-xetex-bidi.def

```

166 \ProvidesFile{algorithm2e-xetex-bidi.def}[2025/01/03 v0.3 bidi adaptations for algorithm2e p
167 \expandafter\ifx\cscname algocf@within\endcsname\relax% if \algocf@within doesn't exist
168 \else%
169     else
170 \renewcommand\thealgocf{\cscname the\algocf@within\endcsname\@SepMark\@arabic\c@algocf}%
171 \fi
172 \ApplyPatchIfPackageLoadedF{color}{%
173     \bidi@patchcmd{\@algocf@start}{\bgroup}{%
174         \bgroup
175         \if@RTL
176             \beginR
177         \else
178             \beginL
179         \fi
180     }{}{}
181     \bidi@patchcmd{\@algocf@finish}{\egroup\end{lrbox}}{%
182         \if@RTL
183             \endR
184         \else
185             \endL
186         \fi
187     \egroup
188     \end{lrbox}}%
189     }{}{}
190     \bidi@patchcmd{\algocf@makecaption}{\hbox}{%
191         \if@RTL
192             \hboxR
193         \else
194             \hboxL
195         \fi
196     }{}{}
197 }
198 \@ifpackagewith{algorithm2e}{algonl}{%
199 \renewcommand{\theAlgoLine}{\expandafter\cscname the\algocf@float\endcsname\@SepMark\arabic{A
200 }}{}
201
202 \@ifpackagewith{algorithm2e}{algotpart}{\renewcommand{\algocf@within}{part}}{}
203
204 \@ifpackagewith{algorithm2e}{algotchapter}{\renewcommand{\algocf@within}{chapter}}{}
205
206 \@ifpackagewith{algorithm2e}{algotsection}{\renewcommand{\algocf@within}{section}}{}

```



4 File amsbook-xetex-bidi.def

```

207 \ProvidesFile{amsbook-xetex-bidi.def}[2025/09/30 v1.3 bidi adaptations for amsbook class for
208 \def\tocline#1#2#3#4#5#6#7{\relax
209 \ifnum #1>\c@tocdepth % then omit
210 \else
211 \par \addpenalty\@secpenalty\addvspace{#2}%
212 \begingroup \hyphenpenalty\@M
213 \@ifempty{#4}{%
214 \@tempdima\c@tocdepth\c@tocdepth\number#1\endcsname\relax
215 }{%
216 \@tempdima#4\relax
217 }%
218 \parindent\z@ \if@RTL\righskip\else\leftskip\fi#3\relax \advance\if@RTL\righskip\else\leftskip\fi
219 \if@RTL\leftskip\else\righskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
220 #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
221 \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
222 \nobreak
223 \endgroup
224 \fi}
225 \renewcommand\thesubsection {\thesecount\@SepMark\arabic{subsection}}
226 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
227 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
228 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
229 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
230 \columnseprule\z@ \columnsep 35\p@
231 \@indextitlestyle
232 \thispagestyle{plain}%
233 \let\item\@idxitem
234 \parindent\z@ \parskip\z@\@plus.3\p@\relax
235 \if@RTL\raggedleft\else\raggedright\fi
236 \hyphenpenalty\@M
237 \footnotesize}
238 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
239 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
240 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
241 \def\right@footnoterule{%
242 \kern-.4\p@
243 \nointerlineskip
244 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
245 \kern11\p@\kern-\footnotesep}
246 \def\left@footnoterule{\kern-.4\p@
247 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
248
249 \long\def\@footnotetext#1{%
250 \insert\footins{%
251 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
252 \reset@font%
253 \bidi@footnotetext@font% \normalfont\footnotesize
254 \interlinepenalty\interfootnotelinepenalty
255 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
256 \floatingpenalty\@MM \hsize\columnwidth
257 \@parboxrestore \parindent\normalparindent \sloppy
258 \protected@edef\@currentlabel{%

```



```

259     \csname p@footnote\endcsname\@thefnmark}%
260     \@makefntext{%
261         \rule{z@footnotesep\ignorespaces#1\unskip\strut\par}}
262
263 \long\def\@RTLfootnotetext#1{%
264     \insert\footins{%
265         \@RTLtrue%
266         \reset@font%
267         \bidi@RTLfootnotetext@font% \normalfont\footnotesize
268         \interlinepenalty\interfootnotelinepenalty
269         \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
270         \floatingpenalty\@MM \hsize\columnwidth
271         \@parboxrestore \parindent\normalparindent \sloppy
272         \protected@edef\@currentlabel{%
273             \csname p@footnote\endcsname\@thefnmark}%
274         \@makefntext{%
275             \rule{z@footnotesep\ignorespaces#1\unskip\strut\par}}}
276
277
278 \long\def\@LTRfootnotetext#1{%
279     \insert\footins{%
280         \@RTLfalse%
281         \reset@font%
282         \bidi@LTRfootnotetext@font% \normalfont\footnotesize
283         \interlinepenalty\interfootnotelinepenalty
284         \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
285         \floatingpenalty\@MM \hsize\columnwidth
286         \@parboxrestore \parindent\normalparindent \sloppy
287         \protected@edef\@currentlabel{%
288             \csname p@footnote\endcsname\@thefnmark}%
289         \@makefntext{%
290             \rule{z@footnotesep\ignorespaces#1\unskip\strut\par}}}
291
292
293
294 \footdir@temp\footdir@ORG@bidi@amsbook@footnotetext\@footnotetext{\bidi@footdir@footnote}%
295 \footdir@temp\footdir@ORG@bidi@amsbook@RTLfootnotetext\@RTLfootnotetext{R}%
296 \footdir@temp\footdir@ORG@bidi@amsbook@LTRfootnotetext\@LTRfootnotetext{L}%
297
298 \renewenvironment{thebibliography}[1]{%
299     \@bibtitlestyle
300     \normalfont\bibliofont\labelsep .5em\relax
301     \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
302     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
303     \bidi@thebibliography@font@hook%
304     \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
305         \leftmargin\labelwidth \advance\leftmargin\labelsep
306         \usecounter{enumiv}}%
307     \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
308     \sfcode`\.\@m
309 }{%
310     \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
311     \endlist
312 }

```



```

313 \def\makechapterhead#1{\global\topskip 7.5pc\relax
314 \begingroup
315 \fontsize{\@xivpt}{18}\bfseries\centering
316 \ifnum\c@secnumdepth>\m@ne
317 \leavevmode \hskip-\if@RTL\rightskip\else\leftskip\fi
318 \rlap{\vbox to\z@{\vss
319 \centerline{\normalsize\mdseries
320 \uppercase\@xp{\chaptername}\enspace\thechapter}
321 \vskip 3pc}}\hskip\if@RTL\rightskip\else\leftskip\fi\fi
322 #1\par \endgroup
323 \skip@34\p@ \advance\skip@-\normalbaselineskip
324 \vskip\skip@ }
325 \def\maketitle{\par
326 \@topnum\z@ % this prevents figures from falling at the top of page 1
327 \begingroup
328 \@maketitle
329 \endgroup
330 \c@footnote\z@
331 \def\do##1{\let##1\relax}%
332 \do\maketitle \do\@maketitle \do\title \do\@xtitle \do\@title
333 \do\author \do\@xauthor \do\address \do\@xaddress
334 \do\email \do\@xemail \do\curraddr \do\@xcurraddr
335 \do\dedicatory \do\@dedicatory \do\thanks \do\thankses
336 \do\keywords \do\@keywords \do\subjclass \do\@subjclass
337 }

```

5 File amsmath-xetex-bidi.def

```

338 \ProvidesFile{amsmath-xetex-bidi.def}[2020/05/16 v1.2 bidi adaptations for amsmath package f
339 \let\veqno=\eqno
340 \iftagsleft@ \let\veqno=\leqno \fi
341 \renewcommand{\numberwithin}[3][\arabic]{%
342 \ifundefined{c@#2}{\@nocounterr{#2}}{%
343 \ifundefined{c@#3}{\@nocnterr{#3}}{%
344 \addtoreset{#2}{#3}%
345 \exp\xdef\csname the#2\endcsname{%
346 \exp\@nx\csname the#3\endcsname \@nx\@SepMark\@nx#1{#2}}}%
347 }
348 \def\tagform@#1{\maketag@@@{\if@nonlatin\beginR\fi(\kern\z@\ignorespaces#1\unskip\@@italicco
349
350 \bidi@patchcmd\math@cr@@@align\place@tag{%
351 \place@tag
352 \else
353 \place@tag
354 }{}{}
355

```

6 File amstext-xetex-bidi.def

```

356 \ProvidesFile{amstext-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for amstext package f
357 \def\textdef@#1#2#3{\hbox{%
358 \everymath{#1}%
359 \let\fontsize#2\selectfont
360 \if@nonlatin\beginR\fi#3\if@nonlatin\endR\fi}}}

```



7 File amsthm-xetex-bidi.def

```
361 \ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for X
362 \def\@thmcountersep{\@SepMark}
```

8 File array-xetex-bidi.def

```
363 \ProvidesFile{array-xetex-bidi.def}[2025/12/06 v0.8 bidi adaptations for array package for X
364 \def\@testpach{\@chclass
365 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
366 \ifnum \@lastchclass=7 5 \else
367 \ifnum \@lastchclass=8 \tw@ \else
368 \ifnum \@lastchclass=9 \thr@@
369 \else \z@
370 \ifnum \@lastchclass = 10 \else
371 \edef\@nextchar{\expandafter\string\@nextchar}%
372 \@chnum
373 \if \@nextchar c\z@ \else
374 \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
375 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
376 \z@ \@chclass
377 \if \@nextchar |\@ne \else
378 \if \@nextchar !6 \else
379 \if \@nextchar @7 \else
380 \if \@nextchar <8 \else
381 \if \@nextchar >9 \else
382 10
383 \@chnum
384 \if \@nextchar m\thr@@ \else
385 \if \@nextchar p4 \else
386 \if \@nextchar b5 \else
387 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi
388 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi
389 \def\@tabular{%
390 \leavevmode
391 \UseTaggingSocket{tbl/hmode/begin}%
392 \hbox \bgroup\if@RTLtab\beginR \fi
393 \UseMathForPositioningText $%
394 \col@sep\tabcolsep
395 \let\d@llarbegin\begin group
396 \let\d@llarend\end group
397 \@kernel@tabular@init
398 \@tabarray}
399 \def\endtabular{\endarray\m@th $\if@RTLtab\endR\fi\egroup
400 \UseTaggingSocket{tbl/hmode/end}%
401 }
402 \expandafter\let\csname endtabular*\endcsname=\endtabular
403 \ExplSyntaxOn
404 \def\@array[#1]#2{
405 \@tempdima \ht \strutbox
406 \advance \@tempdima by\extrarowheight
407 \setbox \@arstrutbox \hbox{\vrule
408 \@height \arraystretch \@tempdima
409 \@depth \arraystretch \dp \strutbox
```



```

410         \@width \z@}%
411 \tbl_init_cell_data_for_table:
412 \begingroup
413 \@mkpream{#2}%
414 \tbl_count_table_cols:
415 \xdef\@preamble{
416     \noexpand \ar@ialign
417     \@halignto
418     \bgroup \@arstrut
419     \UseTaggingSocket{tbl/row/begin}
420     \tbl_init_cell_data_for_row:
421     \@preamble
422     \tabskip \z@ \cr}
423 \endgroup
424 \@arrayleft
425 \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi \fi
426 \bgroup
427 \let \@sharp ##\let \protect \relax
428 \lineskip \z@
429 \baselineskip \z@
430 \mathsurround \z@
431 \let\\\@arraycr \let\tabularnewline\\%
432 \def\par{\ifnum\currentgrouptype=6~ \else\@par\fi}%
433 \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1t\vtop \else \vbox \fi\bgroup\fi
434 \UseTaggingSocket{tbl/init}
435 \@preamble
436 }
437 \let\@array\@array
438 \def\endarray {
439     \tbl_crcr:n{endarray}
440     \tag_socket_use_expandable:n { math/luamml/array/save }
441     \egroup
442     \tag_socket_use:n { tbl/finalize }
443     \tbl_restore_outer_cell_data:
444     \if@RTLtab\egroup\endR\egroup\fi
445     \egroup
446     \tag_socket_use:n { math/luamml/array/finalize }
447     \@arrayright \gdef\@preamble{}%
448 }
449 \def\array{\col@sep\arraycolsep
450     \def\d@llarbegin{$\tag_socket_use:n { math/luamml/array/initcol }}
451     \def\d@llarend
452     {
453         \tag_socket_use:nn { math/luamml/save/nn }{{}}{mtd}}
454         $
455         \tag_socket_use:nn { math/luamml/array/finalizecol}{\the\@chnum}
456     }
457     \def\@halignto{}%
458     \@RTLtabfalse
459     \@tabarray}
460 \ExplSyntaxOff

```

9 File article-xetex-bidi.def



```

461 \ProvidesFile{article-xetex-bidi.def}[2025/09/30 v1.2 bidi adaptations for standard article
462 \IfClassLoadedT{svmult}{\endinput}
463 \if@titlepage
464   \renewcommand\maketitle{\begin{titlepage}%
465     \let\footnotesize\small
466     \let\right@footnoterule\relax
467     \let\left@footnoterule\relax
468     \let\textwidth@footnoterule\relax
469     \let \footnote \thanks
470     \let \LTRfootnote \LTRthanks
471     \let \RTLfootnote \RTLthanks
472     \null\vfil
473     \vskip 60\p@
474     \begin{center}%
475       {\LARGE \@title \par}%
476       \vskip 3em%
477       {\large
478         \lineskip .75em%
479         \begin{tabular}[t]{c}%
480           \@author
481           \end{tabular}\par}%
482       \vskip 1.5em%
483       {\large \@date \par}%           % Set date in \large size.
484     \end{center}\par
485     \@thanks
486     \vfil\null
487   \end{titlepage}%
488   \setcounter{footnote}{0}%
489   \global\let\thanks\relax
490   \global\let\LTRthanks\relax
491   \global\let\RTLthanks\relax
492   \global\let\maketitle\relax
493   \global\let\@thanks\@empty
494   \global\let\@author\@empty
495   \global\let\@date\@empty
496   \global\let\@title\@empty
497   \global\let\title\relax
498   \global\let\author\relax
499   \global\let\date\relax
500   \global\let\and\relax
501 }
502 \else
503 \renewcommand\maketitle{\par
504   \begingroup
505     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
506     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
507     \long\def\@makefntext##1{\parindent 1em\noindent
508       \hb@xt@1.8em{%
509         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
510     \if@twocolumn
511       \ifnum \col@number=\@ne
512         \maketitle
513       \else
514         \twocolumn[\maketitle]%

```



```

515     \fi
516   \else
517     \newpage
518     \global\let\topnum\z@    % Prevents figures from going at top of page.
519     \@maketitle
520   \fi
521   \thispagestyle{plain}\@thanks
522 \endgroup
523 \setcounter{footnote}{0}%
524 \global\let\thanks\relax
525 \global\let\LTRthanks\relax
526 \global\let\RTLthanks\relax
527 \global\let\maketitle\relax
528 \global\let\@maketitle\relax
529 \global\let\@thanks\@empty
530 \global\let\@author\@empty
531 \global\let\@date\@empty
532 \global\let\@title\@empty
533 \global\let\title\relax
534 \global\let\author\relax
535 \global\let\date\relax
536 \global\let\and\relax
537 }
538 \def\@maketitle{%
539   \newpage
540   \null
541   \vskip 2em%
542   \begin{center}%
543     \let \footnote \thanks
544     \let \LTRfootnote \LTRthanks
545     \let \RTLfootnote \RTLthanks
546     {\LARGE \@title \par}%
547     \vskip 1.5em%
548     {\large
549       \lineskip .5em%
550       \begin{tabular}[t]{c}%
551         \@author
552       \end{tabular}\par}%
553     \vskip 1em%
554     {\large \@date}%
555   \end{center}%
556   \par
557   \vskip 1.5em}
558 \fi
559 \renewcommand*\l@part[2]{%
560   \ifnum \c@tocdepth >-2\relax
561     \addpenalty\@secpenalty
562     \addvspace{2.25em \@plus\p@}%
563     \setlength\@tempdima{3em}%
564     \begin{group
565       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
566       \parfillskip -\@pnumwidth
567       {\leavevmode
568         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par

```




```

569     \nobreak
570     \if@compatibility
571         \global\@nobreaktrue
572         \everypar{\global\@nobreakfalse\everypar{}}%
573     \fi
574 \endgroup
575 \fi}
576 \renewcommand*\l@section[2]{%
577     \ifnum \c@tocdepth >\z@
578         \addpenalty\@secpenalty
579         \addvspace{1.0em \@plus\p@}%
580         \setlength\@tempdima{1.5em}%
581         \begingroup
582             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
583             \parfillskip -\@pnumwidth
584             \leavevmode \bfseries
585             \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
586             \hskip -\if@RTL\rightskip\else\leftskip\fi
587             #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
588         \endgroup
589     \fi}
590 \renewcommand\left@footnoterule{%
591     \kern-3\p@
592     \hrule\@width.4\columnwidth
593     \kern2.6\p@}
594 \renewcommand\right@footnoterule{%
595     \kern-3\p@
596     \nointerlineskip
597     \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
598     \kern2.6\p@}
599 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
600 \renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
601 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
602 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
603 \ApplyPatchIfPackageLoaded{nameref}{%
604     \bidi@patchcmd\NR@part\raggedright{%
605         \if@RTL\raggedleft\else\raggedright\fi
606     }{\bidi@warningnoline{Oops! patching `string\NR@part' failed}}}%
607     \bidi@patchcmd\NR@spart\raggedright{%
608         \if@RTL\raggedleft\else\raggedright\fi
609     }{\bidi@warningnoline{Oops! patching `string\NR@spart' failed}}}%
610 }{%
611     \bidi@patchcmd\@part\raggedright{%
612         \if@RTL\raggedleft\else\raggedright\fi
613     }{\bidi@warningnoline{Oops! patching `string\@part' failed}}}%
614     \bidi@patchcmd\@spart\raggedright{%
615         \if@RTL\raggedleft\else\raggedright\fi
616     }{\bidi@warningnoline{Oops! patching `string\@spart' failed}}}%
617 }
618 \renewenvironment{thebibliography}[1]
619     {\section*{\refname}%
620     \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
621     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
622     \bidi@@thebibliography@font@hook%

```



```

623 \list{\@biblabel{\@arabic\c@enumiv}}%
624      {\settowidth\labelwidth{\@biblabel{#1}}%
625       \leftmargin\labelwidth
626       \advance\leftmargin\labelsep
627       \@openbib@code
628       \usecounter{enumiv}%
629       \let\p@enumiv\@empty
630       \renewcommand\theenumiv{\@arabic\c@enumiv}}%
631 \sloppy
632 \clubpenalty4000
633 \@clubpenalty \clubpenalty
634 \widowpenalty4000%
635 \sfcode\.\@m}
636 {\def\@noitemerr
637  {\@latex@warning{Empty `thebibliography' environment}}}%
638 \endlist}
639 \renewenvironment{theindex}
640      {\if@twocolumn
641       \@restonecolfalse
642       \else
643       \@restonecoltrue
644       \fi
645       \columnseprule \z@
646       \columnsep 35\p@
647       \twocolumn[\section*{\indexname}]%
648       \@mkboth{\MakeUppercase\indexname}%
649              {\MakeUppercase\indexname}%
650       \thispagestyle{plain}\parindent\z@
651       \parskip\z@ \@plus .3\p@\relax
652       \let\item\@idxitem}
653      {\if@restonecol\onecolumn\else\clearpage\fi}

```

10 File artikel1-xetex-bidi.def

```

654 \ProvidesFile{artikel1-xetex-bidi.def}[2025/09/30 v0.5 bidi adaptations for artikel1 class f
655 \renewenvironment{theindex}{%
656 \if@twocolumn
657 \@restonecolfalse
658 \else
659 \@restonecoltrue
660 \fi
661 \columnseprule \z@
662 \columnsep 35\p@
663 \twocolumn[\section*{\indexname}]%
664 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
665 \thispagestyle{plain}\parindent\z@
666 \parskip\z@ \@plus .3\p@\relax
667 \let\item\@idxitem
668 }{%
669 \if@restonecol\onecolumn\else\clearpage\fi}
670 \renewcommand*\head@style{%
671 \interlinepenalty \@M
672 \hyphenpenalty=\@M \exhyphenpenalty=\@M
673 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}

```



```

674 \if@titlepage
675   \renewenvironment{abstract}{%
676     \titlepage
677     \null\vfil
678     \section*{\SectFont\abstractname}
679     \noindent\ignorespaces}
680   {\par\vfil\null\endtitlepage}
681 \else
682   \renewenvironment{abstract}{%
683     \if@twocolumn
684       \section*{\abstractname}%
685     \else
686       \bgroup\ifRTL\leftskip\else\rightskip\fi=\unitindent
687       \section*{\small\SectFont\abstractname}%
688       \noindent\ignorespaces
689     \fi}
690   {\if@twocolumn\else\par\egroup\fi}
691 \fi
692 \renewcommand*{\regtocline}[3]{%
693   \ifnum #1>\c@tocdepth
694   \else
695     \vskip\z@\@plus.2\p@
696     {\hangindent\z@ \afterindenttrue \interlinepenalty\@M
697     \ifRTL\rightskip\else\leftskip\fi\unitindent
698     \ifRTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
699     \parfillskip\z@
700     \@tempdima\unitindent
701     \parindent\z@
702     \leavevmode
703     \hbox{}\hskip -\ifRTL\rightskip\else\leftskip\fi\relax#2\nobreak
704     \hskip 1em \nobreak{\slshape #3}\par
705   }%
706 \fi}
707 \if@oldtoc
708 \renewcommand*{\l@part}[2]{%
709   \ifnum \c@tocdepth >-2\relax
710     \addpenalty\@secpenalty
711     \addvspace{2.25em \@plus\p@}%
712     \begingroup
713       \setlength{\@tempdima}{3em}%
714       \parindent \z@ \ifRTL\leftskip\else\rightskip\fi \@pnumwidth
715       \parfillskip -\@pnumwidth
716       {\leavevmode
717         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
718         \nobreak
719         \if@compatibility
720         \global\@nobreaktrue
721         \everypar{\global\@nobreakfalse\everypar{}}%
722       \fi
723     \endgroup
724   \fi}
725 \else
726 \renewcommand*{\l@part}{%
727   \ifnum \c@tocdepth >-2\relax

```



```

728 \addpenalty\@secpenalty
729 \addvspace{2.25em \@plus \p@}%
730 \@regtocline{0}%
731 \fi}
732 \fi
733 \if@oldtoc
734 \renewcommand*\l@section[2]{%
735 \addpenalty\@secpenalty
736 \addvspace{1.0em \@plus \p@}%
737 \setlength\@tempdima{1.5em}%
738 \begingroup
739 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
740 \parfillskip -\@pnumwidth
741 \leavevmode \bfseries
742 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
743 \hskip -\if@RTL\rightskip\else\leftskip\fi
744 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
745 \endgroup}
746 \else
747 \renewcommand*\l@section{\@regtocline{1}}
748 \fi
749 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@section}
750 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
751 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
752 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
753 \renewenvironment{thebibliography}[1]
754 {\section*\refname}%
755 \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
756 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
757 \bidi@thebibliography@font@hook%
758 \list{\@biblabel{\@arabic\c@enumiv}}%
759 {\settowidth\labelwidth{\@biblabel{#1}}%
760 \leftmargin\labelwidth
761 \advance\leftmargin\labelsep
762 \openbib@code
763 \usecounter{enumiv}%
764 \let\p@enumiv\@empty
765 \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
766 \sloppy\clubpenalty4000\widowpenalty4000%
767 \sfcode\~.\@m}
768 {\def\@noitemerr
769 {\@latex@warning{Empty `thebibliography' environment}}}%
770 \endlist}
771 \renewcommand*\left@footnoterule{%
772 \kern-3\p@
773 \kern.5\baselineskip
774 \hrule\@width\unitindent
775 \kern.4\baselineskip
776 }
777 \renewcommand*\right@footnoterule{%
778 \kern-3\p@
779 \kern.5\baselineskip
780 \nointerlineskip
781 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }

```



```

782 \kern.4\baselineskip}
783 \if@titlepage
784 \renewcommand*\TitleFont{\rmfamily}
785 \renewcommand*\maketitle{%
786 \begin{titlepage}%
787 \let\footnotesize\small
788 \let\right@footnoterule\relax
789 \let\left@footnoterule\relax
790 \let\textwidth@footnoterule\relax
791 \let \footnote \thanks
792 \long\def\@makefnmark##1{\parindent\z@
793 \def\labelitemi{\textendash}\@revlabeltrue
794 \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
795 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
796 \if@compatibility\setcounter{page}{0}\fi
797 \null\vfil
798 \vskip 60\p@
799 \begin{center}%
800 \TitleFont
801 {\LARGE \def\\{\penalty -\@M}
802 \if@allcaps
803 \expandafter\uc@nothanks\@title\thanks\relax
804 \else
805 \@title
806 \fi\par}%
807 \vskip 3em%
808 {\large
809 \lineskip .75em \parindent\z@
810 \begin{tabular}[t]{c}%
811 \if@allcaps
812 \expandafter\uc@authornothanks\@author\and\relax
813 \else
814 \@author
815 \fi
816 \end{tabular}\par}%
817 \vskip 1.5em%
818 {\large
819 \if@allcaps
820 \uppercase\expandafter{\@date}%
821 \else
822 \@date
823 \fi\par}%
824 \end{center}\par
825 \@thanks
826 \vfil\null
827 \end{titlepage}%
828 \setcounter{footnote}{0}%
829 \global\let\thanks\relax
830 \global\let\maketitle\relax
831 \global\let\@thanks\@empty
832 \global\let\@author\@empty
833 \global\let\@title\@empty
834 \global\let\@date\@empty
835 \global\let\title\relax

```



```

836 \global\let\author\relax
837 \global\let\date\relax
838 \global\let\and\relax
839 }
840 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
841 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
842   \futurelet\@tempa\uc@ax}
843 \def\uc@ax{%
844   \ifx\@tempa\relax
845   \else
846     \ \andname \ \expandafter\uc@authornothanks
847   \fi}
848 \def\uc@tx{\ifx\@tempa\relax
849   \else \expandafter\uc@ty \fi}
850 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
851 \else
852 \renewcommand*\maketitle{\par
853   \begingroup
854     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
855     \def\@makefnmark{\rlap{%
856       \@textsuperscript{\normalfont\@thefnmark}}}%
857     \long\def\@makefntext{\@xmakefntext{%
858       \@textsuperscript{\normalfont\@thefnmark}}}%
859     \if@twocolumn
860       \ifnum \col@number=\@one
861         \@maketitle
862       \else
863         \twocolumn[\@maketitle]%
864       \fi
865     \else
866       \newpage
867       \global\@topnum\z@
868       \@maketitle
869     \fi
870     \thispagestyle{plain}\@thanks
871   \endgroup
872   \setcounter{footnote}{0}%
873   \global\let\thanks\relax
874   \global\let\maketitle\relax
875   \global\let\@maketitle\relax
876   \global\let\@thanks\@empty
877   \global\let\@author\@empty
878   \global\let\@title\@empty
879   \global\let\@date\@empty
880   \global\let\title\relax
881   \global\let\author\relax
882   \global\let\date\relax
883   \global\let\and\relax
884 }
885 \def\@maketitle{%
886   \newpage
887   \null
888   \vskip 2em%
889   \begin{center}%

```



```

890 \let \footnote \thanks
891 {\LARGE \TitleFont \@title \par}%
892 \vskip 1.5em%
893 {\large \TitleFont
894 \lineskip .5em%
895 \begin{tabular}[t]{c}%
896 \@author
897 \end{tabular}\par}%
898 \vskip 1em%
899 {\large \TitleFont \@date}%
900 \end{center}%
901 \par
902 \vskip 1.5em}
903 \fi

```

11 File artikel2-xetex-bidi.def

```

904 \ProvidesFile{artikel2-xetex-bidi.def}[2025/09/30 v0.5 bidi adaptations for artikel2 class f
905 \renewenvironment{theindex}{%
906 \if@twocolumn
907 \@restonecolfalse
908 \else
909 \@restonecoltrue
910 \fi
911 \columnseprule \z@
912 \columnsep 35\p@
913 \twocolumn[\section*{\indexname}]%
914 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
915 \thispagestyle{plain}\parindent\z@
916 \parskip\z@ \@plus .3\p@\relax
917 \let\item\@idxitem
918 }{%
919 \if@restonecol\onecolumn\else\clearpage\fi}
920 \renewcommand*\@regtocline[3]{%
921 \ifnum #1>\c@tocdepth
922 \else
923 \vskip\z@ \@plus.2\p@
924 {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
925 \if@RTL\righskip\else\leftskip\fi\unitindent
926 \if@RTL\leftskip\else\righskip\fi\unitindent\@plus 1fil
927 \parfillskip\z@
928 \@tempdima\unitindent
929 \advance\@tempdima by \othermargin
930 \parindent\z@
931 \leavevmode
932 \hbox{} \hskip -\if@RTL\righskip\else\leftskip\fi\relax#2\nobreak
933 \hskip 1em \nobreak{\slshape #3}\par
934 }%
935 \fi}
936 \if@oldtoc
937 \renewcommand*\l@section[2]{%
938 \addpenalty\@secpenalty
939 \addvspace{1.0em \@plus\p@}%
940 \setlength\@tempdima{1.5em}%

```



```

941 \begingroup
942 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
943 \parfillskip -\@pnumwidth
944 \leavevmode \bfseries
945 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
946 \hskip -\if@RTL\rightskip\else\leftskip\fi
947 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
948 \endgroup}
949 \else
950 \renewcommand*\l@section{\@regtocline{1}}
951 \fi
952 \if@oldtoc
953 \renewcommand*\l@part[2]{%
954 \ifnum \c@tocdepth >-2\relax
955 \addpenalty\@secpenalty
956 \addvspace{2.25em \@plus\p@}%
957 \begingroup
958 \setlength\@tempdima{3em}%
959 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
960 \parfillskip -\@pnumwidth
961 {\leavevmode
962 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
963 \nobreak
964 \if@compatibility
965 \global\@nobreaktrue
966 \everypar{\global\@nobreakfalse\everypar{}}%
967 \fi
968 \endgroup
969 \fi}
970 \else
971 \renewcommand*\l@part{%
972 \ifnum \c@tocdepth >-2\relax
973 \addpenalty\@secpenalty
974 \addvspace{2.25em \@plus \p@}%
975 \@regtocline{0}%
976 \fi}
977 \fi
978 \renewcommand*\head@style{%
979 \interlinepenalty \@M
980 \hyphenpenalty=\@M \exhyphenpenalty=\@M
981 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
982 \if@titlepage
983 \renewenvironment{abstract}{%
984 \titlepage
985 \null\vfil
986 \section*{\SectFont\abstractname}%
987 \noindent\ignorespaces}
988 {\par\vfil\null\endtitlepage}
989 \else
990 \renewenvironment{abstract}{%
991 \if@twocolumn
992 \section*{\abstractname}%
993 \else
994 \section*{\hskip\unitindent\small\SectFont\abstractname}%

```




```

995      \list{}\setlength\listparindent{\unitindent}%
996      \setlength\parindent    {\z@}%
997      \setlength\leftmargin   {\unitindent}%
998      \setlength\rightmargin  {\unitindent}%
999      \setlength\parsep      {\z@}}%
1000    \item[]%
1001  \fi}
1002  {\if@twocolumn\else\par\endlist\fi}
1003 \fi
1004 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
1005 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
1006 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
1007 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
1008 \renewcommand*\left@footnoterule{%
1009   \kern-3\p@
1010   \hrule\@width 3\unitindent
1011   \kern 2.6\p@
1012 }
1013 \renewcommand*\right@footnoterule{%
1014   \kern-3\p@
1015   \nointerlineskip
1016   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-3\unitindent\relax \hrulefill }
1017   \kern 2.6\p@}
1018 \renewenvironment{thebibliography}[1]
1019   {\section*{\refname}%
1020    \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
1021    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
1022    \bidi@thebibliography@font@hook%
1023    \list{\@biblabel{\@arabic\c@enumiv}}%
1024      {\settowidth\labelwidth{\@biblabel{#1}}%
1025       \leftmargin\labelwidth
1026       \advance\leftmargin\labelsep
1027       \@openbib@code
1028       \usecounter{enumiv}%
1029       \let\p@enumiv\@empty
1030       \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
1031    \sloppy\clubpenalty4000\widowpenalty4000%
1032    \sfcode`.\@m}
1033    {\def\@noitemerr
1034     {\@latex@warning{Empty `thebibliography' environment}}}%
1035    \endlist}
1036 \if@titlepage
1037 \renewcommand*\TitleFont{\rmfamily}
1038 \renewcommand*\maketitle{%
1039   \begin{titlepage}%
1040     \let\footnotesize\small
1041     \let\right@footnoterule\relax
1042     \let\left@footnoterule\relax
1043     \let\textwidth\footnoterule\relax
1044     \let \footnote \thanks
1045     \long\def\@makefnmark{\parindent\z@
1046       \def\labelitemi{\textendash}\@revlabeltrue
1047       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
1048     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%

```



```

1049 \ifcompatibility\setcounter{page}{0}\fi
1050 \null\vfil
1051 \vskip 60\p@
1052 \begin{center}%
1053 \TitleFont
1054 {\LARGE \def\\{\penalty -\@M}
1055 \if@allcaps
1056 \expandafter\uc@nothanks\@title\thanks\relax
1057 \else
1058 \@title
1059 \fi\par}%
1060 \vskip 3em%
1061 {\large
1062 \lineskip .75em \parindent\z@
1063 \begin{tabular}[t]{c}%
1064 \if@allcaps
1065 \expandafter\uc@authornothanks\@author\and\relax
1066 \else
1067 \@author
1068 \fi
1069 \end{tabular}\par}%
1070 \vskip 1.5em%
1071 {\large
1072 \if@allcaps
1073 \uppercase\expandafter{\@date}%
1074 \else
1075 \@date
1076 \fi\par}%
1077 \end{center}\par
1078 \@thanks
1079 \vfil\null
1080 \end{titlepage}%
1081 \setcounter{footnote}{0}%
1082 \global\let\thanks\relax
1083 \global\let\maketitle\relax
1084 \global\let\@thanks\@empty
1085 \global\let\@author\@empty
1086 \global\let\@title\@empty
1087 \global\let\@date\@empty
1088 \global\let\title\relax
1089 \global\let\author\relax
1090 \global\let\date\relax
1091 \global\let\and\relax
1092 }
1093 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1094 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1095 \futurelet\@tempa\uc@ax}
1096 \def\uc@ax{%
1097 \ifx\@tempa\relax
1098 \else
1099 \\\andname\\ \expandafter\uc@authornothanks
1100 \fi}
1101 \def\uc@tx{\ifx\@tempa\relax
1102 \else \expandafter\uc@ty \fi}

```



```

1103 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1104 \else
1105 \renewcommand*\maketitle{\par
1106   \begingroup
1107     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1108     \long\def\@makefntext##1{\parindent\z@
1109       \def\labelitemi{\textendash}%
1110       \leavevmode\hb@xt@.5\unitindent{%
1111         \@textsuperscript{\normalfont\@thefnmark}\hfil}##1}
1112     \if@twocolumn
1113       \ifnum \col@number=\@ne
1114         \@maketitle
1115       \else
1116         \twocolumn[\@maketitle]%
1117       \fi
1118     \else
1119       \newpage
1120       \global\@topnum\z@
1121       \@maketitle
1122     \fi
1123     \thispagestyle{plain}\@thanks
1124   \endgroup
1125   \setcounter{footnote}{0}%
1126   \global\let\thanks\relax
1127   \global\let\maketitle\relax
1128   \global\let\@maketitle\relax
1129   \global\let\@thanks\@empty
1130   \global\let\@author\@empty
1131   \global\let\@title\@empty
1132   \global\let\@date\@empty
1133   \global\let\title\relax
1134   \global\let\author\relax
1135   \global\let\date\relax
1136   \global\let\and\relax
1137 }
1138 \def\@maketitle{%
1139   \newpage
1140   \null
1141   \vskip 2em%
1142   \begin{center}%
1143     \let \footnote \thanks
1144     {\LARGE \TitleFont \@title \par}%
1145     \vskip 1.5em%
1146     {\large \TitleFont
1147       \lineskip .5em%
1148       \begin{tabular}[t]{c}%
1149         \@author
1150       \end{tabular}\par}%
1151     \vskip 1em%
1152     {\large \TitleFont \@date}%
1153   \end{center}%
1154   \par
1155   \vskip 1.5em}
1156 \fi

```



12 File artikel3-xetex-bidi.def

```

1157 \ProvidesFile{artikel3-xetex-bidi.def}[2025/09/30 v0.6 bidi adaptations for artikel3 class f
1158 \renewenvironment{theindex}{%
1159   \if@twocolumn
1160     \@restonecolfalse
1161   \else
1162     \@restonecoltrue
1163   \fi
1164   \columnseprule \z@
1165   \columnsep 35\p@
1166   \twocolumn[section*{\indexname}]{%
1167     \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}}%
1168   \thispagestyle{plain}\parindent\z@
1169   \parskip\z@ \@plus .3\p@\relax
1170   \let\item\@idxitem
1171   }{%
1172   \if@restonecol\onecolumn\else\clearpage\fi}
1173 \renewcommand*{\headstyle}{%
1174   \interlinepenalty \@M
1175   \hyphenpenalty=\@M \exhyphenpenalty=\@M
1176   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
1177 \renewcommand*{\@regtocline}[3]{%
1178   \ifnum #1>\c@tocdepth
1179   \else
1180     \vskip\z@\@plus.2\p@
1181     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
1182     \if@RTL\rightskip\else\leftskip\fi\unitindent
1183     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
1184     \parfillskip\z@
1185     \@tempdima\unitindent
1186     \parindent\z@
1187     \leavevmode
1188     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
1189     \hskip 1em \nobreak{\slshape #3}\par
1190     }%
1191   \fi}
1192 \if@oldtoc
1193 \renewcommand*\l@part[2]{%
1194   \ifnum \c@tocdepth >-2\relax
1195     \addpenalty\@secpenalty
1196     \addvspace{2.25em \@plus\p@}%
1197     \begingroup
1198       \setlength\@tempdima{3em}%
1199       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
1200       \parfillskip -\@pnumwidth
1201       {\leavevmode
1202         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
1203         \nobreak
1204         \if@compatibility
1205           \global\@nobreaktrue
1206           \everypar{\global\@nobreakfalse\everypar{}}%
1207         \fi
1208       \endgroup

```



```

1209 \fi}
1210 \else
1211 \renewcommand*\l@part{%
1212 \ifnum \c@tocdepth >-2\relax
1213 \addpenalty\@secpenalty
1214 \addvspace{2.25em \@plus \p@}%
1215 \@regtocline{0}%
1216 \fi}
1217 \fi
1218
1219 \if@oldtoc
1220 \renewcommand*\l@section[2]{%
1221 \addpenalty\@secpenalty
1222 \addvspace{1.0em \@plus \p@}%
1223 \setlength\@tempdima{1.5em}%
1224 \begingroup
1225 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
1226 \parfillskip -\@pnumwidth
1227 \leavevmode \bfseries
1228 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
1229 \hskip -\if@RTL\rightskip\else\leftskip\fi
1230 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
1231 \endgroup}
1232 \else
1233 \renewcommand*\l@section{\@regtocline{1}}
1234 \fi
1235 \if@titlepage
1236 \renewenvironment{abstract}{%
1237 \titlepage
1238 \null\vfil
1239 \section*{\SectFont\abstractname}%
1240 \noindent\ignorespaces}
1241 {\par\vfil\null\endtitlepage}
1242 \else
1243 \renewenvironment{abstract}{%
1244 \if@twocolumn
1245 \section*{\abstractname}%
1246 \else
1247 \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
1248 \section*{\small\SectFont\abstractname}%
1249 \noindent\ignorespaces
1250 \fi}
1251 {\if@twocolumn\else\par\egroup\fi}
1252 \fi
1253 \renewcommand*\left@footnoterule{%
1254 \kern-3\p@
1255 \kern.5\baselineskip
1256 \hrule\@width\unitindent
1257 \kern.4\baselineskip
1258 }
1259 \renewcommand*\right@footnoterule{%
1260 \kern-3\p@
1261 \kern.5\baselineskip
1262 \nointerlineskip

```



```

1263 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
1264 \kern.4\baselineskip}
1265 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@section}
1266 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
1267 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
1268 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
1269 \renewenvironment{thebibliography}[1]
1270     {\section*{\refname}%
1271      \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
1272      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
1273      \bidi\@thebibliography@font@hook%
1274      \list{\@biblabel{\@arabic\c@enumiv}}%
1275          {\settowidth\labelwidth{\@biblabel{#1}}%
1276           \leftmargin\labelwidth
1277           \advance\leftmargin\labelsep
1278           \@openbib@code
1279           \usecounter{enumiv}%
1280           \let\p@enumiv\@empty
1281           \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
1282      \sloppy\clubpenalty4000\widowpenalty4000%
1283      \sfcode\.\@m}
1284      {\def\@noitemerr
1285       {\@latex@warning{Empty `thebibliography' environment}}}%
1286      \endlist}
1287 \if@titlepage
1288 \renewcommand*\TitleFont{\rmfamily}
1289 \renewcommand*\maketitle{%
1290 \begin{titlepage}%
1291 \let\footnotesize\small
1292 \let\right@footnoterule\relax
1293 \let\left@footnoterule\relax
1294 \let\textwidth\footnoterule\relax
1295 \let \footnote \thanks
1296 \long\def\@makefntext##1{\parindent\z@
1297 \def\labelitemi{\textendash}\@revlabeltrue
1298 \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
1299 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1300 \if@compatibility\setcounter{page}{0}\fi
1301 \null\vfil
1302 \vskip 60\p@
1303 \begin{center}%
1304 \TitleFont
1305 {\LARGE \def\{\penalty -\@M}
1306 \if@allcaps
1307 \expandafter\uc@nothanks\@title\thanks\relax
1308 \else
1309 \@title
1310 \fi\par}%
1311 \vskip 3em%
1312 {\large
1313 \lineskip .75em \parindent\z@
1314 \begin{tabular}[t]{c}%
1315 \if@allcaps
1316 \expandafter\uc@authornothanks\author\and\relax

```



```

1317         \else
1318             \@author
1319         \fi
1320     \end{tabular}\par}%
1321     \vskip 1.5em%
1322     {\large
1323         \if@allcaps
1324             \uppercase\expandafter{\@date}%
1325         \else
1326             \@date
1327         \fi\par}%
1328     \end{center}\par
1329     \@thanks
1330     \vfil\null
1331 \end{titlepage}%
1332 \setcounter{footnote}{0}%
1333 \global\let\thanks\relax
1334 \global\let\maketitle\relax
1335 \global\let\@thanks\@empty
1336 \global\let\@author\@empty
1337 \global\let\@title\@empty
1338 \global\let\@date\@empty
1339 \global\let\title\relax
1340 \global\let\author\relax
1341 \global\let\date\relax
1342 \global\let\and\relax
1343 }
1344 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1345 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1346     \futurelet\@tempa\uc@ax}
1347 \def\uc@ax{%
1348     \ifx\@tempa\relax
1349     \else
1350         \\\andname \\\expandafter\uc@authornothanks
1351     \fi}
1352 \def\uc@tx{\ifx\@tempa\relax
1353     \else \expandafter\uc@ty \fi}
1354 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1355 \else
1356 \renewcommand*\maketitle{\par
1357     \begin{group}
1358         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1359         \def\@makefnmark{\rlap{%
1360             \@textsuperscript{\normalfont\@thefnmark}}}%
1361         \long\def\@makefntext{\@xmakefntext{%
1362             \@textsuperscript{\normalfont\@thefnmark}}}%
1363         \if@twocolumn
1364             \ifnum \col@number=\@one
1365                 \@maketitle
1366             \else
1367                 \twocolumn[\@maketitle]%
1368             \fi
1369         \else
1370             \newpage

```



```

1371     \global\@topnum\z@
1372     \@maketitle
1373     \fi
1374     \thispagestyle{plain}\@thanks
1375 \endgroup
1376 \setcounter{footnote}{0}%
1377 \global\let\thanks\relax
1378 \global\let\maketitle\relax
1379 \global\let\@maketitle\relax
1380 \global\let\@thanks\@empty
1381 \global\let\@author\@empty
1382 \global\let\@title\@empty
1383 \global\let\@date\@empty
1384 \global\let\title\relax
1385 \global\let\author\relax
1386 \global\let\date\relax
1387 \global\let\and\relax
1388 }
1389 \def\@maketitle{%
1390   \newpage
1391   \null
1392   \vskip 2em%
1393   \if@titlecentered
1394     \begin{center}%
1395       \let \footnote \thanks
1396       {\LARGE \TitleFont \@title \par}%
1397       \vskip 1.5em%
1398       {\large \TitleFont
1399         \lineskip .5em%
1400         \begin{tabular}[t]{c}%
1401           \@author
1402         \end{tabular}\par}%
1403       \vskip 1em%
1404       {\large \TitleFont \@date}%
1405     \end{center}%
1406   \else
1407     {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
1408     {\large \TitleFont \lineskip .5em \tabcolsep\z@
1409       \def\and{%%} \begin{tabular} has already started
1410         \end{tabular}\hskip 1em plus .17fil
1411       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}% \end{tabular}
1412       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\vskip 1em {\large \TitleFont \@date}
1413     }
1414   \fi
1415   \par
1416   \vskip 1.5em}
1417 \fi

```

13 File arydshln-xetex-bidi.def

```

1418 \ProvidesFile{arydshln-xetex-bidi.def}[2025/10/28 v0.4 bidi adaptations for arydshln package]
1419 \def\endarray{\adl@endarray \egroup \adl@arrayrestore \if@RTLtab\egroup\endR\egroup\fi\egroup}
1420 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
1421 \expandafter\let\csname endtabular*\endcsname\endtabular

```




```

1422 \let\adl@array\@array
1423 \def\@array{\adl@everyvbox\everyvbox
1424     \everyvbox{\adl@arrayinit \the\adl@everyvbox \everyvbox\adl@everyvbox}%
1425     \ifadl@inactive \adl@inactivate \else \adl@activate \fi
1426     \let\adl@noalign\noalign
1427     \adl@array}
1428 \ifx\@@array\adl@array \let\@@array\@array \fi
1429 \ifadl@usingarypkg
1430 \def\@testpach{\@chclass
1431 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
1432 \ifnum \@lastchclass=7 5 \else
1433 \ifnum \@lastchclass=8 \tw@ \else
1434 \ifnum \@lastchclass=9 \thr@@
1435 \else \z@
1436 \ifnum \@lastchclass = 10 \else
1437 \edef\@nextchar{\expandafter\string\@nextchar}%
1438 \@chnum
1439 \if \@nextchar c\z@ \else
1440 \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
1441 \if \@nextchar \if@RTLtab l\else r\fi\@tw@ \else
1442 \z@ \@chclass
1443 \if \@nextchar |\@ne \let\@arrayrule\adl@arrayrule \else
1444 \if \@nextchar : \@ne \let\@arrayrule\adl@arraydashrule \else
1445 \if \@nextchar ; \@ne \let\@arrayrule\adl@argarraydashrule \else
1446 \if \@nextchar !6 \else
1447 \if \@nextchar @7 \else
1448 \if \@nextchar <8 \else
1449 \if \@nextchar >9 \else
1450 10
1451 \@chnum
1452 \if \@nextchar m\thr@@\else
1453 \if \@nextchar p4 \else
1454 \if \@nextchar b5 \else
1455 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi
1456 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi}
1457
1458 \def\@classz{\@classx
1459     \@tempcnta \count@
1460     \prepnext@tok
1461     \@addtopreamble{\ifcase \@chnum
1462         \hfil
1463         \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1464         \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1465         \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
1466         \setbox\adl@box\hbox \adl@startmbox{\@nextchar}\insert@column
1467         \adl@endmbox\or
1468         \setbox\adl@box\vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
1469         \setbox\adl@box\vbox \@startpbox{\@nextchar}\insert@column \@endpbox
1470         \fi}\prepnext@tok}
1471 \def\adl@class@start{4}
1472 \def\adl@class@iiiorvii{7}
1473
1474 \else
1475 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\@tw@ 4\relax \else

```



```

1476 \ifnum \@lastchclass=\thr@@ 5\relax \else
1477 \z@ \if #1c\@chnum \z@ \else
1478 \if \if@RTLtab#1r\else#1l\fi\@chnum \@one \else
1479 \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
1480 \@chclass
1481 \if #1|\@one \let\@arrayrule\adl@arrayrule \else
1482 \if #1:\@one \let\@arrayrule\adl@arraydashrule \else
1483 \if #1;\@one \let\@arrayrule\adl@argarraydashrule \else
1484 \if #1@ \tw@ \else
1485 \if #1p\thr@@ \else \z@ \@preamerr 0\fi
1486 \fi \fi \fi \fi \fi \fi \fi \fi \fi}
1487
1488 \def\@arrayclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
1489 \or \or \@addamp \or
1490 \@acolampacol \or \@firstampfalse \@acol \fi
1491 \edef\@preamble{\@preamble
1492 \ifcase \@chnum
1493 \hfil\adl@putlrc{\$ \relax \@sharp$}\hfil
1494 \or \adl@putlrc{\$ \relax \@sharp$}\hfil
1495 \or \hfil\adl@putlrc{\$ \relax \@sharp$}\fi}}
1496 \def\@tabclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
1497 \or \or \@addamp \or
1498 \@acolampacol \or \@firstampfalse \@acol \fi
1499 \edef\@preamble{\@preamble
1500 \ifcase \@chnum
1501 \hfil\adl@putlrc{\@sharp\unskip}\hfil
1502 \or \adl@putlrc{\@sharp\unskip}\hfil
1503 \or \hfil\hskip\z@ \adl@putlrc{\@sharp\unskip}\fi}}
1504 \def\adl@class@start{6}
1505 \def\adl@class@iiiorvii{3}
1506 \fi
1507 \ApplyPatchCodeToFile{colortbl-xetex-bidi}{%
1508 \def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
1509 \def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
1510 \let\@endpbox\adl@org@endpbox}
1511 \let\adl@CT@setup\CT@setup
1512 \def\CT@setup{\adl@CT@setup
1513 \@tempdima\ht\z@ \advance\@tempdima\minrowclearance
1514 \ifdim\adl@height<\@tempdima \global\adl@height\@tempdima \fi
1515 \ifdim\adl@depth<\dp\z@ \global\adl@depth\dp\z@\fi}
1516 \let\adl@act@CT@setup\CT@setup
1517 \def\@classz{\@classx
1518 \@tempcnta\count@ \prepnext@tok
1519 \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
1520 \expandafter\adl@extract@arc\the\toks\@tempcnta\arrayrulecolor!\@nil
1521 \expandafter\adl@extract@drsc
1522 \the\toks\@tempcnta\doublerulesepcolor!\@nil
1523 \expandafter\adl@extract@dgc\the\toks\@tempcnta\dashgapcolor!\@nil
1524 \@addtopreamble{\if@RTL\beginL\fi%
1525 \setbox\z@\hbox\bgroup\bgroup\if@RTL\beginR\fi
1526 \ifcase \@chnum
1527 \hskip\stretch{.5}\kern\z@
1528 \dollarbegin
1529 \insert@column

```



```

1530             \d@llarend\hskip\stretch{.5}%
1531         \or \d@llarbegin \insert@column \d@llarend \hfill
1532         \or \hfill \kern\z@ \d@llarbegin \insert@column \d@llarend
1533         \or $\vcenter
1534             \@startpbox{\@nextchar}\insert@column \@endpbox $\%
1535         \or \vtop \@startpbox{\@nextchar}\insert@column \@endpbox
1536         \or \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
1537         \fi
1538     \if@RTL\endR\fi\egroup\egroup
1539     \beginngroup
1540         \CT@setup
1541         \CT@column@color
1542         \CT@row@color
1543         \CT@cell@color
1544         \CT@do@color
1545     \endgroup
1546     \@tempdima\ht\z@
1547     \advance\@tempdima\minrowclearance
1548     \vrule\@height\@tempdima\@width\z@
1549     \unhbox\z@\if@RTL\endL\fi}%
1550     \prepnext@tok}
1551 \let\adl@act@classz\@classz
1552 \let\adl@org@classz\@classz
1553 }

```

14 File beamer-xetex-bidi.def

```

1554 \ProvidesFile{beamer-xetex-bidi.def}[2022/06/07 v0.3 bidi adaptations for beamer class for Xe
1555 \AtBeginDocument{%
1556     \if@RTLmain
1557         \raggedleft
1558     \else
1559         \raggedright
1560     \fi
1561 }
1562
1563 \renewcommand*{\bidi@beamer@ragged}{%
1564     \if@RTL
1565         \raggedleft
1566     \else
1567         \raggedright
1568     \fi
1569 }
1570
1571

```

15 File beamerbaseauxtemplates-xetex-bidi.def

```

1572 \ProvidesFile{beamerbaseauxtemplates-xetex-bidi.def}[2025/01/03 v0.5 bidi adaptations for be
1573 \bidi@csundef{beamer@tmpop@subsection in toc@sections numbered}
1574
1575 \bidi@csundef{beamer@tmpop@subsubsection in toc@sections numbered}
1576
1577 \bidi@csundef{beamer@tmpop@section in toc@subsections numbered}

```



```

1578
1579 \bidi@csundef{beamer@@tmpop@subsection in toc@subsections numbered}
1580
1581 \bidi@csundef{beamer@@tmpop@subsubsection in toc@subsections numbered}
1582
1583 \defbeamertemplate{subsection in toc}{sections numbered}
1584 {\leavevmode\bidi@beamer@leftskip=2.5em\inserttocsubsection\par}
1585
1586 \defbeamertemplate{subsubsection in toc}{sections numbered}
1587 {\leavevmode\normalsize\usebeamerfont{subsection in toc}\bidi@beamer@leftskip=3.5em\usebeamerfont{subsubsection in toc}\inserttocsubsubsection\par}
1588
1589 \defbeamertemplate{section in toc}{subsections numbered}
1590 {\leavevmode\bidi@beamer@leftskip=2em\inserttocsection\par}
1591
1592 \defbeamertemplate{subsection in toc}{subsections numbered}
1593 {\leavevmode\bidi@beamer@leftskip=2em\rlap{\hskip-2em\inserttocsectionnumber.\inserttocsubsection in toc}\inserttocsubsection\par}
1594
1595 \defbeamertemplate{subsubsection in toc}{subsections numbered}
1596 {\leavevmode\normalsize\usebeamerfont{subsection in toc}\bidi@beamer@leftskip=3em\usebeamerfont{subsubsection in toc}\inserttocsubsubsection\par}
1597
1600
1601 \bidi@csundef{beamer@@tmpop@section in toc@circle}
1602
1603 \bidi@csundef{beamer@@tmpop@subsection in toc@circle}
1604
1605 \bidi@csundef{beamer@@tmpop@subsubsection in toc@circle}
1606
1607 \defbeamertemplate{section in toc}{circle}
1608 {\leavevmode\bidi@beamer@leftskip=2ex%
1609 \llap{%
1610 \usebeamerfont*{section number projected}%
1611 \usebeamerfont*{section number projected}%
1612 \begin{pgfpicture}{-1ex}{0ex}{1ex}{2ex}
1613 \color{bg}
1614 \pgfpathcircle{\pgfpoint{0pt}{.75ex}}{1.2ex}
1615 \pgfusepath{fill}
1616 \pgftext[base]{\color{fg}\inserttocsectionnumber}
1617 \end{pgfpicture}\kern1.25ex%
1618 }%
1619 \inserttocsection\par}
1620
1621 \defbeamertemplate{subsection in toc}{circle}
1622 {\leavevmode\bidi@beamer@leftskip=2em\inserttocsubsection\par}
1623
1624 \defbeamertemplate{subsubsection in toc}{circle}
1625 {\leavevmode\normalsize\usebeamerfont{subsection in toc}\bidi@beamer@leftskip=3em\usebeamerfont{subsubsection in toc}\inserttocsubsubsection\par}
1626
1627
1628 \bidi@csundef{beamer@@tmpop@section in toc@square}
1629
1630
1631 \bidi@csundef{beamer@@tmpop@subsection in toc@square}

```



```

1632
1633 \bidi@csundef{beamer@@tmpop@subsubsection in toc@square}
1634
1635 \bidi@csundef{beamer@@tmpop@enumerate item@square}
1636
1637 \bidi@csundef{beamer@@tmpop@enumerate subitem@square}
1638
1639 \bidi@csundef{beamer@@tmpop@enumerate subsubitem@square}
1640
1641 \bidi@csundef{beamer@@tmpop@enumerate mini template@square}
1642
1643 \defbeamertemplate{section in toc}{square}
1644 {\leavevmode\bidi@beamer@leftskip=3ex%
1645   \llap{{%
1646     \usebeamerfont*{section number projected}%
1647     \usebeamercolor[bg]{section number projected}%
1648     \if@RTL
1649     \else
1650       \vrule width2.25ex height1.85ex depth.4ex%
1651       \hskip-2.25ex%
1652     \fi
1653     \hbox to2.25ex{{\hfil\color{fg}\inserttocsectionnumber\hfil}}}%
1654     \if@RTL
1655       \hskip-2.25ex%
1656       \vrule width2.25ex height1.85ex depth.4ex%
1657     \fi
1658   }}\kern1.25ex}%
1659 \inserttocsection\par}
1660
1661 \defbeamertemplate{subsection in toc}{square}
1662 {\leavevmode\bidi@beamer@leftskip=5ex\llap{{%
1663   \usebeamercolor[bg]{subsection number projected}%
1664   \vrule width1ex height1ex\kern1ex}}\inserttocsubsection\par}
1665
1666 \defbeamertemplate{subsubsection in toc}{square}
1667 {\leavevmode\normalsize\usebeamerfont{subsection in
1668   toc}\bidi@beamer@leftskip=7ex\usebeamerfont{subsubsection in toc}%
1669   \llap{{%
1670     \usebeamercolor[bg]{subsubsection number projected}%
1671     \vrule width0.75ex height0.75ex\kern1ex}}\inserttocsubsubsection\par}
1672
1673 \defbeamertemplate{enumerate item}{square}
1674 {
1675   \hbox{{%
1676     \usebeamerfont*{item projected}%
1677     \usebeamercolor[bg]{item projected}%
1678     \if@RTL
1679     \else
1680       \vrule width2.25ex height1.85ex depth.4ex%
1681       \hskip-2.25ex%
1682     \fi
1683     \hbox to2.25ex{{%
1684       \hfil%
1685       \color{fg}\insertenumlabel%

```



```

1686     \hfil}}%
1687     \if@RTL
1688         \hskip-2.25ex%
1689         \vrule width2.25ex height1.85ex depth.4ex%
1690     \fi
1691 }}%
1692 }
1693 [action]
1694 {\setbeamerfont{item projected}{size=\scriptsize}}
1695
1696 \defbeamertemplate{enumerate subitem}{square}
1697 {
1698     \hbox{%
1699         \usebeamerfont*{subitem projected}%
1700         \usebeamercolor[bg]{subitem projected}%
1701         \if@RTL
1702         \else
1703             \vrule width2.25ex height1.85ex depth.4ex%
1704             \hskip-2.25ex%
1705         \fi
1706         \hbox to2.25ex{%
1707             \hfil%
1708             \color{fg}\insertsubenumlabel%
1709             \hfil}}%
1710         \if@RTL
1711             \hskip-2.25ex%
1712             \vrule width2.25ex height1.85ex depth.4ex%
1713         \fi
1714     }}%
1715 }
1716
1717 \defbeamertemplate{enumerate subsubitem}{square}
1718 {
1719     \hbox{%
1720         \usebeamerfont*{subitem projected}%
1721         \usebeamercolor[bg]{subsubitem projected}%
1722         \if@RTL
1723         \else
1724             \vrule width2.25ex height1.85ex depth.4ex%
1725             \hskip-2.25ex%
1726         \fi
1727         \hbox to2.25ex{%
1728             \hfil%
1729             \color{fg}\insertsubsubenumlabel%
1730             \hfil}}%
1731         \if@RTL
1732             \hskip-2.25ex%
1733             \vrule width2.25ex height1.85ex depth.4ex%
1734         \fi
1735     }}%
1736 }
1737
1738 \defbeamertemplate{enumerate mini template}{square}
1739 {

```



```

1740 \hbox{%
1741   \usebeamerfont*{\beameritemnestingprefix item projected}%
1742   \usebeamercolor[bg]{\beameritemnestingprefix item projected}%
1743   \if@RTL
1744   \else
1745     \vrule width2.25ex height1.85ex depth.4ex%
1746     \hskip-2.25ex%
1747   \fi
1748   \hbox to2.25ex{%
1749     \hfil%
1750     \color{fg}\insertenumlabel%
1751     \hfil}%
1752   \if@RTL
1753     \hskip-2.25ex%
1754     \vrule width2.25ex height1.85ex depth.4ex%
1755   \fi
1756 }}%
1757 }
1758
1759 \bidi@csundef{beamer@@tmpop@section in toc@ball unnumbered}
1760
1761 \bidi@csundef{beamer@@tmpop@subsection in toc@ball unnumbered}
1762
1763 \bidi@csundef{beamer@@tmpop@subsubsection in toc@ball unnumbered}
1764
1765 \defbeamertemplate{section in toc}{ball unnumbered}
1766 {\leavevmode\bidi@beamer@leftskip=2.25ex%
1767   \llap{%
1768     \raise0.1ex\beamer@usesphere{section number projected}{bigosphere}\kern1.25ex}%
1769   \inserttocsection\par}
1770
1771 \defbeamertemplate{subsection in toc}{ball unnumbered}
1772 {\leavevmode\bidi@beamer@leftskip=5.1ex\llap{%
1773   \raise0.2ex\beamer@usesphere{subsection number projected}{smallsphere}\kern1ex}\inserttocsection\par}
1774
1775 \defbeamertemplate{subsubsection in toc}{ball unnumbered}
1776 {\leavevmode\normalsize\usebeamerfont{subsection in
1777   toc}\bidi@beamer@leftskip=8.2ex\usebeamerfont{subsubsection in toc}%
1778   \llap{%
1779     \beamer@usesphere{subsubsection number projected}{smallsphere}\kern0.75ex}\inserttocsubsubsection\par}
1780
1781 \bidi@csundef{beamer@@tmpop@section in toc@ball}
1782
1783 \bidi@csundef{beamer@@tmpop@subsection in toc@ball}
1784
1785 \bidi@csundef{beamer@@tmpop@subsubsection in toc@ball}
1786
1787 \defbeamertemplate{section in toc}{ball}
1788 {\leavevmode\bidi@beamer@leftskip=2.75ex%
1789   \llap{%
1790     \normalsize%
1791     \begin{pgfpicture}{-1ex}{-0.7ex}{1ex}{1ex}
1792       \pgftext{\beamer@usesphere{section number projected}{tocsphere}}
1793       \pgftext{%

```



```

1794         \usebeamerfont*{section number projected}%
1795         \usebeamerfont*{section number projected}%
1796         \color{fg!90!bg}%
1797         \inserttocsectionnumber}
1798     \end{pgfpicture}%
1799     \kern1.25ex}%
1800 \inserttocsection\par
1801 }
1802 [action]
1803 {\setbeamerfont{section number projected}{size=\scriptsize}}
1804
1805 \defbeamertemplate{subsection in toc}{ball}
1806 {\leavevmode\bidibeamer@leftskip=5ex%
1807   \llap{\raise0.1ex\beamer@usesphere{subsection number projected}{bigsphere}\kern1ex}%
1808   \inserttocsubsection\par%
1809 }
1810
1811 \defbeamertemplate{subsubsection in toc}{ball}
1812 {\leavevmode\normalsize\usebeamerfont{subsection in
1813   toc}\bidibeamer@leftskip=7ex\usebeamerfont{subsubsection in toc}%
1814   \llap{\beamer@usesphere{subsubsection number projected}{bigsphere}\kern0.75ex}%
1815   \inserttocsubsubsection\par%
1816 }
1817
1818 \bidi@csundef{beamer@@tmpop@block begin@rounded}
1819
1820 \bidi@csundef{beamer@@tmpop@block alerted begin@rounded}
1821
1822 \bidi@csundef{beamer@@tmpop@block example begin@rounded}
1823
1824 \defbeamertemplate{block begin}{rounded}[1][shadow=false]
1825 {%
1826   \par\vskip\medskipamount%
1827   \begin{beamerboxesrounded}[upper=block title,lower=block body,#1]%
1828     {\raggedright\usebeamerfont*{block title}\insertblocktitle}%
1829     \bidi@beamer@ragged%
1830     \usebeamerfont{block body}%
1831   }
1832
1833 \defbeamertemplate{block alerted begin}{rounded}[1][shadow=false]
1834 {%
1835   \par\vskip\medskipamount%
1836   \begin{beamerboxesrounded}[upper=block title alerted,lower=block body alerted,#1]%
1837     {\raggedright\usebeamerfont*{block title alerted}\insertblocktitle}%
1838     \bidi@beamer@ragged%
1839     \usebeamerfont{block body alerted}%
1840   }%
1841
1842 \defbeamertemplate{block example begin}{rounded}[1][shadow=false]
1843 {%
1844   \par\vskip\medskipamount%
1845   \begin{beamerboxesrounded}[upper=block title example,lower=block body example,#1]
1846     {\raggedright\usebeamerfont*{block title example}\insertblocktitle}%
1847     \bidi@beamer@ragged%

```




```

1848 \usebeamerfont{block body example}%
1849 }%
1850
1851 \bidi\csundef{beamer@@tmpop@caption@numbered}
1852
1853 \defbeamertemplate{caption}{numbered}
1854 {%
1855 \leavevmode
1856 \bidi@beamer@ragged
1857 {%
1858 \usebeamercolor[fg]{caption name}%
1859 \usebeamerfont*{caption name}%
1860 \insertcaptionname~\insertcaptionnumber
1861 \usebeamertemplate{caption label separator}%
1862 }%
1863 \insertcaption\par
1864 }
1865
1866 \bidi\csundef{beamer@@tmpop@caption@caption name own line}
1867
1868 \defbeamertemplate{caption}{caption name own line}
1869 {%
1870 \begin{minipage}{\textwidth}
1871 \leavevmode
1872 \bidi@beamer@ragged
1873 {%
1874 \usebeamercolor[fg]{caption name}%
1875 \usebeamerfont*{caption name}%
1876 \insertcaptionname%
1877 }\\
1878 \insertcaption
1879 \end{minipage}
1880 }
1881
1882 \ApplyPatchCodeToPackage{caption}{%
1883 \DeclareCaptionFont{beamer@font}{%
1884 \usebeamerfont*{caption}%
1885 % \usebeamercolor[fg]{caption}%
1886 }
1887 \SetCaptionDefault{font}{beamer@font}
1888 \DeclareCaptionJustification{bidi@beamer@ragged}{\bidi@beamer@ragged}
1889 \SetCaptionDefault{justification}{bidi@beamer@ragged}
1890 }
1891

```

16 File beamerbaseboxes-xetex-bidi.def

```

1892 \ProvidesFile{beamerbaseboxes-xetex-bidi.def}[2022/06/01 v0.1 bidi adaptations for beamerbas
1893 \renewcommand\beamerboxesrounded[2] []{%
1894 \global\let\beamer@firstlineitemizeunskip=\relax%
1895 \vbox\bgroup%
1896 \setkeys{beamerboxes}{upper=block title,lower=block body,width=\textwidth,shadow=false}%
1897 \setkeys{beamerboxes}{#1}%
1898 {%

```



```

1899 \usebeamercolor{\bmb@lower}%
1900 \globalcolorstrue%
1901 \colorlet{lower.bg}{bg}%
1902 }%
1903 {%
1904 \usebeamercolor{\bmb@upper}%
1905 \globalcolorstrue%
1906 \colorlet{upper.bg}{bg}%
1907 }%
1908 %
1909 % Typeset head
1910 %
1911 \vskip4bp
1912 \setbox\bmb@box=\hbox{%
1913 \begin{minipage}[b]{\bmb@width}%
1914 \usebeamercolor{fg}{\bmb@upper}%
1915 #2%
1916 \end{minipage}}%
1917 \ifdim\wd\bmb@box=0pt%
1918 \setbox\bmb@box=\hbox{}%
1919 \ht\bmb@box=1.5pt%
1920 \bmb@prevheight=-4.5pt%
1921 \else%
1922 \wd\bmb@box=\bmb@width%
1923 \bmb@temp=\dp\bmb@box%
1924 \ifdim\bmb@temp<1.5pt%
1925 \bmb@temp=1.5pt%
1926 \fi%
1927 \setbox\bmb@box=\hbox{\raise\bmb@temp\hbox{\box\bmb@box}}%
1928 \dp\bmb@box=0pt%
1929 \bmb@prevheight=\ht\bmb@box%
1930 \fi%
1931 \bmb@temp=\bmb@width%
1932 \bmb@dima=\bmb@temp\advance\bmb@dima by2.2bp%
1933 \bmb@dimb=\bmb@temp\advance\bmb@dimb by4bp%
1934 \hbox{%
1935 \begin{pgfpicture}{0bp}{+-\ht\bmb@box}{0bp}{+-\ht\bmb@box}
1936 \ifdim\wd\bmb@box=0pt%
1937 \color{lower.bg}%
1938 \else%
1939 \color{upper.bg}%
1940 \fi%
1941 \pgfpathmoveto{-4bp}{-1bp}
1942 \pgfpathqcurveto{-4bp}{1.2bp}{-2.2bp}{3bp}{0bp}{3bp}
1943 \pgfpathlineto{\pgfpoint{\bmb@temp}{3bp}}
1944 \pgfpathcurveto%
1945 {\pgfpoint{\bmb@dima}{3bp}}%
1946 {\pgfpoint{\bmb@dimb}{1.2bp}}%
1947 {\pgfpoint{\bmb@dimb}{-1bp}}%
1948 \bmb@dima=-\ht\bmb@box%
1949 \advance\bmb@dima by-2pt%
1950 \pgfpathlineto{\pgfpoint{\bmb@dimb}{\bmb@dima}}
1951 \pgfpathlineto{\pgfpoint{-4bp}{\bmb@dima}}
1952 \pgfusepath{fill}

```



```

1953 \end{pgfpicture}%
1954 \copy\bmb@box%
1955 }%
1956 \nointerlineskip%
1957 \vskip-1pt%
1958 \ifdim\wd\bmb@box=0pt%
1959 \else%
1960 \hbox{%
1961 \begin{pgfpicture}{0pt}{0pt}{\bmb@width}{6pt}
1962 \bmb@dima=\bmb@width%
1963 \advance\bmb@dima by8bp%
1964 \pgfpathrectangle{\pgfpoint{-4bp}{-1bp}}{\pgfpoint{\bmb@dima}{8bp}}
1965 \pgfusepath{clip}
1966 {\pgftransformshift{\pgfpoint{-4bp}{0bp}}\pgftext[left,base]{\pgfuses shading{\bmb@transi
1967 \end{pgfpicture}%
1968 }%
1969 \nointerlineskip%
1970 \vskip-0.5pt%
1971 \fi%
1972 \setbox\bmb@colorbox=\hbox{\pgfpicturetrue\pgfsetcolor{lower.bg}}}%
1973 \setbox\bmb@box=\hbox\bgroup\begin{minipage}[b]{\bmb@width}%
1974 \vskip2pt%
1975 \usebeamercolor{fg}{\bmb@lower}%
1976 \colorlet{beamerstructure}{upper.bg}%
1977 \colorlet{structure}{upper.bg}%
1978 %\color{.}%
1979 \@bidi@list@minipage@parboxfalse
1980 }
1981
1982 \bidi@patchcmd{\endbeamerboxesrounded}{\begingroup}{%
1983 \begingroup
1984 \@RTLfalse
1985 }{}{}
1986
1987

```

17 File beamerbasecolor-xetex-bidi.def

```

1988 \ProvidesFile{beamerbasecolor-xetex-bidi.def}[2022/06/07 v0.2 bidi adaptations for beamerbas
1989 \renewenvironment{beamercolorbox}[2][{}]{%
1990 \def\beamer@vmode{\leavevmode}%
1991 \setkeys{beamercolbox}{wd=\textwidth,ht={},dp={},%
1992 leftskip=0pt,rightskip=0pt plus1fil,%
1993 sep=0pt,colsep=0pt,colsep*=0pt,%
1994 shadow=false,rounded=false,ignorebg=false}%
1995 \if@RTL
1996 \setkeys{beamercolbox}{rightskip=0pt,leftskip=0pt plus1fil}%
1997 \else
1998 \setkeys{beamercolbox}{leftskip=0pt,rightskip=0pt plus1fil}%
1999 \fi
2000 \setkeys{beamercolbox}{#1}%
2001 \ifbeamercoloreempty[bg]{#2}{\@tempwafalse}{\@tempwattrue}%
2002 \ifbeamer@colbox@ignorebg\@tempwafalse\fi%
2003 \def\beamer@colbox@color{#2}%

```



```

2004 \setbox\beamer@tempbox=\hbox\bgroup\color@begingroup
2005 \ifbeamer@colbox@ignorebg%
2006 \colorlet{beamer@temp@color}{bg}%
2007 \usebeamercolor[fg]{#2}%
2008 \colorlet{bg}{beamer@temp@color}%
2009 \else%
2010 \usebeamercolor[fg]{#2}%
2011 \fi%
2012 \beginL
2013 \vbox\bgroup%
2014 \hsize=\beamer@colbox@wd%
2015 \@arrayparboxrestore%
2016 \leftskip=\beamer@colbox@ls%
2017 \ifdim\beamer@colbox@sep>\z@\advance\leftskip\beamer@colbox@sep\fi%
2018 \rightskip=\beamer@colbox@rs%
2019 \ifdim\beamer@colbox@sep>\z@\advance\rightskip\beamer@colbox@sep\fi%
2020 \if@tempswa\ifdim\beamer@colbox@colsep>\z@%
2021 \advance\leftskip by\beamer@colbox@colsep%
2022 \advance\rightskip by\beamer@colbox@colsep%
2023 \vskip\beamer@colbox@colsep%
2024 \fi%
2025 \ifdim\beamer@colbox@colseps>\z@\vskip\beamer@colbox@colseps\fi%
2026 \fi%
2027 \ifdim\beamer@colbox@sep>\z@\vskip\beamer@colbox@sep\fi%
2028 \beamer@vmode\ignorespaces}{%
2029 \ifdim\beamer@colbox@sep>\z@\vskip\beamer@colbox@sep\fi%
2030 \if@tempswa
2031 \ifdim\beamer@colbox@colsep>\z@\vskip\beamer@colbox@colsep\fi%
2032 \ifdim\beamer@colbox@colseps>\z@\vskip\beamer@colbox@colseps\fi%
2033 \fi%
2034 \egroup\endL\color@endgroup\egroup%
2035 \wd\beamer@tempbox=\beamer@colbox@wd%
2036 \ifx\beamer@colbox@ht\@empty\else\ht\beamer@tempbox=\beamer@colbox@ht\fi%
2037 \ifx\beamer@colbox@dp\@empty\else\dp\beamer@tempbox=\beamer@colbox@dp\fi%
2038 \ifbeamer@colbox@rounded%
2039 \if@tempswa%
2040 \begin{beamerboxesrounded}{%
2041 shadow=\beamer@colbox@shadow,%
2042 lower=\beamer@colbox@color,%
2043 upper=normal text,%
2044 width=\beamer@colbox@wd}{}%
2045 \box\beamer@tempbox%
2046 \end{beamerboxesrounded}%
2047 \else%
2048 \ifdim\wd\beamer@tempbox>\textwidth%
2049 \setbox\beamer@tempbox=\hbox to\textwidth{\hss\box\beamer@tempbox\hss}%
2050 \fi%
2051 \box\beamer@tempbox%
2052 \fi%
2053 \else%
2054 \if@tempswa\setbox\beamer@tempbox=\hbox{%
2055 \usebeamercolor{\beamer@colbox@color}%
2056 \hskip-\beamer@colbox@colseps%
2057 \fboxsep=\z@\colorbox{bg}{%

```



```

2058         \hskip\beamer@colbox@colseps%
2059         \box\beamer@tempbox%
2060         \hskip\beamer@colbox@colseps%
2061     }%
2062     \hskip-\beamer@colbox@colseps%
2063     }\fi%
2064     \ifdim\wd\beamer@tempbox>\textwidth%
2065         \setbox\beamer@tempbox=\hbox to\textwidth{\hskip0pt minus\beamer@leftmargin\relax\box%
2066         \fi%
2067         \box\beamer@tempbox%
2068     \fi%
2069 }
2070
2071

```

18 File beamerbasecompatibility-xetex-bidi.def

```

2072 \ProvidesFile{beamerbasecompatibility-xetex-bidi.def}[2022/06/27 v0.1 bidi adaptations for b
2073 \def\insertvrule#1#2{\hbox{{\color{#2}\hskip-\Gm@lmargin\vrule width \paperwidth height #1\h
2074
2075

```

19 File beamerbaseframecomponents-xetex-bidi.def

```

2076 \ProvidesFile{beamerbaseframecomponents-xetex-bidi.def}[2025/09/30 v0.8 bidi adaptations for
2077 \renewcommand{\setbeamersize}[1]{%
2078     \beamer@dogeometryfalse%
2079     \setkeys{beamer@margin}{#1}%
2080     \ifbeamer@dogeometry%
2081         % Reset left margin now
2082         \beamer@tempdim=\beamer@leftmargin%
2083         \advance\beamer@tempdim by\beamer@leftsidebar%
2084         \if@RTLmain
2085             \geometry{right=\the\beamer@tempdim}%
2086         \else
2087             \geometry{left=\the\beamer@tempdim}%
2088         \fi
2089         % Reset right margin now
2090         \beamer@tempdim=\beamer@rightmargin%
2091         \advance\beamer@tempdim by\beamer@rightsidebar%
2092         \if@RTLmain
2093             \geometry{left=\the\beamer@tempdim}%
2094         \else
2095             \geometry{right=\the\beamer@tempdim}%
2096         \fi
2097     \fi%
2098 }
2099
2100 \newcommand*{\bidi@beamer@Gm@lmargin}{%
2101     \if@RTLmain
2102         \Gm@rmargin
2103     \else
2104         \Gm@lmargin
2105     \fi

```



```

2106 }
2107
2108 \newcommand*{\bidi@beamer@Gm@rmargin}{%
2109   \if@RTLmain
2110     \Gm@lmargin
2111   \else
2112     \Gm@rmargin
2113   \fi
2114 }
2115
2116 \def\ps@navigation{
2117   \def\@oddhead{%
2118     \begingroup%
2119     \setbox\beamer@tempbox=\hbox{\usebeamertemplate***{background canvas}\hyper@pagetransiti
2120     \beamer@tempdim=\ht\beamer@tempbox%
2121     \setbox\beamer@tempbox=\hbox{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}}%
2122     \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2123     \setbox\@tempboxa=\hbox{\usebeamertemplate***{background}}}%
2124     \beamer@tempdim=\ht\@tempboxa%
2125     \setbox\@tempboxa=\hbox{\lower\beamer@tempdim\hbox{\box\@tempboxa}}}%
2126     \wd\@tempboxa=0pt\ht\@tempboxa=0pt\dp\@tempboxa=0pt%
2127     \vbox{\hbox{\hskip-\bidi@beamer@Gm@lmargin\box\beamer@tempbox\box\@tempboxa}%
2128     \hbox{%
2129       {%
2130         \setbox\beamer@tempbox=\hbox{\hskip-\bidi@beamer@Gm@lmargin%
2131         \if@RTLmain
2132           {%
2133             \vbox to \sidebarheight{%
2134               \usebeamertemplate***{sidebar left}}%
2135             \vfil%
2136           }}%
2137         \ApplyPatchIfPackageLoadedF{beamerinnerthemeinmargin}{%
2138           \hskip-\textwidth
2139         }%
2140         \fi
2141         {\setbox\beamer@tempbox=\hbox{\vbox to \sidebarheight{%
2142           \usebeamercolor*{sidebar left}}%
2143           \usebeamertemplate{sidebar canvas left}}%
2144           \vss%
2145         }}%
2146         \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2147         \box\beamer@tempbox}%
2148         \if@RTLmain
2149         \else
2150         {%
2151           \vbox to \sidebarheight{%
2152             \usebeamertemplate***{sidebar left}}%
2153           \vfil%
2154         }}\fi}%
2155       \beamer@tempdim=\ht\beamer@tempbox%
2156       \setbox\beamer@tempbox=\hbox{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}}%
2157       \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2158       \box\beamer@tempbox%
2159     }%

```



```

2160      {% print right sidebar first, since it should be overwritten by headline
2161      \setbox\beamer@tempbox=\hbox{\hskip\textwidth\hskip\beamer@rightmargin%
2162      \if@RTLmain
2163          {%
2164              \vbox to \sidebarheight{%
2165                  \usebeamertemplate***{sidebar right}%
2166                  \vfil%
2167              }}%
2168      \hskip-\textwidth
2169      \fi
2170      {\setbox\beamer@tempbox=\hbox{\vbox to \sidebarheight{%
2171          \usebeamercolor*{sidebar right}%
2172          \usebeamertemplate{sidebar canvas right}%
2173          \vss%
2174          }}%
2175      \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2176      \box\beamer@tempbox}%
2177      \if@RTLmain
2178      \else
2179      {%
2180          \vbox to \sidebarheight{%
2181              \usebeamertemplate***{sidebar right}%
2182              \vfil%
2183          }}\fi}%
2184      \beamer@tempdim=\ht\beamer@tempbox%
2185      \setbox\beamer@tempbox=\hbox{{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}}%
2186      \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2187      \box\beamer@tempbox%
2188      }%
2189      \beamer@typesetheadorfoot{headline}%
2190      }%
2191      \hfil}%
2192      \endgroup}
2193      \def\@oddfoot{%
2194          \vbox{\offinterlineskip\hbox{\beamer@typesetheadorfoot{footline}%
2195          \hfil}\hbox{}}\hfil
2196      }%
2197      \let\@evenhead\@oddhead
2198      \let\@evenfoot\@oddfoot}
2199
2200      \AtBeginDocument{%
2201          \pagestyle{navigation}%
2202      }
2203
2204      \def\beamer@typesetheadorfoot#1{% typeset the head or footline
2205      {\parskip0pt\offinterlineskip%
2206          \hbox{%
2207              \hskip-\bidi@beamer@Gm@lmargin%
2208              \hbox{%
2209                  \vbox{%
2210                      \@tempdima=\textwidth%
2211                      \textwidth=\paperwidth%
2212                      \hsize=\textwidth%
2213                      \def\{,\}%

```



```

2214         \usebeamertemplate***{#1}%
2215     }}%
2216     \hskip-\bidi@beamer@Gm@rmargin%
2217 }%\hfil%
2218 }
2219
2220 \def\ps@empty{%
2221     \let\@mkboth\@gobbletwo%
2222     \def\@oddhead{\begin{group}%
2223         \setbox\beamer@tempbox=\hbox{\usebeamertemplate***{background canvas}\hyper@pagetransition}%
2224         \beamer@tempdim=\ht\beamer@tempbox%
2225         \setbox\beamer@tempbox=\hbox{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}%
2226         \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2227         \setbox\@tempboxa=\hbox{\usebeamertemplate***{background}}%
2228         \beamer@tempdim=\ht\@tempboxa%
2229         \setbox\@tempboxa=\hbox{\lower\beamer@tempdim\hbox{\box\@tempboxa}}%
2230         \wd\@tempboxa=0pt\ht\@tempboxa=0pt\dp\@tempboxa=0pt%
2231         \vbox{\hbox{\hskip-\Gm@lmargin\raise\headheight\box\beamer@tempbox\raise\headheight\box\@tempboxa}}
2232     \end{group}%
2233 }
2234 \def\@oddfoot{\normalcolor\hfil%
2235     \setbox\beamer@tempbox=\hbox{\usebeamertemplate***{navigation symbols}\hskip-\bidi@beamer@Gm@rmargin}%
2236     \ht\beamer@tempbox=0pt%
2237     \dp\beamer@tempbox=0pt%
2238     \box\beamer@tempbox}}
2239 \let\@evenhead\@oddhead\let\@evenfoot\@oddfoot}
2240
2241 \renewenvironment<>{beamer@columnenv}[2][\beamer@colmode]{%
2242     \beamer@colclose\def\beamer@colclose{}%
2243     \begin{actionenv}#3%
2244         \setkeys{beamer@col}{#1}%
2245         \begin{minipage}[\beamer@colalign]{#2}%
2246             \leavevmode\bidi@beamer@ragged\beamer@colheadskip\ignorespaces}
2247         {\end{minipage}\hfill\end{actionenv}}\@ignoretrue}
2248 \let\endcolumn\endbeamer@columnenv
2249
2250 \renewcommand<>\beamer@columncom[2][\beamer@colmode]{%
2251     \beamer@colclose%
2252     \def\beamer@colclose{\end{minipage}\hfill\end{actionenv}\ignorespaces}%
2253 \begin{actionenv}#3%
2254     \setkeys{beamer@col}{#1}%
2255     \begin{minipage}[\beamer@colalign]{#2}%
2256         \leavevmode\bidi@beamer@ragged\beamer@colheadskip\ignorespaces}
2257
2258 \renewenvironment<>{columns}[1][\beamer@colmode]{%
2259     \begin{actionenv}#2%
2260     \ifbeamer@onlytextwidth
2261         \def\beamer@colentrycode{\hbox to\textwidth\bgroup\ignorespaces}%
2262         \def\beamer@colexitcode{\unskip\egroup}
2263     \else%
2264         \def\beamer@colentrycode{%
2265             \hbox to\textwidth\bgroup%
2266             \leavevmode%
2267             \hskip-\beamer@leftmargin%

```




```

2268 \nobreak%
2269 \beamer@tempdim=\textwidth%
2270 \advance\beamer@tempdim by\beamer@leftmargin%
2271 \advance\beamer@tempdim by\beamer@rightmargin%
2272 \hbox to\beamer@tempdim\bgroup%
2273 \hbox{}\hfill\ignorespaces}%
2274 \def\beamer@colexitcode{\egroup%
2275 \nobreak%
2276 \hskip-\beamer@rightmargin\egroup}%
2277 \fi%
2278 \ifbeamer@centered\setkeys{beamer@col}{c}\else\setkeys{beamer@col}{t}\fi%
2279 \setkeys{beamer@col}{#1}%
2280 \par%
2281 \leavevmode
2282 \beamer@colentrycode%
2283 \def\beamer@colclose{}\ignorespaces}%
2284 {\beamer@colclose\def\beamer@colclose{}\beamer@colexitcode\end{actionenv}}%
2285
2286
2287 \def\@makeRTLfntext#1{%
2288 \def\insertfootnotetext{#1}%
2289 \def\insertfootnotemark{\@makefnmark}%
2290 \usebeamertemplate***{RTLfootnote}}
2291
2292 \def\@makeLTRfntext#1{%
2293 \def\insertfootnotetext{#1}%
2294 \def\insertfootnotemark{\@makefnmark}%
2295 \usebeamertemplate***{LTRfootnote}}
2296
2297 \renewcommand<>\beamer@framefootnotetext[1]{%
2298 \global\setbox\beamer@footins\vbox{%
2299 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
2300 \hsize\framewidth
2301 \textwidth\hsize
2302 \columnwidth\hsize
2303 \unvbox\beamer@footins
2304 \reset@font
2305 \bidi@@footnotetext@font
2306 \@parboxrestore
2307 \protected@edef\@currentlabel
2308 {\csname p@footnote\endcsname\@thefnmark}%
2309 \color@begingroup
2310 \uncover#2{\@makefntext{%
2311 \rule{z@footnotesep\ignorespaces#1\@finalstrut\strutbox}}}%
2312 \color@endgroup}}
2313
2314 \renewcommand<>\beamer@frameRTLfootnotetext[1]{%
2315 \global\setbox\beamer@footins\vbox{%
2316 \@RTLtrue
2317 \hsize\framewidth
2318 \textwidth\hsize
2319 \columnwidth\hsize
2320 \unvbox\beamer@footins
2321 \reset@font

```



```

2322 \bidi@RTLfootnotetext@font
2323 \@parboxrestore
2324 \protected@edef\@currentlabel
2325     {\csname p@footnote\endcsname\@thefnmark}%
2326 \color@begingroup
2327     \uncover#2{\@makeRTLfntext{%
2328         \rule{z@footnotesep\ignorespaces#1\@finalstrut\strutbox}}%
2329 \color@endgroup}}
2330
2331 \renewcommand<>\beamer@frameLTRfootnotetext[1]{%
2332 \global\setbox\beamer@footins\vbox{%
2333     \RTLfalse
2334     \hsize\framewidth
2335     \textwidth\hsize
2336     \columnwidth\hsize
2337     \unvbox\beamer@footins
2338     \reset@font
2339     \bidi@LTRfootnotetext@font
2340     \@parboxrestore
2341     \protected@edef\@currentlabel
2342         {\csname p@footnote\endcsname\@thefnmark}%
2343     \color@begingroup
2344         \uncover#2{\@makeLTRfntext{%
2345             \rule{z@footnotesep\ignorespaces#1\@finalstrut\strutbox}}%
2346     \color@endgroup}}
2347
2348 \renewcommand<>\@mpfootnotetext[1]{%
2349 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\ifRTL@footnote\global\let\bidi@mpfootnoterule
2350 \global\setbox\@mpfootins\vbox{%
2351     \unvbox\@mpfootins
2352     \ifRTL@footnote\RTLtrue\else\RTLfalse\fi
2353     \reset@font
2354     \bidi@footnotetext@font
2355     \hsize\columnwidth
2356     \@parboxrestore
2357     \protected@edef\@currentlabel
2358         {\csname p@mpfootnote\endcsname\@thefnmark}%
2359     \color@begingroup
2360         \uncover#2{\@makefntext{%
2361             \rule{z@footnotesep\ignorespaces#1\@finalstrut\strutbox}}%
2362     \color@endgroup}}
2363
2364 \renewcommand<>\@mpRTLfootnotetext[1]{%
2365 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footnoterule
2366 \global\setbox\@mpfootins\vbox{%
2367     \unvbox\@mpfootins
2368     \RTLtrue
2369     \reset@font
2370     \bidi@RTLfootnotetext@font
2371     \hsize\columnwidth
2372     \@parboxrestore
2373     \protected@edef\@currentlabel
2374         {\csname p@mpfootnote\endcsname\@thefnmark}%
2375     \color@begingroup

```



```

2376      \uncover#2{\@makeRTLfntext{%
2377      \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}}}%
2378      \color@endgroup}}
2379
2380 \renewcommand<>\@mpLTRfootnotetext[1]{%
2381 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\@bidi@mpfootnoterule\left@footnot
2382 \global\setbox\@mpfootins\vbox{%
2383 \unvbox\@mpfootins
2384 \@RTLfalse
2385 \reset@font
2386 \bidi@@LTRfootnotetext@font
2387 \hsize\columnwidth
2388 \@parboxrestore
2389 \protected@edef\@currentlabel
2390 {\csname p@mpfootnote\endcsname\@thefnmark}%
2391 \color@begingroup
2392 \uncover#2{\@makeLTRfntext{%
2393 \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}}}%
2394 \color@endgroup}}
2395
2396 \let\@footnotetext=\beamer@framefootnotetext
2397 \let\@RTLfootnotetext=\beamer@frameRTLfootnotetext
2398 \let\@LTRfootnotetext=\beamer@frameLTRfootnotetext
2399
2400 \footdir@temp\footdir@ORG@bidi@beamer@footnotetext\@footnotetext{\@bidi@footdir@footnote}%
2401 \footdir@temp\footdir@ORG@bidi@beamer@RTLfootnotetext\@RTLfootnotetext{R}%
2402 \footdir@temp\footdir@ORG@bidi@beamer@LTRfootnotetext\@LTRfootnotetext{L}%
2403
2404 \renewcommand<>{\footnote}[1][ ]{%
2405 \let\beamer@footnotetext=\@footnotetext%
2406 \let\beamer@mpfn=\@mpfn%
2407 \let\beamer@thempfn=\thempfn%
2408 \let\beamer@kvorig=\KV@errx%
2409 \let\beamer@xkvorig=\XKV@err
2410 \def\beamer@footarg{}%
2411 \def\KV@errx##1{\edef\beamer@footarg{\@tempa}}%
2412 \def\XKV@err##1{\edef\beamer@footarg{\XKV@tkey}}%
2413 \setkeys{beamerfootnote}{#1}%
2414 \let\KV@errx=\beamer@kvorig%
2415 \let\XKV@errx=\beamer@xkvorig%
2416 \ifx\beamer@footarg\@empty%
2417 \def\beamer@next{\stepcounter\beamer@mpfn
2418 \protected@xdef\@thefnmark{\beamer@thempfn}%
2419 \@footnotemark\beamer@footnotetext#2}%
2420 \else%
2421 \def\beamer@next{%
2422 \begingroup
2423 \csname c@\beamer@mpfn\endcsname\beamer@footarg\relax
2424 \unrestored@protected@xdef\@thefnmark{\beamer@thempfn}%
2425 \endgroup
2426 \@footnotemark\beamer@footnotetext#2}%
2427 \fi%
2428 \beamer@next}
2429

```



```

2430 \renewcommand<>{\RTLfootnote}[1] [] {%
2431   \let\beamer@RTLfootnotetext=\@RTLfootnotetext%
2432   \let\beamer@mpfn=\@mpfn%
2433   \let\beamer@thempfn=\thempfn%
2434   \let\beamer@kvorig=\KV@errx%
2435   \let\beamer@xkvorig=\XKV@err
2436   \def\beamer@footarg{%
2437     \def\KV@errx##1{\edef\beamer@footarg{\@tempa}}%
2438     \def\XKV@err##1{\edef\beamer@footarg{\XKV@tkey}}%
2439     \setkeys{beamerfootnote}{#1}%
2440     \let\KV@errx=\beamer@kvorig%
2441     \let\XKV@errx=\beamer@xkvorig
2442     \ifx\beamer@footarg\@empty%
2443       \def\beamer@next{\stepcounter\beamer@mpfn
2444         \protected@xdef\@thefnmark{\beamer@thempfn}%
2445         \@footnotemark\beamer@RTLfootnotetext#2}%
2446     \else%
2447       \def\beamer@next{%
2448         \begingroup
2449           \csname c@\beamer@mpfn\endcsname\beamer@footarg\relax
2450           \unrestored@protected@xdef\@thefnmark{\beamer@thempfn}%
2451         \endgroup
2452         \@footnotemark\beamer@RTLfootnotetext#2}%
2453     \fi%
2454   \beamer@next}
2455
2456 \renewcommand<>{\LTRfootnote}[1] [] {%
2457   \let\beamer@LTRfootnotetext=\@LTRfootnotetext%
2458   \let\beamer@mpfn=\@mpfn%
2459   \let\beamer@thempfn=\thempfn%
2460   \let\beamer@kvorig=\KV@errx%
2461   \let\beamer@xkvorig=\XKV@err
2462   \def\beamer@footarg{%
2463     \def\KV@errx##1{\edef\beamer@footarg{\@tempa}}%
2464     \def\XKV@err##1{\edef\beamer@footarg{\XKV@tkey}}%
2465     \setkeys{beamerfootnote}{#1}%
2466     \let\KV@errx=\beamer@kvorig%
2467     \let\XKV@errx=\beamer@xkvorig
2468     \ifx\beamer@footarg\@empty%
2469       \def\beamer@next{\stepcounter\beamer@mpfn
2470         \protected@xdef\@thefnmark{\beamer@thempfn}%
2471         \@footnotemark\beamer@LTRfootnotetext#2}%
2472     \else%
2473       \def\beamer@next{%
2474         \begingroup
2475           \csname c@\beamer@mpfn\endcsname\beamer@footarg\relax
2476           \unrestored@protected@xdef\@thefnmark{\beamer@thempfn}%
2477         \endgroup
2478         \@footnotemark\beamer@LTRfootnotetext#2}%
2479     \fi%
2480   \beamer@next}
2481
2482

```



20 File beamerbaseframesize-xetex-bidi.def

```

2483 \ProvidesFile{beamerbaseframesize-xetex-bidi.def}[2022/06/27 v0.1 bidi adaptations for beamer]
2484 \def\beamer@framezoom<#1><#2>[#3](#4,#5)(#6,#7){%
2485   \par\nointerlineskip%
2486   \global\beamer@slidehaszoomtrue%
2487   \advance\beamer@zoomcount by1\relax%
2488   \def\beamer@zoomborderwidth{0}%
2489   \edef\beamer@labelzoomed{\beamer@labelzoomed@\the\beamer@zoomframecount @\the\beamer@zoomcount}%
2490   \setkeys{beamerzoom}{#3}%
2491   \only<#1>{%
2492     {\hypersetup{pdfhighlight={/P},pdfborder={0 0 \beamer@zoomborderwidth}}}%
2493     \global\setbox\@tempboxa=\vbox{\hyperlink{\beamer@labelzoomed}{%
2494       \expandafter\ifx\csname XeTeXrevision\endcsname\relax
2495         \vbox to #7{%
2496           \hbox to#6{\hfil}%
2497           \vfil%
2498         }%
2499       \else%
2500         \begingroup%
2501         \normalsize%
2502         \begin{pgfpicture}{0pt}{0pt}{#6}{#7}%
2503           \pgfsetfillopacity{0}
2504           \pgftext[x=0cm,y=3pt]{.}
2505           \pgftext[x=#6,y=\dimexpr#7-\baselineskip+3pt]{.}
2506         \end{pgfpicture}%
2507         \endgroup%
2508       \fi%
2509     }%
2510     \ht\@tempboxa=0pt%
2511     \wd\@tempboxa=0pt%
2512     \dp\@tempboxa=0pt%
2513     \setbox\@tempboxa=\vbox{\if@RTL\moveleft\else\moveright\fi#4\hbox{\lower#5\vbox{\box\@tempboxa}}}%
2514     \ht\@tempboxa=0pt%
2515     \wd\@tempboxa=0pt%
2516     \dp\@tempboxa=0pt%
2517     \global\setbox\beamer@zoombox=\vbox to0pt{\unvbox\beamer@zoombox\box\@tempboxa}%
2518   }%
2519   \only<#2>{%
2520     \ifundefined{\beamer@labelzoomed}%
2521     {%
2522       \hypertarget{\beamer@labelzoomed}{}%
2523       \expandafter\gdef\csname\beamer@labelzoomed\endcsname{}%
2524     }%
2525     \gdef\beamer@zoomer{%
2526       % compute zoom factor
2527       \@tempdima=\beamer@frametextheight%
2528       \@tempdimb=#7\relax%
2529       \@tempcnta=\@tempdimb%
2530       \divide\@tempcnta by4096\relax%
2531       \multiply\@tempdima by16\relax%
2532       \divide\@tempdima by\@tempcnta%
2533       \@tempdimb=\paperwidth%
2534       \ifbeamer@plainframe%

```



```

2535 \else%
2536 \advance\@tempdimb by-\beamer@leftsidebar%
2537 \advance\@tempdimb by-\beamer@rightsidebar\relax%
2538 \fi%
2539 \@tempdimc=#6\relax%
2540 \@tempcntb=\@tempdimc%
2541 \divide\@tempcntb by4096\relax%
2542 \multiply\@tempdimb by16\relax%
2543 \divide\@tempdimb by\@tempcntb%
2544 \ifdim\@tempdimb<\@tempdima%
2545 \@tempdima=\@tempdimb%
2546 \fi%
2547 \edef\beamer@temp{\strip@pt\@tempdima}%
2548 \@tempdimc=\beamer@frametextheight%
2549 \advance\@tempdimc by4pt%
2550 \@tempdimb=\paperwidth%
2551 \ifbeamer@plainframe%
2552 \else%
2553 \advance\@tempdimb by-\beamer@leftsidebar%
2554 \advance\@tempdimb by-\beamer@rightsidebar\relax%
2555 \fi%
2556 \setbox\@tempboxa=\vbox{\hsize=\@tempdimb\Acrobatmenu{GoBack}{\vbox to
2557 \beamer@frametextheight{\hbox to\@tempdimb{\hfil}\vfil}}}%
2558 \ht\@tempboxa=0pt%
2559 \wd\@tempboxa=0pt%
2560 \dp\@tempboxa=0pt%
2561 \setbox\beamer@framebox=\vbox to\beamer@frametextheight{%
2562 \ifbeamer@plainframe\beamer@leftmargin=\Gm@lmargin\fi%
2563 \if@RTL
2564 \begin{pgfpicture}{\paperwidth-\beamer@leftmargin}{-\beamer@frametextheight}{\pape
2565 \pgftext[right,top]{\box\@tempboxa}
2566 \pgfpathrectangle{\pgfpoint{0pt}{-\@tempdimc}}{\pgfpoint{\@tempdimb}{\@tempdimc}}
2567 \pgfusepath{clip}
2568 \begingroup
2569 \pgftransformscale{\beamer@temp}
2570 \@tempdima=#4\relax%
2571 \@tempdimb=#5\relax%
2572 {\pgftransformshift{\pgfpoint{\@tempdima+#6}{\@tempdimb}}}%
2573 \pgftext[right,top]{\vbox{\vbox{} \nointerlineskip\unvbox\beamer@framebox}}
2574 \endgroup
2575 \end{pgfpicture}}%
2576 \else
2577 \begin{pgfpicture}{\beamer@leftmargin}{-\beamer@frametextheight}{\beamer@leftmargi
2578 \pgftext[left,top]{\box\@tempboxa}
2579 \pgfpathrectangle{\pgfpoint{0pt}{-\@tempdimc}}{\pgfpoint{\@tempdimb}{\@tempdimc}}
2580 \pgfusepath{clip}
2581 \begingroup
2582 \pgftransformscale{\beamer@temp}
2583 \@tempdima=#4\relax%
2584 \@tempdimb=#5\relax%
2585 {\pgftransformshift{\pgfpoint{-\@tempdima}{\@tempdimb}}}%
2586 \pgftext[left,top]{\vbox{\vbox{} \nointerlineskip\unvbox\beamer@framebox}}
2587 \endgroup
2588 \end{pgfpicture}}%

```



```

2589         \fi
2590     } }%
2591     \setbox\beamer@framebox=\vbox{%
2592         \nobreak\vbox{\nobreak\par\nobreak\beamer@entrycode\nobreak%
2593         \nointerlineskip\unvbox\beamer@frametitlebox%
2594         \nobreak%
2595         \box\beamer@framebox%
2596         \nobreak%
2597         \vss%
2598         \beamer@exitcode%
2599     }%
2600     \global\setbox\beamer@footins=\box\voidb@x% no footnotes in zoomed slides
2601 }%
2602 }%
2603 }
2604
2605

```

21 File beamerbaselocalstructure-xetex-bidi.def

```

2606 \ProvidesFile{beamerbaselocalstructure-xetex-bidi.def}[2022/05/24 v0.1 bidi adaptations for
2607 \def\beamer@enum@{%
2608     \beamer@compute@pref\@itemdepth% sets \beameritemnestingprefix
2609     \usebeamerfont{itemize/enumerate \beameritemnestingprefix body}%
2610     \bgroup
2611     \usebeamerfont{fg}{itemize/enumerate \beameritemnestingprefix body}%
2612     \usebeamertemplate{itemize/enumerate \beameritemnestingprefix body begin}%
2613     \egroup
2614     \expandafter
2615     \list
2616     {\usebeamertemplate{\beamer@enumtempl}}
2617     {\usecounter\@enumctr%
2618     \def\makelabel##1{\hss\llap{%
2619         \usebeamerfont*{enumerate \beameritemnestingprefix item}%
2620         \usebeamerfont{fg}{enumerate \beameritemnestingprefix item}##1}}}%
2621     \beamer@cramped%
2622     \bidi@beamer@ragged%
2623     \beamer@firstlineitemizeunskip%
2624 }
2625
2626 \renewcommand{\itemize}[1][ ]{%
2627     \ifblank{#1}{\def\beamer@defaulttospec{#1}}%
2628     \ifnum \@itemdepth >2\relax\@toodeep\else
2629         \advance\@itemdepth\@ne
2630         \beamer@compute@pref\@itemdepth% sets \beameritemnestingprefix
2631         \usebeamerfont{itemize/enumerate \beameritemnestingprefix body}%
2632         \bgroup
2633         \usebeamerfont{fg}{itemize/enumerate \beameritemnestingprefix body}%
2634         \usebeamertemplate{itemize/enumerate \beameritemnestingprefix body begin}%
2635         \egroup
2636         \list
2637         {\usebeamertemplate{itemize \beameritemnestingprefix item}}
2638         {\def\makelabel##1{%
2639             {%

```



```

2640         \hss\llap{%
2641             \usebeamerfont*{itemize \beameritemnestingprefix item}%
2642             \usebeamerfont{description body}%
2643         }%
2644     }%
2645 }
2646 \fi%
2647 \beamer@cramped%
2648 \bidi@beamer@ragged%
2649 \beamer@firstlineitemizeunskip%
2650 }
2651
2652 \def\@@description{%
2653     \advance\beamer@descdefault by \labelsep%
2654     \usebeamerfont{description body}%
2655     \bgroup
2656     \usebeamerfont{description body}%
2657     \usebeamertemplate{description body begin}%
2658     \egroup
2659     \list
2660     {}
2661     {\labelwidth\beamer@descdefault\leftmargin\beamer@descdefault\let\makelabel\beamer@descrip
2662     \beamer@cramped%
2663     \bidi@beamer@ragged
2664     \beamer@firstlineitemizeunskip%
2665 }
2666
2667 \renewenvironment{thebibliography}[1]
2668 {%\leavevmode\unskip%
2669 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
2670 \bidi@thebibliography@font@hook%
2671 \list{\@biblabel{\@arabic\c@enumiv}}%
2672     {\settowidth\labelwidth{\beamer@biblabeltemplate{\@biblabel{#1}}}%
2673     \leftmargin\labelwidth
2674     \advance\leftmargin\labelsep
2675     \itemsep=0pt%
2676     \partopsep=0pt%
2677     \topsep=0pt%
2678     \usecounter{enumiv}%
2679     \let\p@enumiv\@empty
2680     \renewcommand\theenumiv{\@arabic\c@enumiv}
2681     \let\makelabel\beamer@biblabeltemplate}%
2682     \sloppy\bidi@beamer@ragged
2683     \clubpenalty10000
2684     \@clubpenalty \clubpenalty
2685     \widowpenalty10000%
2686     \sfcode`\.\@m}
2687 {\def\@noitemerr
2688     {\@latex@warning{Empty `thebibliography' environment}}%
2689     \ifhmode\unskip\fi\endlist}
2690
2691

```



22 File beamerbasemisc-xetex-bidi.def

```
2692 \ProvidesFile{beamerbasemisc-xetex-bidi.def}[2022/06/27 v0.1 bidi adaptations for beamerbase
2693 \define@key{beamerst}{width}{%
2694   \def\beamer@ststart{%
2695     \begin{minipage}[t]{#1}%
2696       \bidi@beamer@ragged
2697       \beamer@stalign
2698       \beamer@stlinebreakrule
2699     }%
2700   \def\beamer@stend{\end{minipage}}%
2701
2702
```

23 File beamerbasenavigation-xetex-bidi.def

```
2703 \ProvidesFile{beamerbasenavigation-xetex-bidi.def}[2022/06/27 v0.2 bidi adaptations for beam
2704 \def\slideentry#1#2#3#4#5#6{%
2705   %section number, subsection number, slide number, first/last frame, page number, part numb
2706   \ifnum#6=\c@part\ifnum#1>0\ifnum#3>0%
2707     \ifbeamer@compress%
2708       \advance\beamer@xpos by1\relax%
2709     \else%
2710       \ifnum#2=0%
2711         \beamer@ypos@offset=1\relax%
2712       \fi
2713       \beamer@xpos=#3\relax%
2714       \beamer@ypos=#2\relax%
2715       \advance\beamer@ypos by \beamer@ypos@offset\relax
2716     \fi%
2717   \hbox to 0pt{%
2718     \beamer@tempdim=-\beamer@vboxoffset%
2719     \advance\beamer@tempdim by-\beamer@boxsize%
2720     \multiply\beamer@tempdim by\beamer@ypos%
2721     \advance\beamer@tempdim by -.05cm%
2722     \raise\beamer@tempdim\hbox{%
2723       \beamer@tempdim=\beamer@boxsize%
2724       \multiply\beamer@tempdim by\beamer@xpos%
2725       \advance\beamer@tempdim by -\beamer@boxsize%
2726       \advance\beamer@tempdim by 1pt%
2727       \kern\beamer@tempdim
2728       \global\beamer@section@min@dim\beamer@tempdim
2729       \hbox{\beamer@link(#4){%
2730         \usebeamerfont{mini frame}%
2731         \ifnum\c@section=#1%
2732           \ifnum\c@subsection=#2%
2733             \usebeamercolor[fg]{mini frame}%
2734             \ifnum\c@subsectionslide=#3%
2735               \usebeamertemplate{mini frame}%\beamer@minislidehighlight%
2736             \else%
2737               \usebeamertemplate{mini frame in current subsection}%\beamer@minisliderowhil
2738             \fi%
2739           \else%
2740             \usebeamercolor{mini frame}%

```



```

2741         %\color{fg!50!bg}%
2742         \usebeamertemplate{mini frame in other subsection}%\beamer@minislide%
2743         \fi%
2744     \else%
2745         \usebeamercolor{mini frame}%
2746         %\color{fg!50!bg}%
2747         \usebeamertemplate{mini frame in other subsection}%\beamer@minislide%
2748         \fi%
2749     }}}} \hskip-10cm plus 1fil%
2750 } \fi \fi%
2751 \else%
2752 \fakeslideentry{#1}{#2}{#3}{#4}{#5}{#6}%
2753 \fi \ignorespaces
2754 }
2755
2756 \pgfdefobject{bidi@beamer@RTL@gotosymbol}{\pgfpoint{0pt}{-1pt}}{\pgfpoint{5pt}{5pt}}
2757 {
2758     \pgfpathmoveto{3.5bp}{0.5bp}
2759     \pgfpathqlineto{1.5bp}{2bp}
2760     \pgfpathqlineto{3.5bp}{3.5bp}
2761     \pgfusepathqfill
2762 }
2763
2764 \def\insertgotosymbol{%
2765 \if@RTL
2766     \begin{pgfpicture}{-1pt}{0pt}{4pt}{5pt}
2767         \pgfuseobject{bidi@beamer@RTL@gotosymbol}%
2768     \end{pgfpicture}%
2769 \else
2770     \begin{pgfpicture}{1pt}{0pt}{6pt}{5pt}
2771         \pgfuseobject{beamergotosymbol}%
2772     \end{pgfpicture}%
2773 \fi
2774 }
2775
2776 \pgfdefobject{bidi@beamer@RTL@skipsymbol}{\pgfpoint{0pt}{-1pt}}{\pgfpoint{7pt}{5pt}}
2777 {
2778     \pgfpathmoveto{5.5bp}{0.5bp}
2779     \pgfpathqlineto{3.5bp}{2bp}
2780     \pgfpathqlineto{5.5bp}{3.5bp}
2781     \pgfpathmoveto{3.5bp}{0.5bp}
2782     \pgfpathqlineto{1.5bp}{2bp}
2783     \pgfpathqlineto{3.5bp}{3.5bp}
2784     \pgfusepathqfill
2785 }
2786
2787 \def\insertskipsymbol{%
2788 \if@RTL
2789     \begin{pgfpicture}{-1pt}{0pt}{6pt}{5pt}
2790         \pgfuseobject{bidi@beamer@RTL@skipsymbol}%
2791     \end{pgfpicture}%
2792 \else
2793     \begin{pgfpicture}{1pt}{0pt}{8pt}{5pt}
2794         \pgfuseobject{beamerskipsymbol}%

```



```

2795 \end{pgfpicture}%
2796 \fi
2797 }
2798
2799 \pgfdefobject{bidi@beamer@RTL@returnsymbol}{\pgfpoint{0pt}{-1pt}}{\pgfpoint{5pt}{5pt}}
2800 {
2801 \pgfpathmoveto{1.5bp}{0.5bp}
2802 \pgfpathqlineto{3.5bp}{2bp}
2803 \pgfpathqlineto{1.5bp}{3.5bp}
2804 \pgfusepathqfill
2805 }
2806
2807 \def\insertreturnsymbol{%
2808 \if@RTL
2809 \begin{pgfpicture}{-1pt}{0pt}{4pt}{5pt}
2810 \pgfuseobject{bidi@beamer@RTL@returnsymbol}%
2811 \end{pgfpicture}%
2812 \else
2813 \begin{pgfpicture}{1pt}{0pt}{6pt}{5pt}
2814 \pgfuseobject{beamerreturnsymbol}%
2815 \end{pgfpicture}%
2816 \fi
2817 }
2818
2819

```

24 File beamerbaseoverlay-xetex-bidi.def

```

2820 \ProvidesFile{beamerbaseoverlay-xetex-bidi.def}[2022/06/10 v0.1 bidi adaptations for beamer]
2821 \renewcommand<>{\color}{\alt#1{\beameroriginal{\color}}{\beamer@gobbleoptionalinsp}}
2822
2823

```

25 File beamerinnerthemedefault-xetex-bidi.def

```

2824 \ProvidesFile{beamerinnerthemedefault-xetex-bidi.def}[2022/06/27 v0.6 bidi adaptations for beamer]
2825 \newcommand*{\bidi@beamer@leftskip}{%
2826 \if@RTL
2827 \rightskip
2828 \else
2829 \leftskip
2830 \fi
2831 }
2832
2833 \newcommand*{\bidi@beamer@rightskip}{%
2834 \if@RTL
2835 \leftskip
2836 \else
2837 \rightskip
2838 \fi
2839 }
2840
2841 \bidi@csundef{beamer@tmpop@subsection in toc@default}
2842

```



```

2843 \bidi@csundef{beamer@@tmpop@subsubsection in toc@default}
2844
2845 \defbeamertemplate*{subsection in toc}{default}
2846 {\leavevmode\bidi@beamer@leftskip=1.5em\inserttocsubsection\par}
2847
2848 \defbeamertemplate*{subsubsection in toc}{default}
2849 {\leavevmode\normalsize\usebeamerfont{subsection in toc}\bidi@beamer@leftskip=3em%
2850 \usebeamerfont{subsubsection in toc}\inserttocsubsubsection\par}
2851
2852 \newcommand*{\bidi@beamer@blacktriangle}{%
2853 \if@RTL
2854 \blacktriangleleft%
2855 \else
2856 \blacktriangleright%
2857 \fi
2858 }
2859
2860 \bidi@csundef{beamer@@tmpop@itemize item@default}
2861
2862 \bidi@csundef{beamer@@tmpop@itemize subitem@default}
2863
2864 \bidi@csundef{beamer@@tmpop@itemize subsubitem@default}
2865
2866 \defbeamertemplate*{itemize item}{default}{\usebeamerfont*{itemize item}\raise1.25pt\hbox{\d
2867 \defbeamertemplate*{itemize subitem}{default}{\usebeamerfont*{itemize subitem}\raise1.5pt\hb
2868 \defbeamertemplate*{itemize subsubitem}{default}{\usebeamerfont*{itemize subsubitem}\raise1.
2869
2870 \bidi@undef\beamer@@tmpop@footnote@default
2871
2872 \defbeamertemplate*{footnote}{default}
2873 {
2874 \parindent 1em\noindent%
2875 \bidi@beamer@ragged
2876 \hbox to 1.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
2877 }
2878
2879 \defbeamertemplate*{RTLfootnote}{default}
2880 {
2881 \parindent 1em\noindent%
2882 \raggedleft
2883 \hbox to 1.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
2884 }
2885
2886 \defbeamertemplate*{LTRfootnote}{default}
2887 {
2888 \parindent 1em\noindent%
2889 \raggedright
2890 \hbox to 1.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
2891 }
2892
2893 \bidi@undef\beamer@@tmpop@caption@default
2894
2895 \defbeamertemplate*{caption}{default}
2896 {%

```



```

2897 \bidi@beamer@ragged
2898 {%
2899     \leavevmode
2900     \usebeamercolor[fg]{caption name}%
2901     \usebeamerfont*{caption name}%
2902     \insertcaptionname
2903     \usebeamertemplate{caption label separator}%
2904 }%
2905 \insertcaption\par
2906 }
2907
2908 \bidi@csundef{beamer@@tmpop@block begin@default}
2909
2910 \bidi@csundef{beamer@@tmpop@block alerted begin@default}
2911
2912 \bidi@csundef{beamer@@tmpop@block example begin@default}
2913
2914 \defbeamertemplate*{block begin}{default}
2915 {
2916     \par\vskip\medskipamount%
2917     \begin{beamercolorbox}[colsep*=.75ex]{block title}
2918         \usebeamerfont*{block title}\insertblocktitle%
2919     \end{beamercolorbox}%
2920     {\parskip0pt\par}%
2921     \ifbeamercolorempy[bg]{block title}
2922     {}
2923     {\ifbeamercolorempy[bg]{block body}{\nointerlineskip\vskip-0.5pt}}%
2924     \usebeamerfont{block body}%
2925     \begin{beamercolorbox}[colsep*=.75ex,vmode]{block body}%
2926         \ifbeamercolorempy[bg]{block body}{\vskip-.25ex}{\leavevmode\vskip-\dimexpr.75ex+\basel
2927     }
2928
2929 \defbeamertemplate*{block alerted begin}{default}
2930 {
2931     \par\vskip\medskipamount%
2932     \begin{beamercolorbox}[colsep*=.75ex]{block title alerted}
2933         \usebeamerfont*{block title alerted}\insertblocktitle%
2934     \end{beamercolorbox}%
2935     {\parskip0pt\par}%
2936     \ifbeamercolorempy[bg]{block title alerted}
2937     {}
2938     {\ifbeamercolorempy[bg]{block body alerted}{\nointerlineskip\vskip-0.5pt}}%
2939     \usebeamerfont{block body alerted}%
2940     \begin{beamercolorbox}[colsep*=.75ex,vmode]{block body alerted}%
2941         \ifbeamercolorempy[bg]{block body alerted}{\vskip-.25ex}{\leavevmode\vskip-\dimexpr.75e
2942     }
2943
2944 \defbeamertemplate*{block example begin}{default}
2945 {
2946     \par\vskip\medskipamount%
2947     \begin{beamercolorbox}[colsep*=.75ex]{block title example}
2948         \usebeamerfont*{block title example}\insertblocktitle%
2949     \end{beamercolorbox}%
2950     {\parskip0pt\par}%

```



```

2951 \ifbeamercolorempy[bg]{block title example}
2952 {}
2953 {\ifbeamercolorempy[bg]{block body example}{\nointerlineskip\vskip-0.5pt}}%
2954 \usebeamerfont{block body example}%
2955 \begin{beamercolorbox}[colsep*=.75ex,vmode]{block body example}%
2956 \ifbeamercolorempy[bg]{block body example}{\vskip-.25ex}{\leavevmode\vskip-\dimexpr.75ex}
2957 }
2958
2959 \bidi@csundef{beamer@@tmpop@abstract begin@default}
2960
2961 \defbeamerteremplate*{abstract begin}{default}
2962 {\beamercolorbox[vmode]{abstract}\bidi@beamer@leftskip2em\bidi@beamer@rightskip2em plus 1fil}
2963
2964 \bidi@undef{beamer@@tmpop@button@default}
2965
2966 \defbeamerteremplate*{button}{default}
2967 {%
2968 \setbox\beamer@tempbox=\hbox{\insertbuttontext}}%
2969 \ht\beamer@tempbox=6pt%
2970 \dp\beamer@tempbox=0pt%
2971 \setbox\beamer@tempbox=\vbox{\box\beamer@tempbox\vskip2pt}%
2972 \beamer@tempdim=\wd\beamer@tempbox%
2973 \beamer@dima=\beamer@tempdim\advance\beamer@dima by2.2pt
2974 \beamer@dimb=\beamer@tempdim\advance\beamer@dimb by4pt
2975 \if@RTL
2976 \kern4pt%
2977 \box\beamer@tempbox%
2978 \hskip-\beamer@tempdim%
2979 \fi
2980 \begin{pgfpicture}{-4pt}{0pt}{\the\beamer@tempdim}{8pt}
2981 \color{bg}
2982 \pgfsetlinewidth{0.8pt}
2983 \pgfpathmoveto{0pt}{0pt}
2984 \pgfpathqcurveto{-2.2pt}{0pt}{-4pt}{1.8pt}{-4pt}{4pt}
2985 \pgfpathqcurveto{-4pt}{6.2pt}{-2.2pt}{8pt}{0pt}{8pt}
2986 \pgfpathlineto{\pgfpoint{\the\beamer@tempdim}{8pt}}
2987 \pgfpathcurveto%
2988 {\pgfpoint{\the\beamer@dima}{8pt}}%
2989 {\pgfpoint{\the\beamer@dimb}{6.2pt}}%
2990 {\pgfpoint{\the\beamer@dimb}{4pt}}
2991 \pgfpathcurveto%
2992 {\pgfpoint{\the\beamer@dimb}{1.8pt}}%
2993 {\pgfpoint{\the\beamer@dima}{0pt}}%
2994 {\pgfpoint{\the\beamer@tempdim}{0pt}}
2995 \pgfpathclose
2996 \pgfusepathqfill
2997 \colorlet{bg}{parent.bg}
2998 \usebeamercolor[fg]{button border}
2999 \pgfpathmoveto{0pt}{0pt}
3000 \pgfpathqcurveto{-2.2pt}{0pt}{-4pt}{1.8pt}{-4pt}{4pt}
3001 \pgfpathqcurveto{-4pt}{6.2pt}{-2.2pt}{8pt}{0pt}{8pt}
3002 \pgfpathlineto{\pgfpoint{\the\beamer@tempdim}{8pt}}
3003 \pgfpathcurveto%
3004 {\pgfpoint{\the\beamer@dima}{8pt}}%

```



```

3005     {\pgfpoint{\the\beamer@dimb}{6.2pt}}%
3006     {\pgfpoint{\the\beamer@dimb}{4pt}}
3007     \pgfpathcurveto%
3008     {\pgfpoint{\the\beamer@dimb}{1.8pt}}%
3009     {\pgfpoint{\the\beamer@dimb}{0pt}}%
3010     {\pgfpoint{\the\beamer@tempdim}{0pt}}
3011     \pgfpathclose
3012     \pgfusepathqstroke
3013 \end{pgfpicture}%
3014 \if@RTL
3015 \else
3016     \hskip-\beamer@tempdim%
3017     \box\beamer@tempbox%
3018     \kern4pt%
3019 \fi
3020 }
3021
3022

```

26 File beamerinnerthemecircles-xetex-bidi.def

```

3023 \ProvidesFile{beamerinnerthemecircles-xetex-bidi.def}[2022/06/06 v0.1 bidi adaptations for bea
3024 \setbeamertemplate{sections/subsections in toc}[circle]
3025

```

27 File beamerinnerthemefocus-xetex-bidi.def

```

3026 \ProvidesFile{beamerinnerthemefocus-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations for bea
3027 \setbeamertemplate{section in toc}[square]
3028 \setbeamertemplate{subsection in toc}[square]
3029
3030 \setbeamertemplate{itemize items}[square]
3031 \setbeamertemplate{itemize subitem}[triangle]
3032
3033 \bidi@csundef{beamer@@tmpop@title page@focus}
3034
3035 \defbeamertemplate*{title page}{focus}{%
3036     {%
3037         \usebeamercolor{frametitle}\colorlet{focus@temp}{bg}%
3038         \begin{tikzpicture}[overlay, remember picture]
3039             \fill[color=focus@temp] (current page.north west) rectangle ([shift = {(0, -0.4
3040         \end{tikzpicture}
3041     }
3042
3043     \vspace{-1.65\baselineskip}
3044     \begin{minipage}[b][0.35\paperheight]{\textwidth}
3045         \vspace{\baselineskip}
3046         \usebeamerfont{title}
3047         \usebeamercolor{fg}{frametitle}
3048         \inserttitle
3049     \end{minipage}
3050
3051     \begin{minipage}[t][0.1\paperheight]{\textwidth}
3052         \usebeamerfont{subtitle}

```



```

3053         \usebeamercolor[fg]{frametitle}
3054         \insertsubtitle
3055     \end{minipage}
3056
3057     % Set the title graphic in a zero-height box, so that
3058     % the position of other elements is not affected.
3059     {\vfuzz=9999pt\vbox to 0pt {
3060         \if@RTL
3061             \raggedright
3062         \else
3063             \raggedleft
3064         \fi
3065         \inserttitlegraphic
3066     }}
3067
3068     \begin{minipage}[t]{\textwidth}
3069         \usebeamerfont{author}
3070         \insertauthor
3071     \end{minipage}
3072
3073     \vspace*{\baselineskip}
3074     \begin{minipage}[t]{\textwidth}
3075         \usebeamerfont{institute}
3076         \insertinstitute
3077     \end{minipage}
3078
3079     \vspace*{\baselineskip}
3080     \begin{minipage}[t]{\textwidth}
3081         \usebeamerfont{date}
3082         \insertdate
3083     \end{minipage}
3084
3085     \vspace*{0pt plus 100fill}
3086
3087     \addtocounter{framenum}{-1}
3088     \addtocounter{realframenum}{-1}
3089 }
3090
3091
3092

```

28 File beamerinnerthemeinmargin-xetex-bidi.def

```

3093 \ProvidesFile{beamerinnerthemeinmargin-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for
3094 \AtBeginDocument{%
3095     \setbeamsize{sidebar width left=.25\paperwidth}%
3096 }
3097
3098 \bidi@csundef{beamer@@tmpop@section in toc@inmargin}
3099
3100 \bidi@csundef{beamer@@tmpop@title page@inmargin}
3101
3102 \bidi@csundef{beamer@@tmpop@block begin@inmargin}
3103

```




```

3104 \bidi@csundef{beamer@@tmpop@block end@inmargin}
3105
3106 \bidi@csundef{beamer@@tmpop@block alerted begin@inmargin}
3107
3108 \bidi@csundef{beamer@@tmpop@block alerted end@inmargin}
3109
3110 \bidi@csundef{beamer@@tmpop@block example begin@inmargin}
3111
3112 \bidi@csundef{beamer@@tmpop@block example end@inmargin}
3113
3114 \defbeamertemplate*{section in toc}{inmargin}
3115 {\leavevmode
3116   \beamer@putleft{\usebeamercolor[fg]{section in toc}\inserttocsection}\strut}{2.5ex}}
3117
3118 \defbeamertemplate*{title page}{inmargin}
3119 {
3120   \begin{block}{\inserttitleindicator}
3121     \bgroup\usebeamercolor[fg]{title}\usebeamerfont{title}\inserttitle\egroup\par
3122     \usebeamercolor[fg]{subtitle}\usebeamerfont{subtitle}\insertsubtitle
3123   \end{block}
3124   \vfill
3125   \ifx\insertauthor\@empty
3126   \else
3127     \begin{block}{\insertauthorindicator}
3128       \bgroup\usebeamercolor[fg]{author}\usebeamerfont{author}\insertauthor\egroup\par
3129     \end{block}
3130     \fi
3131     \ifx\insertinstitute\@empty
3132     \else
3133       \begin{block}{\insertinstituteindicator}
3134         \bgroup\usebeamercolor[fg]{institute}\usebeamerfont{institute}\insertinstitute\egroup\par
3135       \end{block}
3136       \fi
3137       \ifx\insertdate\@empty
3138       \else
3139         \begin{block}{\insertdateindicator}
3140           \bgroup\usebeamercolor[fg]{date}\usebeamerfont{date}\insertdate\egroup\par
3141         \end{block}
3142         \fi
3143     }
3144
3145 \defbeamertemplate*{block begin}{inmargin}
3146 {
3147   \par\vskip\medskipamount%
3148   \leavevmode%
3149   \beamer@putleft{\normalfont\usebeamercolor[fg]{block title}\usebeamerfont*{block title}\i
3150   \beginL\beamer@putright
3151     %\usebeamercolor[fg]{block body}% to be done!
3152 }
3153
3154 \defbeamertemplate*{block end}{inmargin}
3155 {\endbeamer@putright\endL\vskip\smallskipamount}
3156
3157 \defbeamertemplate*{block alerted begin}{inmargin}

```



```

3158 {
3159   \par\vskip\medskipamount%
3160   \leavevmode%
3161   \beamer@putleft{\normalfont{\usebeamercolor[fg]{block title alerted}}\usebeamerfont*{block
3162   \beginL\beamer@putright
3163   %\usebeamercolor[fg]{block body alerted}% to be done!
3164 }
3165
3166 \defbeamertemplate*{block alerted end}{inmargin}
3167 {\endbeamer@putright\endL\vskip\smallskipamount}
3168
3169 \defbeamertemplate*{block example begin}{inmargin}
3170 {
3171   \par\vskip\medskipamount%
3172   \leavevmode%
3173   \beamer@putleft{\normalfont{\usebeamercolor[fg]{block title example}}\usebeamerfont*{block
3174   \beginL\beamer@putright
3175   %\usebeamercolor[fg]{block body example}% to be done
3176 }
3177
3178 \defbeamertemplate*{block example end}{inmargin}
3179 {\endbeamer@putright\endL\vskip\smallskipamount}
3180
3181 \bidi@AfterFile{beamerinnerthememetropolis-xetex-bidi.def}{%
3182   \setbeamertemplate{section in toc}[inmargin]%
3183   \setbeamertemplate{subsection in toc}[inmargin]%
3184   \setbeamertemplate{subsubsection in toc}[inmargin]%
3185 }
3186
3187

```

29 File beamerinnerthememetropolis-xetex-bidi.def

```

3188 \ProvidesFile{beamerinnerthememetropolis-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations fo
3189 \setbeamertemplate{title}{
3190   \bidi@beamer@ragged%
3191   \linespread{1.0}%
3192   \inserttitle%
3193   \par%
3194   \vspace*{0.5em}
3195 }
3196
3197 \setbeamertemplate{subtitle}{
3198   \bidi@beamer@ragged%
3199   \insertsubtitle%
3200   \par%
3201   \vspace*{0.5em}
3202 }
3203
3204 \bidi@csundef{beamer@@tmpop@section page@progressbar}
3205
3206 \defbeamertemplate{section page}{progressbar}{
3207   \centering
3208   \begin{minipage}{22em}

```



```

3209 \bidi@beamer@ragged
3210 \usebeamercolor[fg]{section title}
3211 \usebeamerfont{section title}
3212 \insertsectionhead\[-1ex]
3213 \usebeamertemplate*{progress bar in section page}
3214 \par
3215 \ifx\insertsubsectionhead\@empty\else%
3216 \usebeamercolor[fg]{subsection title}%
3217 \usebeamerfont{subsection title}%
3218 \insertsubsectionhead
3219 \fi
3220 \end{minipage}
3221 \par
3222 \vspace{\baselineskip}
3223 }
3224
3225 \setbeamertemplate{progress bar in section page}{
3226 \setlength{\metropolis@progressonsectionpage}{%
3227 \textwidth * \ratio{\insertframenumber pt}{\inserttotalframenumber pt}}%
3228 }%
3229 \begin{tikzpicture}
3230 \fill[bg] (0,0) rectangle (\textwidth, \metropolis@progressonsectionpage@linewidth);
3231 \if@RTLmain
3232 \fill[fg] (\textwidth-\metropolis@progressonsectionpage,0) rectangle (\textwidth, \metropolis@progressonsectionpage@linewidth);
3233 \else
3234 \fill[fg] (0,0) rectangle (\metropolis@progressonsectionpage, \metropolis@progressonsectionpage@linewidth);
3235 \fi
3236 \end{tikzpicture}%
3237 }
3238
3239 \renewcommand{\metropolis@block}[1]{
3240 \par\vskip\medskipamount%
3241 \setlength{\parskip}{0pt}
3242 \ifbeamercolorempy[bg]{block title#1}{%
3243 \if@RTL
3244 \begin{beamercolorbox}[leftskip=0pt plus 4em]{block title#1}%
3245 \else
3246 \begin{beamercolorbox}[rightskip=0pt plus 4em]{block title#1}%
3247 \fi
3248 }{%
3249 \ifbeamercolorempy[bg]{block title}{%
3250 \if@RTL
3251 \begin{beamercolorbox}[leftskip=0pt plus 4em]{block title#1}%
3252 \else
3253 \begin{beamercolorbox}[rightskip=0pt plus 4em]{block title#1}%
3254 \fi
3255 }%
3256 {%
3257 \if@RTL
3258 \begin{beamercolorbox}[
3259 sep=\dimexpr\metropolis@blocksep-\metropolis@blockadjust\relax,
3260 rightskip=\metropolis@blockadjust,
3261 leftskip=\dimexpr\metropolis@blockadjust plus 4em\relax
3262 ]{block title#1}%

```



```

3263 \else
3264 \begin{beamercolorbox}[
3265     sep=\dimexpr\metropolis@blocksep-\metropolis@blockadjust\relax,
3266     leftskip=\metropolis@blockadjust,
3267     rightskip=\dimexpr\metropolis@blockadjust plus 4em\relax
3268 ]{block title#1}%
3269 \fi
3270 }}%
3271 \usebeamerfont*{block title#1}%
3272 \metropolis@strut%
3273 \insertblocktitle%
3274 \metropolis@strut%
3275 \end{beamercolorbox}%
3276 \nointerlineskip%
3277 \ifbeamercoloreempty[bg]{block body#1}{%
3278     \begin{beamercolorbox}[vmode]{block body#1}}{
3279 \ifbeamercoloreempty[bg]{block body}{%
3280     \begin{beamercolorbox}[vmode]{block body#1}%
3281 }{%
3282     \begin{beamercolorbox}[sep=\metropolis@blocksep, vmode]{block body#1}%
3283     \vspace{-\metropolis@parskip}
3284 }}%
3285 \usebeamerfont{block body#1}%
3286 \setlength{\parskip}{\metropolis@parskip}%
3287 }
3288
3289 \setbeamertemplate{footnote}{%
3290 \parindent 0em\noindent%
3291 \bidi@beamer@ragged
3292 \usebeamercolor{footnote}\hbox to 0.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
3293 }
3294
3295 \setbeamertemplate{RTLfootnote}{%
3296 \parindent 0em\noindent%
3297 \raggedleft
3298 \usebeamercolor{footnote}\hbox to 0.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
3299 }
3300
3301 \setbeamertemplate{LTRfootnote}{%
3302 \parindent 0em\noindent%
3303 \raggedright
3304 \usebeamercolor{footnote}\hbox to 0.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
3305 }
3306
3307 \setbeamertemplate{itemize items}{\textbullet}
3308
3309 \setbeamertemplate{section page}[progressbar]
3310
3311
3312

```

30 File beamerinnerthemerectangles-xetex-bidi.def

```

3313 \ProvidesFile{beamerinnerthemerectangles-xetex-bidi.def}[2022/06/06 v0.1 bidi adaptations fo

```



```

3314 \setbeamertemplate{sections/subsections in toc}[square]
3315 \setbeamertemplate{items}[square]
3316

```

31 File beamerinnerthemrounded-xetex-bidi.def

```

3317 \ProvidesFile{beamerinnerthemrounded-xetex-bidi.def}[2022/06/01 v0.1 bidi adaptations for b
3318 \setbeamertemplate{blocks}[rounded] [shadow=\beamer@themrounded@shadow]
3319 \setbeamertemplate{items}[ball]
3320 \setbeamertemplate{sections/subsections in toc}[ball]
3321

```

32 File beamerouterthemedefault-xetex-bidi.def

```

3322 \ProvidesFile{beamerouterthemedefault-xetex-bidi.def}[2022/06/27 v0.2 bidi adaptations for b
3323 \def\beamer@fteleft{\if@RTLmain\vskip0.35cm\advance\leftskip by 1.7cm\advance\rightskip by1.
3324
3325 \def\beamer@fteright{\if@RTLmain\else\vskip0.35cm\advance\leftskip by 1.7cm\advance\rightski
3326
3327 \AtBeginDocument{%
3328   \if@RTLmain
3329     \setbeamertemplate{frametitle}[default] [right]
3330   \fi
3331 }
3332
3333 \bidi@csundef{beamer@@tmpop@note page@default}
3334
3335 \newcommand*{\bidi@beamer@today}{%
3336 \the\year-\ifnum\month<10\relax0\fi\the\month-\ifnum\day<10\relax0\fi\the\day}
3337
3338 \defbeamertemplate*{note page}{default}
3339 {%
3340   {%
3341     \scriptsize
3342     \usebeamerfont{note title}\usebeamercolor[fg]{note title}%
3343     \ifbeamercolorempy[bg]{note title}{\fi}%
3344     \insertvrule{.25\paperheight}{note title.bg}%
3345     \vskip-.25\paperheight%
3346     \nointerlineskip%
3347   }%
3348   \vbox{
3349     \hfill\insertslideintonotes{0.25}\hskip-\Gm@rmargin\hskip0pt%
3350     \vskip-0.25\paperheight%
3351     \nointerlineskip
3352     \if@RTL
3353       \begin{pgfpicture}{-\textwidth}{0cm}{-\textwidth}{0cm}
3354         \begin{pgflowlevelslope}{\pgftransformrotate{-90}}
3355           {\pgftransformshift{\pgfpoint{2cm}{0.2cm}}}%
3356           \pgftext[base,right]{\usebeamerfont{note date}\usebeamercolor[fg]{note date}\bidi@
3357         \end{pgflowlevelslope}
3358       \end{pgfpicture}%
3359     \else
3360       \begin{pgfpicture}{0cm}{0cm}{0cm}{0cm}
3361         \begin{pgflowlevelslope}{\pgftransformrotate{90}}

```



```

3362         {\pgftransformshift{\pgfpoint{-2cm}{0.2cm}}}%
3363         \pgftext[base,left]{\usebeamerfont{note date}\usebeamercolor[fg]{note date}\bidi@B
3364         \end{pgflowlevelslope}
3365         \end{pgfpicture}%
3366         \fi}
3367     \nointerlineskip
3368     \vbox to .25\paperheight{\vskip0.5em
3369     \if@RTL
3370         \moveright0.25\textwidth
3371     \fi
3372         \hbox{\insertshorttitle[width=0.75\textwidth]}}%
3373         \setbox\beamer@tempbox=\hbox{\insertsection}%
3374
3375     \if@RTL
3376         \moveright\dimexpr0.29\textwidth-14pt\relax
3377     \fi
3378     \hbox{\if@RTL\beginR\fi\ifdim\wd\beamer@tempbox>1pt{\hskip4pt\raise3pt\hbox{\vrule
3379         width0.4pt height7pt\vrule width 9pt
3380         height0.4pt}}\hskip1pt\hbox{\begin{minipage}[t]{0.71\textwidth}\def\breakhere{}%
3381         \if@RTL\endR\fi}}%
3382         \setbox\beamer@tempbox=\hbox{\insertsubsection}%
3383
3384     \if@RTL
3385         \moveright\dimexpr0.29\textwidth-27.4pt\relax
3386     \fi         \hbox{\if@RTL\beginR\fi\ifdim\wd\beamer@tempbox>1pt{\hskip17.4pt\raise3pt\hbox{\vrule
3387         width0.4pt height7pt\vrule width 9pt
3388         height0.4pt}}\hskip1pt\hbox{\begin{minipage}[t]{0.71\textwidth}\def\breakhere{}%
3389         \if@RTL\endR\fi}}%
3390         \setbox\beamer@tempbox=\hbox{\insertshortframetitle}%
3391
3392     \if@RTL
3393         \moveright\dimexpr0.33\textwidth-40.8pt\relax
3394     \fi         \hbox{\if@RTL\beginR\fi\ifdim\wd\beamer@tempbox>1pt{\hskip30.8pt\raise3pt\hbox{\vrule
3395         width0.4pt height7pt\vrule width 9pt
3396         height0.4pt}}\hskip1pt\hbox{\insertshortframetitle[width=0.67\textwidth]}\fi%
3397         \if@RTL\endR\fi}}%
3398         \vfil}%
3399     }%
3400     \ifbeamercolorempy[bg]{note page}{}{%
3401         \nointerlineskip%
3402         \insertvrule{.75\paperheight}{note page.bg}%
3403         \vskip-.75\paperheight%
3404     }%
3405     \vskip.25em
3406     \nointerlineskip
3407     \insertnote
3408 }
3409
3410
3411

```

33 File beamerouterthemefocus-xetex-bidi.def

```

3412 \ProvidesFile{beamerouterthemefocus-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations for bea

```



```

3413 \bidi@undef\beamer@@tmpop@footline@progressbar
3414
3415 \defbeamertertemplate*{footline}{progressbar}{%
3416   % If not appendix.
3417   \ifnum\mainend<0% From package appendixnumberbeamer.
3418   %
3419   \settowidth{\focus@pbar@leftoffset}{1}%
3420   \addtolength{\focus@pbar@leftoffset}{1.5em}%
3421   %
3422   \ifx\beamer@focus@totalframenummering\no%
3423     \settowidth{\focus@pbar@rightoffset}{}%
3424     \addtolength{\focus@pbar@rightoffset}{0.5em}%
3425   \else%
3426     \settowidth{\focus@pbar@rightoffset}{\inserttotalframenummer}%
3427     \addtolength{\focus@pbar@rightoffset}{1.5em}%
3428   \fi%
3429   %
3430   % If not title page.
3431   \ifnum\value{realframenummer}>0%
3432     \ifnum\value{framenummer}<\inserttotalframenummer%
3433       \begin{tikzpicture}[inner xsep=0.5em, inner ysep=0.5ex]\usebeamerfont{footli
3434         \pgfmathsetmacro{\focus@pbar@progress}%
3435         {(\paperwidth-\focus@pbar@leftoffset-\focus@pbar@rightoffset)*(\inse
3436
3437         \clip (0,0) rectangle ++(\paperwidth,\the\focus@pbar@height);
3438 \if@RTLmain
3439         \fill[footline.bg] (\paperwidth,0) rectangle ++(-\the\focus@pbar@leftoff
3440         \fill[footline.bg] (\paperwidth-\the\focus@pbar@leftoffset,0) rectangle
3441         ++(0,{-0.5*\the\focus@pbar@height}) node[anchor=west,
3442 \else
3443         \fill[footline.bg] (0,0) rectangle ++(\the\focus@pbar@leftoffset,\the\fo
3444         \fill[footline.bg] (\the\focus@pbar@leftoffset,0) rectangle ++(\focus@pb
3445         ++(0,{-0.5*\the\focus@pbar@height}) node[anchor=east,
3446 \fi
3447         \ifx\beamer@focus@totalframenummering\no%
3448         \else%
3449 \if@RTLmain
3450         \fill[footline.bg] (0,0) rectangle ++(\the\focus@pbar@rightoffset,\t
3451         ++(0,{-0.5*\the\focus@pbar@height}) node[anchor=e
3452 \else
3453         \fill[footline.bg] (\paperwidth,0) rectangle ++(-\the\focus@pbar@rig
3454         ++(0,{-0.5*\the\focus@pbar@height}) node[anchor=w
3455 \fi
3456         \fi%
3457         \end{tikzpicture}%
3458       \else%
3459         \begin{tikzpicture}[inner xsep=0.5em, inner ysep=0.5ex]
3460         \clip (0,0) rectangle ++(\paperwidth,\the\focus@pbar@height);
3461         \fill[footline.bg] (0,0) rectangle ++(\paperwidth,\the\focus@pbar@height
3462 \if@RTLmain
3463         \node[anchor=west, footline.fg] at ({\the\focus@pbar@rightoffset},{0.5*\
3464 \else
3465         \node[anchor=east, footline.fg] at ({\paperwidth-\the\focus@pbar@rightof
3466 \fi

```



```

3467             \ifx\beamer@focus@totalframenumbers\no%
3468             \else%
3469 \if@RTLmain
3470             \node[footline.fg] at ({\the\focus@pbar@rightoffset},{0.5*\focus@pba
3471             \node[anchor=east, footline.fg] at ({\the\focus@pbar@rightoffset},{0
3472 \else
3473             \node[footline.fg] at ({\paperwidth-\the\focus@pbar@rightoffset},{0.
3474             \node[anchor=west, footline.fg] at ({\paperwidth-\the\focus@pbar@rig
3475 \fi
3476             \fi%
3477             \end{tikzpicture}%
3478             \fi%
3479             \fi%
3480             \fi%
3481 }
3482
3483

```

34 File beamerouterthemeinfoclines-xetex-bidi.def

```

3484 \ProvidesFile{beamerouterthemeinfoclines-xetex-bidi.def}[2022/06/09 v0.2 bidi adaptations for
3485 \bidi@csundef{beamer@tmpop@footline@infoclines theme}
3486
3487 \defbeamertemplate*{footline}{infoclines theme}
3488 {%
3489   \leavevmode%
3490   \hbox{%
3491     \begin{beamercolorbox}[wd=.333333\paperwidth,ht=2.25ex,dp=1ex,center]{author in head/foot}%
3492     \usebeamerfont{author in head/foot}\insertshortauthor\expandafter\ifblank\expandafter{\b
3493     \end{beamercolorbox}%
3494     \begin{beamercolorbox}[wd=.333333\paperwidth,ht=2.25ex,dp=1ex,center]{title in head/foot}%
3495     \usebeamerfont{title in head/foot}\insertshorttitle
3496     \end{beamercolorbox}%
3497     \begin{beamercolorbox}[wd=.333333\paperwidth,ht=2.25ex,dp=1ex,leftskip=2ex,rightskip=2ex,s
3498     \hfill%
3499     \usebeamerfont{date in head/foot}%
3500     \insertshortdate{}%
3501     \hfill%
3502     \bgroup
3503     \usebeamerfont{page number in head/foot}%
3504     \usebeamerfont{page number in head/foot}%
3505     \usebeamertemplate{page number in head/foot}%
3506     \egroup
3507     \end{beamercolorbox}}%
3508     \vskip0pt%
3509 }
3510
3511 \bidi@csundef{beamer@tmpop@headline@infoclines theme}
3512
3513 \defbeamertemplate*{headline}{infoclines theme}
3514 {%
3515   \leavevmode%
3516   \hbox{%
3517     \if@RTL

```




```

3518 \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,left]{section in head/foot}%
3519 \else
3520 \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,right]{section in head/foot}%
3521 \fi
3522 \usebeamerfont{section in head/foot}\insertsectionhead\hspace*{2ex}
3523 \end{beamercolorbox}%
3524 \if@RTL
3525 \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,right]{subsection in head/foot}%
3526 \else
3527 \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,left]{subsection in head/foot}%
3528 \fi
3529 \usebeamerfont{subsection in head/foot}\hspace*{2ex}\insertsubsectionhead
3530 \end{beamercolorbox}}%
3531 \vskip0pt%
3532 }
3533
3534 \bidi@AfterFile{beamerouterthememsplit-xetex-bidi.def}{%
3535 \setbeamertemplate{footline}[infolines theme]%
3536 }
3537

```

35 File beamerouterthememetropolis-xetex-bidi.def

```

3538 \ProvidesFile{beamerouterthememetropolis-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations fo
3539 \setbeamertemplate{progress bar in head/foot}{
3540 \nointerlineskip
3541 \setlength{\metropolis@progressinheadfoot}{%
3542 \paperwidth * \ratio{\insertframenumber pt}{\inserttotalframenumber pt}}%
3543 }%
3544 \begin{beamercolorbox}[wd=\paperwidth]{progress bar in head/foot}
3545 \begin{tikzpicture}
3546 \fill[bg] (0,0) rectangle (\paperwidth, \metropolis@progressinheadfoot@linewidth);
3547 \if@RTLmain
3548 \fill[fg] (\paperwidth-\metropolis@progressinheadfoot,0) rectangle (\paperwidth, \metr
3549 \else
3550 \fill[fg] (0,0) rectangle (\metropolis@progressinheadfoot, \metropolis@progressinheadf
3551 \fi
3552 \end{tikzpicture}%
3553 \end{beamercolorbox}
3554 }
3555
3556 \AtBeginDocument{%
3557 \setbeamertemplate{frametitle}[plain]%
3558 }
3559
3560

```

36 File beamerouterthememiniframes-xetex-bidi.def

```

3561 \ProvidesFile{beamerouterthememiniframes-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations fo
3562 \bidi@csundef{beamer@tmpop@headline@miniframes theme}
3563
3564 \defbeamertemplate*{headline}{miniframes theme}
3565 {%

```



```

3566 \begin{beamercolorbox}[colsep=1.5pt]{upper separation line head}
3567 \end{beamercolorbox}
3568 \begin{beamercolorbox}{section in head/foot}
3569 \vskip2pt\if@RTL\beginR\fi\insertnavigation{\paperwidth}\if@RTL\endR\fi\vskip2pt
3570 \end{beamercolorbox}%
3571 \ifbeamer@theme@subsection%
3572 \begin{beamercolorbox}[colsep=1.5pt]{middle separation line head}
3573 \end{beamercolorbox}
3574 \if@RTL
3575 \begin{beamercolorbox}[ht=2.5ex,dp=1.125ex,%
3576 rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/foot}
3577 \else
3578 \begin{beamercolorbox}[ht=2.5ex,dp=1.125ex,%
3579 leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/foot}
3580 \fi
3581 \usebeamerfont{subsection in head/foot}\insertsubsectionhead
3582 \end{beamercolorbox}%
3583 \fi%
3584 \begin{beamercolorbox}[colsep=1.5pt]{lower separation line head}
3585 \end{beamercolorbox}
3586 }
3587
3588

```

37 File beamerouterthemesidebar-xetex-bidi.def

```

3589 \ProvidesFile{beamerouterthemesidebar-xetex-bidi.def}[2022/06/07 v0.2 bidi adaptations for b
3590 \bidi@csundef{beamer@@tmpop@frametitle@sidebar theme}
3591
3592 \bidi@csundef{beamer@@tmpop@headline@sidebar theme}
3593
3594 \bidi@csundef{beamer@@tmpop@sidebar left@sidebar theme}
3595
3596 \bidi@csundef{beamer@@tmpop@sidebar right@sidebar theme}
3597
3598 \ifdim\beamer@headheight>0pt
3599
3600 \defbeamer*template*{frametitle}{sidebar theme}
3601 {%
3602 \nointerlineskip%
3603 \ifbeamer@plainframe%
3604 \hbox{\usebeamercolor[bg]{frametitle}%
3605 \@tempdima\paperwidth\advance\@tempdima-\beamer@sidebarwidth
3606 \hskip-\beamer@leftmargin\vrule height\beamer@headheight width\@tempdima\hskip-\beam
3607 \nointerlineskip%
3608 \fi%
3609 \vskip-\beamer@headheight%
3610 \vbox to \beamer@headheight{%
3611 \vfil
3612 \bidi@beamer@leftskip=-\beamer@leftmargin%
3613 \advance\bidi@beamer@leftskip by0.3cm%
3614 \bidi@beamer@rightskip=-\beamer@rightmargin%
3615 \advance\bidi@beamer@rightskip by0.3cm plus1fil%
3616 {\usebeamercolor[fg]{frametitle}\usebeamerfont{frametitle}\strut\insertframetitle\par}

```



```

3617     \ifx\insertframesubtitle\@empty\else%
3618         {\usebeamercolor[fg]{framesubtitle}\usebeamerfont{framesubtitle}\strut\insertframesubtitle}%
3619     \fi%
3620     \vbox{}%
3621     \vskip-1em%
3622     \vfil
3623 }%
3624 }
3625
3626 \AtBeginDocument{%
3627     \setbeamertemplate{frametitle}[sidebar theme]%
3628 }
3629
3630 \defbeamertemplate*{headline}{sidebar theme}
3631 {%
3632     \begin{beamercolorbox}[wd=\paperwidth]{frametitle}
3633         \ifx\beamer@sidebarside\beamer@lefttext%
3634         \else%
3635             \hfill%
3636         \fi%
3637         \ifdim\beamer@sidebarwidth>0pt%
3638             \bgroup
3639             \usebeamercolor[bg]{logo}%
3640             \if@RTLmain
3641             \else
3642                 \vrule width\beamer@sidebarwidth height \beamer@headheight%
3643                 \hskip-\beamer@sidebarwidth%
3644             \fi
3645             \hbox to \beamer@sidebarwidth{\hss\vbox to
3646                 \beamer@headheight{\vss\hbox{{\color{fg}\insertlogo}}\vss}\hss}%
3647             \if@RTLmain
3648                 \hskip-\beamer@sidebarwidth%
3649                 \vrule width\beamer@sidebarwidth height \beamer@headheight%
3650             \fi
3651             \egroup
3652         \else%
3653             \vrule width0pt height \beamer@headheight%
3654         \fi%
3655     \end{beamercolorbox}
3656 }
3657 \fi
3658
3659 \def\beamer@sidebarformat#1#2#3{%
3660 \if@RTL
3661     \begin{beamercolorbox}[wd=\beamer@sidebarwidth,rightskip=#1,leftskip=1ex plus1fil,vmode]{#2}
3662 \else
3663     \begin{beamercolorbox}[wd=\beamer@sidebarwidth,leftskip=#1,rightskip=1ex plus1fil,vmode]{#2}
3664 \fi
3665     \vbox{}%
3666     #3\par%
3667     \vbox{}%
3668     \vskip-1.5ex%
3669 \end{beamercolorbox}
3670 }

```



```

3671
3672 \ifdim\beamer@sidebarwidth>0pt
3673
3674 \AtBeginDocument{%
3675   \setbeamersize{sidebar width \beamer@sidebarside=\beamer@sidebarwidth}%
3676 }
3677
3678 \defbeamertemplate*{sidebar \beamer@sidebarside}{sidebar theme}
3679 {
3680   \beamer@tempdim=\beamer@sidebarwidth%
3681   \advance\beamer@tempdim by -6pt%
3682   {\usebeamerfont{title in sidebar}%
3683     \vskip1.5em%
3684     \hskip3pt%
3685     \bgroup
3686     \usebeamercolor[fg]{title in sidebar}%
3687     \insertshorttitle[width=\beamer@tempdim,center,respectlinebreaks]\egroup\par%
3688     \vskip1.25em%
3689   }%
3690   {%
3691     \hskip3pt%
3692     \bgroup
3693     \usebeamercolor[fg]{author in sidebar}%
3694     \usebeamerfont{author in sidebar}%
3695     \insertshortauthor[width=\beamer@tempdim,center,respectlinebreaks]\egroup\par%
3696     \vskip1.25em%
3697   }%
3698   \insertverticalnavigation{\beamer@sidebarwidth}%
3699   \vfill
3700   \ifx\beamer@sidebarside\beamer@lefttext%
3701   \else%
3702     \usebeamercolor{normal text}%
3703     \llap{\usebeamertemplate***{navigation symbols}\hskip0.1cm}%
3704     \vskip2pt%
3705   \fi%
3706 }%
3707 \fi
3708

```

38 File beamerouterthemesplit-xetex-bidi.def

```

3709 \ProvidesFile{beamerouterthemesplit-xetex-bidi.def}[2022/06/09 v0.2 bidi adaptations for bea
3710 \bidi\csundef{beamer@tmpop@footline@split theme}
3711
3712 \defbeamertemplate*{footline}{split theme}
3713 {%
3714   \leavevmode%
3715   \hbox{\if@RTL\begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,rightskip=.3cm pl
3716 \else
3717 \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,leftskip=.3cm plus1fill,rightski
3718 \fi
3719   \usebeamerfont{author in head/foot}\insertshortauthor
3720   \end{beamercolorbox}%
3721 \if@RTL

```



```

3722 \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,rightskip=.3cm,leftskip=.3cm
3723 \else
3724 \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,leftskip=.3cm,rightskip=.3cm p
3725 \fi
3726 \usebeamerfont{title in head/foot}\insertshorttitle\nobreak\hfill\bggroup\usebeamercolor[
3727 \end{beamercolorbox}}}%
3728 \vskip0pt%
3729 }
3730
3731

```

39 File beamerouterthemeshadow-xetex-bidi.def

```

3732 \ProvidesFile{beamerouterthemeshadow-xetex-bidi.def}[2022/06/11 v0.3 bidi adaptations for be
3733 \pgfdeclarehorizontalshading[frametitle.bg,frametitle right.bg]{bidi@beamer@RTL@frametitlesh
3734 color(0pt)=(frametitle right.bg);
3735 color(\paperwidth)=(frametitle.bg)
3736 }
3737
3738 \newcommand*{\bidi@beamer@frametitleshade}{%
3739 \if@RTLmain
3740 \pgfuses shading{bidi@beamer@RTL@frametitleshade}%
3741 \else
3742 \pgfuses shading{beamer@frametitleshade}%
3743 \fi
3744 }
3745
3746 \bidi@csundef{beamer@tmpop@frametitle@shadow theme}
3747
3748 \defbeamer@template*{frametitle}{shadow theme}
3749 {%
3750 \nointerlineskip%
3751 \vskip-2pt%
3752 \hbox{\leavevmode
3753 \advance\beamer@leftmargin by -12bp%
3754 \advance\beamer@rightmargin by -12bp%
3755 \beamer@tempdim=\textwidth%
3756 \advance\beamer@tempdim by \beamer@leftmargin%
3757 \advance\beamer@tempdim by \beamer@rightmargin%
3758 \hskip-\Gm@lmargin\hbox{%
3759 \setbox\beamer@tempbox=\hbox{\begin{minipage}[b]{\paperwidth}%
3760 \vbox{\vskip-.75ex%
3761 \bidi@beamer@leftskip0.3cm%
3762 \bidi@beamer@rightskip0.3cm plus1fil\leavevmode
3763 \bggroup\usebeamercolor[fg]{frametitle}\usebeamerfont{frametitle}\strut\insertframe
3764 \ifx\insertframesubtitle\@empty\else%
3765 {\usebeamerfont*{framesubtitle}\usebeamercolor[fg]{framesubtitle}\insertframesu
3766 \fi%
3767 \nointerlineskip
3768 \vbox{}}%
3769 \end{minipage}}}%
3770 \beamer@tempdim=\ht\beamer@tempbox%
3771 \advance\beamer@tempdim by 2pt%
3772 \begin{pgfpicture}{0pt}{0pt}{\paperwidth}{\beamer@tempdim}

```



```

3773     \begin{pgfscope}
3774         \pgfsetfillcolor{black}%
3775         \pgfpathrectangle{\pgfpoint{0pt}{-4pt}}{\pgfpoint{\paperwidth}{8pt}}%
3776         \pgfsetfading{beamer@topshadowmask}{}%
3777         \pgfusepath{fill}%
3778     \end{pgfscope}
3779     \begin{pgfscope}
3780         \usebeamercolor{frametitle right}%
3781         \pgfpathrectangle{\pgfpointorigin}{\pgfpoint{\paperwidth}{\beamer@tempdim}}%
3782         \pgfusepath{clip}%
3783         \pgftext[left,base]{\bidi@beamer@frametitleshade}%
3784     \end{pgfscope}
3785     \end{pgfpicture}
3786     \hskip-\paperwidth%
3787     \box\beamer@tempbox%
3788 }%
3789 \hskip-\Gm@rmargin%
3790 }%
3791 \vskip-2pt
3792 }
3793
3794 \AtBeginDocument{%
3795     \setbeamertemplate{frametitle}[shadow theme]%
3796 }
3797
3798

```

40 File beamerouterthemesmoothbars-xetex-bidi.def

```

3799 \ProvidesFile{beamerouterthemesmoothbars-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations fo
3800 \bidi@csundef{beamer@@tmpop@headline@smoothbars theme}
3801
3802 \bidi@csundef{beamer@@tmpop@frametitle@smoothbars theme}
3803
3804 \defbeamertemplate*{headline}{smoothbars theme}
3805 {%
3806     \pgfuses shading{beamer@barshade}%
3807     \vskip-0.05ex%
3808     \begin{beamer colorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}
3809     \begin{pgfpicture}
3810         \begin{pgfscope}%
3811             \ifbeamer@sb@subsection%
3812                 \pgfsetfillcolor{subsection in head/foot.bg}%
3813             \else%
3814                 \pgfsetfillcolor{section in head/foot.bg}%
3815             \fi%
3816             \pgfpathrectangle{\pgfpoint{-.5\paperwidth}{-0.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3817             \pgfsetfading{beamer@belowframetitlemask}{}%
3818             \pgfusepath{fill}%
3819         \end{pgfscope}%
3820     \end{pgfpicture}%
3821     \end{beamer colorbox}%
3822     \ifbeamer@sb@subsection%
3823         \vskip-9.75ex%

```



```

3824 \else%
3825 \vskip-6.85ex%
3826 \fi%
3827 \begin{beamercolorbox}[ignorebg,ht=2.25ex,dp=3.75ex]{section in head/footer}
3828 \insertnavigation{\paperwidth}
3829 \end{beamercolorbox}%
3830 \ifbeamer@sb@subsection%
3831 \if@RTL
3832 \begin{beamercolorbox}[ignorebg,ht=2.125ex,dp=1.125ex,%
3833 rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/footer}
3834 \else
3835 \begin{beamercolorbox}[ignorebg,ht=2.125ex,dp=1.125ex,%
3836 leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/footer}
3837 \fi
3838 \usebeamerfont{subsection in head/footer}\insertsubsectionhead
3839 \end{beamercolorbox}%
3840 \fi%
3841 }%
3842
3843 \defbeamertemplate*{frametitle}{smoothbars theme}
3844 {%
3845 \nointerlineskip%
3846 \vskip-0.19ex%
3847 \usebeamerfont{headline}%
3848 \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=1ex,vmode]{empty}
3849 \pgfuses shading{beamer@aboveframetitle}%
3850 \end{beamercolorbox}%
3851 \vskip-1ex%
3852 \nointerlineskip%
3853 \if@RTL
3854 \begin{beamercolorbox}[wd=\paperwidth,rightskip=.3cm,leftskip=.3cm plus1fil,vmode]{frameti
3855 \else
3856 \begin{beamercolorbox}[wd=\paperwidth,leftskip=.3cm,rightskip=.3cm plus1fil,vmode]{frameti
3857 \fi
3858 \vskip0.5ex%
3859 \usebeamerfont*{frametitle}\strut\insertframetitle%
3860 \ifx\insertframesubtitle\@empty%
3861 \strut\par%
3862 \else
3863 \par{\usebeamerfont*{framesubtitle}\usebeamercolor[fg]{framesubtitle}\strut\insertf
3864 \fi}%
3865 \usebeamerfont{headline}%
3866 \vskip0.05ex%
3867 \end{beamercolorbox}%
3868 \nointerlineskip%
3869 \vskip-0.05ex%
3870 \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}
3871 \begin{pgfpicture}
3872 \begin{pgfscope}%
3873 \pgfsetfillcolor{frametitle.bg}%
3874 \pgfpathrectangle{\pgfpoint{-.5\paperwidth}{-.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3875 \pgfsetfading{beamer@belowframetitlemask}{}%
3876 \pgfusepath{fill}%
3877 \end{pgfscope}%

```



```

3878 \end{pgfpicture}%
3879 \end{beamercolorbox}%
3880 }
3881
3882 \AtBeginDocument{%
3883 \setbeamertheme{frametitle}[smoothbars theme]%
3884 }
3885
3886

```

41 File beamerouterthemesmoothtree-xetex-bidi.def

```

3887 \ProvidesFile{beamerouterthemesmoothtree-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations fo
3888 \bidi\csundef{beamer@tmpop@headline@smoothtree theme}
3889
3890 \bidi\csundef{beamer@tmpop@frametitle@smoothtree theme}
3891
3892 \defbeamertheme*{headline}{smoothtree theme}
3893 {%
3894 \pgfuseshading{beamer@treeshade}%
3895 \vskip-0.05ex%
3896 \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}
3897 \begin{pgfpicture}
3898 \begin{pgfscope}%
3899 \pgfsetfillcolor{subsection in head/foot.bg}%
3900 \pgfpathrectangle{\pgfpoint{-0.5\paperwidth}{-0.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3901 \pgfsetfading{beamer@belowframetitlemask}{}%
3902 \pgfusepath{fill}%
3903 \end{pgfscope}%
3904 \end{pgfpicture}%
3905 \end{beamercolorbox}%
3906 \vskip-9.15ex%
3907 \if@RTL
3908 \begin{beamercolorbox}[wd=\paperwidth,ht=1.125ex,dp=1.125ex,ignorebg,%
3909 rightskip=.3cm,leftskip=.3cm plus1fil]{title in head/foot}
3910 \else
3911 \begin{beamercolorbox}[wd=\paperwidth,ht=1.125ex,dp=1.125ex,ignorebg,%
3912 leftskip=.3cm,rightskip=.3cm plus1fil]{title in head/foot}
3913 \fi
3914 \usebeamerfont{title in head/foot}\insertshorttitle
3915 \end{beamercolorbox}
3916 \if@RTL
3917 \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3918 rightskip=.3cm,leftskip=.3cm plus1fil]{section in head/foot}
3919 \else
3920 \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3921 leftskip=.3cm,rightskip=.3cm plus1fil]{section in head/foot}
3922 \fi
3923 \usebeamerfont{section in head/foot}%
3924 \hskip6pt\insertsectionhead
3925 \end{beamercolorbox}
3926 \if@RTL
3927 \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3928 rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/foot}

```




```

3929 \else
3930 \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3931     leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/foot}
3932 \fi
3933 \usebeamerfont{subsection in head/foot}%
3934 \hskip12pt\insertsubsectionhead
3935 \end{beamercolorbox}
3936 \vskip-0.4ex%
3937 }
3938
3939 \defbeamertemplate*{frametitle}{smoothtree theme}
3940 {%
3941 \nointerlineskip%
3942 \vskip-0.05ex%
3943 \usebeamerfont{headline}%
3944 \begin{beamercolorbox}[wd=\paperwidth,ht=0.85ex,dp=0ex]{empty}
3945 \pgfuses shading{beamer@aboveframetitle}%
3946 \end{beamercolorbox}
3947 \nointerlineskip%
3948 \if@RTL
3949 \begin{beamercolorbox}[wd=\paperwidth,rightskip=.935cm,leftskip=.3cm plus1fil]{frametitle}
3950 \else
3951 \begin{beamercolorbox}[wd=\paperwidth,leftskip=.935cm,rightskip=.3cm plus1fil]{frametitle}
3952 \fi
3953 \vskip-1.2ex%
3954 \usebeamerfont*{frametitle}\strut\insertframetitle%
3955 \ifx\insertframesubtitle\@empty%
3956 \strut\par%
3957 \else
3958 \par{\usebeamerfont*{framesubtitle}{\usebeamercolor[fg]{framesubtitle}\strut\insertframesubtitle}%
3959 \fi%%
3960 \usebeamerfont{headline}%
3961 \end{beamercolorbox}%
3962 \nointerlineskip
3963 \vskip-0.2ex%
3964 \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}
3965 \begin{pgfpicture}
3966 \begin{pgfscope}%
3967 \pgfsetfillcolor{frametitle.bg}%
3968 \pgfpathrectangle{\pgfpoint{- .5\paperwidth}{-0.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3969 \pgfsetfading{beamer@belowframetitlemask}{}%
3970 \pgfusepath{fill}%
3971 \end{pgfscope}%
3972 \end{pgfpicture}%
3973 \end{beamercolorbox}%
3974 }
3975
3976
3977 \AtBeginDocument{%
3978 \setbeamertemplate{frametitle}[smoothtree theme]%
3979 }
3980
3981

```



42 File beamerouterthemetree-xetex-bidi.def

```
3982 \ProvidesFile{beamerouterthemetree-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for beam
3983 \bidi@csundef{beamer@tmpop@headline@tree theme}
3984
3985 \defbeamer-template*{headline}{tree theme}
3986 {%
3987   \begin{beamercolorbox}[wd=\paperwidth,colsep=1.5pt]{upper separation line head}
3988   \end{beamercolorbox}
3989   \if@RTL
3990   \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3991     rightskip=.3cm,leftskip=.3cm plus1fil]{title in head/foot}
3992   \else
3993   \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3994     leftskip=.3cm,rightskip=.3cm plus1fil]{title in head/foot}
3995   \fi
3996   \usebeamerfont{title in head/foot}\insertshorttitle
3997   \end{beamercolorbox}
3998   \if@RTL
3999   \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
4000     rightskip=.3cm,leftskip=.3cm plus1fil]{section in head/foot}
4001   \else
4002   \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
4003     leftskip=.3cm,rightskip=.3cm plus1fil]{section in head/foot}
4004   \fi
4005   \usebeamerfont{section in head/foot}%
4006   \ifbeamer@tree@showhooks
4007     \setbox\beamer@tempbox=\hbox{\insertsectionhead}%
4008     \ifdim\wd\beamer@tempbox>1pt%
4009       \hskip2pt\raise1.9pt\hbox{\vrule width0.4pt height1.875ex\vrule width 5pt height0.
4010       \hskip1pt}%
4011     \fi%
4012   \else%
4013     \hskip6pt%
4014   \fi%
4015   \insertsectionhead
4016   \end{beamercolorbox}
4017   \if@RTL
4018   \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
4019     rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/foot}
4020   \else
4021   \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
4022     leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/foot}
4023   \fi
4024   \usebeamerfont{subsection in head/foot}%
4025   \ifbeamer@tree@showhooks
4026     \setbox\beamer@tempbox=\hbox{\insertsubsectionhead}%
4027     \ifdim\wd\beamer@tempbox>1pt%
4028       \hskip9.4pt\raise1.9pt\hbox{\vrule width0.4pt height1.875ex\vrule width 5pt height
4029       \hskip1pt}%
4030     \fi%
4031   \else%
4032     \hskip12pt%
4033   \fi%
```



```

4034     \insertsubsectionhead
4035     \end{beamercolorbox}
4036     \begin{beamercolorbox}[wd=\paperwidth,colsep=1.5pt]{lower separation line head}
4037     \end{beamercolorbox}
4038 }
4039
4040

```

43 File beamerthemeHannover-xetex-bidi.def

```

4041 \ProvidesFile{beamerthemeHannover-xetex-bidi.def}[2022/06/07 v0.1 bidi adaptations for beamer]
4042 \AtBeginDocument{%
4043   \if@RTLmain
4044     \setbeamertemplate{frametitle}[default][left]%
4045   \else
4046     \setbeamertemplate{frametitle}[default][right]%
4047   \fi
4048 }
4049
4050

```

44 File beamerthemeSingapore-xetex-bidi.def

```

4051 \ProvidesFile{beamerthemeSingapore-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for beamer]
4052 \addtoheadtemplate{\pgfuses shading{beamer@headfade}\vskip-1.25cm}{%}
4053
4054 \beamertemplatedotitem
4055
4056 \AtBeginDocument{%
4057   \setbeamertemplate{frametitle}[default][center]%
4058 }
4059
4060

```

45 File bidi.sty

```

4061 \NeedsTeXFormat{LaTeX2e}
4062 \def\bididate{2026/01/08}
4063 \def\bidi@version{26.01.08}
4064 \def\bidi@releasename{Iran}
4065 \newcommand*{\bidi@releasename}{\bidi@releasename}
4066 \ProvidesPackage{bidi}[\bididate\space v\bidi@version\space (Release \bidi@releasename)\space]
4067 Bidirectional typesetting in plain TeX and LaTeX]
4068 \newif\if@bidi@banner
4069 \newif\if@bidi@pdfbanner
4070 \newif\iffootdir@debug
4071 \newif\if@extrafootnotefeatures
4072 \newif\if@nonlatin
4073 \newif\if@bidi@pdfm@mark
4074 \ExplSyntaxOn
4075 \clist_new:N \l__bidi_counter_clist
4076 \msg_new:nnn {bidi} {cannot-use-engine}
4077 {
4078   Oops!~can~not~use~\c_sys_engine_str.\\\

```



```

4079   The~bidi~package~requires~XeTeX.
4080 }
4081 \sys_if_engine_xetex:F
4082 {
4083   \msg_fatal:nn {bidi} {cannot-use-engine}
4084 }
4085
4086 \keys_define:nn { bidi }
4087 {
4088   banner .choice: ,
4089   banner / on .code:n = \@bidi@bannertrue ,
4090   banner / off .code:n = \@bidi@bannerfalse ,
4091   banner .default:n = on
4092 }
4093 \keys_define:nn { bidi }
4094 {
4095   PDFbanner .choice: ,
4096   PDFbanner / on .code:n = \@bidi@pdfbannertrue ,
4097   PDFbanner / off .code:n = \@bidi@pdfbannerfalse ,
4098   PDFbanner .default:n = on
4099 }
4100 \keys_define:nn { bidi }
4101 {
4102   RTLdocument .choice: ,
4103   RTLdocument / on .code:n = \AtEndOfPackage{\@RTLtrue} ,
4104   RTLdocument / off .code:n = \AtEndOfPackage{\@RTLfalse} ,
4105   RTLdocument .default:n = on
4106 }
4107 \keys_define:nn { bidi }
4108 {
4109   rldocument .choice: ,
4110   rldocument / on .code:n = \AtEndOfPackage{\@RTLtrue} ,
4111   rldocument / off .code:n = \AtEndOfPackage{\@RTLfalse} ,
4112   rldocument .default:n = on
4113 }
4114 \keys_define:nn { bidi }
4115 {
4116   documentdirection .choice: ,
4117   documentdirection / righttoleft .code:n = \AtEndOfPackage{\@RTLtrue} ,
4118   documentdirection / lefttoright .code:n = \AtEndOfPackage{\@RTLfalse}
4119 }
4120 \keys_define:nn { bidi }
4121 {
4122   tabledirection .choice: ,
4123   tabledirection / righttoleft .code:n = \AtEndOfPackage{\@RTLtabtrue} ,
4124   tabledirection / lefttoright .code:n = \AtEndOfPackage{\@RTLtabfalse}
4125 }
4126 \keys_define:nn { bidi }
4127 {
4128   footnotedirection .choice: ,
4129   footnotedirection / righttoleft .code:n = \AtEndOfPackage{\@RTL@footnotetrue} ,
4130   footnotedirection / lefttoright .code:n = \AtEndOfPackage{\@RTL@footnotefalse}
4131 }
4132 \keys_define:nn { bidi }

```



```

4133 {
4134     debugfootnotedirection .choice: ,
4135     debugfootnotedirection / on .code:n = \footdir@debugtrue ,
4136     debugfootnotedirection / off .code:n = \footdir@debugfalse ,
4137     debugfootnotedirection .default:n = on
4138 }
4139 \keys_define:nn { bidi }
4140 {
4141     footnoterule .choice: ,
4142     footnoterule / automatic .code:n = \AtEndOfPackage{\autofootnoterule} ,
4143     footnoterule / left .code:n = \AtEndOfPackage{\leftfootnoterule} ,
4144     footnoterule / right .code:n = \AtEndOfPackage{\rightfootnoterule} ,
4145     footnoterule / split .code:n = \AtEndOfPackage{\SplitFootnoteRule} ,
4146     footnoterule / textwidth .code:n = \AtEndOfPackage{\textwidthfootnoterule}
4147 }
4148 \keys_define:nn { bidi }
4149 {
4150     extrafootnotefeatures .choice: ,
4151     extrafootnotefeatures / on .code:n = \@extrafootnotefeaturestrue ,
4152     extrafootnotefeatures / off .code:n = \@extrafootnotefeaturesfalse ,
4153     extrafootnotefeatures .default:n = on
4154 }
4155 \keys_define:nn { bidi }
4156 {
4157     script .choice: ,
4158     script / latin .code:n = \@nonlatinfalse ,
4159     script / nonlatin .code:n = \@nonlatintrue ,
4160     script .default:n = latin
4161 }
4162 \keys_define:nn { bidi }
4163 {
4164     DetectColumn .choice: ,
4165     DetectColumn / on .code:n =
4166         \def\bidi@firstcolumn@status@write{%
4167             \protected@write\@auxout{%
4168                 {\string\bidi@column@status
4169                     {1}}}
4170         \def\bidi@lastcolumn@status@write{%
4171             \protected@write\@auxout{%
4172                 {\string\bidi@column@status{2}}} ,
4173     DetectColumn / off .code:n =
4174         \let\bidi@firstcolumn@status@write\relax
4175         \let\bidi@lastcolumn@status@write\relax ,
4176     DetectColumn .default:n = on
4177 }
4178 \keys_define:nn { bidi }
4179 {
4180     logo .choice: ,
4181     logo / on .code:n = \AtEndOfPackage{\AtBeginDocument{\@bidi@inslogo}} ,
4182     logo / off .code:n = \AtEndOfPackage{\let\@bidi@logo\@empty \let\@bidi@inslogo\@empty}
4183     logo .default:n = on
4184 }
4185 \keys_define:nn { bidi }
4186 {

```



```

4187 pdfinfo .choice: ,
4188 pdfinfo / on .code:n = \@bidi@pdfm@marktrue ,
4189 pdfinfo / off .code:n = \@bidi@pdfm@markfalse ,
4190 pdfinfo .default:n = on
4191 }
4192 \keys_define:nn { bidi }
4193 {
4194   resetcounterperpage .code:n = \clist_set:Nx \l__bidi_counter_clist { #1 }
4195 }
4196 \keys_set:nn { bidi }
4197 {
4198   banner = on ,
4199   PDFbanner = on ,
4200   DetectColumn = off
4201 }
4202 }
4203 \ExplSyntaxOff
4204 \ProcessKeyOptions
4205 \edef\@bidi@info{*****~J%
4206 * ~J%
4207 * bidi package (Bidirectional typesetting with~J%
4208 * plain TeX and LaTeX formats in XeTeX and LuaTeX engines)~J%
4209 * ~J%
4210 * Description: A convenient interface for~J%
4211 * typesetting bidirectional texts in plain TeX~J%
4212 * and LaTeX. The package includes adaptations~J%
4213 * for use with many other commonly-used packages.~J%
4214 * ~J%
4215 * Copyright (c) 2007--2026 Vafa Khalighi~J%
4216 * Copyright (c) 2018--2020 bidi-tex GitHub organization~J%
4217 * ~J%
4218 * v\bidi@version\space (Release \bidi@releasename), \bididate~J%
4219 * ~J%
4220 * License: LaTeX Project Public License, version~J%
4221 * 1.3c or higher (your choice)~J%
4222 * ~J%
4223 * Location on CTAN: /macros/unicodetex/generic/bidi~J%
4224 * ~J%
4225 * Issue tracker: https://github.com/xepersian/bidi/issues~J%
4226 * ~J%
4227 * Primary author of bidi package: Vafa Khalighi.~J%
4228 * ~J%
4229 *****}
4230 \edef\bidi@everyjob{\the\everyjob}
4231 \if@bidi@banner
4232   \typeout{\@bidi@info}
4233   \everyjob{\bidi@everyjob\typeout{\@bidi@info}}
4234 \fi
4235 \newcommand*{\bidiversion}{\ensuremath\bidi@version}
4236 \RequirePackage{biditools}
4237 \RequirePackage{zref-abspage}
4238 \RequirePackage{auxhook}
4239 \RequirePackage{ltxcmds}
4240 \eqnewif{if@RTLmain}{\if@rlmain}

```



```

4241 \eqnewif{\if@RTL}{\if@rl}
4242 \newcommand*{\setlatin}{\@nonlatinfalse}
4243 \newcommand*{\setnonlatin}{\@nonlatintrue}
4244 \eqnewif{\if@RTLtab}{\if@tab@rl}
4245 \newif\if@hboxRconstruct
4246 \newif\if@bidi@pdfencrypt
4247 \newcommand*{\setRTLtable}{\@RTLtabtrue}
4248 \newcommand*{\setLTRtable}{\@RTLtabfalse}
4249 \newif\if@RTLMarginpar
4250 \newif\if@LTRmarginpar
4251 \newif\if@LTRbibitems
4252 \newif\if@RTLbibitems
4253 \eqnewif{\if@RTL@footnote}{\if@rl@footnote}
4254 \newif\if@bidi@list@minipage@parbox
4255 \newif\if@bidi@list@minipage@parbox@not@nob
4256 \newcommand*{\@bidi@pdfcreator}{%
4257   The bidi package, v\@bidi@version\space (Release \@bidi@releasename), \@bidi@date
4258 }
4259 \newcommand*{\@bidi@pdfproducer}{%
4260   The bidi package, v\@bidi@version\space (Release \@bidi@releasename), \@bidi@date
4261 }
4262 \newcommand*{\@bidi@pdfcustomproperties}{%
4263   This is the bidi package, Version \@bidi@version\space (Release \@bidi@releasename),
4264   Released January 8, 2026.
4265 }
4266 \newcommand*{\@bidi@beamer@ragged}{%
4267 \@RTLmainfalse
4268 \AtBeginDocument{%
4269   \if@RTLmain\else
4270     \if@RTL\@RTLmaintrue%
4271     \else\@RTLmainfalse%
4272     \fi%
4273   \fi%
4274 }
4275 \let\n@xt=\
4276 \bidi@newrobustcmd*{\LRE}{\protect\pLRE}%
4277 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
4278 \bidi@newrobustcmd*{\RLE}{\protect\pRLE}
4279 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
4280 \def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
4281   \errmessage{Missing left brace has been substituted}\fi \bgroup}
4282 \newinsert\@bidi@copyins@
4283 \skip\@bidi@copyins@=12\p@
4284 \dimen\@bidi@copyins@=40pc
4285 \count\@bidi@copyins@=1000
4286 \newcommand*{\@bidi@inslogo@}{\insert\@bidi@copyins@{\@bidi@logo@}}
4287 \newcommand*{\@bidi@logo@hb@xt@columnwidth}{%
4288   \if@RTLmain
4289     \if@twocolumn
4290       \hboxR to \columnwidth
4291     \else
4292       \hboxR to \textwidth
4293     \fi
4294   \else

```



```

4295 \if@twocolumn
4296 \hboxL to \columnwidth
4297 \else
4298 \hboxL to \textwidth
4299 \fi
4300 \fi
4301 }
4302 \newcommand*{\@bidi@logo}[1]{%
4303 \toks@{%
4304 \setbox\z@\hbox{%
4305 \special{%
4306 pdf:image width 50pt height 50pt (#1)%
4307 }
4308 }%
4309 \dp\z@\z@
4310 \ht\z@=50pt
4311 \wd\z@=50pt
4312 \beginL
4313 \lower20pt\box\z@
4314 \endL
4315 }%
4316 \the\toks@
4317 }
4318 \newcount\bidi@typesethour
4319 \newcount\bidi@typesetminute
4320 \bidi@typesethour=\time
4321 \divide\bidi@typesethour 60
4322 \bidi@typesetminute=-\bidi@typesethour
4323 \multiply\bidi@typesetminute 60
4324 \advance\bidi@typesetminute \time
4325 \newcommand*{\TypesetHour}{\two@digits\bidi@typesethour}
4326 \newcommand*{\TypesetMinute}{\two@digits\bidi@typesetminute}
4327 \newcommand*{\TypesetTime}{\TypesetHour:\TypesetMinute}
4328 \newcommand*{\@bidi@logo@}{%
4329 \@bidi@logo@hb@xt@columnwidth
4330 {\hss\LRE{\bfseries Typeset {\today} at {\TypesetTime} by the \textsf{bidi}
4331 package\quad\@bidi@logo{bidi-logo.pdf}}}}
4332 \ExplSyntaxOn
4333 \keys_define:nn { bidi / pdfencrypt }
4334 {
4335 userpassword .code:n = \def\bidi@pdfencrypt@userpassword{#1} ,
4336 userpassword .default:n =
4337 }
4338 \keys_define:nn { bidi / pdfencrypt }
4339 {
4340 ownerpassword .code:n = \def\bidi@pdfencrypt@ownerpassword{#1} ,
4341 ownerpassword .default:n =
4342 }
4343 \keys_define:nn { bidi / pdfencrypt }
4344 {
4345 keylength .code:n = \def\bidi@pdfencrypt@keylength{#1} ,
4346 keylength .default:n = 128
4347 }
4348 \keys_define:nn { bidi / pdfencrypt }

```




```

4349 {
4350   permissionflags .code:n = \def\bidi@pdfencrypt@permissionflags{#1} ,
4351   permissionflags .default:n = 2052
4352 }
4353 \NewDocumentCommand \pdfencryptsetup {m} { \keys_set:nn { bidi / pdfencrypt } {#1} }
4354 \clist_if_empty:NF \l__bidi_counter_clist
4355 {
4356   \RequirePackage{bidi-perpage}
4357   \clist_map_inline:Nn \l__bidi_counter_clist
4358   {
4359     \ResetCounterPerPage{#1}
4360   }
4361   \clist_clear:N \l__bidi_counter_clist
4362 }
4363 \ExplSyntaxOff
4364 \@onlypreamble\pdfencryptsetup
4365 \input{latex-xetex-bidi.def}
4366
4367 \pdfencryptsetup{%
4368   userpassword,%
4369   ownerpassword,%
4370   keylength,%
4371   permissionflags%
4372 }
4373
4374 \if@extrafootnotefeatures
4375   \input{extrafootnotefeatures-xetex-bidi.def}
4376 \fi
4377 \newcount\bidi@digits
4378 \XeTeXinterchartokenstate=\@ne
4379 \newXeTeXintercharclass\bidi@digits@charclass
4380 \newXeTeXintercharclass\bidi@sepmark@charclass
4381 \XeTeXcharclass \. \bidi@sepmark@charclass
4382 \XeTeXcharclass \- \bidi@sepmark@charclass
4383 \bidi@digits=\0 \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digit
4384 \bidi@digits=\ \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digit
4385 \bidi@digits=\ \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digit
4386 \XeTeXinterchartoks \bidi@sepmark@charclass \bidi@digits@charclass = {\DigitsDotDashInterCh
4387 \newcommand*{\DigitsDotDashInterCharToks}{\ifnonlatin\char"200F \fi}
4388 \bidi@AtEndPreamble{%
4389   \ifx\bidi@pdfencrypt@ownerpassword\bidi@empty
4390     \ifx\bidi@pdfencrypt@userpassword\bidi@empty
4391       \@bidi@pdfencryptfalse
4392     \else
4393       \@bidi@pdfencrypttrue
4394     \fi
4395   \else
4396     \@bidi@pdfencrypttrue
4397   \fi
4398   \if@bidi@pdfencrypt
4399     \special{pdf:encrypt
4400       userpw (\bidi@pdfencrypt@userpassword)
4401       ownerpw (\bidi@pdfencrypt@ownerpassword)
4402       length \bidi@pdfencrypt@keylength

```



```

4403     perm \bidi@pdfencrypt@permissionflags
4404 }%
4405 \fi
4406 }
4407 \if@bidi@pdfbanner
4408 \if@bidi@pdfm@mark
4409 \AtEndDocument{%
4410 \special{pdf:%
4411 docinfo<<%
4412 /Creator(\@bidi@pdfcreator)%
4413 /Producer(\@bidi@pdfproducer)%
4414 /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
4415 \if@bidi@csdef{@xepersian@pdfcustomproperties}{%
4416 /XEPERSIAN.Fullbanner(\@xepersian@pdfcustomproperties)%
4417 }{}%
4418 >>%
4419 }%
4420 }
4421 \else
4422 \AtEndDocument{%
4423 \special{pdf:%
4424 docinfo<<%
4425 /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
4426 \if@bidi@csdef{@xepersian@pdfcustomproperties}{%
4427 /XEPERSIAN.Fullbanner(\@xepersian@pdfcustomproperties)%
4428 }{}%
4429 >>%
4430 }%
4431 }
4432 \fi
4433 \else
4434 \if@bidi@pdfm@mark
4435 \AtEndDocument{%
4436 \special{pdf:%
4437 docinfo<<%
4438 /Creator(\@bidi@pdfcreator)%
4439 /Producer(\@bidi@pdfproducer)%
4440 >>%
4441 }%
4442 }
4443 \fi
4444 \fi

```

46 File bidi.tex

```

4445 \def\bidi@date{2026/01/08}
4446 \catcode`\@=11
4447 \def\bidi@version{26.01.08}
4448 \def\bidi@releasename{Iran}
4449 \def\bidi@releasename{\bidi@releasename}
4450 \let \protect \relax
4451 \newlinechar`\^^J
4452 \edef\@bidi@info{*****~^J%
4453 * ~^J%

```



```

4454 * bidi package (Bidirectional typesetting with^^J%
4455 * plain TeX and LaTeX formats in XeTeX and LuaTeX engines)^^J%
4456 * ^^J%
4457 * Description: A convenient interface for^^J%
4458 * typesetting bidirectional texts in plain TeX^^J%
4459 * and LaTeX. The package includes adaptations^^J%
4460 * for use with many other commonly-used packages.^^J%
4461 * ^^J%
4462 * Copyright (c) 2007--2026 Vafa Khalighi^^J%
4463 * Copyright (c) 2018--2020 bidi-tex GitHub organization^^J%
4464 * ^^J%
4465 * v\bidi@version\space (Release \bidi@releasename), \bididate^^J%
4466 * ^^J%
4467 * License: LaTeX Project Public License, version^^J%
4468 * 1.3c or higher (your choice)^^J%
4469 * ^^J%
4470 * Location on CTAN: /macros/unicodetex/generic/bidi^^J%
4471 * ^^J%
4472 * Issue tracker: https://github.com/xepersian/bidi/issues^^J%
4473 * ^^J%
4474 * Primary author of bidi package: Vafa Khalighi.^^J%
4475 * ^^J%
4476 *****}
4477 \edef\bidi@everyjob{\the\everyjob}
4478 \message{\@bidi@info}
4479 \everyjob{\bidi@everyjob\message{\@bidi@info}}
4480 \def\bidiversion{%
4481   \relax
4482   \ifmmode
4483     \bidi@version
4484   \else
4485     $\bidi@version$
4486   \fi
4487 }
4488 \input iftex.sty
4489 \RequireXeTeX
4490 \newif\ifbidi@pdfm@mark
4491 \newif\if@RTLmain
4492 \newif\if@RTL
4493 \newif\if@hboxRconstruct
4494 \newif\if@sentsdir
4495 \newif\if@RTL@footnote
4496 \@RTLmainfalse
4497 \def\setRTLmain{%
4498   \if@RTLmain\else
4499     \if@RTL\@RTLmaintrue%
4500     \else\@RTLmainfalse%
4501     \fi%
4502   \fi%
4503 }
4504 \let\n@xt=\
4505 \protected\def\LRE{\protect\pLRE}%
4506 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
4507 \protected\def\RLE{\protect\pRLE}

```



```

4508 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
4509 \def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
4510 \errmessage{Missing left brace has been substituted}\fi \bgroup}
4511 \newinsert\@bidi@copyins@
4512 \skip\@bidi@copyins@=12\p@
4513 \dimen\@bidi@copyins@=40pc
4514 \count\@bidi@copyins@=1000
4515 \def\@bidi@inslogo@{\insert\@bidi@copyins@{\@bidi@logo@}}
4516 \def\@bidi@logo@hb@xt@{%
4517 \if@RTLmain
4518 \hboxR to
4519 \else
4520 \hboxL to
4521 \fi
4522 }
4523 \def\@bidi@logo#1{%
4524 \toks@{%
4525 \setbox\z@\hbox{%
4526 \special{%
4527 pdf:image width 50pt height 50pt (#1)%
4528 }
4529 }%
4530 \dp\z@\z@
4531 \ht\z@=50pt
4532 \wd\z@=50pt
4533 \beginL
4534 \lower20pt\box\z@
4535 \endL
4536 }%
4537 \the\toks@
4538 }
4539 \def\today{\ifcase\month\or
4540 January\or February\or March\or April\or May\or June\or
4541 July\or August\or September\or October\or November\or December\fi
4542 \space\number\day, \number\year}
4543 \def\two@digits#1{\ifnum#1<10 0\fi\number#1}
4544 \newcount\@bidi@typesethour
4545 \newcount\@bidi@typesetminute
4546 \@bidi@typesethour=\time
4547 \divide\@bidi@typesethour 60
4548 \@bidi@typesetminute=-\@bidi@typesethour
4549 \multiply\@bidi@typesetminute 60
4550 \advance\@bidi@typesetminute \time
4551 \def\TypesetHour{\two@digits\@bidi@typesethour}
4552 \def\TypesetMinute{\two@digits\@bidi@typesetminute}
4553 \def\TypesetTime{\TypesetHour:\TypesetMinute}
4554 \def\@bidi@logo@{\@bidi@logo@hb@xt@\hsize{\hss\LRE{\bf Typeset {\today} at {\TypesetTime} by
4555 \def\bidilogo{\@bidi@inslogo@}
4556 \def\nobidilogo{\let\@bidi@logo@\empty \let\@bidi@inslogo@\empty}
4557 \def\@bidi@pdfcreator{%
4558 The bidi package, v\@bidi@version\space (Release \@bidi@releasename), \bididate
4559 }
4560 \def\@bidi@pdfproducer{%
4561 The bidi package, v\@bidi@version\space (Release \@bidi@releasename), \bididate

```



```

4562 }
4563 \def\@bidi@pdfcustomproperties{%
4564   This is the bidi package, Version \bidi@version\space (Release \bidi@releasename),
4565   Released January 8, 2026.
4566 }
4567 \def\bidi@pdfm@mark{%
4568   \special{pdf:%
4569     docinfo<<%
4570     \if@bidi@pdfm@mark
4571       /Creator(\@bidi@pdfcreator)%
4572       /Producer(\@bidi@pdfproducer)%
4573     \fi
4574     /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
4575     >>%
4576   }%
4577 }
4578 \def\bidipdfinfoon{\@bidi@pdfm@marktrue}
4579 \def\bidipdfinfooff{\@bidi@pdfm@markfalse}
4580 \input plain-xetex-bidi.def
4581 \outer\def\bye{\bidi@pdfm@mark\par\vfill\supereject\end}
4582 \catcode\@=12
4583 \bidipdfinfoon

```

47 File bidi2in1.sty

```

4584 \NeedsTeXFormat{LaTeX2e}
4585 \ProvidesPackage{bidi2in1}
4586 \pagestyle{plain}
4587 \newcount\evenpage
4588 \newcount\oddpge
4589 \twocolumn
4590 \def\@oddfoot{\evenpage=\thepage%
4591 \multiply\evenpage by 2%
4592 \oddpge=\the\evenpage%
4593 \advance\oddpge by -1%
4594 \hfil\the\evenpage\hfil\hfil\the\oddpge\hfil}%
4595 \def\@evenfoot{\evenpage=\thepage%
4596 \multiply\evenpage by 2%
4597 \oddpge=\the\evenpage%
4598 \advance\oddpge by -1%
4599 \hfil\the\oddpge\hfil\hfil\the\evenpage\hfil}%
4600 \textwidth 9.49in
4601 \textheight 6.7in
4602 \columnsep 0.9in
4603 \columnseprule 0.125pt
4604 \headheight 0cm
4605 \topmargin 0in
4606 \marginparwidth 0in
4607 \marginparsep 0in
4608 \hoffset 0.05in % Corrected
4609 \voffset -0.5in %top margin space is 1.0in by default
4610 \oddsidemargin 0in
4611 \evensidemargin 0in
4612 \headsep 0cm

```



```

4613 \topskip 0cm
4614 \parskip 0.15in %
4615 \headsep 0pt
4616 \special{papersize=11.69in,8.26in}
4617 \renewcommand\maketitle{\par
4618 \begingroup
4619 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
4620 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
4621 \long\def\@makefntext##1{\parindent 1em\noindent
4622 \hb@xt@1.8em{%
4623 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
4624 \@maketitle
4625 \@thanks
4626 \endgroup
4627 \setcounter{footnote}{0}%
4628 \global\let\thanks\relax
4629 \global\let\maketitle\relax
4630 \global\let\@maketitle\relax
4631 \global\let\@thanks\@empty
4632 \global\let\@author\@empty
4633 \global\let\@date\@empty
4634 \global\let\@title\@empty
4635 \global\let\title\relax
4636 \global\let\author\relax
4637 \global\let\date\relax
4638 \global\let\and\relax
4639 }

```

48 File bidicode.sty

```

4640 \NeedsTeXFormat{LaTeX2e}
4641 \ProvidesPackage{bidicode}
4642 \RequirePackage{xcolor}
4643 \RequirePackage{showexpl}
4644 \definecolor{hellgelb}{rgb}{1,1,0.85}
4645 \definecolor{colKeys}{rgb}{0.2,0.4,0.8}
4646 \definecolor{colCS}{rgb}{0.2,0.4,0.8}
4647 \definecolor{colIdentifier}{rgb}{0,0,0}
4648 \definecolor{colComments}{rgb}{1,0,0}
4649 \definecolor{colString}{rgb}{0,0.5,0}
4650 \lstset{%
4651     language=[LaTeX]TeX,%
4652     float=hbp,%
4653     basicstyle=\ttfamily\small,%
4654     identifierstyle=\color{colIdentifier},%
4655     keywordstyle=\color{colKeys},%
4656     texcsstyle=\color{colCS},%
4657     stringstyle=\color{colString},%
4658     commentstyle=\color{colComments},%
4659     backgroundcolor=\color{hellgelb},%
4660     columns=flexible,%
4661     tabsize=4,%
4662     extendedchars=true,%
4663     showspaces=false,%

```



```

4664 showstringspaces=false,%
4665 numbers=left,%
4666 numbersep=0.9em,%
4667 numberstyle=\tiny,%
4668 frame=single,%
4669 captionpos=b,%
4670 xleftmargin=1em,%
4671 breaklines=true,%
4672 breakautoindent=false,%
4673 breakindent=0pt,%
4674 escapeinside=**,%
4675 pos=r,%
4676 explpreset={%
4677     xleftmargin=1em,%
4678     columns=flexible,%
4679     language=[LaTeX]TeX%
4680 },%
4681 moretexcs={%
4682     bididate,%
4683     bidiversion,%
4684     deflatinfont,%
4685     defpersianfont,%
4686     ding,%
4687     endLTR,%
4688     endRTL,%
4689     false,%
4690     falsesymbol,%
4691     junicode,%
4692     lr,%
4693     LR,%
4694     LRE,%
4695     LTR,%
4696     maketitle,%
4697     Nastaliq,%
4698     newfontfamily,%
4699     Parsifont,%
4700     part,%
4701     RL,%
4702     RLE,%
4703     RTL,%
4704     RTLcases,%
4705     SepMark,%
4706     setLR,%
4707     setLTR,%
4708     setRL,%
4709     setRTL,%
4710     settextfont,%
4711     subsection,%
4712     subsubsection,%
4713     tableofcontents,%
4714     text,%
4715     theequation,%
4716     thesection,%
4717     true,%

```



```

4718      truesymbol,%
4719      XePersian,%
4720      xepersiandate,%
4721      xepersianversion%
4722  }%
4723 }
4724 \newcommand\HLON{%
4725   \gdef\lst@alloverstyle##1{%
4726     \fboxrule=Opt
4727     \fboxsep=Opt
4728     \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
4729   }}
4730 \newcommand\HLOFF{%
4731   \xdef\lst@alloverstyle##1{##1}%
4732 }
4733 \newcommand\Larg [1]{\normalfont\itshape#1\bigskip}
4734 \newcommand\Larga[1]{\normalfont\itshape#1\bigskip}
4735 \newcommand\Largb[1]{\normalfont\itshape#1\bigskip}
4736 \newcommand\Largs[1]{\normalfont\itshape#1\bigskip}
4737 \newcommand\Largr[1]{\normalfont\itshape#1\bigskip}
4738 \newcommand\LBEG[1]{\normalfont\itshape#1\bigskip}
4739 \newcommand\LEND[1]{\normalfont\itshape#1\bigskip}
4740
4741 \DeclareRobustCommand\bs{\normalfont\ttfamily\symbol{92}}
4742 \DeclareRobustCommand\lcb{\normalfont\ttfamily\char`{}}
4743 \DeclareRobustCommand\rcb{\normalfont\ttfamily\char`{}}
4744 \DeclareRobustCommand\lsb{\normalfont\ttfamily\char`{}}
4745 \DeclareRobustCommand\rsb{\normalfont\ttfamily\char`{}}
4746 \DeclareRobustCommand\lrb{\normalfont\ttfamily\char`{}}
4747 \DeclareRobustCommand\rrb{\normalfont\ttfamily\char`{}}
4748
4749 \def\Lcs#1{\nxLcs{#1}}
4750 \def\LcsStar#1{\nxLcs{#1}\OptArg*{}}
4751 \def\nxLcs#1{\texttt{\symbol{92}#1}}
4752
4753 \def\Coordx#1{\$x_{#1}}
4754 \def\Coordy#1{\$y_{#1}}
4755 \def\Coordz#1{\$z_{#1}}
4756 \def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
4757 \def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
4758 \def\CoordIII#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
4759 \def\CAny{\Coordx{}}
4760 \def\CIIIAny{\Coordx{}}
4761 \def\coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
4762 \def\coordn{\Coordx{n},\kern 1pt\Coordy{n}}
4763 \def\coordiii#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
4764 \def\coordx#1{\$x_{#1}}
4765 \def\coordy#1{\$y_{#1}}
4766 \def\coordz#1{\$z_{#1}}
4767 \def\cAny{\Coordx{}}
4768 \def\ciiiiAny{\Coordx{}}
4769
4770 \newsavebox{\boxdef}
4771 \newenvironment{BDef}

```




```

4772 {\begin{lrbox}\boxdef
4773      \def\arraystretch{1.0}
4774      \begin{tabular}{@{}l@{}l@{}l@{}}
4775  }
4776 {\end{tabular}\end{lrbox}
4777
4778 {\BCmd\fbbox{\usebox\boxdef}\endBCmd}
4779 \aftergroup\@afterindentfalse\aftergroup\@afterheading
4780 }
4781
4782 \newenvironment{BDef*}
4783 {\begin{lrbox}\boxdef
4784      \def\arraystretch{1.0}
4785      \begin{tabular}{@{}l@{}l@{}l@{}}
4786  }
4787 {\end{tabular}\end{lrbox}
4788 {\begin{BCmd*}\fbbox{\usebox\boxdef}\end{BCmd*}}
4789 \aftergroup\@afterindentfalse\aftergroup\@afterheading
4790 }
4791 \newenvironment{BCmd*}{
4792 \beginparpenalty-\@lowpenalty
4793 \topsep\BDefaboveskip
4794 \fbboxsep3pt
4795 \flushleft}
4796 {\@endparpenalty\@M
4797 \topsepadd\BDefbelowskip
4798 \endflushleft}
4799
4800 \newenvironment{BCmd*}{
4801 \beginparpenalty\@M
4802 \topsep\BDefinlineskip
4803 \fbboxsep3pt
4804 \flushleft}
4805 {\@endparpenalty5000
4806 \endflushleft}
4807
4808 \newskip\BDefaboveskip
4809 \newskip\BDefbelowskip
4810 \newskip\BDefinlineskip
4811 \setlength\BDefaboveskip{10pt plus 4pt}
4812 \setlength\BDefbelowskip{6pt}
4813 \setlength\BDefinlineskip{6pt}
4814
4815 \def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}\kern1pt}
4816 \def\OptArg{\@ifnextchar*\OptArgi{\OptArgii*}}
4817 \def\OptArgi*#1{\colorbox{black!20}{\texttt{#1}}\kern1pt}
4818 \def\OptArgii*#1{\colorbox{black!20}{\texttt{[#1]}}\kern1pt}

```

49 File bidiftnxtra.sty

```

4819 \NeedsTeXFormat{LaTeX2e}
4820 \ProvidesPackage{bidiftnxtra}
4821 \newtoks\bidip@ftn
4822 \let\FN@sffootnote\footnote

```



```

4823 \let\FN@sff@LTRfootnote\LTRfootnote
4824 \let\FN@sff@RTLfootnote\RTLfootnote
4825 \def\footnote{\ifx\protect\@typeset@protect
4826   \expandafter\FN@sff@footnote
4827   \else
4828     \expandafter\FN@sff@gobble@opt
4829   \fi
4830 }
4831 \def\LTRfootnote{\ifx\protect\@typeset@protect
4832   \expandafter\FN@sff@LTRfootnote
4833   \else
4834     \expandafter\FN@sff@gobble@opt
4835   \fi
4836 }
4837 \def\RTLfootnote{\ifx\protect\@typeset@protect
4838   \expandafter\FN@sff@RTLfootnote
4839   \else
4840     \expandafter\FN@sff@gobble@opt
4841   \fi
4842 }
4843 \edef\FN@sff@gobble@opt{\noexpand\protect
4844   \expandafter\noexpand\csname FN@sff@gobble@opt \endcsname}
4845 \expandafter\def\csname FN@sff@gobble@opt \endcsname{%
4846   \@ifnextchar[%]
4847     \FN@sff@gobble@twobrace
4848     \@gobble
4849 }
4850 \def\FN@sff@gobble@twobrace[#1]#2{}
4851 \let\FN@sff@footnotemark\footnotemark
4852 \def\footnotemark{\ifx\protect\@typeset@protect
4853   \expandafter\FN@sff@footnotemark
4854   \else
4855     \expandafter\FN@sff@gobble@optonly
4856   \fi
4857 }
4858 \edef\FN@sff@gobble@optonly{\noexpand\protect
4859   \expandafter\noexpand\csname FN@sff@gobble@optonly \endcsname}
4860 \expandafter\def\csname FN@sff@gobble@optonly \endcsname{%
4861   \@ifnextchar[%]
4862     \FN@sff@gobble@brace
4863     {}%
4864 }
4865 \def\FN@sff@gobble@brace[#1]{}
4866 \def\@tabular{%
4867   \leavevmode \hbox \bgroup
4868   \let\@footnotetext\@p@ftntext
4869   \let\@LTRfootnotetext\@p@LTRftntext
4870   \let\@RTLfootnotetext\@p@RTLftntext
4871   \let\@xfootnotenext\@p@xftntext
4872   \let\@xfootnote\@p@xfootnote
4873   \let\@xLTRfootnotenext\@p@xLTRftntext
4874   \let\@xLTRfootnote\@p@xLTRfootnote
4875   \let\@xRTLfootnotenext\@p@xRTLftntext
4876   \let\@xRTLfootnote\@p@xRTLfootnote

```



```

4877 \if@RTLtab\beginR \fi
4878 $\let\@acol\@tabacol
4879 \let\@classz\@tabclassz
4880 \let\@classiv\@tabclassiv \let\@tabularcr\@tabarray}
4881 \def\endtabular{\crrc\egroup\if@RTLtab\egroup\endR\egroup\fi
4882 \egroup $\if@RTLtab\endR\fi\egroup
4883 \ifx\@capytype\@undefined
4884 \global\bidip@p@ftn\expandafter{\expandafter}\the\bidip@p@ftn\fi}
4885 \long\def\bidip@p@ftntext#1{%
4886 \edef\@tempy{\the\bidip@p@ftn\noexpand\footnotetext[\the\csname c@\mpfn\endcsname]}%
4887 \global\bidip@p@ftn\expandafter{\@tempy{#1}}}%
4888 \long\def\bidip@p@LTRftntext#1{%
4889 \edef\@tempyi{\the\bidip@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\mpfn\endcsname]}%
4890 \global\bidip@p@ftn\expandafter{\@tempyi{#1}}}%
4891 \long\def\bidip@p@RTLftntext#1{%
4892 \edef\@tempyii{\the\bidip@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\mpfn\endcsname]}%
4893 \global\bidip@p@ftn\expandafter{\@tempyii{#1}}}%
4894
4895
4896 \long\def\bidip@p@xftntext[#1]#2{%
4897 \global\bidip@p@ftn\expandafter{\the\bidip@p@ftn\footnotetext[#1]{#2}}}
4898
4899 \long\def\bidip@p@xLTRftntext[#1]#2{%
4900 \global\bidip@p@ftn\expandafter{\the\bidip@p@ftn\LTRfootnotetext[#1]{#2}}}
4901
4902 \long\def\bidip@p@xRTLftntext[#1]#2{%
4903 \global\bidip@p@ftn\expandafter{\the\bidip@p@ftn\RTLfootnotetext[#1]{#2}}}
4904
4905
4906 \def\bidip@p@xfootnote[#1]{%
4907 \begingroup
4908 \csname c@\mpfn\endcsname #1\relax
4909 \unrestored@protected@xdef\@thefnmark{\thempfn}%
4910 \endgroup
4911 \@footnotemark\bidip@p@xftntext[#1]}
4912
4913
4914 \def\bidip@p@xLTRfootnote[#1]{%
4915 \begingroup
4916 \csname c@\mpfn\endcsname #1\relax
4917 \unrestored@protected@xdef\@thefnmark{\thempfn}%
4918 \endgroup
4919 \@footnotemark\bidip@p@xLTRftntext[#1]}
4920
4921
4922 \def\bidip@p@xRTLfootnote[#1]{%
4923 \begingroup
4924 \csname c@\mpfn\endcsname #1\relax
4925 \unrestored@protected@xdef\@thefnmark{\thempfn}%
4926 \endgroup
4927 \@footnotemark\bidip@p@xRTLftntext[#1]}
4928
4929 \def\@xfloat #1[#2]{%
4930 \@nodocument

```



```

4931 \def \@capttype {#1}%
4932 \def \@fps {#2}%
4933 \@onelevel@sanitize \@fps
4934 \def \reserved@a {!}%
4935 \ifx \reserved@a \fps
4936   \@fpsadddefault
4937 \else
4938   \ifx \@fps \@empty
4939     \@fpsadddefault
4940   \fi
4941 \fi
4942 \ifhmode
4943   \@bsphack
4944   \@floatpenalty -\@Mii
4945 \else
4946   \@floatpenalty-\@Miii
4947 \fi
4948 \ifinner
4949   \@parmoderr\@floatpenalty\z@
4950 \else
4951   \@next\@currbox\@freelist
4952   {%
4953     \@tempcnta \sixt@@n
4954     \expandafter \@tfor \expandafter \reserved@a
4955       \expandafter :\expandafter =\@fps
4956     \do
4957     {%
4958       \if \reserved@a h%
4959         \ifodd \@tempcnta
4960       \else
4961         \advance \@tempcnta \@ne
4962       \fi
4963     \fi
4964     \if \reserved@a t%
4965       \@setfpsbit \tw@
4966     \fi
4967     \if \reserved@a b%
4968       \@setfpsbit 4%
4969     \fi
4970     \if \reserved@a p%
4971       \@setfpsbit 8%
4972     \fi
4973     \if \reserved@a !%
4974       \ifnum \@tempcnta>15
4975         \advance\@tempcnta -\sixt@@n\relax
4976       \fi
4977     \fi
4978   }%
4979   \@tempcntb \csname ftype@\@capttype \endcsname
4980   \multiply \@tempcntb \xxxii
4981   \advance \@tempcnta \@tempcntb
4982   \global \count\@currbox \@tempcnta
4983   }%
4984   \@fltovf

```



```

4985 \fi
4986 \global \setbox\@currbox
4987 \color@vbox
4988 \normalcolor
4989 \vbox \bgroup
4990 \let\@footnotetext\@bidi@p@ftntext
4991 \let\@LTRfootnotetext\@bidi@p@LTRftntext
4992 \let\@RTLfootnotetext\@bidi@p@RTLftntext
4993 \let\@xfootnotenext\@bidi@p@xftntext
4994 \let\@xfootnote\@bidi@p@xfootnote
4995 \let\@xLTRfootnotenext\@bidi@p@xLTRftntext
4996 \let\@xLTRfootnote\@bidi@p@xLTRfootnote
4997 \let\@xRTLfootnotenext\@bidi@p@xRTLftntext
4998 \let\@xRTLfootnote\@bidi@p@xRTLfootnote
4999 \hsize\columnwidth
5000 \@parboxrestore
5001 \@floatboxreset
5002 }
5003 \def \@endfloatbox{%
5004 \par\vskip\z@skip %% \par\vskip\z@ added 15 Dec 87
5005 \@minipagefalse
5006 \outer@nobreak
5007 \egroup %% end of vbox
5008 \global\@bidi@p@ftn\expandafter{\expandafter}\the\@bidi@p@ftn
5009 \color@endbox
5010 }

```

50 File bidimoderncv.cls

```

5011 \NeedsTeXFormat{LaTeX2e}
5012 \ProvidesClass{bidimoderncv}
5013 \newif\if@DEBUG\@DEBUGfalse
5014 \DeclareOption{a4paper}{
5015 \setlength\paperheight{297mm}
5016 \setlength\paperwidth{210mm}}
5017 \DeclareOption{a5paper}{
5018 \setlength\paperheight{210mm}
5019 \setlength\paperwidth{148mm}}
5020 \DeclareOption{b5paper}{
5021 \setlength\paperheight{250mm}
5022 \setlength\paperwidth{176mm}}
5023 \DeclareOption{letterpaper}{
5024 \setlength\paperheight{11in}
5025 \setlength\paperwidth{8.5in}}
5026 \DeclareOption{legalpaper}{
5027 \setlength\paperheight{14in}
5028 \setlength\paperwidth{8.5in}}
5029 \DeclareOption{executivepaper}{
5030 \setlength\paperheight{10.5in}
5031 \setlength\paperwidth{7.25in}}
5032 \DeclareOption{landscape}{
5033 \setlength\@tempdima{\paperheight}
5034 \setlength\paperheight{\paperwidth}
5035 \setlength\paperwidth{\@tempdima}}

```



```

5036 \newcommand\@ptsize{}
5037 \DeclareOption{10pt}{\renewcommand\@ptsize{0}}
5038 \DeclareOption{11pt}{\renewcommand\@ptsize{1}}
5039 \DeclareOption{12pt}{\renewcommand\@ptsize{2}}
5040 \DeclareOption{draft}{\setlength\overfullrule{5pt}}
5041 \DeclareOption{final}{\setlength\overfullrule{0pt}}
5042 \newif\if@colour\@colourtrue
5043 \DeclareOption{nocolour}{\@colourfalse}
5044 \ExecuteOptions{a4paper,11pt,colour,final}
5045 \ProcessOptions\relax
5046 \input{size1\@ptsize.clo}
5047 \RequirePackage{color}
5048 \RequirePackage{graphicx}
5049 \RequirePackage{ifthen}
5050 \RequirePackage{marvosym}
5051 \addtolength{\oddsidemargin}{-54pt}
5052 \addtolength{\textwidth}{109pt}
5053 \addtolength{\topmargin}{-70pt}
5054 \addtolength{\textheight}{122pt}
5055 \addtolength{\marginparsep}{-5pt}
5056 \addtolength{\marginparwidth}{-10pt}
5057 \RequirePackage{url}
5058 \RequirePackage{hyperref}
5059 \hypersetup{%
5060   breaklinks,
5061   baseurl      = http://,%
5062   pdfborder    = 0 0 0,%
5063   pdfpagemode  = UseNone,%
5064   pdfstartpage = 1}
5065 \AtEndOfClass{%
5066   \AtBeginDocument{%
5067     \hypersetup{%
5068       pdfauthor      = \@firstname~\@familyname,%
5069       pdftitle       = \@title,%
5070       pdfsubject     = \@firstname~\@familyname,%
5071       pdfkeywords    = \@resumename~\@firstname~\@familyname}}}
5072 \urlstyle{tt}
5073 \RequirePackage{fancyhdr}
5074 \fancypagestyle{plain}{%
5075   \renewcommand{\headrulewidth}{0pt}
5076   \renewcommand{\footrulewidth}{0pt}
5077   \fancyhf{}}
5078 \pagestyle{plain}
5079 \setlength\lineskip{1\p@}
5080 \setlength\normallineskip{1\p@}
5081 \renewcommand\baselinestretch{}
5082 \setlength{\parindent}{0pt}
5083 \setlength{\parskip}{0pt}
5084 \setlength\columnsep{10\p@}
5085 \setlength\columnseprule{0\p@}
5086 \pagestyle{empty}
5087 \pagenumbering{arabic}
5088 \raggedbottom
5089 \onecolumn

```



```

5090 \providecommand*{\listitemsymbol}{\textbullet}
5091 \providecommand*{\addresssymbol}{}
5092 \providecommand*{\mobilesymbol}{\Mobilefone}
5093 \providecommand*{\phonesymbol}{\Telefon}
5094 \providecommand*{\faxsymbol}{\FAX}
5095 \providecommand*{\emailsymbol}{\Letter}
5096 \definecolor{firstnamecolor}{rgb}{0,0,0}
5097 \def\firstnamecolour#1{\gdef\@firstnamecolour{\addfontfeature{Color=#1}}}
5098 \def\familynamecolour#1{\gdef\@familynamecolour{\addfontfeature{Color=#1}}}
5099 \def\titlecolour#1{\gdef\@titlecolour{\addfontfeature{Color=#1}}}
5100 \def\addresscolour#1{\gdef\@addresscolour{\addfontfeature{Color=#1}}}
5101 \def\quotecolour#1{\gdef\@quotecolour{\addfontfeature{Color=#1}}}
5102 \def\sectiontitlecolour#1{\gdef\@sectiontitlecolour{\addfontfeature{Color=#1}}}
5103 \definecolor{sectionrectanglecolor}{rgb}{0,0,0}
5104 \def\subsectioncolour#1{\gdef\@subsectioncolour{\addfontfeature{Color=#1}}}
5105 \def\hintcolour#1{\gdef\@hintcolour{\addfontfeature{Color=#1}}}
5106 \providecommand*{\firstnamefont}{}
5107 \providecommand*{\familynamefont}{}
5108 \providecommand*{\titlefont}{}
5109 \providecommand*{\addressfont}{}
5110 \providecommand*{\quoteftfont}{}
5111 \providecommand*{\sectionfont}{}
5112 \providecommand*{\subsectionfont}{}
5113 \providecommand*{\hintfont}{\small}
5114 \providecommand*{\firstnamestyle}[1]{\{\@firstnamefont\@firstnamecolour#1}}
5115 \providecommand*{\familynamestyle}[1]{\{\@familynamefont\@familynamecolour#1}}
5116 \providecommand*{\titlestyle}[1]{\{\@titlefont\@titlecolour#1}}
5117 \providecommand*{\addresstyle}[1]{\{\@addressfont\@addresscolour#1}}
5118 \providecommand*{\quotestyle}[1]{\{\@quoteftfont\@quotecolour#1}}
5119 \providecommand*{\sectionstyle}[1]{\{\@sectionfont\@sectiontitlecolour#1}}
5120 \providecommand*{\subsectionstyle}[1]{\{\@subsectionfont\@subsectioncolour#1}}
5121 \providecommand*{\hintstyle}[1]{\{\@hintfont\@hintcolour#1}}
5122 \newcommand*{\cvtheme}[2]{}
5123 \def\@cvtheme{#2}
5124 \def\@cvthemeoptions{#1}
5125 \cvtheme{bidi-casual}
5126 \AtBeginDocument{\RequirePackage[\@cvthemeoptions]{cvtheme\@cvtheme}}
5127 \newcommand*{\resumename}[1]{\def\@resumename{#1}}
5128 \newcommand*{\firstname}[1]{\def\@firstname{#1}}
5129 \newcommand*{\familyname}[1]{\def\@familyname{#1}}
5130 \renewcommand*{\title}[1]{\def\@title{#1}}
5131 \newcommand*{\address}[1]{\def\@address{#1}}
5132 \newcommand*{\mobile}[1]{\def\@mobile{#1}}
5133 \newcommand*{\phone}[1]{\def\@phone{#1}}
5134 \renewcommand*{\fax}[1]{\def\@fax{#1}}
5135 \newcommand*{\email}[1]{\def\@email{#1}}
5136 \newcommand*{\extrainfo}[1]{\def\@extrainfo{#1}}
5137 \def\@photowidth{0pt}
5138 \newcommand*{\photo}[2][64pt]{\def\@photowidth{#1}\def\@photo{#2}}
5139 \newcommand*{\quote}[1]{\def\@quote{#1}}
5140 \newlength{\quotewidth}
5141 \newlength{\hintscolumnwidth}
5142 \newlength{\separatorcolumnwidth}
5143 \setlength{\separatorcolumnwidth}{0.025\textwidth}

```



```

5144 \newlength{\maincolumnwidth}
5145 \newlength{\doubleitemmaincolumnwidth}
5146 \newlength{\listitemsymbolwidth}
5147 \settowidth{\listitemsymbolwidth}{\listitemsymbol{}}~}
5148 \newlength{\listitemmaincolumnwidth}
5149 \newlength{\listdoubleitemmaincolumnwidth}
5150 \newcommand*{\recomputethemelengths}{%
5151 \newcommand*{\recomputelengths}{%
5152 \setlength{\quotewidth}{0.65\textwidth}%
5153 \setlength{\maincolumnwidth}{\textwidth}%
5154 \addtolength{\maincolumnwidth}{-\separatorcolumnwidth}%
5155 \addtolength{\maincolumnwidth}{-\hintscolumnwidth}%
5156 \setlength{\listitemmaincolumnwidth}{\maincolumnwidth}%
5157 \addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}%
5158 \setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}%
5159 \addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}%
5160 \addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}%
5161 \setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}%
5162 \setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}%
5163 \addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}%
5164 \setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
5165 \renewcommand{\headwidth}{\textwidth}%
5166 \recomputethemelengths}
5167 \setlength{\hintscolumnwidth}{0.15\textwidth}
5168 \recomputelengths
5169 \title{}
5170 \renewcommand*{\maketitle}{}
5171 \newcommand*{\section}[1]{%
5172 \vspace*{2.5ex \@plus 1ex \@minus .2ex}%
5173 \phantomsection}%
5174 \addcontentsline{toc}{part}{#1}%
5175 \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectangle}
5176 \hspace{\separatorcolumnwidth}%
5177 \parbox[m]{\maincolumnwidth}{\sectionstyle{#1}}\v[1ex]}
5178 \newcommand*{\subsection}[1]{%
5179 \cvline[0.45em]{\subsectionstyle{#1}}%
5180 \newcommand*{\cvline}[3][.25em]{%
5181 \begin{tabular}{@{}p{\hintscolumnwidth}@{\hspace{\separatorcolumnwidth}}p{\maincolumnwidth}
5182 \bidi@raggedleft\hintfont{#2} &{#3}%
5183 \end{tabular}}\v[1ex]}
5184 \newcommand*{\cvdoubleitem}[4]{%
5185 \cvline{#1}{\begin{minipage}[t]{\doubleitemmaincolumnwidth}#2\end{minipage}}%
5186 \hfill%
5187 \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{#3}\end{minipage}\hspace*{\
5188 \newcommand*{\cvlistitem}[2][\listitemsymbol]{%
5189 \cvline[0pt]{\begin{minipage}[t]{\listitemmaincolumnwidth}#2\end{minipage}}%
5190 \newcommand*{\cvlistdoubleitem}[3][\listitemsymbol]{%
5191 \cvline[0pt]{\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#2\end{minipage}}%
5192 \hfill%
5193 \ifthenelse{\equal{#3}{}}%
5194 {}%
5195 {#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#3\end{minipage}}}%
5196 \newcommand*{\cventry}[6]{%
5197 \cvline{#1}{%

```




```

5198     {\bfseries#2}%
5199     \ifx#3\else{, {\slshape#3}}\fi%
5200     \ifx#4\else{, #4}\fi%
5201     \ifx#5\else{, #5}\fi%
5202     .%
5203     \ifx#6\else{\newline{}\begin{minipage}[t]{\linewidth}\small#6\end{minipage}}\fi
5204     }}%
5205 \newcommand*{\cvlanguage}[3]{%
5206   \cvline{#1}{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{#2}\end{minipage}\hfill\begin{minipage}[t]{.775\maincolumnwidth}\textbf{#3}\end{minipage}}
5207 \newcommand*{\cvcomputer}[4]{%
5208   \cvdoubleitem{#1}{\small#2}{#3}{\small#4}}
5209 \newcommand*{\link}[2][{}]{%
5210   \ifthenelse{\equal{#1}{}}{%
5211     {\href{#2}{#2}}%
5212     {\href{#2}{#1}}}
5213 \newcommand*{\httplink}[2][{}]{%
5214   \ifthenelse{\equal{#1}{}}{%
5215     {\href{http://#2}{#2}}%
5216     {\href{http://#2}{#1}}}
5217 \newcommand*{\emailink}[2][{}]{%
5218   \ifthenelse{\equal{#1}{}}{%
5219     {\href{mailto:#2}{#2}}%
5220     {\href{mailto:#2}{#1}}}
5221 \newif\if@displaypagenumbers\@displaypagenumberstrue
5222 \newcommand*{\nopagenumbers}{\@displaypagenumbersfalse}
5223 \AtBeginDocument{%
5224   \if@displaypagenumbers%
5225     \ifundefined{r@lastpage}{\@displaypagenumbersfalse}%
5226     \ifthenelse{\pageref{lastpage} > 1}{%
5227       \fancypagestyle{plain}{%
5228         \fancyfoot[R]{\beginL\addressfont\@quotecolour\footnotesize\thepage\beginL\endL\pageref{lastpage}}%
5229       \pagestyle{plain}}}%
5230   \AtEndDocument{\label{lastpage}}%
5231   \fi}
5232 \newlength{\bibindent}
5233 \setlength{\bibindent}{1.5em}
5234 \newcommand*{\bibliographyitemlabel}{\includegraphics{bidi-bibitem.pdf}}
5235 \newenvironment{thebibliography}[1]{%
5236   {%
5237     \section{\refname}%
5238     \small%
5239     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
5240     \bidi@thebibliography@font@hook%
5241     \begin{list}{\bibliographyitemlabel}%
5242       {%
5243         \setlength{\topsep}{0pt}%
5244         \setlength{\labelwidth}{\hintscolumnwidth}%
5245         \setlength{\labelsep}{\separatorcolumnwidth}%
5246         \leftmargin\labelwidth%
5247         \advance\leftmargin\labelsep%
5248         \@openbib@code%
5249         \usecounter{enumiv}%
5250         \let\p@enumiv\@empty%
5251         \renewcommand\theenumiv{\@arabic\c@enumiv}}%

```



```

5252      \sloppy\clubpenalty4000\widowpenalty4000%
5253    }%
5254    {%
5255      \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
5256      \end{list}%
5257    }
5258    \newcommand\newblock{\hskip .11em\@plus.33em\@minus.07em}
5259    \let\@openbib@code\@empty

```

51 File bidi-perpage.sty

```

5260 \NeedsTeXFormat{LaTeX2e}
5261 \ProvidesPackage{bidi-perpage}[2025/09/15 v0.5 Reset counter(s) on every page]
5262 \newcommand*{\bidi@checkvlist}{%
5263   \ifcase
5264     \ifvmode
5265       \ifx\lastnodetype\bidi@undefined
5266         \ifdim-\@m\p@=\prevdepth
5267           \ifdim\lastskip=\z@
5268             \ifnum\lastpenalty=\z@
5269               \@ne
5270             \fi
5271           \fi
5272         \fi
5273       \else
5274         \ifnum\lastnodetype=\m@ne
5275           \@ne
5276         \fi
5277       \fi
5278     \fi
5279     \z@
5280   \or
5281     \PackageWarning{bidi-perpage}{%
5282       `string\stepcounter' is probably at the beginning of vertical
5283       list.
5284       You may need to use `string\leavevmode' before it to avoid
5285       vertical shifts%
5286     }%
5287   \fi
5288 }
5289 \newcount\bidi@page@count
5290 \bidi@page@count\@ne
5291 \newcommand*{\ResetCounterPerPage}[2][\z@]{%
5292   \if@bidi@csundef\bidi@stepcounterhook@@#2}{%
5293     \expandafter\gdef\csname bidi@stepcounterhook@@#2\endcsname{}%
5294   }{%
5295     \if@bidi@csundef\if@bidi@reset@#2@rerun}{%
5296       \expandafter\newif\csname if@bidi@reset@#2@rerun\endcsname
5297     }{%
5298       \if@bidi@csundef\bidi@#2@count}{%
5299         \expandafter\newcount\csname bidi@#2@count\endcsname
5300       }{%
5301         \csname bidi@#2@count\endcsname\z@
5302       \if@bidi@csundef\bidi@previous@page@@#2@count}{%

```



```

5303 \expandafter\newcount\csname
5304 bidi@previous@page@@#2@count\endcsname
5305 }{}%
5306 \csname bidi@previous@page@@#2@count\endcsname\z@
5307 \if@bidi@csundef{bidi@reset@#2@perpage}{%
5308 \bidi@AfterEndDocumentCheckLabelsRerun{%
5309 \csname if@bidi@reset@#2@rerun\endcsname
5310 \PackageWarningNoLine{bidi-perpage}{%
5311 Counter `#2' may not have been reset per page.
5312 Rerun to reset counter `#2' per page%
5313 }%
5314 \fi
5315 }%
5316 }{}%
5317 \expandafter\gdef\csname bidi@reset@#2@perpage\endcsname{%
5318 \global\advance\csname bidi@#2@count\endcsname\@ne
5319 \if@files@
5320 \edef\@tempa{%
5321 \write\@auxout{%
5322 \string\bidi@counter@page{#2}%
5323 {\number\csname bidi@#2@count\endcsname}%
5324 {\noexpand\number\noexpand\bidi@page@count}%
5325 }%
5326 }%
5327 \bidi@checkvlist
5328 \dimen@=\lastkern
5329 \ifdim\dimen@=\z@
5330 \else
5331 \unkern
5332 \fi
5333 \count@=\lastpenalty
5334 \@tempa
5335 \ifdim\dimen@=\z@
5336 \penalty
5337 \ifnum\count@<\@M
5338 \@M
5339 \else
5340 \count@
5341 \fi
5342 \else
5343 \kern\dimen@
5344 \fi
5345 \fi
5346 \begingroup\expandafter\expandafter\expandafter\endgroup
5347 \expandafter\ifx\csname bidi@#2@@\number\csname
5348 bidi@#2@count\endcsname\endcsname\relax
5349 \global\csname @bidi@reset@#2@reruntrue\endcsname
5350 \else
5351 \global\csname @bidi@reset@#2@rerunfalse\endcsname
5352 \expandafter\@tempcnta\csname bidi@#2@@\number
5353 \csname bidi@#2@count\endcsname\endcsname\relax
5354 \ifnum\@tempcnta=\csname
5355 bidi@previous@page@@#2@count\endcsname
5356 \else

```



```

5357 \global\csname
5358 bidi@previous@page@@#2@count\endcsname\@tempcnta
5359 \global\csname c@#2\endcsname#1\relax
5360 \fi
5361 \fi
5362 }%
5363 \expandafter\@bidi@gappto\csname
5364 bidi@stepcounterhook@@#2\endcsname{%
5365 \csname bidi@reset@#2@perpage\endcsname
5366 }%
5367 }
5368 \def\@bidi@counter@page#1#2#3{\@bidi@namegdef{\@bidi@#1@@#2}{#3}}
5369 \bidi@AtEndOutputPage{%
5370 \global\advance\@bidi@page@count\@ne
5371 }

```

52 File biditools.sty

```

5372 \NeedsTeXFormat{LaTeX2e}
5373 \ProvidesPackage{biditools}[2025/12/19 v2.9 Programming tools for bidi package]
5374 \providecommand{\@bidi@saveprimitive}[2]{\@begingroup\escapechar`\relax
5375 \edef\@tempa{\string#1}\edef\@tempb{\meaning#1}%
5376 \ifx\@tempa\@tempb \global\let#2#1%
5377 \else
5378 \edef\@tempb{\meaning#2}%
5379 \ifx\@tempa\@tempb
5380 \else
5381 \latexerror{Unable to properly define \string#2; primitive
5382 \noexpand#1no longer primitive}\@eha
5383 \fi
5384 \fi
5385 \endgroup}
5386 \newtoks\@bidi@envbody
5387 \newtoks\@bidi@emptytoks
5388 \def\@bidi@addto@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
5389 \def\@bidi@collect@body#1{%
5390 \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
5391 \edef\@bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currentvir}}%
5392 \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
5393 \begingroup
5394 \expandafter\let\csname\@currentvir\endcsname\@bidi@collect@@body
5395 \edef\@bidi@process@envbody{\expandafter\noexpand\csname\@currentvir\endcsname}%
5396 \bidi@process@envbody
5397 }
5398 \def\@bidi@push@begins#1\begin#2{%
5399 \ifx\end#2\else b\expandafter\@bidi@push@begins\fi
5400 }
5401 \def\@bidi@collect@@body#1\end#2{%
5402 \edef\begin@bidi@stack{\@bidi@push@begins#1\begin\end \expandafter\@gobble\begin@bidi@stack
5403 \ifx\@empty\begin@bidi@stack
5404 \endgroup
5405 \@checkend{#2}%
5406 \bidi@addto@envbody{#1}%
5407 \else

```



```

5408 \bidi@addto@envbody{#1\end{#2}}%
5409 \fi
5410 \bidi@process@envbody % A little tricky! Note the grouping
5411 }
5412 \long\def\bidi@addto@long@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}%
5413 \long\def\bidi@collect@long@body#1{%
5414 \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
5415 \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currentvir}}%
5416 \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
5417 \begingroup
5418 \expandafter\let\csname\@currentvir\endcsname\bidi@collect@long@@body
5419 \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currentvir\endcsname}%
5420 \bidi@process@envbody
5421 }
5422 \long\def\bidi@push@long@begins#1\begin#2{%
5423 \ifx\end#2\else b\expandafter\bidi@push@long@begins\fi
5424 }
5425 \long\def\bidi@collect@long@@body#1\end#2{%
5426 \edef\begin@bidi@stack{\bidi@push@long@begins#1\begin\end \expandafter\@gobble\begin@bidi@
5427 \ifx\@empty\begin@bidi@stack
5428 \endgroup
5429 \@checkend{#2}%
5430 \bidi@addto@long@envbody{#1}%
5431 \else
5432 \bidi@addto@long@envbody{#1\end{#2}}%
5433 \fi
5434 \bidi@process@envbody % A little tricky! Note the grouping
5435 }
5436 \long\def\bidi@new@ifnextchar#1#2#3{%
5437 \let\reserved@d= #1%
5438 \def\reserved@a{#2}\def\reserved@b{#3}%
5439 \futurelet\@let@token\bidi@new@ifnch
5440 }
5441 \def\bidi@new@ifnch{%
5442 \ifx\@let@token\reserved@d \let\reserved@b\reserved@a \fi
5443 \reserved@b
5444 }
5445 \def\bidi@matrix@check#1{%
5446 \expandafter\ifx\csname\@currentvir\endcsname#1%
5447 \else\bidi@matrix@error#1%
5448 \expandafter\@gobble
5449 \fi
5450 }
5451 \def\bidi@matrix@error#1{%
5452 \PackageError{biditools}{%
5453 Old form ``\string#1' should be \string\begin{\expandafter\@gobble\string#1}%
5454 }{%
5455 ``\string#1{...}' is old bidi package syntax whose use is
5456 ill-advised in the old versions of bidi package.%
5457 }%
5458 }
5459 \def\eqnewif#1#2{%
5460 \count@\escapechar \escapechar\m@ne
5461 \let#1\iffalse

```



```

5462 \let#2\iffalse
5463 \eq@if#1#2\iftrue
5464 \eq@if#1#2\iffalse
5465 \escapechar\count0}
5466 \def\eq@if#1#2#3{%
5467 \expandafter\def\csname\expandafter@gobbletwo\string#1%
5468 \expandafter@gobbletwo\string#3\endcsname
5469 {\let#1#3%
5470 \let#2#3}%
5471 \expandafter\def\csname\expandafter@gobbletwo\string#2%
5472 \expandafter@gobbletwo\string#3\endcsname
5473 {\let#2#3%
5474 \let#1#3}}
5475 \def\noteqnewif#1#2{%
5476 \count0\escapechar \escapechar\m@ne
5477 \let#1\iffalse
5478 \let#2\iffalse
5479 \not@eq@if#1#2\iftrue\iffalse
5480 \escapechar\count0}
5481 \def\not@eq@if#1#2#3#4{%
5482 \expandafter\def\csname\expandafter@gobbletwo\string#1%
5483 \expandafter@gobbletwo\string#3\endcsname
5484 {\let#1#3%
5485 \let#2#4}%
5486 \expandafter\def\csname\expandafter@gobbletwo\string#1%
5487 \expandafter@gobbletwo\string#4\endcsname
5488 {\let#1#4%
5489 \let#2#3}%
5490 \expandafter\def\csname\expandafter@gobbletwo\string#2%
5491 \expandafter@gobbletwo\string#3\endcsname
5492 {\let#2#3%
5493 \let#1#4}%
5494 \expandafter\def\csname\expandafter@gobbletwo\string#2%
5495 \expandafter@gobbletwo\string#4\endcsname
5496 {\let#2#4%
5497 \let#1#3}}
5498 \newcommand*{\SetBoolean}[2]{%
5499 \lowercase{\def\@tempa{#2}}%
5500 \@ifundefined{\@tempswa\@tempa}%
5501 {\PackageError{biditytools}%
5502 {You can only set a boolean to `true' or `false'}\@ehc}%
5503 {\@ifundefined{#1\@tempa}%
5504 {\PackageError{biditytools}{Boolean #1 undefined}\@ehc}%
5505 {\csname#1\@tempa\endcsname}}}
5506 \newcommand*{\GlobalSetBoolean}[2]{%
5507 \lowercase{\def\@tempa{#2}}%
5508 \@ifundefined{\@tempswa\@tempa}%
5509 {\PackageError{biditytools}%
5510 {You can only set a boolean to `true' or `false'}\@ehc}%
5511 {\@ifundefined{#1\@tempa}%
5512 {\PackageError{biditytools}{Boolean #1 undefined}\@ehc}%
5513 {\global\csname#1\@tempa\endcsname}}}
5514 \newcommand*{\SetatBoolean}[2]{%
5515 \lowercase{\def\@tempa{#2}}%

```



```

5516 \ifundefined{@tempswa\@tempa}%
5517   {\PackageError{biditools}%
5518     {You can only set a boolean to `true' or `false'}\@ehc}%
5519   {\ifundefined{@#1\@tempa}%
5520     {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
5521     {\csname @#1\@tempa\endcsname}}}
5522 \newcommand*{\GlobalSetatBoolean}[2]{%
5523   \lowercase{\def\@tempa{#2}}%
5524   \ifundefined{@tempswa\@tempa}%
5525     {\PackageError{biditools}%
5526       {You can only set a boolean to `true' or `false'}\@ehc}%
5527     {\ifundefined{@#1\@tempa}%
5528       {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
5529       {\global\csname @#1\@tempa\endcsname}}}
5530 \def\@bidi@removefromreset#1#2{%
5531   \expandafter\let\csname c@#1\endcsname\@bidi@removefromreset
5532   \def\@elt##1{%
5533     \expandafter\ifx\csname c@##1\endcsname\@bidi@removefromreset
5534     \else
5535       \noexpand\@elt{##1}%
5536     \fi}%
5537   \expandafter\xdef\csname cl@#2\endcsname{%
5538     \csname cl@#2\endcsname}}
5539 \newcommand*{\ifRtoL}{%
5540   \if@RTL
5541     \expandafter\@firstoftwo
5542   \else
5543     \expandafter\@secondoftwo
5544   \fi}
5545 \newcommand*{\ifLtoR}{%
5546   \if@RTL
5547     \expandafter\@secondoftwo
5548   \else
5549     \expandafter\@firstoftwo
5550   \fi}
5551 \newcommand*{\ifRtoLtable}{%
5552   \if@RTLtab
5553     \expandafter\@firstoftwo
5554   \else
5555     \expandafter\@secondoftwo
5556   \fi}
5557 \newcommand*{\ifLtoRtable}{%
5558   \if@RTLtab
5559     \expandafter\@secondoftwo
5560   \else
5561     \expandafter\@firstoftwo
5562   \fi}
5563 \newcommand*{\ifRtoLhboxconstruct}{%
5564   \if@hboxRconstruct
5565     \expandafter\@firstoftwo
5566   \else
5567     \expandafter\@secondoftwo
5568   \fi}
5569 \newcommand*{\ifLtoRhboxconstruct}{%

```



```

5570 \if@hboxRconstruct
5571 \expandafter\@secondoftwo
5572 \else
5573 \expandafter\@firstoftwo
5574 \fi}
5575 \newcommand*{\iflatin}{%
5576 \if@nonlatin
5577 \expandafter\@secondoftwo
5578 \else
5579 \expandafter\@firstoftwo
5580 \fi}
5581 \newcommand*{\ifnonlatin}{%
5582 \if@nonlatin
5583 \expandafter\@firstoftwo
5584 \else
5585 \expandafter\@secondoftwo
5586 \fi}
5587
5588 \newcommand*{\bidi@@convert@dimen@t@unit}[2]{%
5589 \strip@pt\dimexpr #1*65536/\dimexpr 1#2\relax #2}
5590
5591 \newcommand*{\bidi@@convert@dimen@t@pt}[1]{%
5592 \dimexpr #1*65536/\dimexpr 1pt\relax}
5593
5594 \newcommand*{\IfPackageVersionAtLeastTF}[1]{%
5595 \expandafter\@if@ver@pkg@least\csname #1@version\endcsname
5596 }
5597 \newcommand*{\@if@ver@pkg@least}[2]{%
5598 \ifnum\expandafter\bidi@parse@ver@#100\@nil<\expandafter\bidi@parse@ver@#200\@nil
5599 \expandafter\@secondoftwo
5600 \else
5601 \expandafter\@firstoftwo
5602 \fi
5603 }
5604 \newcommand*{\bidi@parse@ver@}[1]{\bidi@parse@ver0#1}
5605 \def\bidi@parse@ver#1.#2.#3#4#5\@nil{%
5606 \if\relax#2\relax\else#1\fi#2#3#4
5607 }
5608 \newcommand*{\IfPackageVersionAtMostTF}[1]{%
5609 \expandafter\@if@ver@pkg@most\csname #1@version\endcsname
5610 }
5611 \newcommand*{\@if@ver@pkg@most}[2]{%
5612 \ifnum\expandafter\bidi@parse@ver@#100\@nil>\expandafter\bidi@parse@ver@#200\@nil
5613 \expandafter\@secondoftwo
5614 \else
5615 \expandafter\@firstoftwo
5616 \fi
5617 }
5618 \newcommand*{\IfPackageVersionTF}[1]{%
5619 \expandafter\@if@ver@pkg@\csname #1@version\endcsname
5620 }
5621 \newcommand*{\@if@ver@pkg@}[2]{%
5622 \ifnum\expandafter\bidi@parse@ver@#100\@nil=\expandafter\bidi@parse@ver@#200\@nil
5623 \expandafter\@firstoftwo

```




```

5624 \else
5625 \expandafter\@secondoftwo
5626 \fi
5627 }
5628
5629 \newcommand*{\if@bidi@csdef}[1]{%
5630 \ifcsname#1\endcsname
5631 \expandafter\@firstoftwo
5632 \else
5633 \expandafter\@secondoftwo
5634 \fi}
5635 \newcommand*{\if@bidi@csundef}[1]{%
5636 \ifcsname#1\endcsname
5637 \expandafter\ifx\csname#1\endcsname\relax
5638 \expandafter\expandafter
5639 \expandafter\@firstoftwo
5640 \else
5641 \expandafter\expandafter
5642 \expandafter\@secondoftwo
5643 \fi
5644 \else
5645 \expandafter\@firstoftwo
5646 \fi}
5647 \newcommand{\if@bidi@def}[1]{%
5648 \ifdefined#1%
5649 \expandafter\@firstoftwo
5650 \else
5651 \expandafter\@secondoftwo
5652 \fi}
5653 \newcommand{\if@bidi@undef}[1]{%
5654 \ifdefined#1%
5655 \ifx#1\relax
5656 \expandafter\expandafter
5657 \expandafter\@firstoftwo
5658 \else
5659 \expandafter\expandafter
5660 \expandafter\@secondoftwo
5661 \fi
5662 \else
5663 \expandafter\@firstoftwo
5664 \fi}
5665 \newcommand{\if@bidi@blank}[1]{% from url.sty
5666 \bidi@ifblank@i#1&&\@secondoftwo\@firstoftwo:}
5667 \long\def\bidi@ifblank@i#1#2&#3#4#5:{#4}
5668 \newcommand{\bidi@notblank}[1]{%
5669 \bidi@ifblank@i#1&&\@firstoftwo\@secondoftwo:}
5670 \newcommand{\if@bidi@defmacro}{}
5671 \long\edef\if@bidi@defmacro#1{%
5672 \noexpand\expandafter\noexpand\bidi@ifdefmacro
5673 \noexpand\meaning#1\detokenize{macro}:&}
5674 \edef\bidi@ifdefmacro{%
5675 \def\noexpand\bidi@ifdefmacro##1\detokenize{macro}:##2&}
5676 \bidi@ifdefmacro{\bidi@notblank{#2}}
5677 \newcommand*{\if@bidi@csmacro}[1]{%

```



```

5678 \if@bidi@csdef{#1}
5679   {\expandafter\if@bidi@defmacro\csname#1\endcsname}
5680   {\@secondoftwo}}
5681 \newcommand{\if@bidi@defprimitive}[1]{%
5682   \ifprimitive#1
5683     \expandafter\@firstoftwo
5684   \else
5685     \expandafter\@secondoftwo
5686   \fi}
5687 \newcommand{\if@bidi@csprimitive}[1]{%
5688   \begingroup\expandafter\expandafter\expandafter\endgroup%
5689   \expandafter\ifprimitive\csname#1\endcsname%
5690   \expandafter\@firstoftwo
5691   \else
5692     \expandafter\@secondoftwo
5693   \fi}
5694 \newcommand*{\bidi@csdefcs}[2]{%
5695   \expandafter\@ifdefinable \csname#1\endcsname{%
5696     \expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}
5697   \newcommand*{\bidi@csletcs}[2]{%
5698     \expandafter\@ifdefinable \csname#1\endcsname{%
5699       \expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}
5700   \newcommand*{\bidi@cslet}[2]{%
5701     \expandafter\@ifdefinable \csname#1\endcsname{%
5702       \expandafter\let\csname#1\endcsname#2}}
5703   \newcommand{\bidi@namelongdef}[1]{%
5704     \long\expandafter\def\csname #1\endcsname}
5705   \newcommand{\bidi@namelonggdef}[1]{%
5706     \long\expandafter\gdef\csname #1\endcsname}
5707   \newcommand{\bidi@namelongedef}[1]{%
5708     \long\expandafter\edef\csname #1\endcsname}
5709   \newcommand{\bidi@namelongxdef}[1]{%
5710     \long\expandafter\xdef\csname #1\endcsname}
5711   \def\bidi@ensure@newcommand{\@star@or@long\bidi@ensure@new@command}
5712   \def\bidi@ensure@new@command#1{%
5713     \begingroup \escapechar\m@ne\xdef\gtempa{\string#1}\endgroup
5714     \expandafter\if@bidi@csundef\gtempa
5715       {\new@command#1}{\relax%
5716         \let\@ifdefinable\@rc@ifdefinable%
5717         \new@command#1}}
5718   \def\bidi@ensure@newlength#1{\if@bidi@undef#1{\newskip#1}{}}
5719
5720 \protected\def\bidi@error{\PackageError{bidi}}
5721 \protected\def\bidi@warning{\PackageWarning{bidi}}
5722 \protected\def\bidi@warningnoline{\PackageWarningNoLine{bidi}}
5723 \protected\def\bidi@info{\PackageInfo{bidi}}
5724
5725 \def\bidi@pos#1#2#3#4{\bidi@namegdef\bidi@#1pos@@#2@#3}{#4}}
5726
5727 \newcount\bidi@poscount
5728
5729 \newcommand*{\WriteStartXPostoaux}{%
5730   \global\advance\bidi@poscount\@ne
5731   \edef\@tempa{%

```



```

5732     \write\@auxout{%
5733         \string\bidipos{x}{start}{\number\bidiposcount}{\noexpand\number\noexpand\pdflastx
5734     }%
5735 }%
5736 \ifvmode
5737     \leavevmode
5738 \fi
5739 \if@RTL
5740     \if@filesw
5741         \@tempa
5742 \fi
5743 \pdfsavepos
5744 \else
5745 \pdfsavepos
5746 \if@filesw
5747     \@tempa
5748 \fi
5749 \fi
5750 \if@bidi@csundef{bidi@xpos@@start@\number\bidiposcount}{%
5751     \PackageWarningNoLine{biditools}{%
5752         The start x position `\'number\bidiposcount' is not known yet.
5753         Rerun to get this x position%
5754     }%
5755 }{}%
5756 }
5757
5758 \newcommand*{\WriteEndXPostoaux}{%
5759     \edef\@tempa{%
5760         \write\@auxout{%
5761             \string\bidipos{x}{end}{\number\bidiposcount}{\noexpand\number\noexpand\pdflastx
5762         }%
5763     }%
5764 \if@RTL
5765     \if@filesw
5766         \@tempa
5767 \fi
5768 \pdfsavepos
5769 \else
5770 \pdfsavepos
5771 \if@filesw
5772     \@tempa
5773 \fi
5774 \fi
5775 \if@bidi@csundef{bidi@xpos@@end@\number\bidiposcount}{%
5776     \PackageWarningNoLine{biditools}{%
5777         The end x position `\'number\bidiposcount' is not known yet.
5778         Rerun to get this x position%
5779     }%
5780 }{}%
5781 }
5782
5783 \newcommand*{\WriteStartYPostoaux}{%
5784     \global\advance\bidiposcount\@ne
5785     \edef\@tempa{%

```



```

5786     \write\@auxout{%
5787         \string\bidipos{y}{start}{\number\bidiposcount}{\noexpand\number\noexpand\pdfasty
5788     }%
5789 }%
5790 \ifvmode
5791     \leavevmode
5792 \fi
5793 \if@RTL
5794     \if@filesw
5795         \@tempa
5796 \fi
5797 \pdfsavepos
5798 \else
5799 \pdfsavepos
5800 \if@filesw
5801     \@tempa
5802 \fi
5803 \fi
5804 \if@bidi@csundef{bidi@ypos@@start@\number\bidiposcount}{%
5805     \PackageWarningNoLine{biditools}{%
5806         The start y position `\'number\bidiposcount' is not known yet.
5807         Rerun to get this y position%
5808     }%
5809 }{}%
5810 }
5811
5812 \newcommand*{\WriteEndYPostoaux}{%
5813     \edef\@tempa{%
5814         \write\@auxout{%
5815             \string\bidipos{y}{end}{\number\bidiposcount}{\noexpand\number\noexpand\pdfasty
5816         }%
5817     }%
5818 \if@RTL
5819     \if@filesw
5820         \@tempa
5821 \fi
5822 \pdfsavepos
5823 \else
5824 \pdfsavepos
5825 \if@filesw
5826     \@tempa
5827 \fi
5828 \fi
5829 \if@bidi@csundef{bidi@ypos@@end@\number\bidiposcount}{%
5830     \PackageWarningNoLine{biditools}{%
5831         The end y position `\'number\bidiposcount' is not known yet.
5832         Rerun to get this y position%
5833     }%
5834 }{}%
5835 }
5836
5837 \newcommand*{\WriteStartXYPstoaux}{%
5838     \global\advance\bidiposcount\@ne
5839     \edef\@tempa{%

```



```

5840     \write\@auxout{%
5841         \string\bidipos{x}{start}{\number\bidiposcount}{\noexpand\number\noexpand\pdflastx
5842     }%
5843     \write\@auxout{%
5844         \string\bidipos{y}{start}{\number\bidiposcount}{\noexpand\number\noexpand\pdflasty
5845     }%
5846 }%
5847 \ifvmode
5848     \leavevmode
5849 \fi
5850 \if@RTL
5851     \if@filesw
5852         \@tempa
5853     \fi
5854     \pdfsavepos
5855     \else
5856     \pdfsavepos
5857     \if@filesw
5858         \@tempa
5859     \fi
5860 \fi
5861 \if@bidi@csundef{bidi@xpos@@start@\number\bidiposcount}{%
5862     \PackageWarningNoLine{biditools}{%
5863         The start x position `\'number\bidiposcount' is not known yet.
5864         Rerun to get this x position%
5865     }%
5866 }{}%
5867 \if@bidi@csundef{bidi@ypos@@start@\number\bidiposcount}{%
5868     \PackageWarningNoLine{biditools}{%
5869         The start y position `\'number\bidiposcount' is not known yet.
5870         Rerun to get this y position%
5871     }%
5872 }{}%
5873 }
5874
5875 \newcommand*{\WriteEndXYPostoaux}{%
5876     \edef\@tempa{%
5877         \write\@auxout{%
5878             \string\bidipos{x}{end}{\number\bidiposcount}{\noexpand\number\noexpand\pdflastx
5879         }%
5880         \write\@auxout{%
5881             \string\bidipos{y}{end}{\number\bidiposcount}{\noexpand\number\noexpand\pdflasty
5882         }%
5883     }%
5884 \if@RTL
5885     \if@filesw
5886         \@tempa
5887     \fi
5888     \pdfsavepos
5889     \else
5890     \pdfsavepos
5891     \if@filesw
5892         \@tempa
5893     \fi

```



```

5894 \fi
5895 \if@bidi@csundef{bidi@xpos@@end@\number\bidi@poscount}{%
5896     \PackageWarningNoLine{biditools}{%
5897         The end x position ``\number\bidi@poscount' is not known yet.
5898         Rerun to get this x position%
5899     }%
5900 }{}%
5901 \if@bidi@csundef{bidi@ypos@@end@\number\bidi@poscount}{%
5902     \PackageWarningNoLine{biditools}{%
5903         The end y position ``\number\bidi@poscount' is not known yet.
5904         Rerun to get this y position%
5905     }%
5906 }{}%
5907 }
5908
5909 \newcommand*{\currentposxwidth}{%
5910     \if@bidi@csundef{bidi@xpos@@end@\number\bidi@poscount}{\z@}
5911     {%
5912         \ifnum\csname bidi@xpos@@start@\number\bidi@poscount
5913             \endcsname < \csname bidi@xpos@@end@\number\bidi@poscount
5914             \endcsname
5915             \dimexpr \csname bidi@xpos@@end@\number\bidi@poscount
5916             \endcsname sp - \csname bidi@xpos@@start@\number\bidi@poscount
5917             \endcsname sp\relax
5918         \else
5919             \dimexpr \csname bidi@xpos@@start@\number\bidi@poscount
5920             \endcsname sp - \csname bidi@xpos@@end@\number\bidi@poscount
5921             \endcsname sp\relax
5922         \fi
5923     }%
5924 }
5925
5926 \newcommand*{\currentposyheight}{%
5927     \if@bidi@csundef{bidi@ypos@@end@\number\bidi@poscount}{\z@}
5928     {%
5929         \dimexpr \csname bidi@ypos@@start@\number\bidi@poscount
5930             \endcsname sp - \csname bidi@ypos@@end@\number\bidi@poscount
5931             \endcsname sp\relax
5932     }%
5933 }
5934
5935
5936
5937 \newcommand*{\setbaselineskip}[1]{%
5938     \linespread{\strip@pt\dimexpr\numexpr\dimexpr#1\relax*65536/\dimexpr\baselineskip\relax}
5939     \selectfont
5940 }
5941
5942
5943 \newcommand*{\bidi@newrobustcmd}{}
5944 \protected\def\bidi@newrobustcmd{\@star@or@long\bidi@new@command}
5945
5946 \def\bidi@new@command#1{\@testopt{\bidi@newcommand#1}0}
5947

```



```

5948 \def\bidinewcommand#1[#2]{%
5949   \@ifnextchar[%
5950     {\bidixargdef#1[#2]}
5951     {\ifx\l@ngrel@x\relax
5952       \let\l@ngrel@x\protected
5953     }
5954     \protected\def\l@ngrel@x{\protected\long}%
5955   \fi
5956   \@argdef#1[#2]}}
5957
5958 \long\def\bidixargdef#1[#2][#3]#4{%
5959   \@ifdefinable#1{%
5960     \expandafter\protected
5961     \expandafter\def
5962     \expandafter#1%
5963     \expandafter{%
5964       \expandafter\@testopt
5965       \csname\string#1\endcsname{#3}}%
5966     \expandafter\@yargdef\csname\string#1\endcsname\tw@{#2}{#4}}}
5967
5968 \bidinewrobustcmd*{\bidirenewrobustcmd}{\@star@or@long\bidirenew@command}
5969
5970 \def\bidirenew@command#1{%
5971   \if@bidi@undef{#1}
5972     {\biderror{\string#1 undefined}\@ehc}
5973     {}%
5974   \let\@ifdefinable\@rc@ifdefinable
5975   \bidinew@command#1}
5976
5977
5978
5979 \bidinewrobustcmd*{\bidiproviderobustcmd}{\@star@or@long\bidiprovide@command}
5980
5981 \def\bidiprovide@command#1{%
5982   \if@bidi@undef{#1}
5983     {\def\reserved@a{\bidinew@command#1}}
5984     {\def\reserved@a{\bidirenew@command\reserved@a}}%
5985   \reserved@a}
5986
5987 \newcommand*{\bidicsuse}[1]{%
5988   \ifcsname#1\endcsname
5989     \csname#1\expandafter\endcsname
5990   \fi}
5991
5992 \newcommand{\bidixpandonce}[1]{%
5993   \unexpanded\expandafter{#1}}
5994
5995 \def\bidiprotected{%
5996   \let\@protect\protect
5997   \let\protect\@unexpandable@protect
5998   \afterassignment\restore@protect}
5999
6000 \bidinewrobustcmd{\bidiappto}[2]{%
6001   \if@bidi@undef{#1}

```



```

6002     {\edef#1{\unexpanded{#2}}}
6003     {\edef#1{\bidi@expandonce#1\unexpanded{#2}}}}
6004 \bidi@newrobustcmd{\bidi@eappto}[2]{%
6005   \if@bidi@undef{#1}
6006     {\edef#1{#2}}
6007     {\edef#1{\bidi@expandonce#1#2}}}
6008 \bidi@newrobustcmd{\bidi@gappto}[2]{%
6009   \if@bidi@undef{#1}
6010     {\xdef#1{\unexpanded{#2}}}
6011     {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}}
6012 \bidi@newrobustcmd{\bidi@xappto}[2]{%
6013   \if@bidi@undef{#1}
6014     {\xdef#1{#2}}
6015     {\xdef#1{\bidi@expandonce#1#2}}}
6016
6017 \bidi@newrobustcmd*{\bidi@protected@eappto}{\bidi@protected\bidi@eappto}
6018 \bidi@newrobustcmd*{\bidi@protected@xappto}{\bidi@protected\bidi@xappto}
6019
6020
6021
6022 \bidi@newrobustcmd{\bidi@preto}[2]{%
6023   \if@bidi@undef{#1}
6024     {\edef#1{\unexpanded{#2}}}
6025     {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}
6026 \bidi@newrobustcmd{\bidi@epreto}[2]{%
6027   \if@bidi@undef{#1}
6028     {\edef#1{#2}}
6029     {\edef#1{#2\bidi@expandonce#1}}
6030 \bidi@newrobustcmd{\bidi@gpreto}[2]{%
6031   \if@bidi@undef{#1}
6032     {\xdef#1{\unexpanded{#2}}}
6033     {\xdef#1{\unexpanded{#2}\bidi@expandonce#1}}
6034 \bidi@newrobustcmd{\bidi@xpreto}[2]{%
6035   \if@bidi@undef{#1}
6036     {\xdef#1{#2}}
6037     {\xdef#1{#2\bidi@expandonce#1}}
6038
6039 \bidi@newrobustcmd*{\bidi@protected@epreto}{\bidi@protected\bidi@epreto}
6040 \bidi@newrobustcmd*{\bidi@protected@xpreto}{\bidi@protected\bidi@xpreto}
6041
6042
6043
6044 \bidi@newrobustcmd*{\bidi@csappto}[1]{\expandafter\bidi@appto\csname#1\endcsname}
6045 \bidi@newrobustcmd*{\bidi@cseappto}[1]{\expandafter\bidi@eappto\csname#1\endcsname}
6046 \bidi@newrobustcmd*{\bidi@csgappto}[1]{\expandafter\bidi@gappto\csname#1\endcsname}
6047 \bidi@newrobustcmd*{\bidi@csxappto}[1]{\expandafter\bidi@xappto\csname#1\endcsname}
6048 \bidi@newrobustcmd*{\bidi@protected@cseappto}{\bidi@protected\bidi@cseappto}
6049 \bidi@newrobustcmd*{\bidi@protected@csxappto}{\bidi@protected\bidi@csxappto}
6050
6051
6052
6053 \bidi@newrobustcmd*{\bidi@cspreto}[1]{\expandafter\bidi@preto\csname#1\endcsname}
6054 \bidi@newrobustcmd*{\bidi@csepreto}[1]{\expandafter\bidi@epreto\csname#1\endcsname}
6055 \bidi@newrobustcmd*{\bidi@csgpreto}[1]{\expandafter\bidi@gpreto\csname#1\endcsname}

```




```

6056 \bidi@newrobustcmd*{\bidi@csxpreto}[1]{\expandafter\bidi@xpreto\csname#1\endcsname}
6057 \bidi@newrobustcmd*{\bidi@protected@csepreto}{\bidi@protected\bidi@csepreto}
6058 \bidi@newrobustcmd*{\bidi@protected@csxpreto}{\bidi@protected\bidi@csxpreto}
6059
6060
6061
6062 \bidi@newrobustcmd{\if@bidi@patchable}{%
6063   \bidi@dbg@trce\if@bidi@patchable
6064   \beginingroup
6065   \@makeother\%
6066   \@ifstar\bidi@ifpatchablei\bidi@ifpatchable}
6067
6068 \long\def\bidi@ifpatchable#1#2{%
6069   \endgroup
6070   \bidi@dbg@init#1%
6071   \if@bidi@undef{#1}
6072     {\bidi@dbg@fail{def}\@secondoftwo}
6073     {\bidi@dbg@info{def}%
6074       \if@bidi@defmacro{#1}
6075         {\bidi@dbg@info{mac}%
6076           \bidi@ifscanable{#1}
6077             {\bidi@ifhashcheck{#2}
6078               {\bidi@dbg@info{tok}%
6079                 \bidi@ifpattern#1{#2}
6080                   {\bidi@dbg@info{pat}%
6081                     \bidi@dbg@info{pos}\@firstoftwo}
6082                     {\bidi@dbg@fail{pat}\@secondoftwo}}
6083                   {\bidi@dbg@fail{hsh}\@secondoftwo}}
6084                   {\bidi@dbg@fail{tok}\@secondoftwo}}
6085                   {\bidi@dbg@fail{mac}\@secondoftwo}}}
6086
6087 \long\def\bidi@ifpatchablei#1{%
6088   \endgroup
6089   \bidi@dbg@init#1%
6090   \if@bidi@undef{#1}
6091     {\bidi@dbg@fail{def}\@secondoftwo}
6092     {\bidi@dbg@info{def}%
6093       \if@bidi@defmacro{#1}
6094         {\bidi@dbg@info{mac}%
6095           \if@bidi@defparam{#1}
6096             {\bidi@dbg@info{prm}%
6097               \bidi@ifscanable{#1}
6098                 {\bidi@dbg@info{tok}%
6099                   \bidi@dbg@info{pos}\@firstoftwo}
6100                   {\bidi@dbg@fail{tok}\@secondoftwo}}
6101                 {\bidi@dbg@info{prl}%
6102                   \if@bidi@defprotected{#1}
6103                     {\bidi@dbg@info{pro}}
6104                     {}%
6105                   \bidi@dbg@info{pos}\@firstoftwo}}
6106                 {\bidi@dbg@fail{mac}\@secondoftwo}}}
6107
6108 \bidi@newrobustcmd*{\bidi@patchcmd}{%
6109   \bidi@dbg@trce\bidi@patchcmd

```



```

6110 \begingroup
6111 \@makeother\#%
6112 \bidi@patchcmd}
6113
6114 \newcommand{\bidi@patchcmd}[4][#####1]{%
6115 \bidi@ifpatchable#2{#3}
6116 {\bidi@dbg@succ{ret}}%
6117 \begingroup
6118 \edef\bidi@resrvda{%
6119 \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
6120 #1\def\string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb####3&}}%
6121 \def\noexpand\bidi@resrvdb####1\detokenize{#3}####2&{%
6122 #####1\detokenize{#4}####2}%
6123 \edef\noexpand\bidi@resrvda{%
6124 \noexpand\bidi@resrvda\meaning#2&}}%
6125 \bidi@resrvda
6126 \bidi@patchcmd@scantoks\bidi@resrvda
6127 \let#2\bidi@resrvda
6128 \bidi@undef\bidi@resrvda
6129 \@firstoftwo}
6130 {\@secondoftwo}}
6131
6132 \def\bidi@patchcmd@scantoks#1{%
6133 \edef\bidi@resrvda{\endgroup
6134 \unexpanded{\makeatletter\scantokens}{#1}%
6135 \catcode\number`\@=\the\catcode`\@ \relax}%
6136 \bidi@resrvda}
6137
6138 \protected\def\bidi@ifscanable#1{%
6139 \begingroup
6140 \edef\bidi@resrvda{%
6141 \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
6142 #####1\def\string\bidi@resrvda####2{####3}}%
6143 \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda\meaning#1&}}%
6144 \bidi@resrvda
6145 \makeatletter
6146 \scantokens\expandafter{\bidi@resrvda}%
6147 \expandafter\endgroup\ifx#1\bidi@resrvda
6148 \expandafter\@firstoftwo
6149 \else
6150 \expandafter\@secondoftwo
6151 \fi}
6152
6153
6154 \protected\long\def\bidi@ifhashcheck#1{%
6155 \begingroup
6156 \edef\bidi@resrvda{\detokenize{#1}}%
6157 \expandafter\endgroup
6158 \expandafter\bidi@ifhashcheck@i\meaning\bidi@resrvda&}
6159
6160 \edef\bidi@ifhashcheck@i#1{%
6161 \noexpand\expandafter
6162 \noexpand\bidi@ifhashcheck@ii
6163 \noexpand\strip@prefix#1\string#\string#&}

```



```

6164
6165 \edef\bid@ifhashcheck@ii{%
6166   \def\noexpand\bid@ifhashcheck@ii##1\string#\string###2&}
6167 \bid@ifhashcheck@ii{\if@bid@blank{#2}}
6168
6169
6170 \protected\long\def\bid@ifpattern#1#2{%
6171   \begingroup
6172   \edef\bid@resrvda{%
6173     \def\noexpand\bid@resrvda####1\detokenize{#2}####2&{%
6174       \endgroup\noexpand\noexpand\noexpand\if@bid@blank{####2}}}%
6175   \edef\noexpand\bid@resrvda{\noexpand\bid@resrvda
6176     \expandafter\strip@prefix\meaning#1\detokenize{#2}&}%
6177   \noexpand\bid@resrvda}
6178   \bid@resrvda\@secondoftwo\@firstoftwo}
6179
6180
6181 \newcommand{\if@bid@defparam}{%
6182 \long\edef\if@bid@defparam#1{%
6183   \noexpand\expandafter\noexpand\bid@ifdefparam
6184   \noexpand\meaning#1\detokenize{macro}:->&}
6185 \edef\bid@ifdefparam{%
6186   \def\noexpand\bid@ifdefparam##1\detokenize{macro}:##2->##3&}
6187 \bid@ifdefparam{\bid@notblank{#2}}
6188
6189
6190 \newcommand{\if@bid@defprotected}{%
6191 \long\edef\if@bid@defprotected#1{%
6192   \noexpand\expandafter\noexpand\bid@ifdefprotected
6193   \noexpand\meaning#1\string\protected&}
6194 \edef\bid@ifdefprotected{%
6195   \def\noexpand\bid@ifdefprotected##1\string\protected##2&}
6196 \bid@ifdefprotected{\bid@notblank{#2}}
6197
6198
6199 \bid@newrobustcmd{\bid@undef}[1]{\let#1\bid@undefined}
6200 \bid@newrobustcmd{\bid@csundef}[1]{%
6201   \expandafter\let\csname #1\endcsname\bid@undefined
6202 }
6203
6204 \let\bid@dbg@trce\@gobble
6205 \let\bid@dbg@init\@gobble
6206 \let\bid@dbg@info\@gobble
6207 \let\bid@dbg@succ\@gobble
6208 \let\bid@dbg@fail\@gobble
6209
6210
6211
6212 \bid@newrobustcmd*{\bid@apptocmd}{%
6213   \bid@dbg@trce\bid@apptocmd
6214   \begingroup
6215   \@makeother\%
6216   \bid@hooktocmd\bid@append}
6217

```



```

6218
6219
6220 \bidi@newrobustcmd*{\bidi@pretocmd}{%
6221   \bidi@dbg@trce\bidi@pretocmd
6222   \beginingroup
6223   \@makeother\#%
6224   \bidi@hooktocmd\bidi@prepend}
6225
6226 \long\def\bidi@hooktocmd#1#2#3{%
6227   \endgroup
6228   \bidi@dbg@init#2%
6229   \if@bidi@undef{#2}
6230     {\bidi@dbg@fail{def}\@secondoftwo}
6231     {\bidi@dbg@info{def}%
6232       \if@bidi@defmacro{#2}
6233         {\bidi@dbg@info{mac}%
6234           \if@bidi@defparam{#2}
6235             {\bidi@dbg@info{prm}%
6236               \bidi@ifscanable{#2}
6237                 {\bidi@ifhashcheck{#3}
6238                   {\bidi@dbg@info{tok}%
6239                     \bidi@dbg@succ{ret}%
6240                     \bidi@hooktocmd@i#1#2{#3}%
6241                     \@firstoftwo}
6242                   {\bidi@dbg@fail{hsh}\@secondoftwo}}
6243                 {\bidi@dbg@fail{tok}\@secondoftwo}}
6244               {\bidi@dbg@info{prl}%
6245                 \if@bidi@defprotected{#2}
6246                   {\bidi@dbg@info{pro}%
6247                     \bidi@dbg@succ{red}%
6248                     \protected}
6249                   {\bidi@dbg@succ{red}}}%
6250               \edef#2{#1{\bidi@expandonce#2}{\unexpanded{#3}}}%
6251               \@firstoftwo}}
6252             {\bidi@dbg@fail{mac}\@secondoftwo}}}}
6253
6254 \long\def\bidi@hooktocmd@i#1#2#3{%
6255   \beginingroup
6256   \edef\bidi@resrvda{%
6257     \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
6258       ####1\def\string\bidi@resrvda\space####2{#1{####3}{\detokenize{#3}}}}%
6259     \edef\noexpand\bidi@resrvda{%
6260       \noexpand\bidi@resrvda\meaning#2&}}%
6261   \bidi@resrvda
6262   \bidi@patchcmd@scantoks\bidi@resrvda
6263   \let#2\bidi@resrvda
6264   \bidi@undef\bidi@resrvda}
6265
6266 \long\def\bidi@append#1#2{#1#2}
6267 \long\def\bidi@prepend#1#2{#2#1}
6268
6269 %\bidi@newrobustcmd*{\bidi@AtEndPreamble}{\bidi@gappto\bidi@endpreamblehook}
6270 %\newcommand*{\bidi@endpreamblehook}{%
6271

```



```

6272 \bidi@newrobustcmd*{\bidi@AtEndPreamble}{\AddToHook{begindocument/before}}%
6273
6274 \bidi@newrobustcmd*{\bidi@BeforeOutputPageShipOut}{\bidi@gappto\bidi@beforeoutputpageshipout}
6275 \newcommand*{\bidi@beforeoutputpageshipouthook}{}
6276
6277 \bidi@newrobustcmd*{\bidi@BeforeHeader}{\bidi@gappto\bidi@beforeheaderhook}
6278 \newcommand*{\bidi@beforeheaderhook}{}
6279
6280 \bidi@newrobustcmd*{\bidi@BeforeOutputBoxOutputPage}{\bidi@gappto\bidi@beforeoutputboxoutput}
6281 \newcommand*{\bidi@beforeoutputboxoutputpagehook}{}
6282
6283 \bidi@newrobustcmd*{\bidi@AfterOutputBoxOutputPage}{\bidi@gappto\bidi@afteroutputboxoutput}
6284 \newcommand*{\bidi@afteroutputboxoutputpagehook}{}
6285
6286 \bidi@newrobustcmd*{\bidi@BeforeFooter}{\bidi@gappto\bidi@beforefooterhook}
6287 \newcommand*{\bidi@beforefooterhook}{}
6288
6289 \bidi@newrobustcmd*{\bidi@AfterFooter}{\bidi@gappto\bidi@afterfooterhook}
6290 \newcommand*{\bidi@afterfooterhook}{}
6291
6292
6293 \bidi@newrobustcmd*{\bidi@AfterOutputPageShipOut}{\bidi@gappto\bidi@afteroutputpageshipouthook}
6294 \newcommand*{\bidi@afteroutputpageshipouthook}{}
6295
6296 \bidi@newrobustcmd*{\bidi@AtEndOutputPage}{\bidi@gappto\bidi@atendoutputpagehook}
6297 \newcommand*{\bidi@atendoutputpagehook}{}
6298
6299 %\bidi@preto\document{%
6300 % \endgroup
6301 % \let\bidi@AtEndPreamble\@firstofone
6302 % \bidi@endpreamblehook
6303 % \protected\def\bidi@AtEndPreamble{\@notprerr\@gobble}%
6304 % \bidi@undef\bidi@endpreamblehook
6305 % \begingroup}
6306
6307 \bidi@newrobustcmd*{\bidi@AfterPreamble}{\AtBeginDocument}
6308 \bidi@AtEndPreamble{\let\bidi@AfterPreamble\@firstofone}
6309
6310 %\bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\bidi@gappto\bidi@afterendpreamblehook}
6311 %\newcommand*{\bidi@afterendpreamblehook}{}
6312
6313 \bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\AddToHook{begindocument/end}}%
6314
6315 %\bidi@appto\document{%
6316 % \let\bidi@AfterEndPreamble\@firstofone
6317 % \bidi@afterendpreamblehook
6318 % \protected\def\bidi@AfterEndPreamble{\@notprerr\@gobble}%
6319 % \bidi@undef\bidi@afterendpreamblehook
6320 % \ignorespaces}
6321
6322 \bidi@newrobustcmd*{\bidi@AfterEndDocumentCheckLabelsRerun}{\bidi@gappto\bidi@afterenddocumentchecklabelsrerun}
6323 \newcommand*{\bidi@afterenddocumentchecklabelsrerunhook}{}
6324
6325 \bidi@patchcmd\enddocument

```



```

6326 {\fi}
6327 {\let\bid@AfterEndDocumentCheckLabelsRerun\@firstofone
6328 \bid@afterenddocumentchecklabelsrerunhook
6329 \fi}
6330 {}
6331 {\PackageWarning{biditools}{Patching '\string\enddocument' failed}}
6332
6333 \AtEndDocument{\let\bid@AfterEndPreamble\@gobble}
6334
6335 \bid@newrobustcmd*{\bid@AfterLastShipout}{\bid@gappto\bid@afterlastshipouthook}
6336 \newcommand*{\bid@afterlastshipouthook}{}
6337
6338 \bid@patchcmd\enddocument
6339 {\clearpage}
6340 {\clearpage
6341 \let\bid@AfterLastShipout\@firstofone
6342 \bid@afterlastshipouthook}
6343 {}
6344 {\let\bid@clearpage\clearpage
6345 \def\clearpage{%
6346 \bid@clearpage
6347 \let\bid@AfterLastShipout\@firstofone
6348 \bid@afterlastshipouthook}}
6349
6350 %\bid@newrobustcmd*{\bid@AfterEndDocument}{\bid@gappto\bid@afterenddocumenthook}
6351 %\newcommand*{\bid@afterenddocumenthook}{}
6352
6353 \bid@newrobustcmd*{\bid@AfterEndDocument}{\AddToHook{enddocument/end}}%
6354
6355 %\bid@patchcmd\enddocument
6356 % {\deadcycles}
6357 % {\let\bid@AfterEndDocument\@firstofone
6358 % \bid@afterenddocumenthook
6359 % \deadcycles}
6360 % {}
6361 % {\let\bid@@end\@end
6362 % \def\@end{%
6363 % \let\bid@AfterEndDocument\@firstofone
6364 % \bid@afterenddocumenthook
6365 % \bid@@end}}
6366
6367 \bid@newrobustcmd{\bid@AtBeginEnvironment}[1]{%
6368 \bid@csgappto{\bid@begin@#1@hook}}
6369
6370 % Patch \begin<space> and \end<space> in newer LaTeX releases
6371 % \begin and \end in older ones.
6372 \expandafter\bid@patchcmd\csname begin\ifcsname begin \endcsname\space\fi\endcsname
6373 {\csname #1\endcsname}
6374 {\bid@csuse{\bid@begin@#1@hook}%
6375 \csname #1\endcsname}
6376 {}
6377 {\bid@warning{%
6378 Patching '\string\begin' failed!\MessageBreak
6379 '\string\bid@AtBeginEnvironment' will not work\@gobble}}

```



```

6380
6381
6382
6383 \bidi@newrobustcmd{\bidi@AtEndEnvironment}[1]{%
6384   \bidi@csgappto{@bidi@end@#1@hook}}
6385
6386 \expandafter\bidi@patchcmd\csname end\ifcsname end \endcsname\space\fi\endcsname
6387   {\csname end#1\endcsname}
6388   {\bidi@csuse{@bidi@end@#1@hook}%
6389     \csname end#1\endcsname}
6390   {}
6391   {\bidi@warning{%
6392     Patching '\string\end' failed!\MessageBreak
6393     '\string\bidi@AtEndEnvironment' will not work\@gobble}}
6394
6395
6396
6397 \bidi@newrobustcmd{\bidi@BeforeBeginEnvironment}[1]{%
6398   \bidi@csgappto{@bidi@beforebegin@#1@hook}}
6399
6400 \expandafter\bidi@pretocmd\csname begin\ifcsname begin \endcsname\space\fi\endcsname
6401   {\bidi@csuse{@bidi@beforebegin@#1@hook}}
6402   {}
6403   {\bidi@warning{%
6404     Patching '\string\begin' failed!\MessageBreak
6405     '\string\bidi@BeforeBeginEnvironment' will not work\@gobble}}
6406
6407 \bidi@newrobustcmd{\bidi@AfterEndEnvironment}[1]{%
6408   \bidi@csgappto{@bidi@afterend@#1@hook}}
6409
6410 \expandafter\bidi@patchcmd\csname end\ifcsname end \endcsname\space\fi\endcsname
6411   {\if@ignore}
6412   {\bidi@csuse{@bidi@afterend@#1@hook}%
6413     \if@ignore}
6414   {}
6415   {\bidi@warning{%
6416     Patching '\string\end' failed!\MessageBreak
6417     '\string\bidi@AfterEndEnvironment' will not work\@gobble}}
6418
6419 \def\bidi@namedef#1{\expandafter\def\csname #1\endcsname}
6420 \def\bidi@namegdef#1{\expandafter\gdef\csname #1\endcsname}
6421 \def\bidi@nameedef#1{\expandafter\edef\csname #1\endcsname}
6422 \def\bidi@namexdef#1{\expandafter\xdef\csname #1\endcsname}
6423
6424 % From David Carlisle:
6425 % The \@stpelt redefinition below belongs to Heiko Oberdiek
6426 % See also https://github.com/ho-tex/oberdiek/issues/26
6427
6428 \let\bidi@stepcounter\stepcounter
6429 \let\bidi@stpelt\@stpelt
6430
6431 \def\@stpelt#1{%
6432   \ifcsname bidi@reset@#1@perpage\endcsname
6433     \begingroup

```



```

6434 \let\stepcounter\@bidi@stepcounter
6435 \@bidi@@stpelt{#1}%
6436 \endgroup
6437 \expandafter\@gobbletwo
6438 \fi
6439 \@bidi@@stpelt{#1}%
6440 }
6441
6442 \bidi@pretocmd\stepcounter
6443 {%
6444 \if@bidi@csundef{bidi@stepcounterhook@@#1}{%
6445 \csname bidi@stepcounterhook@@#1\endcsname
6446 }%
6447 }{%
6448 {\PackageWarning{biditools}{Patching '\string\stepcounter' failed}}
6449
6450 \chardef\bidi@backslash`\\
6451 \def\bidics#1{\texttt{\char\bidi@backslash#1}}
6452
6453 % anonymous control sequences
6454 \newcount\bidi@tempcountb
6455 \newtoks\bidi@temptoksa
6456 \newtoks\bidi@temptoksb
6457
6458 % Catcode (re)storing
6459 %
6460 \def\bidi@storecatcode#1%
6461 {\escapechar\m@ne
6462 \bidi@csarg\edef{bidi@restorecatcode\string#1}%
6463 {\catcode`\string#1=
6464 \the\catcode\expandafter`\string#1}%
6465 \catcode\expandafter`\string#1=12\relax
6466 \escapechar`\\relax}
6467 \def\bidi@restorecatcode#1%
6468 {\escapechar\m@ne
6469 \csname bidi@restorecatcode\string#1\endcsname
6470 \escapechar`\\relax}
6471
6472 % Construct a control sequence inside \edef
6473 %
6474 \def\bidi@csname#1{\expandafter\noexpand\csname#1\endcsname}
6475
6476 % Construct a control sequence out of #2, and give it to #1
6477 %
6478 \def\bidi@csarg#1#2{\expandafter#1\csname#2\endcsname}
6479
6480 % Pick an escapecharacter
6481 % this presumes that its argument is a character.
6482 %
6483 \def\bidi@pickescape#1{\ifnum`#1=\escapechar\else#1\fi}
6484
6485 % Equality of strings.
6486 % the fast approach: does not work in expansion-only environment.
6487 %

```




```

6488 \def\bid@EqualString#1#2{00\fi\def\bid@eqs@a{#1}\def\bid@eqs@b{#2}%
6489     \ifx\bid@eqs@a\bid@eqs@b}
6490
6491 % Test by expansion only
6492 %
6493 \def\bid@EqualStringX#1#2{00\fi
6494     \csname if\@bid@EqualStringX#1&#2&$\endcsname}
6495 \def\@bid@EqualStringX#1#2$#3#4${\ifx#1#3%
6496     \ifx#1&true\else\bid@hop@ES\@bid@EqualStringX#2$#4$\fi
6497     \else false\fi}
6498 \def\bid@hop@ES#1\fi#2\fi{\fi\fi#1}
6499
6500 % Lexicographic ordering
6501 % note the use of \def
6502 % also note the characters 0,127,255 that are used,
6503 % these are not supposed to appear in the strings
6504 %
6505 {\catcode0=12 \catcode255=12 \catcode127=12
6506 \gdef\bid@StringBeforeNC#1#2{00\fi
6507     \bid@CharsBefore#1^^@^^?#2^^ff^^?}
6508 \gdef\bid@CharsBeforeNC#1#2^^?#3#4^^?{%
6509     \ifcat#1\relax\def\bid@next{\bid@CharsBefore#2^^@^^?#3#4^^ff^^?}%
6510     \else\ifcat#3\relax\def\bid@next{\bid@CharsBefore#1#2^^@^^?#4^^ff^^?}%
6511     \else\ifnum\lccode`#1<\lccode`#3
6512         \def\bid@next{\csname iftrue\endcsname}%
6513     \else\ifnum\lccode`#1>\lccode`#3
6514         \def\bid@next{\csname iffalse\endcsname}%
6515     \else\def\bid@next{\bid@CharsBefore#2^^?#4^^?}%
6516     \fi \fi \fi \fi
6517     \bid@next}
6518 \gdef\bid@StringBefore#1#2{00\fi
6519     \bid@CharsBefore#1^^@^^?#2^^ff^^?}
6520 \gdef\bid@CharsBefore#1#2^^?#3#4^^?{%
6521     \ifnum`#1<`#3
6522         \def\bid@next{\csname iftrue\endcsname}%
6523     \else\ifnum`#1>`#3
6524         \def\bid@next{\csname iffalse\endcsname}%
6525     \else\def\bid@next{\bid@CharsBefore#2^^?#4^^?}%
6526     \fi\fi
6527     \bid@next}
6528 }
6529
6530 % Null argument test
6531 %
6532 \def\bid@empty{}
6533 \def\bid@ifempty#1{00\fi\expandafter\ifx\csname bid@#1@null\endcsname\bid@null}
6534 \def\bid@ifEmptyX#1{\expandafter\ifx\csname bid@#1@null\endcsname\bid@null}
6535 %\def\bid@ifEmpty#1{\def\bid@cs@a{#1}\ifx\bid@cs@a\bid@empty}
6536 \def\bid@IsEmptyList#1{00\fi\def\bid@cs@a{#1}\ifx\cs@a\bid@empty}
6537
6538 % Next character test
6539 %
6540 \def\bid@NextChar#1#2#3{00\fi
6541     \let\bid@nxt@ch#1\def\bid@nxt@a{#2}\def\bid@nxt@b{#3}%

```



```

6542 \futurelet\bidixnxt@c\@bidixifnxtc}
6543 \def\bidixifNextChar#1#2#3{%
6544 \let\bidixnxt@ch#1\def\bidixnxt@a{#2}\def\bidixnxt@b{#3}%
6545 \futurelet\bidixnxt@c\@bidixifnxtc}
6546 \def\@bidixifnxtc{\ifx\bidixnxt@ch\bidixnxt@c \expandafter\bidixnxt@a
6547 \else \expandafter\bidixnxt@b \fi}
6548
6549 % Test for defined-ness of string as control sequence.
6550 % works inside \edef
6551 %
6552 \def\bidixundefinedcs#1{00\fi\bidixcsarg\ifx{#1}\relax}
6553
6554 % Define uniquely defined dummy macros,
6555 % usually to serve as bumper blocks at the end of a list
6556 %
6557 \newcount\bidixdummies
6558 \def\DefNewDummy#1{
6559 \if\bidixundefinedcs{#1}\bidixcsarg\edef{#1}{\bidixdum\the\bidixdummies}
6560 \advance\bidixdummies\@ne
6561 \else
6562 \bidixerror{Attempt at second definition of `#1'}
6563 \fi}
6564
6565 % string case statement
6566 % use: \bidixswitch \iftest{...} in:
6567 % item1 action1
6568 % ...
6569 % itemn actionn
6570 % default defaultaction [optional]
6571 % \endbidixswitch
6572 % inspired by Jonathan Fine: Some Basic Control Macros
6573 % Tugboat 12 #4
6574 %
6575 \let\@bidixfi\fi \let\endbidixswitch\relax \DefNewDummy{\bidixdefault}
6576 \def\bidixswitch@exit #1 \@bidixfi #2 \endbidixswitch {\fi #1}
6577 \def\bidixswitch #1#2#3{\bidixcsarg\ifx{#2}\bidixdefault\bidixswitch@exit #3 \@bidixfi
6578 #1{#2}\bidixswitch@exit #3 \@bidixfi
6579 \bidixswitch {#1}
6580 }
6581 % this version puts the test object in {}
6582 \def\bidixoswitch #1 in: #2 #3; {\bidixcsarg\ifx{#2}\bidixdefault\bidixswitch@exit #3 \@bidixfi
6583 #1{#2}\bidixswitch@exit #3 \@bidixfi
6584 \bidixswitch #1 in:
6585 }
6586 % this version assumes that the test object is just one character
6587 \def\bidixcswitch #1 in: #2 #3; {\bidixcsarg\ifx{#2}\bidixdefault\bidixswitch@exit #3 \@bidixfi
6588 #1#2\bidixswitch@exit #3 \@bidixfi
6589 \bidixcswitch #1 in:
6590 }
6591 % this version assumes that the test object can have an optional space
6592 \def\bidixbswitch #1 in: #2 #3; {\bidixcsarg\ifx{#2}\bidixdefault\bidixswitch@exit #3 \@bidixfi
6593 #1#2 \bidixswitch@exit #3 \@bidixfi
6594 \bidixbswitch #1 in:
6595 }

```



```

6596% this version can cope with significant spaces at the start of #3;
6597% #2 is macro argument
6598\def\bidimswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \bidi@
6599 #1{#2}\bidi@switch@exit #3 \bidi@fi
6600 \bidimswitch #1 in:
6601 }
6602% idem; #2 does not have to be enclosed in braces
6603\def\bidi@fswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \bidi@
6604 #1#2 \bidi@switch@exit #3 \bidi@fi
6605 \bidi@fswitch #1 in:
6606 }
6607
6608% Routines for taking the value of a string:
6609% if the string is defined as control sequence
6610% take the value of that, otherwise take the string itself
6611
6612% String or value of control sequence
6613%
6614\def\bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else \the\csname#1\endcsname\fi}
6615
6616% String or control sequence
6617%
6618\def\bidi@ww#1{\if\bidi@undefinedcs{#1}#1\else \csname#1\endcsname \fi}
6619
6620% String or \noexpand-ed control sequence;
6621% for use in \edef
6622%
6623\newif\ifbidi@in@label
6624\def\bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else
6625 \ifbidi@in@label\noexpand\protect\fi \bidi@csname{#1}\fi}
6626\newtoks\bidi@are@these@correct
6627\def\bidi@t@w@w#1{%
6628 \if\bidi@undefinedcs{#1}#1%
6629 \ifdefining\bidi@append@to@list\bidi@are@these@correct{#1 } \fi
6630 \else
6631 \ifin@label\noexpand\protect\fi \bidi@csname{#1}\fi}
6632
6633% List Manipulation .....
6634% this assumes that #1 is a list of tokens, #2 is the name of a list
6635%
6636% Names of lists (and of items to pop into) are given as strings;
6637% not as control sequences.
6638%
6639\newtoks\bidi@toks@lista \newtoks\bidi@toks@listb
6640% basic append/prepend macro
6641\long\def\bidi@append@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
6642 \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter#1\the\bidi@toks@
6643 \long\def\bidi@prepend@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
6644 \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@list
6645 \def\bidi@append@to@list{\bidi@csarg\bidi@append@to@cslist}
6646 \def\bidi@prepend@to@list{\bidi@csarg\bidi@prepend@to@cslist}
6647% variations:
6648\long\def\bidi@append@to@list#1#2{\bidi@append@to@list{#1}{#2}}
6649\long\def\bidi@prepend@to@list#1#2{\bidi@prepend@to@list{#1}{#2}}

```



```

6650 \def\bid@append@list@to@list#1#2{%
6651   \@bid@append@to@list{#1}{\expandafter\expandafter\expandafter}{\expandafter\the\csname#2\
6652 \def\bid@prepend@list@to@list#1#2{%
6653   \@bid@prepend@to@list{#1}{\expandafter\expandafter\expandafter}{\expandafter\the\csname#2\
6654 \def\bid@append@csl@to@csl#1#2{%
6655   \@bid@append@to@csl{#1}\expandafter{\the#2}}
6656 \def\bid@prepend@csl@to@csl#1#2{%
6657   \@bid@prepend@to@csl{#1}\expandafter{\the#2}}
6658 \def\bid@append@toks@cs@to@list#1#2{\@bid@append@to@list{#1}\expandafter{\the#2}}
6659 \def\bid@prepend@toks@cs@to@list#1#2{\@bid@prepend@to@list{#1}\expandafter{\the#2}}
6660
6661 \let\bid@willbeunhskip\unhskip
6662
6663 % A few list macros for the user
6664 \def\NewTokenList:#1 {\bid@csarg\newtoks{#1}\global\csname#1\endcsname{}}
6665 \def\EmptyTokenList:#1 {\global\csname#1\endcsname{}}
6666 \long\def\AppendToTokenList:#1=#2 {\@bid@append@to@list{#1}{#2}}
6667 \long\def\PrependToTokenList:#1=#2 {\@bid@prepend@to@list{#1}{#2}}
6668 \def\TheTokenList:#1 {\let\bid@oldwbuskip\bid@willbeunhskip \let\bid@willbeunhskip\@empty
6669   \if\bid@undefinedcs{#1}\bid@error{Token List <#1> undefined}
6670   \else\bid@csarg\the{#1}\fi
6671   \let\bid@willbeunhskip\bid@oldwbuskip}
6672
6673 \def\bid@del@tok@from@list#1#2{\begingroup
6674   \long\def\bid@cs@list#1#2##2\bid@tok@SM
6675     {\bid@toks@list#1\bid@toks@listb{##2}}%
6676     \edef\bid@cs@listb{\global\bid@csname{#1}=
6677       {\the\bid@toks@list#1\the\bid@toks@listb}}%
6678     \bid@cs@listb}%
6679     \edef\bid@cs@list#1{\noexpand\bid@cs@list#1\expandafter\the\csname#1\endcsname\noexpand
6680     \bid@cs@listb \endgroup}
6681 \def\bid@in@front@of@list#1{\bid@csarg{\let\expandafter\bid@cs@list#1}%
6682   \bid@in@front@of@csl\bid@cs@list#1}
6683 \long\def\bid@in@front@of@csl#1#2{\begingroup\bid@toks@list#1={#2}%
6684   \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bid@toks@list#1}
6685   \endgroup}
6686 \long\def\bid@local@in@front@of@list#1#2{\bid@toks@list#1={#2}%
6687   \csname#1\endcsname\expandafter\expandafter\expandafter\expandafter\expandafter\expandafter
6688     {\expandafter\expandafter\expandafter\the\expandafter\expandafter\expandafter
6689     \expandafter\the\csname#1\endcsname}%
6690   }
6691 \def\bid@set@list#1{\bid@csarg{\let\expandafter\bid@cs@list#1}%
6692   \bid@set@csl\bid@cs@list#1}
6693 \long\def\bid@set@csl#1#2{\begingroup\bid@toks@list#1={#2}%
6694   \global#1=\expandafter{\the\bid@toks@list#1}\endgroup}
6695
6696 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%% Stack macros
6697 %
6698 % push in terms of prepending of lists
6699 \def\bid@push@cs@onto@cs#1#2{\@bid@prepend@to@csl#1\expandafter{\expandafter\bid@push@cs@onto@cs#1}}
6700 \def\bid@push@onto#1{\bid@csarg\bid@push@onto@cs{#1}}
6701 \def\bid@push@onto@cs#1#2{\@bid@prepend@to@csl#1{\bid@push@onto@cs{#1}}}
6702 \def\bid@local@push@onto#1#2{\let\bid@relax=
6703   \bid@local@in@front@of@list{#1}{\bid@push@onto@cs{#1}}}

```



```

6704 % pop via auxiliary macro: #1 is result, #2 is stack
6705 % two cs arguments
6706 \def\pop@cs@into#1#2{\edef\pop@cs@e
6707   {\noexpand\@popinto\noexpand#1\noexpand#2\the#2\noexpand\@pop}\pop@cs@e}
6708 % two string arguments
6709 \def\pop@into#1#2{\edef\pop@cs@e
6710   {\noexpand\@popinto\pop@csname{#1}\pop@csname{#2}\pop@csarg\the{#2}\noexpand\@pop}
6711   \long\def\@popinto#1#2\#3#4\@pop{#1{#3}#2{#4}}}
6712 \def\copy@stacktop#1#2{%
6713   \edef\pop@cs@e{\noexpand\copy@stacktop
6714     {#1}\pop@csarg\the{#2}\noexpand\@pop}%
6715   \pop@cs@e}
6716 \def\@copy@stacktop#1\#2#3\@pop{csname#1\endcsname#2\relax}
6717 \newcount\pop@stack@length \newtoks\pop@empty@stack \pop@empty@stack{\{\}}
6718 \def\length@of@stack#1{\pop@csarg\pop@length@of@csstack{#1}}
6719 \def\length@of@csstack#1{\def\#1{\advance\pop@stack@length\@ne}%
6720   \pop@stack@length\@ne \the#1}
6721 % turn a stack upside down
6722 \def\invert@csstack#1{\length@of@csstack{#1}%
6723   \pop@temptcountb\z@ \pop@temptoksa\pop@empty@stack
6724   \loop\ifnum\pop@temptcountb<\pop@stack@length
6725     \pop@pop@cs@into\pop@temptoksb#1\advance\pop@stack@length\@ne
6726     \pop@push@cs@onto@cs\pop@temptoksa\pop@temptoksb
6727     \pop@append@clist@to@clist\pop@temptoksb\pop@temptoksa% append a to b
6728     \pop@temptoksa\pop@temptoksb
6729     \repeat% copy b to a
6730   #1\pop@temptoksa \pop@temptoksa\pop@empty@toks}
6731 % invert a stack into a list
6732 \def\@x@stack@to@list#1{\length@of@stack{#1}%
6733   \pop@temptcountb\z@ \pop@temptoksa\pop@empty@toks
6734   \loop\ifnum\pop@temptcountb<\pop@stack@length
6735     \pop@pop@into\pop@temptoksb{#1}\advance\pop@stack@length\@ne
6736     \pop@append@list@to@list\pop@temptoksb{\pop@temptoksa}\repeat
6737   \csname#1\endcsname\pop@temptoksa \pop@temptoksa\pop@empty@toks}
6738
6739
6740 % General loop macro:
6741 % \looprepeat
6742 %   \forvariable{<var>} \fromvalue{<start>} \bystep{<step>} \tovalue{<end>} \downtovalue{<end>}
6743 %   \untilcondition{<cond>} \whilecondition{<cond>}
6744 %   \doloopbody { <loop body> }
6745 % where all control sequences in between \looprepeat and \doloopbody are optional.
6746 %
6747 % var: characters to form a control sequence;
6748 %   after \forvariable{index} you can access the loop counter as \index.
6749 %   This is a count register; to print it use \number\index.
6750 % start,step,end: integers with obvious relations to the loop counter;
6751 %   start and step have a default value of 1
6752 % cond: (sequence of commands ending in) any TeX \if... test.
6753 %
6754 % Count down instead of up with \downtovalue; the increment given in \bystep
6755 % is always positive, and is added or subtracted accordingly.
6756 %
6757 % Tests: \untilcondition is evaluated at the end of the loop body; \whilecondition

```



```

6758% at the beginning of the loop body.
6759%
6760% Exit from middle of loop: \breaklooprepeat
6761% use this at any place in the loop; in case of a conditional use
6762%   \ifsomething ... \expandafter \breaklooprepeat \fi
6763%
6764% Note that the line ends do not cause spaces in the output.
6765%
6766% Technical details:
6767% The loop body is not executed in a group: the braces are those
6768% of a token list.
6769% The 'forvariable' variable is \let to a \count register.
6770
6771
6772
6773% Auxiliary stuff
6774\def\bidilooprepeat@csarg#1#2{\expandafter#1\csname#2\endcsname}
6775\def\bidilooprepeat@csromannumeral#1{\csname #1\romannumeral\bidilooprepeat@depth\endcsname}
6776\def\bidilooprepeat@csargromannumeral#1#2{\expandafter#1\csname#2\romannumeral\bidilooprepeat@depth\endcsname}
6777
6778\newcount\bidilooprepeat@depth
6779\let\endlooprepeat\relax \def\bidicsprotect{}
6780% Trace switches may later be defined by PAC_utils
6781\let\bidilooprepeat@traceinit\relax \let\bidilooprepeat@traceexit\relax
6782
6783% Main repeatloop macro
6784% - go to next level and allocate unique counter/toks if this is the
6785%   first time we visit this level
6786% - setup: gather bounds and termination conditions
6787% - scoop up body in token list; after the assignment define and
6788%   execute body
6789\def\looprepeat#1\doloopbody{\bidilooprepeat@traceinit % exit in \breakrepeatloop
6790  \advance\bidilooprepeat@depth\one\relax
6791  \bidilooprepeat@csargromannumeral\ifx{\bidilooprepeat@count}\relax
6792    \bidilooprepeat@csargromannumeral{\csname newcount\expandafter\endcsname}{\bidilooprepeat@depth}
6793    \bidilooprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{\bidilooprepeat@depth}
6794    \bidilooprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{\bidilooprepeat@depth}
6795    \bidilooprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{\bidilooprepeat@depth}
6796  \fi \bidilooprepeat@zero \def\bidilooprepeat@sign{}\def\bidilooprepeat@comp{>}\bidilooprepeat@depth
6797  \edef\bidilooprepeat@tmp
6798    {\def\bidilooprepeat@csargromannumeral\noexpand{\bidilooprepeat@looprepeat}{\bidilooprepeat@depth}
6799  \afterassignment\bidilooprepeat@dxbody\bidilooprepeat@csromannumeral{\bidilooprepeat@depth}
6800
6801% Define and execute loop body
6802% This is done with an \edef to construct the actual sequence
6803\def\bidilooprepeat@dxbody{\bidilooprepeat@csargromannumeral\edef{\bidilooprepeat@body}{%
6804  \bidilooprepeat@csargromannumeral\the{\bidilooprepeat@wtest}%
6805  \noexpand\the{\bidilooprepeat@csargromannumeral\noexpand{\bidilooprepeat@toks}%
6806    \bidilooprepeat@csargromannumeral\the{\bidilooprepeat@utest}%
6807  \global\bidilooprepeat@csargromannumeral\advance{\bidilooprepeat@count} by \bidilooprepeat@depth}
6808  \noexpand\endlooprepeat
6809  \bidilooprepeat@csargromannumeral\noexpand{\bidilooprepeat@looprepeat}}}%
6810\bidilooprepeat@csromannumeral{\bidilooprepeat@body}\ignorespaces}
6811

```



```

6812 % Stop test
6813 %% In order to stop, issue a
6814 % \breaklooprepeat which scoops up the rest of the body and exits
6815 \def\breaklooprepeat#1\endlooprepeat{\bidi@looprepeat@zero\bidi@looprepeat@csargromannumeral{bidi@
6816 \advance\bidi@looprepeat@depth\m@ne \bidi@looprepeat@traceexit
6817 }
6818
6819
6820 % Setup
6821 % gather bounds and termination conditions
6822 \def\bidi@looprepeat@setup#1{%
6823 \begingroup
6824 \def\forvariable##1{%
6825 \edef\bidi@looprepeat@tmp{%
6826 \global\let\bidi@looprepeat@csarg\noexpand{##1}\bidi@looprepeat@csromannumeral{bidi@
6827 \bidi@looprepeat@tmp}%
6828 \def\fromvalue##1{\bidi@looprepeat@csargromannumeral\global{bidi@looprepeat@count}##1\ig
6829 \def\tovalue##1{%
6830 \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{bidi@loop
6831 {bidi@looprepeat@csargromannumeral\the{bidi@looprepeat@wtest}}%
6832 \noexpand\ifnum\bidi@looprepeat@csargromannumeral\noexpand{bidi@looprepeat@count}\bi
6833 \noexpand\expandafter \noexpand\breaklooprepeat
6834 \noexpand\fi}\ignorespaces}%
6835 \bidi@looprepeat@tmp}%
6836 \def\downtovalue##1{%
6837 \gdef\bidi@looprepeat@sign{-}\gdef\bidi@looprepeat@comp{<}\tovalue{##1}\ignorespaces}%
6838 \def\bystep##1{\ifnum##1<0 \bidi@error{LOOPREPEAT: increment has to be a positive value}
6839 \bidi@looprepeat@csargromannumeral\gdef{bidi@looprepeat@inc}{-##1}\else
6840 \bidi@looprepeat@csargromannumeral\gdef{bidi@looprepeat@inc}{##1}\fi\ignoresp
6841 \def\untilcondition##1{%
6842 \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{bidi@loop
6843 {noexpand##1\relax
6844 \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
6845 \bidi@looprepeat@tmp}%
6846 \def\whilecondition##1{%
6847 \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{bidi@loop
6848 {noexpand##1\relax \noexpand\else
6849 \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
6850 \bidi@looprepeat@tmp}%
6851 \fromvalue{\@ne}\bystep{\@ne}#1%
6852 \endgroup}
6853 \def\bidi@looprepeat@zero
6854 {\bidi@looprepeat@csromannumeral{bidi@looprepeat@toks}{}\bidi@looprepeat@csromannumeral{b
6855 \bidi@looprepeat@csargromannumeral\def{bidi@looprepeat@body}{}}
6856
6857 %\tracingmacros2
6858 %\newcount\tmpcount % used in some examples below
6859
6860 %\looprepeat \forvariable{i}
6861 % \bystep{2}
6862 % \doloopbody {%
6863 % \ifnum i=13 \expandafter\breaklooprepeat \fi
6864 % \number i} %
6865 %%

```



```

6866
6867%\looprepeat \forvariable{iii}
6868%      \tovalue{8}
6869%      \doloopbody {}
6870%After loop: \number\iii%
6871
6872%\looprepeat \forvariable{i}
6873%      \fromvalue{10}
6874%      \bystep{2}
6875%      \downtovalue{0}
6876%      \doloopbody {\number\i} }
6877
6878%\looprepeat \forvariable{x} \whilecondition{\ifnum\x<7}
6879%      \doloopbody {\number\x} }
6880
6881%\looprepeat \tovalue{3} \doloopbody {Hello world! }
6882
6883%\looprepeat \forvariable{j}
6884%      \untilcondition{\tmpcount\j \divide\tmpcount by 37 \noexpand\ifnum\tmpcount=1}
6885%      \doloopbody {\number\j} }
6886
6887%\looprepeat \forvariable{i} \bystep{2} \tovalue{10} \doloopbody
6888% {\looprepeat \forvariable{j} \fromvalue{i} \bystep{3} \tovalue{18}
6889%   \doloopbody {(\number\i.\number\j) }
6890% }
6891
6892% infinite loop
6893%\looprepeat \doloopbody {}
6894
6895\ExplSyntaxOn
6896\NewDocumentCommand \bidi@AfterClass { s m o +m }
6897 {
6898   \IfBooleanTF { #1 }
6899   {
6900     \@ifclassloaded{ #2 }
6901     { #4 }
6902     {
6903       \hook_gput_code:nnn
6904       { file / #2.\@clsextension / after }
6905       { #3 }
6906       { #4 }
6907     }
6908   }
6909   {
6910     \hook_gput_code:nnn { file / #2.\@clsextension / after } { #3 } { #4 }
6911   }
6912 }
6913
6914\seq_new:N \g__biditools_input_file_seq
6915
6916\prg_new_protected_conditional:Npnn \__bidi_if_loading:n #1 { T, F, TF }
6917 {
6918   \str_set:Nx \l_tmpa_str { #1 }
6919   \seq_if_in:NxTF \g__biditools_input_file_seq { \str_use:N \l_tmpa_str }

```




```

6920     { \prg_return_true: }
6921     { \prg_return_false: }
6922   }
6923
6924 \prg_new_protected_conditional:Npnn \bidi_if_class_loaded:n #1 { T, F, TF }
6925 {
6926   \@ifclassloaded { #1 }
6927   {
6928     \__bidi_if_loading:nTF { #1.\@clsextension }
6929     { \prg_return_false: }
6930     { \prg_return_true: }
6931   }
6932   {
6933     \prg_return_false:
6934   }
6935 }
6936
6937 \prg_new_protected_conditional:Npnn \bidi_if_package_loaded:n #1 { T, F, TF }
6938 {
6939   \@ifpackageloaded { #1 }
6940   {
6941     \__bidi_if_loading:nTF { #1.\@pkgextension }
6942     { \prg_return_false: }
6943     { \prg_return_true: }
6944   }
6945   {
6946     \prg_return_false:
6947   }
6948 }
6949
6950 \NewDocumentCommand \bidi@AfterAtEndOfClass { s m o +m }
6951 {
6952   \IfBooleanTF { #1 }
6953   {
6954     \bidi_if_class_loaded:nTF { #2 }
6955     { #4 }
6956     { \hook_gput_code:nnn { class / #2 / after } { #3 } { #4 } }
6957   }
6958   {
6959     \bidi_if_class_loaded:nF
6960     { #2 }
6961     { \hook_gput_code:nnn { class / #2 / after } { #3 } { #4 } }
6962   }
6963 }
6964
6965 \NewDocumentCommand \bidi@AfterPackage { s m o +m }
6966 {
6967   \IfBooleanTF { #1 }
6968   {
6969     \@ifpackageloaded{ #2 }
6970     { #4 }
6971     {
6972       \hook_gput_code:nnn
6973       { file / #2.\@pkgextension / after }

```



```

6974         { #3 }
6975         { #4 }
6976     }
6977 }
6978 {
6979     \hook_gput_code:nnn { file / #2.\@pkgextension / after } { #3 } { #4 }
6980 }
6981 }
6982
6983 \NewDocumentCommand \bidi@AfterAtEndOfPackage { s m o +m }
6984 {
6985     \IfBooleanTF { #1 }
6986     {
6987         \bidi_if_package_loaded:nTF { #2 }
6988         { #4 }
6989         { \hook_gput_code:nnn { package / #2 / after } { #3 } { #4 } }
6990     }
6991     {
6992         \bidi_if_package_loaded:nF
6993         { #2 }
6994         { \hook_gput_code:nnn { package / #2 / after } { #3 } { #4 } }
6995     }
6996 }
6997
6998 \clist_new:N \l__biditools_package_clist
6999 \msg_new:nnn { biditools } { cannot-prevent-for-already-loaded-package }
7000 {
7001     Can-not-prevent-package-`#1'-from-being-loaded,~
7002     since-it-has-been-loaded-already-before-line~\msg_line_number:
7003 }
7004 \clist_new:N \g__biditools_prevent_clist
7005
7006 \NewDocumentCommand \bidi@PreventPackageFromLoading { s +o m }
7007 {
7008     \clist_set:Nx \l__biditools_package_clist { #3 }
7009     \clist_map_inline:Nn \l__biditools_package_clist
7010     {
7011         \@ifpackageloaded { ##1 }
7012         {
7013             \IfBooleanTF { #1 } { \msg_info:nnn } { \msg_warning:nnn }
7014             { biditools } { cannot-prevent-for-already-loaded-package } { ##1 }
7015         }
7016         {
7017             \clist_if_in:NnF \g__biditools_prevent_clist { ##1 }
7018             { \clist_gput_right:Nn \g__biditools_prevent_clist { ##1 } }
7019             \tl_if_exist:cF { g__biditools_exclude_package_##1_tl }
7020             {
7021                 \tl_new:c { g__biditools_exclude_package_##1_tl }
7022             }
7023             \IfValueT { #2 }
7024             {
7025                 \tl_gput_right:cn { g__biditools_exclude_package_##1_tl } { #2 }
7026             }
7027             \disable@package@load { ##1 }

```



```

7028         { \tl_use:c { g__biditools_exclude_package_##1_tl } }
7029     }
7030 }
7031 \clist_clear:N \l__biditools_package_clist
7032 }
7033
7034 \NewDocumentCommand \bidi@ResetPreventPackageFromLoading {}
7035 {
7036     \clist_map_function:NN \g__biditools_prevent_clist \reenable@package@load
7037     \clist_gclear:N \g__biditools_prevent_clist
7038 }
7039
7040 \NewDocumentCommand \bidi@StorePreventPackageFromLoading { m }
7041 { \edef #1 { \clist_use:Nn \g__biditools_prevent_clist { , } } }
7042
7043 \NewDocumentCommand \bidi@UnPreventPackageFromLoading { s m }
7044 {
7045     \clist_set:Nx \l__biditools_package_clist { #2 }
7046     \clist_map_inline:Nn \l__biditools_package_clist
7047     {
7048         \clist_if_in:NnT \g__biditools_prevent_clist { ##1 }
7049         {
7050             \clist_gremove_all:Nn \g__biditools_prevent_clist { ##1 }
7051             \reenable@package@load { ##1 }
7052             \IfBooleanT { #1 }
7053             { \cs_undefine:c { g__biditools_exclude_package_##1_tl } }
7054         }
7055     }
7056 }
7057
7058 \NewDocumentCommand \bidi@BeforeClosingMainAux { o m }
7059 {
7060     \hook_gput_code:nnn { enddocument / afterlastpage } { #1 }
7061     {
7062         \debug_suspend:
7063         \RenewDocumentCommand \bidi@BeforeClosingMainAux { m } { ##1 }
7064         \cs_set_eq:NN \__biditools_protected@write:Nnn \protected@write
7065         \cs_set_eq:NN \protected@write \bidi@protected@immediate@write
7066         #2
7067         \cs_set_eq:NN \protected@write \__biditools_protected@write:Nnn
7068         \debug_resume:
7069     }
7070 }
7071
7072 \NewDocumentCommand \bidi@AfterReadingMainAux { o m }
7073 {
7074     \hook_gput_code:nnn { enddocument / afteraux } { #1 }
7075     {
7076         \debug_suspend:
7077         \RenewDocumentCommand \bidi@AfterReadingMainAux { m } { ##1 }
7078         \cs_set_eq:NN \__biditools_protected@write:Nnn \protected@write
7079         \cs_set_eq:NN \protected@write \bidi@protected@immediate@write
7080         #2
7081         \cs_set_eq:NN \protected@write \__biditools_protected@write:Nnn

```



```

7082         \debug_resume:
7083     }
7084 }
7085
7086 \clist_new:N \l__biditools_file_patch_clist
7087
7088 \NewDocumentCommand \ApplyPatchToFiles { m O{def} O{bidi} }
7089 {
7090     \clist_set:Nx \l__biditools_file_patch_clist { #1 }
7091     \clist_map_inline:Nn \l__biditools_file_patch_clist
7092     {
7093         \ApplyPatchToFile { ##1 } [ #2 ] [ #3 ]
7094     }
7095     \clist_clear:N \l__biditools_file_patch_clist
7096 }
7097
7098 \clist_new:N \l__biditools_package_patch_clist
7099
7100 \NewDocumentCommand \ApplyPatchToPackages { m O{bidi} }
7101 {
7102     \clist_set:Nx \l__biditools_package_patch_clist { #1 }
7103     \clist_map_inline:Nn \l__biditools_package_patch_clist
7104     {
7105         \ApplyPatchToPackage { ##1 } [ #2 ]
7106     }
7107     \clist_clear:N \l__biditools_package_patch_clist
7108 }
7109
7110 \clist_new:N \l__biditools_class_patch_clist
7111
7112 \NewDocumentCommand \ApplyPatchToClasses { m O{bidi} }
7113 {
7114     \clist_set:Nx \l__biditools_class_patch_clist { #1 }
7115     \clist_map_inline:Nn \l__biditools_class_patch_clist
7116     {
7117         \ApplyPatchToClass { ##1 } [ #2 ]
7118     }
7119     \clist_clear:N \l__biditools_class_patch_clist
7120 }
7121
7122 \ExplSyntaxOff
7123
7124 \newcommand*{\bidi@ReplaceInput}{\declare@file@substitution}
7125 \newcommand*{\bidi@UnReplaceInput}
7126 {\undeclare@file@substitution}
7127 \newcommand*{\bidi@ReplacePackage}[2]{%
7128   \declare@file@substitution{#1.\@pkgextension}{#2.\@pkgextension}%
7129 }
7130 \newcommand*{\bidi@UnReplacePackage}[1]{%
7131   \undeclare@file@substitution{#1.\@pkgextension}%
7132 }
7133 \newcommand*{\bidi@ReplaceClass}[2]{%
7134   \declare@file@substitution{#1.\@clsextension}{#2.\@clsextension}%
7135 }

```



```

7136 \newcommand*{\bidi@UnReplaceClass}[1]{%
7137   \undecode@file@substitution{#1.\@clsextension}%
7138 }
7139 \newcommand*{\bidi@BeforeFile}[1]{%
7140   \AddToHook{file/#1/before}%
7141 }
7142 \newcommand*{\bidi@AfterFile}[1]{%
7143   \AddToHook{file/#1/after}%
7144 }
7145 \newcommand*{\bidi@BeforeClass}[1]{%
7146   \bidi@BeforeFile{#1.\@clsextension}%
7147 }
7148 \newcommand*{\bidi@BeforePackage}[1]{%
7149   \bidi@BeforeFile{#1.\@pkgextension}%
7150 }
7151
7152 \long\def\bidi@protected@immediate@write#1#2#3{%
7153   \begingroup
7154     #2%
7155     \let\protect\@unexpandable@protect
7156     \edef\reserved@a{\immediate\write#1{#3}}%
7157     \reserved@a
7158   \endgroup
7159   \if@nobreak\ifvmode\nobreak\fi\fi
7160 }
7161
7162 \def\bidi@patch@BeforePackage#1{%
7163   \@ifpackageloaded{#1}{%
7164     \@firstofone
7165   }{%
7166     \AddToHook{package/#1/before}%
7167   }%
7168 }
7169
7170 \def\bidi@patch@AfterPackage#1{%
7171   \@ifpackageloaded{#1}{%
7172     \@firstofone
7173   }{%
7174     \AddToHook{package/#1/after}%
7175   }%
7176 }
7177
7178 \def\bidi@patch@AfterFile#1{%
7179   \IfFileLoadedTF{#1}{%
7180     \@firstofone
7181   }{%
7182     \AddToHook{file/#1/after}%
7183   }%
7184 }
7185
7186 \NewDocumentCommand \ApplyPatchToFile { m O{def} O{bidi} }
7187 {
7188   \bidi@patch@AfterFile{#1.#2}{%
7189     \ifnum\catcode`\@=11

```



```

7190         \input{#1-xetex-#3.def}%
7191     \else
7192         \bidi@storecatcode\@
7193         \makeatletter
7194         \input{#1-xetex-#3.def}%
7195         \bidi@restorecatcode\@
7196     \fi
7197 }%
7198 }
7199
7200 \NewDocumentCommand \ApplyPatchCodeToFile { m +m O{def} }
7201 {
7202     \bidi@patch@AfterFile{#1.#{#3}}{#2}%
7203 }
7204
7205 \NewDocumentCommand \ApplyPatchToFilesIfPackageLoadedF { m m O{def} O{bidi} }
7206 {
7207     \AddToHook{begindocument/before}{%
7208         \IfPackageLoadedF{#1}{%
7209             \ApplyPatchToFiles{#2}[#3][#4]%
7210         }%
7211     }
7212 }
7213
7214 \NewDocumentCommand \ApplyPatchToClassIfPackageLoadedF { m m O{bidi} }
7215 {
7216     \AddToHook{begindocument/before}{%
7217         \IfPackageLoadedF{#2}{%
7218             \ifnum\catcode`\@=11
7219                 \@ifclassloaded{#1}{%
7220                     \input{#1-xetex-#3.def}%
7221                 }{}%
7222             \else
7223                 \bidi@storecatcode\@
7224                 \makeatletter
7225                 \@ifclassloaded{#1}{%
7226                     \input{#1-xetex-#3.def}%
7227                 }{}%
7228                 \bidi@restorecatcode\@
7229             \fi
7230         }%
7231     }
7232 }
7233
7234 \NewDocumentCommand \ApplyPatchToPackageIfPackageLoadedF { m m O{bidi} }
7235 {
7236     \AddToHook{begindocument/before}{%
7237         \IfPackageLoadedF{#2}{%
7238             \IfPackageLoadedT{#1}{%
7239                 \ifnum\catcode`\@=11
7240                     \input{#1-xetex-#3.def}%
7241                 \else
7242                     \bidi@storecatcode\@
7243                     \makeatletter

```



```

7244         \input{#1-xetex-#3.def}%
7245         \bidi@restorecatcode\@
7246     \fi
7247 }%
7248 }%
7249 }
7250 }
7251
7252 \NewDocumentCommand \ApplyPatchIfPackageLoaded { m +m +m }
7253 {
7254     \AddToHook{begindocument/before}{%
7255         \ifnum\catcode`\@=11
7256             \@ifpackageloaded{#1}{#2}{#3}%
7257         \else
7258             \bidi@storecatcode\@
7259             \makeatletter
7260             \@ifpackageloaded{#1}{#2}{#3}%
7261             \bidi@restorecatcode\@
7262         \fi
7263     }
7264 }
7265
7266 \NewDocumentCommand \ApplyPatchIfPackageLoadedT { m +m }
7267 {
7268     \ApplyPatchIfPackageLoaded{#1}{#2}{}%
7269 }
7270
7271 \NewDocumentCommand \ApplyPatchIfPackageLoadedF { m +m }
7272 {
7273     \ApplyPatchIfPackageLoaded{#1}{}{#2}%
7274 }
7275
7276 \NewDocumentCommand \ApplyPatchToPackage { m O{bidi} }
7277 {
7278     \bidi@patch@AfterPackage{#1}{\input{#1-xetex-#2.def}}%
7279 }
7280
7281 \NewDocumentCommand \ApplyPatchCodeBeforePackage { m +m }
7282 {
7283     \bidi@patch@BeforePackage{#1}{#2}%
7284 }
7285
7286 \NewDocumentCommand \ApplyPatchCodeToPackage { m +m }
7287 {
7288     \bidi@patch@AfterPackage{#1}{#2}%
7289 }
7290
7291 \NewDocumentCommand \ApplyPatchToClass { m O{bidi} }
7292 {
7293     \@ifclassloaded{#1}{\input{#1-xetex-#2.def}}{}%
7294 }

```

53 File biditytfloat.sty



```

7295 \NeedsTeXFormat{LaTeX2e}
7296 \ProvidesPackage{bidiutefloat}[2025/01/03 v0.3
7297 bidi implementation of tufte float]
7298 \RequirePackage{xifthen}
7299 \newcommand{\@bidiutefloat@pkgname}{bidiutefloat}
7300 \newcommand{\@bidiutefloat@error}[2]{\PackageError{\@bidiutefloat@pkgname}{#1}{#2}}
7301 \newcommand{\@bidiutefloat@debuginfo}[1]{\ifthenelse{\boolean{@bidiutefloat@debug}}{\bid
7302 \newcommand{\@bidiutefloat@info}[1]{\PackageInfo{\@bidiutefloat@pkgname}{#1@gobble}}
7303 \newboolean{@bidiutefloat@reversegeometry}
7304 \setboolean{@bidiutefloat@reversegeometry}{false}
7305 \DeclareOption{reversegeometry}{\setboolean{@bidiutefloat@reversegeometry}{true}}
7306 \newboolean{@bidiutefloat@a4paper}
7307 \DeclareOption{a4paper}{\setboolean{@bidiutefloat@a4paper}{true}}
7308 \newboolean{@bidiutefloat@b5paper}
7309 \DeclareOption{b5paper}{\setboolean{@bidiutefloat@b5paper}{true}}
7310 \newboolean{@bidiutefloat@symmetric}
7311 \newboolean{@bidiutefloat@twoside}
7312 \DeclareOption{twoside}{%
7313 \@twosidefalse \mparswitchtrue%
7314 \setboolean{@bidiutefloat@twoside}{true}%
7315 \setboolean{@bidiutefloat@symmetric}{true}%
7316 }
7317 \DeclareOption{oneside}{%
7318 \@twosidefalse \mparswitchfalse%
7319 \setboolean{@bidiutefloat@twoside}{false}%
7320 \setboolean{@bidiutefloat@symmetric}{false}%
7321 }
7322 \IfClassLoadedT{book}{\ExecuteOptions{twoside}}
7323 \newboolean{@bidiutefloat@debug}
7324 \newcommand*{\@bidiutefloat@caption@justification}{\@bidiutefloat@justification@autodete
7325 \ProcessOptions
7326 %% Globally sets the length
7327 \newcommand*{\gsetlength}[2]{%
7328 \setlength{#1}{#2}%
7329 \global#1=#1\relax%
7330 }
7331
7332 %% Set the font sizes and baselines to match bidiutefloat's books
7333 \renewcommand\normalsize{%
7334 \setfontsize\normalsize\@xpt{14}%
7335 \abovedisplayskip 10\p@ \@plus2\p@ \@minus5\p@
7336 \abovedisplayshortskip \z@ \@plus3\p@
7337 \belowdisplayshortskip 6\p@ \@plus3\p@ \@minus3\p@
7338 \belowdisplayskip \abovedisplayskip
7339 \let\@listi\@listI}
7340 \normalbaselineskip=14pt
7341 \normalsize
7342 \renewcommand\footnotesize{%
7343 \setfontsize\footnotesize\@viipt{10}%
7344 \abovedisplayskip 6\p@ \@plus2\p@ \@minus4\p@
7345 \abovedisplayshortskip \z@ \@plus\p@
7346 \belowdisplayshortskip 3\p@ \@plus\p@ \@minus2\p@
7347 \def\@listi{\leftmargin\leftmarginI
7348 \topsep 3\p@ \@plus\p@ \@minus\p@

```




```

7349             \parsep 2\p@ \@plus\p@ \@minus\p@
7350             \itemsep \parsep}%
7351     \belowdisplayskip \abovedisplayskip
7352 }
7353 %% Paragraph indentation and separation for marginal text
7354 \newcommand{\@biditytfloat@margin@par}{%
7355     \setlength{\RaggedRightParindent}{0.5pc}%
7356     \setlength{\JustifyingParindent}{0.5pc}%
7357     \setlength{\parindent}{0.5pc}%
7358     \setlength{\parskip}{0pt}%
7359 }
7360 \RequirePackage{ragged2e}
7361 \ifthenelse{\boolean{@biditytfloat@reversegeometry}}{%
7362 \RequirePackage[letterpaper,right=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginpar
7363 \ifthenelse{\boolean{@biditytfloat@a4paper}}{
7364     {\geometry{a4paper,right=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginpar
7365     }}
7366 \ifthenelse{\boolean{@biditytfloat@b5paper}}{
7367     {\geometry{paperwidth=176mm,paperheight=250mm,right=14.66mm,top=13.88mm,textwidth=102.66mm,
7368     }}}{%
7369 \RequirePackage[letterpaper,left=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginpar
7370 \ifthenelse{\boolean{@biditytfloat@a4paper}}{
7371     {\geometry{a4paper,left=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginpar
7372     }}
7373 \ifthenelse{\boolean{@biditytfloat@b5paper}}{
7374     {\geometry{paperwidth=176mm,paperheight=250mm,left=14.66mm,top=13.88mm,textwidth=102.66mm,
7375     }}
7376 \ifthenelse{\boolean{@biditytfloat@symmetric}}{
7377     {}
7378     {\geometry{asymmetric}}}% forces internal LaTeX `twoside'
7379 \setlength\marginparpush{10pt}
7380 %% Font for margin items
7381 \newcommand{\@biditytfloat@marginfont}{\normalfont\footnotesize}
7382 \newcommand*{\@biditytfloat@captionfont}{\@biditytfloat@marginfont}
7383 \newcommand*{\setcaptionfont}[1]{\renewcommand*{\@biditytfloat@captionfont}{#1}}
7384 \newcommand{\@biditytfloat@justification}{\justifying}%
7385 \setlength\abovedisplayskip{6pt plus 2pt minus 4pt}
7386 \setlength\belowdisplayskip{6pt plus 2pt minus 4pt}
7387 \newboolean{@biditytfloat@changepage}
7388 \IfFileExists{changepage.sty}{%
7389     \biditytfloatDebugInfoNL{Found changepage.sty}
7390     \RequirePackage[strict]{changepage}
7391     \setboolean{@biditytfloat@changepage}{true}
7392 }{%
7393     \biditytfloatDebugInfoNL{Found chngpage.sty}
7394     \RequirePackage[strict]{chngpage}
7395     \setboolean{@biditytfloat@changepage}{false}
7396 }
7397 \newboolean{@biditytfloat@odd@page}
7398 \setboolean{@biditytfloat@odd@page}{true}
7399 \newcommand*{\@biditytfloat@checkoddpaper}{%
7400     \checkoddpaper%
7401     \ifthenelse{\boolean{@biditytfloat@changepage}}{%
7402         \ifoddpaper%

```



```

7403     \setboolean{@bidituftefloat@odd@page}{true}%
7404     \else%
7405         \setboolean{@bidituftefloat@odd@page}{false}%
7406     \fi%
7407 }{%
7408     \ifcoddpage%
7409         \setboolean{@bidituftefloat@odd@page}{true}%
7410     \else%
7411         \setboolean{@bidituftefloat@odd@page}{false}%
7412     \fi%
7413 }%
7414 }
7415 \newlength{@@bidituftefloat@overhang}% used by the fullwidth environment and the running head
7416 \newlength{@@bidituftefloat@fullwidth}
7417 \newlength{@@bidituftefloat@caption@fill}
7418 \newcommand{@@bidituftefloatRecalculate}{%
7419     \setlength{@@bidituftefloat@overhang}{\marginparwidth}
7420     \addtolength{@@bidituftefloat@overhang}{\marginparsep}
7421
7422     \setlength{@@bidituftefloat@fullwidth}{\textwidth}
7423     \addtolength{@@bidituftefloat@fullwidth}{\marginparsep}
7424     \addtolength{@@bidituftefloat@fullwidth}{\marginparwidth}
7425
7426     \setlength{@@bidituftefloat@caption@fill}{\textwidth}
7427     \addtolength{@@bidituftefloat@caption@fill}{\marginparsep}
7428 }
7429 \AtBeginDocument{@@bidituftefloatRecalculate}
7430 \RequirePackage{optparams}% provides multiple optional arguments for commands
7431 \RequirePackage{placeins}
7432 \newsavebox{@@bidituftefloat@margin@floatbox}
7433 \newenvironment{@@bidituftefloat@margin@float}[2][-1.2ex]%
7434 { \FloatBarrier% process all floats before this point so the figure/table numbers stay in o
7435   \begin{lrbox}{@@bidituftefloat@margin@floatbox}%
7436   \begin{minipage}{\marginparwidth}%
7437       \@bidituftefloat@caption@font%
7438       \def\capttype{#2}%
7439       \hbox{} \vspace*{#1}%
7440       \@bidituftefloat@caption@justification%
7441       \@bidituftefloat@margin@par%
7442       \noindent%
7443   }
7444   {\end{minipage}%
7445   \end{lrbox}%
7446   \marginpar{\usebox{@@bidituftefloat@margin@floatbox}}%
7447 }
7448 \newenvironment{marginfigure}[1][-1.2ex]%
7449 { \begin{@@bidituftefloat@margin@float}[#1]{figure}}
7450 { \end{@@bidituftefloat@margin@float}}
7451 \newenvironment{margintable}[1][-1.2ex]%
7452 { \begin{@@bidituftefloat@margin@float}[#1]{table}}
7453 { \end{@@bidituftefloat@margin@float}}
7454 \newcommand*{@@bidituftefloat@justification@autodetect}{\justifying}%
7455
7456 \newcommand{@@bidituftefloat@float@debug@info}{% contains debug info generated as the float

```



```

7457 \newcommand{\@biditytfloat@float@debug}[1]{% adds debug info to the queue for output
7458 \ifthenelse{\equal{\@biditytfloat@float@debug@info}{}}{%
7459 {\def\@biditytfloat@float@debug@info{#1}}%
7460 {\g@addto@macro\@biditytfloat@float@debug@info{\MessageBreak#1}}%
7461 }
7462 \newcommand{\floatalignment}{x}% holds the current float alignment (t, b, h, p)
7463 \newcommand{\setfloatalignment}[1]{\global\def\floatalignment{#1}\@biditytfloat@float@debug{
7464 \newboolean{\@biditytfloat@float@recto}
7465 \newcommand{\forcerectofloat}{\GlobalSetBoolean{\@biditytfloat@float@recto}{true}}\@bidityt
7466 \newcommand{\forceversofloat}{\GlobalSetBoolean{\@biditytfloat@float@recto}{false}}\@bidityt
7467 \newsavebox{\@biditytfloat@figure@box}
7468 \newsavebox{\@biditytfloat@caption@box}
7469 \let\@biditytfloat@orig@float\@float
7470 \let\@biditytfloat@orig@endfloat\endfloat
7471 \newlength{\@biditytfloat@caption@vertical@offset}
7472 \setlength{\@biditytfloat@caption@vertical@offset}{0pt}
7473 \newcommand{\@biditytfloat@stored@shortcaption}{%
7474 \newcommand{\@biditytfloat@stored@caption}{%
7475 \newcommand{\@biditytfloat@stored@label}{%
7476 \long\def\@biditytfloat@caption[#1][#2]#3{%
7477 \ifthenelse{\isempty{#1}}{%
7478 {\gdef\@biditytfloat@stored@shortcaption{#3}}%
7479 {\gdef\@biditytfloat@stored@shortcaption{#1}}%
7480 \gsetlength{\@biditytfloat@caption@vertical@offset}{-#2}% we want a positive offset to l
7481 \gdef\@biditytfloat@stored@caption{#3}%
7482 }
7483 \newcommand{\@biditytfloat@label}[1]{%
7484 \gdef\@biditytfloat@stored@label{#1}%
7485 }
7486 \newcommand{\@biditytfloat@fps}{%
7487 \newboolean{\@biditytfloat@float@star}
7488 \newlength{\@biditytfloat@float@contents@width}
7489 \newenvironment{\@biditytfloat@float}[3][htbp]{%
7490 {% begin \@biditytfloat@float
7491 % Should this float be full-width or just text-width?
7492 \ifthenelse{\equal{#3}{star}}{%
7493 {\GlobalSetBoolean{\@biditytfloat@float@star}{true}}%
7494 {\GlobalSetBoolean{\@biditytfloat@float@star}{false}}%
7495 % Check page side (recto/verso) and store detected value -- can be overridden in environm
7496 \@biditytfloat@checkoddpage%
7497 \ifthenelse{\boolean{\@biditytfloat@odd@page}}{%
7498 {\GlobalSetBoolean{\@biditytfloat@float@recto}{true}}\@biditytfloat@float@debug{Dete
7499 {\GlobalSetBoolean{\@biditytfloat@float@recto}{false}}\@biditytfloat@float@debug{Det
7500 % If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages
7501 \renewcommand{\@biditytfloat@fps}{#1}%
7502 \@biditytfloat@float@debug{Allowed positions: [ #1 ]}%
7503 \ifthenelse{\equal{#1}{b}\OR\equal{#1}{B}}{%
7504 {\renewcommand{\floatalignment}{b}}\@biditytfloat@float@debug{Presumed position: [bot
7505 {\renewcommand{\floatalignment}{t}}\@biditytfloat@float@debug{Presumed position: [top
7506 % Capture the contents of the \caption and \label commands to use later
7507 \global\let\@biditytfloat@orig@caption\caption%
7508 \global\let\@biditytfloat@orig@label\label%
7509 \renewcommand{\caption}{\optparams{\@biditytfloat@caption}{[ ] [Opt]}}%
7510 \renewcommand{\label}[1]{\@biditytfloat@label{##1}}%

```



```

7511 % Handle subfigure package compatibility
7512 \ifthenelse{\boolean{@biditytfloat@packages@subfigure}}{%
7513   \biditytfloat@patchcmd{\subfigure}{%
7514     \let\subfig@oldlabel=\label
7515   }{%
7516     \let\subfig@oldlabel=\@biditytfloat@orig@label
7517   }
7518   {}
7519   {}
7520   \let\subtable=\subfigure
7521 }{}% subfigure package is not loaded
7522 \@biditytfloat@orig@float{#2}[#1]%
7523 \ifthenelse{\boolean{@biditytfloat@float@star}}%
7524   {\setlength{\@biditytfloat@float@contents@width}{\@biditytfloat@fullwidth}}%
7525   {\setlength{\@biditytfloat@float@contents@width}{\textwidth}}%
7526 \begin{lrbox}{\@biditytfloat@figure@box}%
7527 \begin{minipage}[\floatalignment]{\@biditytfloat@float@contents@width}\hbox{%
7528 }{}% end @biditytfloat@float
7529 \par\hbox{\vspace{-\baselineskip}\ifthenelse{\prevdepth>0}{\vspace{-\prevdepth}}{}% a
7530 \end{minipage}%
7531 \end{lrbox}%
7532 % build the caption box
7533 \begin{lrbox}{\@biditytfloat@caption@box}%
7534 \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{%
7535   \ifthenelse{\NOT\equal{\@biditytfloat@stored@caption}}{\@biditytfloat@orig@caption%
7536     \ifthenelse{\NOT\equal{\@biditytfloat@stored@label}}{\@biditytfloat@orig@label%
7537       \par\vspace{-\prevdepth}}% TODO: DOUBLE-CHECK FOR SAFETY
7538     \end{minipage}%
7539   \end{lrbox}%
7540 % now typeset the stored boxes
7541 \begin{fullwidth}%
7542 \begin{minipage}[\floatalignment]{\linewidth}%
7543   \ifthenelse{\boolean{@biditytfloat@float@star}}%
7544     {\@biditytfloat@float@fullwidth[\@biditytfloat@caption@vertical@offset]{\@biditytfloat@float@textwidth[\@biditytfloat@caption@vertical@offset]{\@biditytfloat@float@textwidth}}%
7545     {\@biditytfloat@float@textwidth[\@biditytfloat@caption@vertical@offset]{\@biditytfloat@float@textwidth}}%
7546   \end{minipage}%
7547 \end{fullwidth}%
7548 \@biditytfloat@orig@endfloat% end original LaTeX float environment
7549 % output debug info
7550 \ifthenelse{\boolean{@biditytfloat@debug}}{%
7551   \typeout{^^J^^J----- biditytfloat package float information -----}%
7552   \ifthenelse{\equal{\@biditytfloat@stored@label}}{}%
7553     {\typeout{Warning: Float unlabeled!}}%
7554     {\typeout{Float label: [\@biditytfloat@stored@label]}}%
7555   \typeout{Page number: [\thepage]}%
7556   \def\MessageBreak{^^J}%
7557   \typeout{\@biditytfloat@float@debug@info}%
7558   \ifthenelse{\boolean{@biditytfloat@symmetric}}%
7559     {\typeout{Symmetric: [true]}}%
7560     {\typeout{Symmetric: [false]}}%
7561   \typeout{-----^^J^^J}%
7562 }{}%
7563 % reset commands and temp boxes and captions
7564 \gdef\@biditytfloat@float@debug@info{}%

```



```

7565 \let\caption\@biditytffloat@orig@caption%
7566 \let\label\@biditytffloat@orig@label%
7567 \begin{lrbox}{\@biditytffloat@figure@box}\hbox{}\end{lrbox}%
7568 \begin{lrbox}{\@biditytffloat@caption@box}\hbox{}\end{lrbox}%
7569 \gdef\@biditytffloat@stored@shortcaption{}%
7570 \gdef\@biditytffloat@stored@caption{}%
7571 \gdef\@biditytffloat@stored@label{}%
7572 \gsetlength{\@biditytffloat@caption@vertical@offset}{0pt}% reset caption offset
7573 }
7574 \newcommand{\@biditytffloat@float@textwidth}[3][Opt]{%
7575 \ifthenelse{NOT\boolean{@biditytffloat@symmetric}}OR\boolean{@biditytffloat@float@recto
7576 % asymmetric or page is odd, so caption is on the right
7577 \hbox{%
7578 \usebox{#2}%
7579 \hspace{\marginparsep}%
7580 \smash{\raisebox{#1}{\usebox{#3}}}%
7581 }
7582 \@biditytffloat@float@debug{Caption position: [right]}%
7583 }{% symmetric pages and page is even, so caption is on the left
7584 \hbox{%
7585 \smash{\raisebox{#1}{\usebox{#3}}}%
7586 \hspace{\marginparsep}%
7587 \usebox{#2}%
7588 }
7589 \@biditytffloat@float@debug{Caption position: [left]}%
7590 }%
7591 }
7592 \newcommand{\@biditytffloat@float@fullwidth}[3][Opt]{%
7593 \ifthenelse{equal{\floatalignment}{b}}{%
7594 % place caption above figure
7595 \ifthenelse{NOT\boolean{@biditytffloat@symmetric}}OR\boolean{@biditytffloat@float@r
7596 {\hfill\smash{\raisebox{#1}{\usebox{#3}}}\par\usebox{#2}\@biditytffloat@float@debug
7597 {\smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\@biditytffloat@float@debug
7598 }{% place caption below figure
7599 \ifthenelse{NOT\boolean{@biditytffloat@symmetric}}OR\boolean{@biditytffloat@float@r
7600 {\usebox{#2}\par\hfill\smash{\raisebox{#1}{\usebox{#3}}}\@biditytffloat@float@debug
7601 {\usebox{#2}\par\smash{\raisebox{#1}{\usebox{#3}}}\hfill\@biditytffloat@float@debug
7602 }%
7603 }
7604 \renewenvironment{figure}[1][htbp]%
7605 {\ifvmode\else\unskip\fi\begin{@biditytffloat@float}[#1]{figure}{}}
7606 {\end{@biditytffloat@float}}
7607 \renewenvironment{table}[1][htbp]
7608 {\ifvmode\else\unskip\fi\begin{@biditytffloat@float}[#1]{table}{}}
7609 {\end{@biditytffloat@float}}
7610 \renewenvironment{figure*}[1][htbp]%
7611 {\ifvmode\else\unskip\fi\begin{@biditytffloat@float}[#1]{figure}{star}}
7612 {\end{@biditytffloat@float}}
7613 \renewenvironment{table*}[1][htbp]%
7614 {\ifvmode\else\unskip\fi\begin{@biditytffloat@float}[#1]{table}{star}}
7615 {\end{@biditytffloat@float}}
7616 \newenvironment{fullwidth}
7617 {\ifthenelse{\boolean{@biditytffloat@symmetric}}%
7618 {\ifthenelse{\boolean{@biditytffloat@changepage}}{\begin{adjustwidth*}{- \@biditytffloat@

```



```

7619     {\begin{adjustwidth}{-}\@bituftefloat@overhang}}%
7620 }%
7621 {\ifthenelse{\boolean{@bituftefloat@symmetric}}}%
7622   {\ifthenelse{\boolean{@bituftefloat@changepage}}{\end{adjustwidth*}}{\end{adjustwidth}}}%
7623   {\end{adjustwidth}}}%
7624 }
7625 \long\def\@caption#1[#2]#3{%
7626   \par%
7627   \addcontentsline{\csname ext@#1\endcsname}{#1}%
7628     {\protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}}%
7629   \begingroup%
7630     \@parboxrestore%
7631     \if@minipage%
7632       \setminipage%
7633       \fi%
7634     \@bituftefloat@caption@font\@bituftefloat@caption@justification%
7635     \noindent\csname fnum@#1\endcsname: \ignorespaces#3\par%
7636     %\@makecaption{\csname fnum@#1\endcsname}{\ignorespaces #3}\par
7637   \endgroup}
7638 %%
7639 % Turns newlines into spaces. Based on code from the `titlesec' package.
7640 \DeclareRobustCommand{\@bitufteheading@newlinetospace}{%
7641   \@ifstar{\@bitufteheading@newlinetospace@i}{\@bitufteheading@newlinetospace@i}%
7642 }
7643 \def\@bitufteheading@newlinetospace@i{%
7644   \ifdim\lastskip>\z@else\space\fi
7645   \ignorespaces%
7646 }
7647 \DeclareRobustCommand{\newlinetospace}[1]{%
7648   \let\@bitufteheading@orig@cr\\% save the original meaning of \\
7649   \def\\{\@bitufteheading@newlinetospace}% turn \\ and \\* into \space
7650   \let\newline\\% turn \newline into \space
7651   #1%
7652   \let\\\@bitufteheading@orig@cr% revert to original meaning of \\
7653 }
7654 \RequirePackage{fancyhdr}
7655 \pagestyle{fancy}
7656 \AtBeginDocument{%
7657   \ifthenelse{\boolean{@bituftefloat@symmetric}}%
7658     {\fancyhfoffset[LE,RO]{\@bituftefloat@overhang}}%
7659     {\fancyhfoffset[RE,RO]{\@bituftefloat@overhang}}%
7660 }
7661 % The running heads/feet don't have rules
7662 \renewcommand{\headrulewidth}{0pt}
7663 \renewcommand{\footrulewidth}{0pt}
7664 % The 'fancy' page style is the default style for all pages.
7665 \fancyhf{} % clear header and footer fields
7666   \ifthenelse{\boolean{@bituftefloat@symmetric}}%
7667     {\fancyhead[LE]{\thepage\quad\textsl{\newlinetospace{\plainauthor}}}%
7668     \fancyhead[RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
7669     {\fancyhead[RE,RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
7670 % The 'plain' page style is used on chapter opening pages.
7671 % In Tufte's /Beautiful Evidence/ he never puts page numbers at the
7672 % bottom of pages -- the folios are unexpressed.

```



```

7673 \fancypagestyle{plain}{
7674   \fancyhf{} % clear header and footer fields
7675   % Uncomment the following five lines of code if you want the opening page
7676   % of the chapter to express the folio in the lower outside corner.
7677   % \ifthenelse{\boolean{@bidituftefloat@symmetric}}{
7678   %   {\fancyfoot[LE,RO]{\thepage}}
7679   %   {\fancyfoot[RE,RO]{\thepage}}
7680 }
7681 % The 'empty' page style suppresses all headers and footers.
7682 % It's used on title pages and 'intentionally blank' pages.
7683 \fancypagestyle{empty}{
7684   \fancyhf{} % clear header and footer fields
7685 }
7686 \def\morefloats{% provides a total of 52 floats
7687   \ifthenelse{\isundefined{\bx@S}}{%
7688     \bidituftefloatDebugInfoNL{Adding 34 more float slots.}
7689     \newinsert\bx@S
7690     \newinsert\bx@T
7691     \newinsert\bx@U
7692     \newinsert\bx@V
7693     \newinsert\bx@W
7694     \newinsert\bx@X
7695     \newinsert\bx@Y
7696     \newinsert\bx@Z
7697     \newinsert\bx@a
7698     \newinsert\bx@b
7699     \newinsert\bx@c
7700     \newinsert\bx@d
7701     \newinsert\bx@e
7702     \newinsert\bx@f
7703     \newinsert\bx@g
7704     \newinsert\bx@h
7705     \newinsert\bx@i
7706     \newinsert\bx@j
7707     \newinsert\bx@k
7708     \newinsert\bx@l
7709     \newinsert\bx@m
7710     \newinsert\bx@n
7711     \newinsert\bx@o
7712     \newinsert\bx@p
7713     \newinsert\bx@q
7714     \newinsert\bx@r
7715     \newinsert\bx@s
7716     \newinsert\bx@t
7717     \newinsert\bx@u
7718     \newinsert\bx@v
7719     \newinsert\bx@w
7720     \newinsert\bx@x
7721     \newinsert\bx@y
7722     \newinsert\bx@z
7723     \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
7724                   \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
7725                   \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
7726                   \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R

```




```

7727         \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
7728         \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
7729         \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
7730         \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
7731         \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
7732         \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
7733         \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
7734         \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z}%
7735 }{% we've already added another 34 floats, so we'll add 26 more, but that's it!
7736 \ifthenelse{\isundefined{\bx@AA}}{%
7737     \bidituftefloatDebugInfoNL{Adding 26 more float slots.}
7738     \newinsert\bx@AA
7739     \newinsert\bx@BB
7740     \newinsert\bx@CC
7741     \newinsert\bx@DD
7742     \newinsert\bx@EE
7743     \newinsert\bx@FF
7744     \newinsert\bx@GG
7745     \newinsert\bx@HH
7746     \newinsert\bx@II
7747     \newinsert\bx@JJ
7748     \newinsert\bx@KK
7749     \newinsert\bx@LL
7750     \newinsert\bx@MM
7751     \newinsert\bx@NN
7752     \newinsert\bx@OO
7753     \newinsert\bx@PP
7754     \newinsert\bx@QQ
7755     \newinsert\bx@RR
7756     \newinsert\bx@SS
7757     \newinsert\bx@TT
7758     \newinsert\bx@UU
7759     \newinsert\bx@VV
7760     \newinsert\bx@WW
7761     \newinsert\bx@XX
7762     \newinsert\bx@YY
7763     \newinsert\bx@ZZ
7764 \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
7765     \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
7766     \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
7767     \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
7768     \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
7769     \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
7770     \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
7771     \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
7772     \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
7773     \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
7774     \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
7775     \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z
7776     \@elt\bx@AA\@elt\bx@BB\@elt\bx@CC\@elt\bx@DD\@elt\bx@EE
7777     \@elt\bx@FF\@elt\bx@GG\@elt\bx@HH\@elt\bx@II\@elt\bx@JJ
7778     \@elt\bx@KK\@elt\bx@LL\@elt\bx@MM\@elt\bx@NN
7779     \@elt\bx@OO\@elt\bx@PP\@elt\bx@QQ\@elt\bx@RR
7780     \@elt\bx@SS\@elt\bx@TT\@elt\bx@UU\@elt\bx@VV

```




```

7781         \@elt\bx@WW\@elt\bx@XX\@elt\bx@YY\@elt\bx@ZZ}%
7782     }{%
7783         \biditytfloatError{You may only call \string\morefloats\space twice. See the\Message
7784             {There are already 78 float slots allocated. Try using \string\FloatBarrier\space on
7785         }%
7786     }%
7787 }
7788 \newboolean{@biditytfloat@packages@subfigure}
7789 \setboolean{@biditytfloat@packages@subfigure}{false}
7790 \AtBeginDocument{%
7791     \@ifpackageloaded{subfigure}
7792     {\GlobalSetBoolean{@biditytfloat@packages@subfigure}{true}}
7793     {\GlobalSetBoolean{@biditytfloat@packages@subfigure}{false}}}%
7794 }
7795 \AtBeginDocument{%
7796     \@ifpackageloaded{float}{%
7797         % Save the redefined float environment (instead of the LaTeX float environment)
7798         \let\@biditytfloat@orig@float\@float
7799         \let\@biditytfloat@orig@endfloat\endfloat
7800
7801         % Define Tuftian float styles (with the caption in the margin)
7802         \newcommand{\floatc@biditytfloatplain}[2]{%
7803             \begin{lrbox}{\@biditytfloat@caption@box}%
7804                 \begin{minipage}{\floatalignment}{\marginparwidth}\hbox{%
7805                     \@biditytfloat@caption@font{\@fs@cfont #1:} #2\par%
7806                 }
7807             \end{lrbox}%
7808             \smash{\hspace{\@biditytfloat@caption@fill}}\usebox{\@biditytfloat@caption@box}}%
7809     }
7810     \newcommand{\fs@biditytfloatplain}{%
7811         \def\@fs@cfont{\@biditytfloat@caption@font}%
7812         \let\@fs@capt\floatc@biditytfloatplain%
7813         \def\@fs@pre{%
7814             \def\@fs@post{%
7815                 \def\@fs@mid{%
7816                     \let\@fs@iftopcapt\iftrue%
7817                 }
7818                 \let\fs@biditytfloatplaintop=\fs@biditytfloatplain
7819                 \let\floatc@biditytfloatplaintop=\floatc@biditytfloatplain
7820                 \newcommand\floatc@biditytfloatruled[2]{%
7821                     {\@fs@cfont #1} #2\par%
7822                 }
7823                 \newcommand\fs@biditytfloatruled{%
7824                     \def\@fs@cfont{\@biditytfloat@caption@font}%
7825                     \let\@fs@capt\floatc@biditytfloatplain%
7826                     \def\@fs@pre{\hrule height.8pt depth0pt width\textwidth \kern2pt}%
7827                     \def\@fs@post{\kern2pt\hrule width\textwidth\relax}%
7828                     \def\@fs@mid{%
7829                         \let\@fs@iftopcapt\iftrue%
7830                     }
7831                 \newcommand\fs@biditytfloatboxed{%
7832                     \def\@fs@cfont{}%
7833                     \let\@fs@capt\floatc@biditytfloatplain%
7834                     \def\@fs@pre{%

```



```

7835      \setbox\@currbox\vbox{\hbadness10000
7836      \moveleft3.4pt\vbox{\advance\hsize by6.8pt
7837      \hrule \hbox to\hsize{\vrule\kern3pt
7838      \vbox{\kern3pt\box\@currbox\kern3pt}\kern3pt\vrule}\hrule}}
7839      }%
7840      \def\@fs@mid{\kern2pt}%
7841      \def\@fs@post{}%
7842      \let\@fs@iftopcapt\iftrue%
7843    }
7844  }{%
7845    % Nothing to do
7846  }
7847 }
7848 \AtBeginDocument{%
7849   \@ifpackageloaded{algorithm}{%
7850     % Set the float style to the Tufte version
7851     \ifthenelse{\equal{\ALG@floatstyle}{plain}}{\OR\equal{\ALG@floatstyle}{ruled}}{\OR\equal{\AL
7852     \bidituftesfloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBrea
7853     \floatstyle{bidituftesfloat\ALG@floatstyle}%
7854     \restylefloat{algorithm}%
7855   }{}%
7856 }{%
7857   % Nothing to do
7858 }
7859 }
7860 \PassOptionsToPackage{caption=false}{subfig}

```

54 File bidituftesidenote.sty

```

7861 \NeedsTeXFormat{LaTeX2e}
7862 \ProvidesPackage{bidituftesidenote}[2017/08/09 v0.4
7863 bidi implementation of tufte sidenote]
7864 \RequirePackage{xifthen}
7865 \RequirePackage{ragged2e}
7866 \RequirePackage{setspace}
7867 \RequirePackage{biditools}
7868 \def\bidituftesidenotemarginpar{%
7869   \ifhmode
7870     \@bsphack
7871     \@floatpenalty -\@Mii
7872   \else
7873     \@floatpenalty -\@Miii
7874   \fi
7875   \ifinner
7876     \@parmoderr
7877     \@floatpenalty\z@
7878   \else
7879     \@next\@currbox\@freelist{}{}%
7880     \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
7881     {\@floatpenalty\z@
7882     \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}}%
7883   \fi
7884   \@ifnextchar [\@bidituftesidenotexmpar\@bidituftesidenoteypar}
7885 \long\def\@bidituftesidenotexmpar[#1]#2{%

```



```

7886 \@bidityftesidenotesavemarbox\@marbox{#1}%
7887 \@bidityftesidenotesavemarbox\@currbox{#2}%
7888 \@xympar}
7889 \long\def\@bidityftesidenoteympar#1{%
7890 \@bidityftesidenotesavemarbox\@marbox{#1}%
7891 \global\setbox\@currbox\copy\@marbox
7892 \@xympar}
7893 \long\def \@bidityftesidenotesavemarbox #1#2{%
7894 \global\setbox #1%
7895 \color@vbox
7896 \vtop{%
7897 \hsize\marginparwidth
7898 \parboxrestore
7899 \@bidityftesidenotemarginparreset
7900 #2%
7901 \@minipagefalse
7902 \outer@nobreak
7903 }%
7904 \color@endbox
7905 }
7906 \def \@bidityftesidenotemarginparreset {%
7907 \reset@font
7908 \normalsize
7909 \@minipagetrue
7910 \everypar{\@minipagefalse\everypar{}}\if@RTL@footnote\beginR\else\beginL\fi}%
7911 }
7912 \def\LTRbidityftesidenotemarginpar{%
7913 \ifhmode
7914 \@bsphack
7915 \@floatpenalty -\@Mii
7916 \else
7917 \@floatpenalty-\@Miii
7918 \fi
7919 \ifinner
7920 \@parmoderr
7921 \@floatpenalty\z@
7922 \else
7923 \@next\@currbox\@freelist{}{}%
7924 \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
7925 {\@floatpenalty\z@
7926 \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
7927 \fi
7928 \@ifnextchar [\@LTRbidityftesidenotexmpar\@LTRbidityftesidenoteympar}
7929 \long\def\@LTRbidityftesidenotexmpar[#1]#2{%
7930 \@LTRbidityftesidenotesavemarbox\@marbox{#1}%
7931 \@LTRbidityftesidenotesavemarbox\@currbox{#2}%
7932 \@xympar}
7933 \long\def\@LTRbidityftesidenoteympar#1{%
7934 \@LTRbidityftesidenotesavemarbox\@marbox{#1}%
7935 \global\setbox\@currbox\copy\@marbox
7936 \@xympar}
7937 \long\def \@LTRbidityftesidenotesavemarbox #1#2{%
7938 \global\setbox #1%
7939 \color@vbox

```



```

7940     \vtop{%
7941         \hsize\marginparwidth
7942         \@parboxrestore
7943         \@LTRbidituftesidenotemarginparreset
7944         #2%
7945         \@minipagefalse
7946         \outer@nobreak
7947     }%
7948     \color@endbox
7949 }
7950 \def \@LTRbidituftesidenotemarginparreset {%
7951     \reset@font
7952     \normalsize
7953     \@minipagetrue
7954     \everypar{\@minipagefalse\everypar{}\beginL}%
7955 }
7956 \def\RTLbidituftesidenotemarginpar{%
7957     \ifhmode
7958         \@bsphack
7959         \@floatpenalty -\@Mii
7960     \else
7961         \@floatpenalty-\@Miii
7962     \fi
7963     \ifinner
7964         \@parmoderr
7965         \@floatpenalty\z@
7966     \else
7967         \@next\@currbox\@freelist{}\{}%
7968         \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
7969         {\@floatpenalty\z@
7970         \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
7971     \fi
7972     \ifnextchar [\@RTLbidituftesidenotexmpar\@RTLbidituftesidenoteympar}
7973 \long\def\@RTLbidituftesidenotexmpar[#1]#2{%
7974     \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
7975     \@RTLbidituftesidenotesavemarbox\@currbox{#2}%
7976     \@xympar}
7977 \long\def\@RTLbidituftesidenoteympar#1{%
7978     \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
7979     \global\setbox\@currbox\copy\@marbox
7980     \@xympar}
7981 \long\def \@RTLbidituftesidenotesavemarbox #1#2{%
7982     \global\setbox #1%
7983         \color@vbox
7984         \vtop{%
7985             \hsize\marginparwidth
7986             \@parboxrestore
7987             \@RTLbidituftesidenotemarginparreset
7988             #2%
7989             \@minipagefalse
7990             \outer@nobreak
7991         }%
7992     \color@endbox
7993 }

```



```

7994 \def \@RTLbidituftesidenotemarginparreset {%
7995     \reset@font
7996     \normalsize
7997     \@minipagetrue
7998     \everypar{\@minipagefalse\everypar{}\beginR}%
7999 }
8000 \newcommand*{\@bidituftesidenote@marginfont}{\normalfont\footnotesize}
8001 \newcommand*{\@bidituftesidenote@LTRmarginfont}{\normalfont\footnotesize}
8002 \newcommand*{\@bidituftesidenote@RTLmarginfont}{\normalfont\footnotesize}
8003 \newcommand*{\@bidituftesidenote@sidenote@font}{\@bidituftesidenote@marginfont}
8004 \newcommand*{\@bidituftesidenote@LTRsidenote@font}{\@bidituftesidenote@LTRmarginfont}
8005 \newcommand*{\@bidituftesidenote@RTLSidenote@font}{\@bidituftesidenote@RTLmarginfont}
8006 \newcommand*{\@bidituftesidenote@marginnote@font}{\@bidituftesidenote@marginfont}
8007 \newcommand*{\@bidituftesidenote@LTRmarginnote@font}{\@bidituftesidenote@LTRmarginfont}
8008 \newcommand*{\@bidituftesidenote@RTLmarginnote@font}{\@bidituftesidenote@RTLmarginfont}
8009 \newcommand*{\@bidituftesidenote@citation@font}{\@bidituftesidenote@marginfont}
8010 \newcommand*{\@bidituftesidenote@LTRcitation@font}{\@bidituftesidenote@LTRmarginfont}
8011 \newcommand*{\@bidituftesidenote@RTLcitation@font}{\@bidituftesidenote@RTLmarginfont}
8012 \newcommand*{\setsidenote@font}[1]{\renewcommand*{\@bidituftesidenote@sidenote@font}{#1}}
8013 \newcommand*{\setLTRsidenote@font}[1]{\renewcommand*{\@bidituftesidenote@LTRsidenote@font}{#1}}
8014 \newcommand*{\setRTLSidenote@font}[1]{\renewcommand*{\@bidituftesidenote@RTLSidenote@font}{#1}}
8015 \newcommand*{\setmarginnote@font}[1]{\renewcommand*{\@bidituftesidenote@marginnote@font}{#1}}
8016 \newcommand*{\setLTRmarginnote@font}[1]{\renewcommand*{\@bidituftesidenote@LTRmarginnote@font}{#1}}
8017 \newcommand*{\setRTLmarginnote@font}[1]{\renewcommand*{\@bidituftesidenote@RTLmarginnote@font}{#1}}
8018 \newcommand*{\setcitation@font}[1]{\renewcommand*{\@bidituftesidenote@citation@font}{#1}}
8019 \newcommand*{\setLTRcitation@font}[1]{\renewcommand*{\@bidituftesidenote@LTRcitation@font}{#1}}
8020 \newcommand*{\setRTLcitation@font}[1]{\renewcommand*{\@bidituftesidenote@RTLcitation@font}{#1}}
8021 \newcommand*{\@bidituftesidenote@sidenote@justification}{\@bidituftesidenote@justification@auto}
8022 \newcommand*{\@bidituftesidenote@marginnote@justification}{\@bidituftesidenote@justification@auto}
8023 \newcommand*{\@bidituftesidenote@citation@justification}{\@bidituftesidenote@justification@auto}
8024 \newcommand*{\@bidituftesidenote@justification@autodetect}{\justifying}%
8025 \newcommand{\@bidituftesidenote@margin@par}{%
8026     \setlength{\RaggedRightParindent}{0.5pc}%
8027     \setlength{\JustifyingParindent}{0.5pc}%
8028     \setlength{\parindent}{0.5pc}%
8029     \setlength{\parskip}{0pt}%
8030 }
8031 %%
8032 % Globally sets the length
8033 \ifundefined{gsetlength}{%
8034 \newcommand*{gsetlength}[2]{%
8035     \setlength{#1}{#2}%
8036     \global#1=#1\relax%
8037 }%
8038 }{}
8039
8040 %%
8041 % A function that removes leading and trailing spaces from the supplied macro.
8042 % Based on code written by Michael Downes (See ``Around the Bend'', #15.)
8043 % Executing \@bidituftesidenote@trim@spaces\xyzzy will result in the contents of \xyzzy
8044 % being trimmed of leading and trailing white space.
8045 \catcode`\Q=3
8046 \def\@bidituftesidenote@trim@spaces#1{%
8047     % Use grouping to emulate a multi-token afterassignment queue

```



```

8048 \beginngroup%
8049 % Put \toks 0 {' into the afterassignment queue
8050 \aftergroup\toks\aftergroup0\aftergroup{%
8051 % Apply \trimb to the replacement text of #1, adding a leading
8052 % \noexpand to prevent brace stripping and to serve another purpose
8053 % later.
8054 \expandafter\@bidityftesidenote@trim@b\expandafter\noexpand#1Q Q}%
8055 % Transfer the trimmed text back into #1.
8056 \edef#1{\the\toks0}%
8057 }
8058 % \trimb removes a trailing space if present, then calls \@bidityftesidenote@trim@c to
8059 % clean up any leftover bizarre Qs, and trim a leading space. In
8060 % order for \trimc to work properly we need to put back a Q first.
8061 \def\@bidityftesidenote@trim@b#1 Q{\@bidityftesidenote@trim@c#1Q}
8062 % Execute \vfuzz assignment to remove leading space; the \noexpand
8063 % will now prevent unwanted expansion of a macro or other expandable
8064 % token at the beginning of the trimmed text. The \endgroup will feed
8065 % in the \aftergroup tokens after the \vfuzz assignment is completed.
8066 \def\@bidityftesidenote@trim@c#1Q#2{\afterassignment\endgroup \vfuzz\the\vfuzz#1}
8067 \catcode\Q=11
8068 %%
8069 % Citations should go in the margin as sidenotes
8070
8071 \RequirePackage{natbib}
8072 \RequirePackage{bibentry} % allows bibitems to be typeset outside the bibliography env
8073 % Redefine the \BR@b@bibitem command to fix a bug with bibentry+chicago style
8074 \renewcommand\BR@b@bibitem[2] []{%
8075   \ifthenelse{\isempty{#1}}{%
8076     {\BR@b@bibitem{#2}}%
8077     {\BR@b@bibitem{#1}{#2}}%
8078   \BR@c@bibitem{#2}%
8079 }
8080 \bidi@AtEndPreamble{\nobibliography*} % pre-loads the bibliography keys
8081 %%
8082 % Normal \cite behavior
8083 \newcounter{@bidityftesidenote@num@bibkeys}%
8084 \newcommand{\@bidityftesidenote@normal@cite}[2] [Opt]{%
8085   % Snag the last bibentry in the list for later comparison
8086   \let\@temp@last@bibkey\@empty%
8087   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
8088   \sidenote[] [#1]{%
8089     % Loop through all the bibentries, separating them with semicolons and spaces
8090     \normalsize\normalfont\@bidityftesidenote@citation@font%
8091     \setcounter{@bidityftesidenote@num@bibkeys}{0}%
8092     \@for\@temp@bibkeyx:=#2\do{%
8093       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
8094         {\ifthenelse{\equal{\value{@bidityftesidenote@num@bibkeys}}{0}}{\and\ }%
8095           \@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8096           \bibentry{\@temp@bibkeyx}}%
8097         {\@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8098           \bibentry{\@temp@bibkeyx};\ }%
8099       \stepcounter{@bidityftesidenote@num@bibkeys}%
8100     }%
8101   }%

```



```

8102 }
8103 \newcommand{\@bidityftelTRsidenote@normal@cite}[2][Opt]{%
8104 % Snag the last bibentry in the list for later comparison
8105 \let\@temp@last@bibkey\@empty%
8106 \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
8107 \LTRsidenote[] [#1]{%
8108 % Loop through all the bibentries, separating them with semicolons and spaces
8109 \normalsize\normalfont\@bidityftesidenote@LTRcitation@font%
8110 \setcounter{\@bidityftesidenote@num@bibkeys}{0}%
8111 \@for\@temp@bibkeyx:=#2\do{%
8112 \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
8113 {\ifthenelse{\equal{\value{\@bidityftesidenote@num@bibkeys}}{0}}{\and\ }%
8114 \@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8115 \bibentry{\@temp@bibkeyx}}%
8116 {\@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8117 \bibentry{\@temp@bibkeyx};\ }%
8118 \stepcounter{\@bidityftesidenote@num@bibkeys}%
8119 }%
8120 }%
8121 }
8122 \newcommand{\@bidityfteRTLsidenote@normal@cite}[2][Opt]{%
8123 % Snag the last bibentry in the list for later comparison
8124 \let\@temp@last@bibkey\@empty%
8125 \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
8126 \RTLsidenote[] [#1]{%
8127 % Loop through all the bibentries, separating them with semicolons and spaces
8128 \normalsize\normalfont\@bidityftesidenote@citation@font%
8129 \setcounter{\@bidityftesidenote@num@bibkeys}{0}%
8130 \@for\@temp@bibkeyx:=#2\do{%
8131 \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
8132 {\ifthenelse{\equal{\value{\@bidityftesidenote@num@bibkeys}}{0}}{\and\ }%
8133 \@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8134 \bibentry{\@temp@bibkeyx}}%
8135 {\@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8136 \bibentry{\@temp@bibkeyx};\ }%
8137 \stepcounter{\@bidityftesidenote@num@bibkeys}%
8138 }%
8139 }%
8140 }
8141 %%
8142 % Macros for holding the list of cite keys until after the \sidenote
8143 \gdef\@bidityftesidenote@citations{}% list of cite keys
8144 \newcommand\@bidityftesidenote@add@citation[1]{\relax% adds a new bibkey to the list of cite
8145 \ifx\@bidityftesidenote@citations\@empty\else
8146 \g@addto@macro\@bidityftesidenote@citations{,}% separate by commas
8147 \fi
8148 \g@addto@macro\@bidityftesidenote@citations{#1}
8149 }
8150 \newcommand{\@bidityftesidenote@print@citations}[1][Opt]{% puts the citations in a margin no
8151 % Snag the last bibentry in the list for later comparison
8152 \let\@temp@last@bibkey\@empty%
8153 \@for\@temp@bibkey:=\@bidityftesidenote@citations\do{\let\@temp@last@bibkey\@temp@bibkey}%
8154 \marginpar{%
8155 \hbox{}\vspace*{#1}%

```



```

8156 \@@bidityftesidenote@citation@font%
8157 \@@bidityftesidenote@citation@justification%
8158 \@@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
8159 \vspace*{-1\baselineskip}%
8160 % Loop through all the bibentries, separating them with semicolons and spaces
8161 \setcounter{@@bidityftesidenote@num@bibkeys}{0}%
8162 \@for\@temp@bibkeyx:=\@@bidityftesidenote@citations\do{%
8163 \ifthenelse{equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
8164 {\ifthenelse{equal{value{@@bidityftesidenote@num@bibkeys}}{0}}{and\ }%
8165 \@@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8166 \bibentry{\@temp@bibkeyx}}%
8167 {\@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8168 \bibentry{\@temp@bibkeyx};\ }%
8169 \stepcounter{@@bidityftesidenote@num@bibkeys}%
8170 }%
8171 }%
8172 }
8173 %%
8174 % \cite behavior when executed within a sidenote
8175 \newcommand{\@@bidityftesidenote@sidenote@citations}{}% contains list of \cites in sidenote
8176 \newcommand{\@@bidityftesidenote@infootnote@cite}[1]{%
8177 \@@bidityftesidenote@add@citation{#1}
8178 }
8179 %%
8180 % Set the default \cite style. This is set and reset by the \sidenote command.
8181 \let\cite\@@bidityftesidenote@normal@cite
8182 \let\LTRcite\@@bidityftesidenote@normal@cite
8183 \let\RTLcite\@@bidityftesidenote@normal@cite
8184 %%
8185 % Transform existing \footnotes into \sidenotes
8186 % Sidenote: ``Where God meant footnotes to go.''' ---bidityftesidenote
8187 \RequirePackage{optparams}% for our new sidenote commands -- provides multiple optional arguments
8188 \providecommand{\footnotelayout}{\@@bidityftesidenote@sidenote@font\@@bidityftesidenote@sidenote@font}
8189 \renewcommand{\footnotelayout}{\@@bidityftesidenote@sidenote@font\@@bidityftesidenote@sidenote@font}
8190 % Override footmisc's definition to set the sidenote marks (numbers) inside the
8191 % sidenote's text block.
8192 \bidi@patch@AfterPackage{bidi}{\long\def\@makefnmark{\@textsuperscript{\@@bidityftesidenote@font\footnotemark}}}%
8193 % Set the in-text footnote mark in the same typeface as the body text itself.
8194 \bidi@patch@AfterPackage{bidi}{\def\@makefnmark{\hbox{\@textsuperscript{\normalfont\footnotemark}}}%
8195 \providecommand*\multiplefootnotemark}{3sp}
8196 \providecommand*\multfootsep}{,}
8197 \bidi@patch@AfterPackage{bidi}{%
8198 \renewcommand{\@footnotemark}{%
8199 \leavevmode%
8200 \ifhmode%
8201 \edef\@x@sf{\the\spacefactor}%
8202 \@@bidityftesidenote@check@multiple@sidenotes%
8203 \nobreak%
8204 \fi%
8205 \@makefnmark%
8206 \ifhmode\spacefactor\@x@sf\fi%
8207 \relax%
8208 }%
8209 }

```




```

8210 \newcommand{\@bidityftesidenote@check@multiple@sidenotes}{%
8211 \ifdim\lastkern=\multiplefootnotemarker\relax%
8212 \edef\@x@sf{\the\spacefactor}%
8213 \unkern%
8214 \textsuperscript{\multfootsep}%
8215 \spacefactor\@x@sf\relax%
8216 \fi
8217 }
8218 \bidi@patch@AfterPackage{bidi}{%
8219 \renewcommand\@footnotetext[2][0pt]{%
8220 \bidityftesidenotemarginpar{%
8221 \hbox{}}\vspace*{#1}%
8222 \def\baselinestretch {\setspace@singlespace}%
8223 \reset@font%
8224 \bidi@footnotetext@font% \reset@font\footnotesize%
8225 \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
8226 \vspace*{-1\baselineskip}\noindent%
8227 \protected@edef\@currentlabel{%
8228 \csname p@footnote\endcsname\@thefnmark%
8229 }%
8230 \color@begingroup%
8231 \@makefntext{%
8232 \ignorespaces#2%
8233 }%
8234 \color@endgroup%
8235 }%
8236 }%
8237 \renewcommand\@LTRfootnotetext[2][0pt]{%
8238 \LTRbidityftesidenotemarginpar{%
8239 \hbox{}}\vspace*{#1}%
8240 \def\baselinestretch {\setspace@singlespace}%
8241 \reset@font%
8242 \bidi@LTRfootnotetext@font% \reset@font\footnotesize%
8243 \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
8244 \vspace*{-1\baselineskip}\noindent%
8245 \protected@edef\@currentlabel{%
8246 \csname p@footnote\endcsname\@thefnmark%
8247 }%
8248 \color@begingroup%
8249 \@makefntext{%
8250 \ignorespaces#2%
8251 }%
8252 \color@endgroup%
8253 }%
8254 }%
8255 \renewcommand\@RTLfootnotetext[2][0pt]{%
8256 \RTLbidityftesidenotemarginpar{%
8257 \hbox{}}\vspace*{#1}%
8258 \def\baselinestretch {\setspace@singlespace}%
8259 \reset@font%
8260 \bidi@RTLfootnotetext@font% \reset@font\footnotesize%
8261 \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
8262 \vspace*{-1\baselineskip}\noindent%
8263 \protected@edef\@currentlabel{%

```



```

8264      \csname p@footnote\endcsname\@thefnmark%
8265  }%
8266      \color@begingroup%
8267          \makefnmark{%
8268              \ignorespaces#2%
8269          }%
8270      \color@endgroup%
8271  }%
8272 }%
8273 }
8274 %
8275 % Define \sidenote command. Can handle \cite.
8276 \newlength{\@bidituftesidenote@sidenote@vertical@offset}
8277 \setlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}
8278 % #1 = footnote num, #2 = vertical offset, #3 = footnote text
8279 \long\def\@bidituftesidenote@sidenote[#1][#2]#3{%
8280     \let\cite\@bidituftesidenote@infootnote@cite%    use the in-sidenote \cite command
8281     \gdef\@bidituftesidenote@citations{}%            clear out any old citations
8282     \ifthenelse{\NOT\isempty{#2}}{%
8283         \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
8284     }{%
8285         \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
8286     }%
8287     \ifthenelse{\isempty{#1}}{%
8288         % no specific footnote number provided
8289         \stepcounter\@mpfn%
8290         \protected@xdef\@thefnmark{\thempfn}%
8291         \@footnotemark\@footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
8292     }{%
8293         % specific footnote number provided
8294         \begingroup%
8295             \csname c@\@mpfn\endcsname #1\relax%
8296             \unrestored@protected@xdef\@thefnmark{\thempfn}%
8297         \endgroup%
8298         \@footnotemark\@footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
8299     }%
8300     \@bidituftesidenote@print@citations%              print any citations
8301     \let\cite\@bidituftesidenote@normal@cite%          go back to using normal in-text \cite comm
8302     \let\LTRcite\@bidituftesidenote@normal@cite%       go back to using normal in-text \LTR
8303     \let\RTLcite\@bidituftesidenote@normal@cite%       go back to using normal in-text \RTL
8304     \unskip\ignorespaces%                             remove extra white space
8305     \kern-\multiplefootnotemarker%                    remove \kern left behind by sidenote
8306     \kern\multiplefootnotemarker\relax%               add new \kern here to replace the one we yanked
8307 }
8308 \long\def\@LTRbidituftesidenote@sidenote[#1][#2]#3{%
8309     \let\cite\@bidituftesidenote@infootnote@cite%    use the in-sidenote \cite command
8310     \gdef\@bidituftesidenote@citations{}%            clear out any old citations
8311     \ifthenelse{\NOT\isempty{#2}}{%
8312         \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
8313     }{%
8314         \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
8315     }%
8316     \ifthenelse{\isempty{#1}}{%
8317         % no specific footnote number provided

```



```

8318 \stepcounter\@mpfn%
8319 \protected@xdef\@thefnmark{\thempfn}%
8320 \@footnotemark\@LTRfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
8321 }{%
8322 % specific footnote number provided
8323 \begingroup%
8324 \csname c@\@mpfn\endcsname #1\relax%
8325 \unrestored@protected@xdef\@thefnmark{\thempfn}%
8326 \endgroup%
8327 \@footnotemark\@LTRfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
8328 }%
8329 \@bidityftesidenote@print@citations% print any citations
8330 \let\cite\@bidityftesidenote@normal@cite% go back to using normal in-text \cite comm
8331 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTR
8332 \let\RTLcite\@bidityfteRTLsidenote@normal@cite% go back to using normal in-text \RTL
8333 \unskip\ignorespaces% remove extra white space
8334 \kern-\multiplefootnotemarker% remove \kern left behind by sidenote
8335 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
8336 }
8337 \long\def\@RTLbidityftesidenote@sidenote[#1][#2]#3{%
8338 \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
8339 \gdef\@bidityftesidenote@citations{}% clear out any old citations
8340 \ifthenelse{\NOT\isempty{#2}}{%
8341 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{#2}%
8342 }{%
8343 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}%
8344 }%
8345 \ifthenelse{\isempty{#1}}{%
8346 % no specific footnote number provided
8347 \stepcounter\@mpfn%
8348 \protected@xdef\@thefnmark{\thempfn}%
8349 \@footnotemark\@RTLfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
8350 }{%
8351 % specific footnote number provided
8352 \begingroup%
8353 \csname c@\@mpfn\endcsname #1\relax%
8354 \unrestored@protected@xdef\@thefnmark{\thempfn}%
8355 \endgroup%
8356 \@footnotemark\@RTLfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
8357 }%
8358 \@bidityftesidenote@print@citations% print any citations
8359 \let\cite\@bidityftesidenote@normal@cite% go back to using normal in-text \cite comm
8360 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTR
8361 \let\RTLcite\@bidityfteRTLsidenote@normal@cite% go back to using normal in-text \RTL
8362 \unskip\ignorespaces% remove extra white space
8363 \kern-\multiplefootnotemarker% remove \kern left behind by sidenote
8364 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
8365 }
8366 \newcommand{\sidenote}{\optparams{\@bidityftesidenote@sidenote}{[] [Opt]}}
8367 \newcommand{\LTRsidenote}{\optparams{\@LTRbidityftesidenote@sidenote}{[] [Opt]}}
8368 \newcommand{\RTLsidenote}{\optparams{\@RTLbidityftesidenote@sidenote}{[] [Opt]}}
8369 \bidi@patch@AfterPackage{bidi}{%
8370 \renewcommand{\footnote}{\optparams{\@bidityftesidenote@sidenote}{[] [Opt]}}%
8371 \renewcommand{\LTRfootnote}{\optparams{\@LTRbidityftesidenote@sidenote}{[] [Opt]}}%

```



```

8372 \renewcommand{\RTLfootnote}{\optparams{\@RTLbidityftesidenote@sidenote}{[] [Opt]}}%
8373 }
8374 %%
8375 % Sidenote without the footnote mark
8376 \newcommand\marginnote[2] [Opt]{%
8377   \let\cite\@bidityftesidenote@infootnote@cite%   use the in-sidenote \cite command
8378   \gdef\@bidityftesidenote@citations{}%          clear out any old citations
8379   \bidityftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidityftesidenote@marginnote@font\@bidityftesidenote@print@citations%
8380   \@bidityftesidenote@print@citations%            print any citations
8381   \let\cite\@bidityftesidenote@normal@cite%        go back to using normal in-text \cite command
8382   \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTR
8383   \let\RLcite\@bidityfteRTLsidenote@normal@cite%   go back to using normal in-text \RTL
8384 }
8385 \newcommand\LTRmarginnote[2] [Opt]{%
8386   \let\cite\@bidityftesidenote@infootnote@cite%   use the in-sidenote \cite command
8387   \gdef\@bidityftesidenote@citations{}%          clear out any old citations
8388   \LTRbidityftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidityftesidenote@LTRmarginnote@font\@bidityftesidenote@print@citations%
8389   \@bidityftesidenote@print@citations%            print any citations
8390   \let\cite\@bidityftesidenote@normal@cite%        go back to using normal in-text \cite command
8391   \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTR
8392   \let\RLcite\@bidityfteRTLsidenote@normal@cite%   go back to using normal in-text \RTL
8393 }
8394 \newcommand\RTLmarginnote[2] [Opt]{%
8395   \let\cite\@bidityftesidenote@infootnote@cite%   use the in-sidenote \cite command
8396   \gdef\@bidityftesidenote@citations{}%          clear out any old citations
8397   \RTLbidityftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidityftesidenote@RTLmarginnote@font\@bidityftesidenote@print@citations%
8398   \@bidityftesidenote@print@citations%            print any citations
8399   \let\cite\@bidityftesidenote@normal@cite%        go back to using normal in-text \cite command
8400   \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTR
8401   \let\RLcite\@bidityfteRTLsidenote@normal@cite%   go back to using normal in-text \RTL
8402 }

```

55 File bidityftetoc.sty

```

8403 \NeedsTeXFormat{LaTeX2e}
8404 \ProvidesPackage{bidityftetoc}[2011/06/17 v0.1
8405 bidi implementation of tufte toc]
8406 \RequirePackage{titlesec,titletoc,xifthen,biditytools}
8407 \newcommand{\@bidityftetoc@pkgname}{bidityftetoc}
8408 \newcommand{\bidityftetocError}[2]{\PackageError{\@bidityftetoc@pkgname}{#1}{#2}}
8409 %%
8410 % Turn off section numbering
8411 \setcounter{secnumdepth}{-1}
8412 \newboolean{@bidityftetoc@toc}
8413 \setboolean{@bidityftetoc@toc}{true}
8414 \DeclareOption{notoc}{\setboolean{@bidityftetoc@toc}{false}}
8415 \DeclareOption{toc}{\setboolean{@bidityftetoc@toc}{true}}
8416 \ProcessOptions
8417 %%
8418 % Make Tufte-style section headings and TOC formatting
8419 \bidity@patch@AfterPackage{bidi}{%
8420 \titleformat{\chapter}%
8421   [display]% shape
8422   {\relax\ifthenelse{\NOT\boolean{@bidityftefloat@symmetric}}{\begin{fullwidth}}{}}% format

```



```

8423 {\itshape\huge\thechapter}% label
8424 {0pt}% horizontal separation between label and title body
8425 {\huge\rmfamily\itshape}% before the title body
8426 [\ifthenelse{\NOT\boolean{@biditytfloat@symmetric}}{\end{fullwidth}}{}]% after the title
8427 \titleformat{\section}%
8428 [hang]% shape
8429 {\normalfont\Large\itshape}% format applied to label+text
8430 {\thesection}% label
8431 {1em}% horizontal separation between label and title body
8432 {}% before the title body
8433 []% after the title body
8434 \titleformat{\subsection}%
8435 [hang]% shape
8436 {\normalfont\large\itshape}% format applied to label+text
8437 {\thesubsection}% label
8438 {1em}% horizontal separation between label and title body
8439 {}% before the title body
8440 []% after the title body
8441 \titleformat{\paragraph}%
8442 [runin]% shape
8443 {\normalfont\itshape}% format applied to label+text
8444 {\theparagraph}% label
8445 {1em}% horizontal separation between label and title body
8446 {}% before the title body
8447 []% after the title body
8448 \titlespacing*{\chapter}{0pt}{50pt}{40pt}
8449 \titlespacing*{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
8450 \titlespacing*{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus .2ex}
8451 }
8452 % Subsubsection and following section headings shouldn't be used.
8453 % See Bringhurst's _The Elements of Typography_, section 4.2.2.
8454 \renewcommand\subsubsection{%
8455   \biditytError{\noexpand\subsubsection is undefined by this class.%
8456     \MessageBreak See Robert Bringhurst's _The Elements of
8457     \MessageBreak Typographic Style_, section 4.2.2.
8458     \MessageBreak \noexpand\subsubsection was used}
8459   {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
8460     \MessageBreak many levels of headings as you need, no more and no fewer. Also see the m
8461     \MessageBreak related threads on Ask E.T. at http://www.edwardbiditytError.com/.}
8462 }
8463 \renewcommand\subparagraph{%
8464   \biditytError{\noexpand\subparagraph is undefined by this class.%
8465     \MessageBreak See Robert Bringhurst's _The Elements of
8466     \MessageBreak Typographic Style_, section 4.2.2.
8467     \MessageBreak \noexpand\subparagraph was used}
8468   {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
8469     \MessageBreak many levels of headings as you need, no more and no fewer. Also see the m
8470     \MessageBreak related threads on Ask E.T. at http://www.edwardbiditytError.com/.}
8471 }
8472 % Formatting for main TOC (printed in front matter)
8473 % {section} [left] {above} {before w/label} {before w/o label} {filler + page} [after]
8474 \ifthenelse{\boolean{@biditytError@toc}}{%
8475   \biditytPatch@AfterPackage{bidi}{%
8476     \titlecontents{part}% FIXME

```



```

8477 [0em] % distance from left margin
8478 {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global form
8479 {\contentslabel{2em}} % before w/label (label = ``II'')
8480 {} % before w/o label
8481 {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
8482 [\end{fullwidth}] % after
8483 \titlecontents{chapter}%
8484 [0em] % distance from left margin
8485 {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global form
8486 {\hspace*{0em}\contentslabel{2em}} % before w/label (label = ``2'')
8487 {\hspace*{0em}} % before w/o label
8488 {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
8489 [\end{fullwidth}] % after
8490 \titlecontents{section}% FIXME
8491 [0em] % distance from left margin
8492 {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global format
8493 {\hspace*{2em}\contentslabel{2em}} % before w/label (label = ``2.6'')
8494 {\hspace*{2em}} % before w/o label
8495 {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
8496 [\end{fullwidth}] % after
8497 \titlecontents{subsection}% FIXME
8498 [0em] % distance from left margin
8499 {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global format
8500 {\hspace*{4em}\contentslabel{4em}} % before w/label (label = ``2.6.1'')
8501 {\hspace*{4em}} % before w/o label
8502 {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
8503 [\end{fullwidth}] % after
8504 \titlecontents{paragraph}% FIXME
8505 [0em] % distance from left margin
8506 {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global f
8507 {\hspace*{6em}\contentslabel{2em}} % before w/label (label = ``2.6.0.0.1'')
8508 {\hspace*{6em}} % before w/o label
8509 {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
8510 [\end{fullwidth}] % after
8511 }%
8512 {}%
8513 %%
8514 % Format lists of figures/tables
8515 \renewcommand\listoffigures{%
8516 \ifundefined{chapter}%
8517 {\section*{\listfigurename}}%
8518 {\chapter*{\listfigurename}}%
8519 % \begin{fullwidth}%
8520 \@starttoc{lof}%
8521 % \end{fullwidth}%
8522 }
8523 \renewcommand\listoftables{%
8524 \ifundefined{chapter}%
8525 {\section*{\listtablename}}%
8526 {\chapter*{\listtablename}}%
8527 % \begin{fullwidth}%
8528 \@starttoc{lot}%
8529 % \end{fullwidth}%
8530 }

```



```

8531 \newcommand{\@biditytetoc@lof@line}[2]{%
8532   % #1 is the figure/table number and its caption text
8533   % #2 is the page number on which the figure/table appears
8534   \leftskip 0.0em
8535   \rightskip 0em
8536   \parfillskip 0em plus 1fil
8537   \parindent 0.0em
8538   \@afterindenttrue
8539   \interlinepenalty\@M
8540   \leavevmode
8541   \@tempdima 2.0em
8542   \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
8543   \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
8544   {#1}\nobreak\quad\nobreak#2%
8545   \par%
8546 }
8547 \renewcommand*\l@figure{\@biditytetoc@lof@line}
8548 \let\l@table\l@figure

```

56 File biditytgeneralstructure.sty

```

8549 \NeedsTeXFormat{LaTeX2e}
8550 \ProvidesPackage{biditytgeneralstructure}[2011/06/18 v0.1
8551 bidi implementation of tufte general structure]
8552 \renewcommand\small{%
8553   \@setfontsize\small\@ixpt{12}%
8554   \abovedisplayskip 8.5\p@ \@plus3\p@ \@minus4\p@
8555   \abovedisplayshortskip \z@ \@plus2\p@
8556   \belowdisplayshortskip 4\p@ \@plus2\p@ \@minus2\p@
8557   \def\@listi{\leftmargin\leftmargini
8558     \topsep 4\p@ \@plus2\p@ \@minus2\p@
8559     \parsep 2\p@ \@plus\p@ \@minus\p@
8560     \itemsep \parsep}%
8561   \belowdisplayskip \abovedisplayskip
8562 }
8563 \renewcommand\scriptsize{\@setfontsize\scriptsize\@viipt\@viipt}
8564 \renewcommand\tiny{\@setfontsize\tiny\@vpt\@vpt}
8565 \renewcommand\large{\@setfontsize\large\@xipt{15}}
8566 \renewcommand\Large{\@setfontsize\Large\@xiipt{16}}
8567 \renewcommand\LARGE{\@setfontsize\LARGE\@xivpt{18}}
8568 \renewcommand\huge{\@setfontsize\huge\@xxpt{30}}
8569 \renewcommand\Huge{\@setfontsize\Huge{24}{36}}
8570 \setlength\leftmargini {1pc}
8571 \setlength\leftmarginii {1pc}
8572 \setlength\leftmarginiii {1pc}
8573 \setlength\leftmarginiv {1pc}
8574 \setlength\leftmarginv {1pc}
8575 \setlength\leftmarginvi {1pc}
8576 \setlength\labelsep {.5pc}
8577 \setlength\labelwidth {\leftmargini}
8578 \addtolength\labelwidth{-\labelsep}
8579 \setlength{\parindent}{1.0pc}%
8580 \setlength{\parskip}{0pt}%
8581 \RequirePackage{ragged2e}

```



```

8582 \setlength{\RaggedRightRightskip}{\z@ plus 0.08\hsize}
8583 % Paragraph indentation and separation for normal text
8584 \newcommand{\@biditytgeneralstructure@reset@par}{%
8585   \setlength{\RaggedRightParindent}{1.0pc}%
8586   \setlength{\JustifyingParindent}{1.0pc}%
8587   \setlength{\parindent}{1pc}%
8588   \setlength{\parskip}{0pt}%
8589 }
8590 \@biditytgeneralstructure@reset@par
8591 % Require paralist package for tighter lists
8592 \RequirePackage{paralist}
8593 % Add rightmargin to compactenum
8594 \def\@compactenum{%
8595   \expandafter\list\csname label\@enumctr\endcsname{%
8596     \usecounter{\@enumctr}%
8597     \rightmargin=2em% added this
8598     \parsep\plparsep
8599     \itemsep\plitemsep
8600     \topsep\pltopsep
8601     \partopsep\plpartopsep
8602     \def\makelabel##1{\hss\llap{##1}}}}
8603 %%
8604 % An environment for paragraph-style section
8605 \providecommand\newthought[1]{%
8606   \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%
8607   \noindent\textbf{#1}%
8608 }
8609 %%
8610 % Redefine the display environments (quote, quotation, etc.)
8611 \renewenvironment{verse}
8612   {\let\\\@centercr
8613    \list{}{\itemsep \z@
8614      \itemindent -1pc%
8615      \listparindent\itemindent
8616      \rightmargin \leftmargin
8617      \advance\leftmargin 1pc}%
8618    \small%
8619    \item\relax}
8620   {\endlist}
8621 \renewenvironment{quotation}
8622   {\list{}{\listparindent 1pc%
8623     \itemindent \listparindent
8624     \rightmargin \leftmargin
8625     \parsep \z@ \@plus\p@}%
8626     \small%
8627     \item\relax\noindent\ignorespaces}
8628   {\endlist}
8629 \renewenvironment{quote}
8630   {\list{}{\rightmargin\leftmargin}%
8631     \small%
8632     \item\relax}
8633   {\endlist}
8634 % Italicize description run-in headings (instead of the default bold)
8635 \renewcommand*{\descriptionlabel[1]}{\hspace\labelsep\normalfont\em #1}

```




```

8636 %%
8637 % Redefine \bibsection to not mark the running heads.
8638 % (Code modified from natbib.sty.)
8639 \@ifundefined{chapter}%
8640   {\renewcommand\bibsection{\section*{\refname}}}
8641   {\@ifundefined{NAT@sectionbib}%
8642     {\renewcommand\bibsection{\chapter{\bibname}}}
8643     {\renewcommand\bibsection{\section*{\bibname}}}}
8644 \RequirePackage{multicol}
8645 \renewenvironment{theindex}{%
8646   \@ifundefined{chapter}%
8647     {\section*{\indexname}}%
8648     {\chapter{\indexname}}%
8649   \begin{fullwidth}%
8650     \small%
8651     \parskip0pt%
8652     \parindent0pt%
8653     \let\item\@idxitem%
8654     \begin{multicols}{3}%
8655   }{%
8656     \end{multicols}%
8657     \end{fullwidth}%
8658 }
8659 \AtBeginDocument{%
8660 \renewcommand\@idxitem{\par\hangindent \if@RTL-\fi2em}%
8661 \renewcommand\subitem{\par\hangindent \if@RTL-\fi3em\hspace*{1em}}%
8662 \renewcommand\subsubitem{\par\hangindent \if@RTL-\fi4em\hspace*{2em}}
8663 \renewcommand\indexspace{\par\addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax}%
8664 \newcommand{\lettergroup}[1]{% swallow the letter heading in the index

```

57 File `bidituftehyperref.sty`

```

8665 \NeedsTeXFormat{LaTeX2e}
8666 \ProvidesPackage{bidituftehyperref}[2011/06/18 v0.1
8667 bidi implementation of tufte hyperref]
8668 %%
8669 % Color
8670 \RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%
8671 \newboolean{@bidituftehyperref@loadhyper}
8672 \setboolean{@bidituftehyperref@loadhyper}{true}
8673 \DeclareOption{hyper}{\setboolean{@bidituftehyperref@loadhyper}{true}}
8674 \DeclareOption{nohyper}{\setboolean{@bidituftehyperref@loadhyper}{false}}
8675 \ProcessOptions
8676 %% Loads the hyperref package and sets some default options.
8677 \newcommand{\bidituftehyperrefLoadHyperref}{%
8678 \RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}
8679 \hypersetup{
8680   bookmarksdepth = section,
8681   citecolor = DarkGreen,
8682   linkcolor = DarkBlue,
8683   % pagecolor = DarkBlue,
8684   urlcolor = DarkGreen,
8685 }%
8686 }

```



```

8687 \ifthenelse{\boolean{@biditytuftehyperref@loadhyper}}{%
8688   \biditytuftehyperrefLoadHyperref%
8689 }{% hyperfootnotes override our modifications to the \footnote* and \@footnote* commands.
8690   \PassOptionsToPackage{hyperfootnotes=false}{hyperref}
8691 }

```

58 File biditytufte.sty

```

8692 \NeedsTeXFormat{LaTeX2e}
8693 \ProvidesPackage{biditytufte}[2011/06/18 v0.1
8694 bidi implementation of tufte title]
8695 \RequirePackage{biditytools}
8696 %%
8697 % 'titlepage' option -- creates a full title page with \maketitle
8698 \newboolean{@biditytufte@titlepage}
8699 \DeclareOption{titlepage}{\setboolean{@biditytufte@titlepage}{true}}
8700 \DeclareOption{notitlepage}{\setboolean{@biditytufte@titlepage}{false}}
8701 % Default 'book' and 'handout' options
8702 \@ifclassloaded{book}{%
8703 \ExecuteOptions{titlepage}}{%
8704 \@ifclassloaded{article}{%
8705 \ExecuteOptions{notitlepage}}%
8706 {}}
8707 \ProcessOptions
8708 %%
8709 % Modified \title, \author, and \date commands. These store the
8710 % (footnote-less) values in \plaintitle, \plainauthor, and \thedata, respectively.
8711 \newcommand{\plaintitle}{}% plain-text-only title
8712 \newcommand{\plainauthor}{}% plain-text-only author
8713 \newcommand{\plainpublisher}{}% plain-text-only publisher
8714 \newcommand{\thanklesstitle}{}% full title text minus \thanks{}
8715 \newcommand{\thanklessauthor}{}% full author text minus \thanks{}
8716 \newcommand{\thanklesspublisher}{}% full publisher minus \thanks{}
8717 \newcommand{\@publisher}{}% full publisher with \thanks{}
8718 \newcommand{\thedata}{\today}
8719 \bidi@patch@AfterPackage{bidi}{%
8720 \renewcommand{\thanks}[1]{\footnote{#1}}
8721 \renewcommand{\LTRthanks}[1]{\LTRfootnote{#1}}
8722 \renewcommand{\RTLthanks}[1]{\RTLfootnote{#1}}
8723 }
8724 \renewcommand{\title}[2][{}]{%
8725   \gdef\@title{#2}%
8726   \begingroup%
8727     % TODO store contents of \thanks command
8728     \renewcommand{\thanks}[1]{}% swallow \thanks contents
8729     \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
8730     \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
8731     \protected@xdef\thanklesstitle{#2}%
8732   \endgroup%
8733   \ifthenelse{\isempty{#1}}%
8734     {\renewcommand{\plaintitle}{\thanklesstitle}}% use thankless title
8735     {\renewcommand{\plaintitle}{#1}}% use provided plain-text title
8736   \@ifundefined{hypersetup}%
8737     {}% hyperref is not loaded; do nothing

```



```

8738     {\hypersetup{pdftitle={\plaintitle}}}% set the PDF metadata title
8739 }
8740 \let\@author\@empty% suppress default latex.ltx ``no author'' warning
8741 \renewcommand{\author}[2][]{%
8742   \ifthenelse{\isempty{#2}}{\gdef\@author{#2}}%
8743   \begingroup%
8744     % TODO store contents of \thanks command
8745     \renewcommand{\thanks}[1]{}% swallow \thanks contents
8746     \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
8747     \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
8748     \protected@xdef\thanklessauthor{#2}%
8749   \endgroup%
8750   \ifthenelse{\isempty{#1}}%
8751     {\renewcommand{\plainauthor}{\thanklessauthor}}% use thankless author
8752     {\renewcommand{\plainauthor}{#1}}% use provided plain-text author
8753   \@ifundefined{hypersetup}%
8754     {}% hyperref is not loaded; do nothing
8755     {\hypersetup{pdfauthor={\plainauthor}}}% set the PDF metadata author
8756 }
8757 \renewcommand{\date}[1]{%
8758   \gdef\@date{#1}%
8759   \begingroup%
8760     % TODO store contents of \thanks command
8761     \renewcommand{\thanks}[1]{}% swallow \thanks contents
8762     \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
8763     \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
8764     \protected@xdef\thedata{#1}%
8765   \endgroup%
8766 }
8767 %%
8768 % Provides a \publisher command to set the publisher
8769 \newcommand{\publisher}[2][]{%
8770   \gdef\@publisher{#2}%
8771   \begingroup%
8772     \renewcommand{\thanks}[1]{}% swallow \thanks contents
8773     \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
8774     \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
8775     \protected@xdef\thanklesspublisher{#2}%
8776   \endgroup%
8777   \ifthenelse{\isempty{#1}}%
8778     {\renewcommand{\plainpublisher}{\thanklesspublisher}}% use thankless publisher
8779     {\renewcommand{\plainpublisher}{#1}}% use provided plain-text publisher
8780 }
8781 %%
8782 % Produces a full title page
8783 \newcommand{\maketitlepage}[0]{%
8784   \cleardoublepage%
8785   {%
8786     \bfseries%
8787     \begin{fullwidth}%
8788       \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
8789       \vspace{11.5pc}%
8790       \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
8791       \vfill%

```



```

8792 \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
8793 \end{fullwidth}%
8794 }
8795 \thispagestyle{empty}%
8796 \clearpage%
8797 }
8798 %%
8799 % Title block
8800 \bidi@AfterEndPreamble{%
8801 \renewcommand{\maketitle}{%
8802 \newpage%
8803 \global\@topnum\z@% prevent floats from being placed at the top of the page
8804 \begingroup%
8805 \setlength{\parindent}{0pt}%
8806 \setlength{\parskip}{4pt}%
8807 \let\@title\@empty%
8808 \let\@author\@empty%
8809 \let\@date\@empty%
8810 \gdef\@title{\LARGE\itshape\@title\par}%
8811 \gdef\@author{\Large\itshape\@author\par}%
8812 \gdef\@date{\Large\itshape\@date\par}%
8813 \@title%
8814 \@author%
8815 \@date%
8816 \endgroup%
8817 \thispagestyle{plain}% suppress the running head
8818 }%
8819 }
8820 %%
8821 % Title page (if the 'titlepage' option was passed to the bidityttitle-handout
8822 % class.)
8823 \bidi@AfterEndPreamble{%
8824 \ifthenelse{\boolean{@bidityttitle@titlepage}}
8825 {\renewcommand{\maketitle}{\maketitlepage}}
8826 {}
8827 }
8828 %%
8829 % When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
8830 % without headers and footers
8831 \def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
8832 \hbox{}
8833 %\vspace*{\fill}
8834 %\begin{center}
8835 % This page intentionally contains only this sentence.
8836 %\end{center}
8837 %\vspace{\fill}
8838 \thispagestyle{empty}
8839 \newpage
8840 \if@twocolumn\hbox{}\newpage\fi\fi\fi}

```

59 File bidityttitle-handout.cls

```

8841 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
8842 \ProvidesClass{bidityttitle-handout}[2011/06/18 v0.1 bidityttitle-handout class]

```



```

8843 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
8844 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{biditytfloat}}
8845 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{biditytetoc}}
8846 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{biditythyperref}}
8847 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{biditytetitle}}
8848 \ProcessOptions\relax
8849 \LoadClass{article}
8850 \RequirePackage{biditytfloat}
8851 \RequirePackage{biditytesidenote}
8852 \RequirePackage{biditytetoc}
8853 \RequirePackage{biditytgeneralstructure}
8854 \RequirePackage{biditythyperref}
8855 \RequirePackage{biditytetitle}
8856 \renewenvironment{abstract}
8857   {\begin{quotation}}
8858   {\end{quotation}}
8859 \AtBeginDocument{%
8860 \IfFileExists{bidityt-handout.cfg}
8861   {\input{bidityt-handout.cfg}
8862     \ClassInfo{bidityt-handout}{Loading bidityt-handout configuration file \@gobble}}
8863   {}%
8864 }

```

60 File bidityt-book.cls

```

8865 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
8866 \ProvidesClass{bidityt-book}[2011/06/18 v0.1 bidityt-book class]
8867 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
8868 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{biditytfloat}}
8869 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{biditytetoc}}
8870 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{biditythyperref}}
8871 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{biditytetitle}}
8872 \ProcessOptions\relax
8873 \LoadClass{book}
8874 \RequirePackage{biditytfloat}
8875 \RequirePackage{biditytesidenote}
8876 \RequirePackage{biditytetoc}
8877 \RequirePackage{biditytgeneralstructure}
8878 \RequirePackage{biditythyperref}
8879 \RequirePackage{biditytetitle}
8880 %%
8881 % Set up any book-specific stuff now
8882 %%
8883 % The front matter in Tufte's /Beautiful Evidence/ contains everything up
8884 % to the opening page of Chapter 1. The running heads, when they appear,
8885 % contain only the (arabic) page number in the outside corner.
8886 %\newif\if@mainmatter \@mainmattertrue
8887 \renewcommand\frontmatter{%
8888   \cleardoublepage%
8889   \@mainmatterfalse%
8890   \pagenumbering{arabic}%
8891   %\pagestyle{plain}%
8892   \fancyhf{}%
8893   \ifthenelse{\boolean{@biditytfloat@twoside}}%

```



```

8894     {\fancyhead[LE,RO]{\thepage}}%
8895     {\fancyhead[RE,RO]{\thepage}}%
8896 }
8897 %%
8898 % The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
8899 % numbering---it continues where it left off in the front matter.
8900 \renewcommand\mainmatter{%
8901   \cleardoublepage%
8902   \@mainmattertrue%
8903   \fancyhf{}%
8904   \ifthenelse{\boolean{@bidituftefloat@twoside}}%
8905     {\renewcommand{\chaptermark}[1]{\markboth{##1}{}}}%
8906     {\fancyhead[LE]{\thepage\quad\smallcaps{\newlinetospace{\plaintitle}}}% book title
8907     \fancyhead[RO]{\smallcaps{\newlinetospace{\leftmark}}\quad\thepage}% chapter title
8908     {\fancyhead[RE,RO]{\smallcaps{\newlinetospace{\plaintitle}}\quad\thepage}}% book title
8909 }
8910 %%
8911 % The back matter contains appendices, indices, glossaries, endnotes,
8912 % bibliographies, list of contributors, illustration credits, etc.
8913 \renewcommand\backmatter{%
8914   \if@openright%
8915     \cleardoublepage%
8916   \else%
8917     \clearpage%
8918   \fi%
8919   \@mainmatterfalse%
8920 }
8921 %%
8922 % Only show the chapter titles in the table of contents
8923 \setcounter{tocdepth}{0}
8924 \AtBeginDocument{%
8925   \IfFileExists{biditufte-book.cfg}
8926   {\input{biditufte-book.cfg}
8927     \ClassInfo{biditufte-book}{Loading biditufte-book configuration file \@gobble}}
8928   {}%
8929 }

```

61 File bidipoem.sty

```

8930 \NeedsTeXFormat{LaTeX2e}
8931 \ProvidesPackage{bidipoem}%
8932 [2019/03/03 v1.0 Environments for typesetting Persian traditional and modern poems]
8933
8934 % Usage:
8935 %
8936 % \Setversedim #1#2 % define the layout (within a group):
8937 % #1 = length of both half-verses
8938 % #2 = separation distance = length of a connection, if present
8939 % Variant:
8940 % \Setversedim #1[#2]#3 % for half-verses of unequal length
8941 % #1 = length of first (=right) half-verse
8942 % #2 = length of second (=left) half-verse
8943 % #3 = separation distance = length of a connection, if present
8944 %

```



```

8945 % \traditionalhalfverses #1#2 % typeset two separated half-verses
8946 % #1 = text of first (=right) half-verse
8947 % #2 = text of second (=left) half-verse
8948 % Variant:
8949 % \traditionalhalfverses #1[#2]#3 % typeset two connected half-verses
8950 % #1 = text of first (=right) half-verse
8951 % #2 = text of connection
8952 % #3 = text of second (=left) half-verse
8953 %
8954 % Alternative (if preferred):
8955 %
8956 % \traditionalconnverses #1#2#3 % = \traditionalhalfverses #1[#2]#3
8957
8958
8959 \newcommand*{\bidipoem@spreadbox}[2]{\hbox to #1{#2}}
8960
8961 % define the layout, verses will be centered
8962
8963 \newdimen \bidipoem@hvlen \newdimen \bidipoem@hvsep
8964 \newdimen \bidipoem@hvind \newdimen \bidipoem@@hvlen
8965
8966 \newcommand*{\Setversedim}[2]{% set lengths of half-verse, [separation]
8967 \bidipoem@hvind \textwidth
8968 \bidipoem@hvlen #1\relax \advance \bidipoem@hvind -\bidipoem@hvlen
8969 \ifx [#2\def \bidipoem@next {\bidipoem@set@verseI []}\else
8970 \bidipoem@@hvlen \bidipoem@hvlen \def \bidipoem@next {\bidipoem@set@@verse {#2}}\fi \bidipoem@
8971
8972 \def \bidipoem@set@verseI [#1]{% optional parameter
8973 \bidipoem@@hvlen #1\relax \bidipoem@set@@verse }
8974
8975 \newcommand*{\bidipoem@set@@verse}[1]{% separation
8976 \advance \bidipoem@hvind -\bidipoem@@hvlen \bidipoem@hvsep #1\relax
8977 \advance \bidipoem@hvind -\bidipoem@hvsep \divide \bidipoem@hvind 2 }
8978
8979 \newcommand*{\traditionalconnverses}[3]{% first half-verse, connection, second half-verse
8980 \ifdim Opt > \bidipoem@hvind %
8981 \bidipoem@spreadbox \bidipoem@hvlen {#1}\ \hfill % first block
8982 \else
8983 \noindent \hspace \bidipoem@hvind \relax \bidipoem@spreadbox \bidipoem@hvlen {#1}\fi
8984 \bidipoem@spreadbox \bidipoem@hvsep {#2}% separator
8985 \bidipoem@spreadbox \bidipoem@@hvlen {#3}% second block
8986 \par }
8987
8988 % macro for two half verses
8989 \newcommand*{\traditionalhalfverses}[2]{% optional parameter?
8990 \ifx [#2\def \bidipoem@half@verses@next{\bidipoem@half@verses {#1}[]}%
8991 \else\def \bidipoem@half@verses@next{\bidipoem@half@verses {#1}[\hfill]{#2}}\fi%
8992 \bidipoem@half@verses@next}
8993
8994 \def \bidipoem@half@verses #1[#2]#3{% first[mid]second
8995 \traditionalconnverses {#1}-{#2}-{#3}}
8996
8997
8998 {\catcode\^M=\active % these lines must end with %

```



```

8999 \gdef\traditionalpoem@obeylines{\catcode\^^M\active \let^^M\traditionalpoem@par}%
9000 \global\let^^M\traditionalpoem@par} % this is in case ^^M appears in a \write
9001 {\catcode\^^M=\active % these lines must end with %
9002 \gdef\modernpoem@obeylines{\catcode\^^M\active \let^^M\modernpoem@par}%
9003 \global\let^^M\modernpoem@par} % this is in case ^^M appears in a \write
9004 \def\poemcolsepskip{.1\versewidth plus .1\versewidth minus .05\versewidth}
9005 \def\poemmarginskip{1em plus 1fil minus 1em}
9006 \def\poemextrabaseskip{0\baselineskip}
9007 \def\poemskip{\medskip}
9008 \newcommand{\bidipoem@openbox}{\leavevmode
9009 \hbox to.77778em{%
9010 \hfil\vrule
9011 \vbox to.675em{\hrule width.6em\vfil\hrule}%
9012 \vrule\hfil}}
9013 \def\poemblocksep{\quad\hbox{\bidipoem@openbox}}
9014 \newdimen\versewidth
9015 \newtoks\bidipoem@p@ftn
9016 \def\poem@verse#1{%
9017 \ifdim\wd#1>\new@poem@width
9018 \xdef\new@poem@width{\the\wd#1}%
9019 \ifdim\new@poem@width>\poem@width
9020 \xdef\poem@width{\new@poem@width}%
9021 \global\let\poem@needrun\relax
9022 \fi
9023 \fi
9024 \hbox to\poem@width{\unhbox#1}%
9025 \global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn%
9026 }
9027 \def\poem@linebegin{\vadjust{}\hskip\@flushglue\hskip\poemmarginskip\relax}
9028 \def\poem@lineend{\nobreak\hskip\poemmarginskip\hskip\@flushglue\vadjust{}}
9029 \def\poem@lineversesep{%
9030 \nobreak
9031 \hskip\z@ plus 1filll%
9032 \penalty600%
9033 \hskip\poemcolsepskip
9034 \hskip\z@ plus -2filll%
9035 \vadjust{}}%
9036 \nobreak
9037 \hskip\z@ plus 1filll%
9038 }
9039 \def\poem@lineparsebegin{%
9040 \halign\bgroup
9041 \global\setbox\verse@i=\hbox{%
9042 \let\@footnotetext\bidipoem@p@ftntext%
9043 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
9044 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
9045 \let\@xfootnotenext\bidipoem@p@xftntext%
9046 \let\@xfootnote\bidipoem@p@xfootnote%
9047 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
9048 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
9049 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
9050 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
9051 \ignorespaces##\unskip}&&
9052 \global\setbox\verse@ii=\hbox{%

```




```

9053 \let\@footnotetext\bidipoem@p@ftntext%
9054 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
9055 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
9056 \let\@xfootnotenext\bidipoem@p@xftntext%
9057 \let\@xfootnote\bidipoem@p@xfootnote%
9058 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
9059 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
9060 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
9061 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
9062 \ignorespaces##\unskip}
9063 \cr
9064 }
9065 \def\poem@lineparseend{%
9066 \crr\egroup
9067 \vskip-\baselineskip
9068 }
9069 \def\traditionalpoem@cr{%
9070 \cr\poem@line
9071 }
9072 \newbox\verse@i
9073 \newbox\verse@ii
9074 \newif\ifpoem@started
9075
9076 \def\poem@line{%
9077 \poem@lineparseend
9078 \ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
9079 \ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
9080 \ifpoem@started
9081 \ifdim\wd\verse@ii>\z@\else
9082 \nopagebreak[3]
9083 \fi
9084 \leavevmode
9085 \poem@linebegin
9086 \poem@verse\verse@i
9087 \ifdim\wd\verse@ii>\z@
9088 \poem@lineversesep
9089 \poem@verse\verse@ii
9090 \fi
9091 \poem@lineend
9092 % \nopagebreak
9093 \par
9094 \vskip\poemextrabaseskip
9095 \fi
9096 \poem@lineparsebegin
9097 }
9098 \def\@traditionalpoem{%
9099 \stepcounter{poem@no}
9100 \ifnum\max@poem@no<\number\c@poem@no%
9101 \xdef\poem@width{\z@}%
9102 \else
9103 \xdef\poem@width{\poem@prop{poem@width}}%
9104 \fi
9105 \xdef\new@poem@width{\z@}%
9106 \global\versewidth=\poem@width

```



```

9107 \poemskip\par
9108 \begingroup
9109 \tabskip=\z@
9110 \parskip=\z@
9111 \parindent=\z@
9112 \parfillskip=\z@
9113 \rightskip=\z@
9114 \leftskip=\z@
9115 \widowpenalty=10000% No break between verses of the same line.
9116 \clubpenalty=10000% Same as above. Not really needed.
9117 \def\newblock{\hfil\poemblocksep\hfil\null}%
9118 \def\traditionalpoem@par{\traditionalpoem@cr}% Redefine \par for possible \obeylines
9119 \def\{\global\poem@startedtrue\traditionalpoem@cr}%
9120 \global\poem@startedfalse
9121 \csname poem@obeylines\endcsname
9122 \let\poem@obeylines\relax
9123 \poem@lineparsebegin
9124 }
9125 \def\@endtraditionalpoem{%
9126 \cr
9127 \ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else
9128 \noalign{%
9129 \skip0=\poemextrabaseskip
9130 \vskip-\skip0
9131 \vskip-\baseskip
9132 }%
9133 \fi\fi
9134 \poem@lineparseend
9135 \endgroup
9136 \par
9137 \vskip\baseskip
9138 \poemskip
9139 \ifdim\new@poem@width<\poem@width
9140 \global\let\poem@needrun\relax
9141 \fi
9142 \poem@write@aux{\poem@width\romannumeral\c@poem@no}{\new@poem@width}%
9143 \ifx\AtEndDocument\undefined\poem@finish\fi
9144 \@endparenv
9145 }
9146
9147
9148 \long\def\bidipoem@p@ftntext#1{%
9149 \edef\@temp{x{\the\bidipoem@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}}%
9150 \global\bidipoem@p@ftn\expandafter{\@temp{x{#1}}}%
9151 \long\def\bidipoem@p@LTRftntext#1{%
9152 \edef\@tempxi{\the\bidipoem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}}%
9153 \global\bidipoem@p@ftn\expandafter{\@tempxi{#1}}}%
9154 \long\def\bidipoem@p@RTLftntext#1{%
9155 \edef\@tempxii{\the\bidipoem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}}%
9156 \global\bidipoem@p@ftn\expandafter{\@tempxii{#1}}}%
9157
9158 \long\def\bidipoem@p@xftntext[#1]#2{%
9159 \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\footnotetext[#1]{#2}}}
9160

```



```

9161 \long\def\bidipoem@p@xLTRftntext[#1]#2{%
9162   \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\LTRfootnotetext[#1]{#2}}
9163
9164 \long\def\bidipoem@p@xRTLftntext[#1]#2{%
9165   \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\RTLfootnotetext[#1]{#2}}
9166
9167 \def\bidipoem@p@xfootnote[#1]{%
9168   \begingroup
9169     \csname c@\@mpfn\endcsname #1\relax
9170     \unrestored@protected@xdef\@thefnmark{\thempfn}%
9171   \endgroup
9172   \@footnotemark\bidipoem@p@xftntext[#1]}
9173
9174 \def\bidipoem@p@xLTRfootnote[#1]{%
9175   \begingroup
9176     \csname c@\@mpfn\endcsname #1\relax
9177     \unrestored@protected@xdef\@thefnmark{\thempfn}%
9178   \endgroup
9179   \@footnotemark\bidipoem@p@xLTRftntext[#1]}
9180
9181 \def\bidipoem@p@xRTLfootnote[#1]{%
9182   \begingroup
9183     \csname c@\@mpfn\endcsname #1\relax
9184     \unrestored@protected@xdef\@thefnmark{\thempfn}%
9185   \endgroup
9186   \@footnotemark\bidipoem@p@xRTLftntext[#1]}
9187
9188
9189
9190 \newenvironment{traditionalpoem}{\@traditionalpoem}{\@endtraditionalpoem}
9191 \expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obey
9192 \expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}
9193 \def\poem@finish{%
9194 \poem@write@aux{\max@poem@no}{\number\c@poem@no}%
9195 \ifx\poem@needrun\relax
9196 \PackageWarning{bidipoem}{Unjustified poem.  Rerun TeX to get poem right}%
9197 \global\let\poem@needrun\undefined
9198 \fi
9199 }
9200 \ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi
9201 \newcounter{poem@no}\setcounter{poem@no}{\z@}
9202 \ifx\max@poem@no\undefined
9203   \def\max@poem@no{0}%
9204 \fi
9205 \newcommand{\poem@prop}[1]{\@nameuse{#1\romannumeral\c@poem@no}}
9206 \newcommand{\poem@write@aux}[2]{%
9207   \def\@x{\immediate\write\@auxout{\global\noexpand\@namedef{#1}{#2}}}%
9208   \@x
9209 }
9210 \def\@modernpoem{%
9211 \par
9212 \begingroup
9213 \parskip=\z@
9214 \parindent=\z@

```



```

9215 \def\[{ \@settab\@tabplus\ignorespaces}%
9216 \def\]\{ \@tabminus\ignorespaces}%
9217 \def\newblock{\poemblocksep}%
9218 \let\newpoem@tabcr\@tabcr
9219 \def\modernpoem@par{% Redefine \par for possible \obeylines
9220 \ifpoem@started\else
9221 \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
9222 \@stopfield
9223 \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
9224 \@contfield
9225 \fi
9226 \fi
9227 \ifpoem@started\newpoem@tabcr\fi}%
9228 \def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%
9229 \global\poem@startedfalse
9230 \csname poem@obeylines\endcsname
9231 \let\poem@obeylines\relax
9232 \begin{tabbing}%
9233 }
9234 \def\@endmodernpoem{%
9235 \global\poem@startedfalse
9236 \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
9237 \@stopfield
9238 \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
9239 \@contfield
9240 \fi
9241 \ifpoem@started\else\let\@stopline\@stopfield\fi
9242 \end{tabbing}%
9243 \endgroup
9244 \par
9245 \if@nparlist \else
9246 \ifdim\lastskip >\z@
9247 \@tempskipa\lastskip \vskip -\lastskip
9248 \advance\@tempskipa\parskip \advance\@tempskipa -\@outerparskip
9249 \vskip\@tempskipa
9250 \fi
9251 \@endparenv
9252 \fi
9253 }
9254 \newenvironment{modernpoem}{\@modernpoem}{\@endmodernpoem}
9255 \expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\mode
9256 \expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
9257 \gdef\@startfield{%
9258 \global\setbox\@curfield\hbox\bgroup%
9259 \let\@footnotetext\bidipoem@p@ftntext%
9260 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
9261 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
9262 \let\@xfootnotenext\bidipoem@p@xftntext%
9263 \let\@xfootnote\bidipoem@p@xfootnote%
9264 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
9265 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
9266 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
9267 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
9268 \color@begingroup}

```



```

9269 \gdef\@stopfield{%
9270   \color@endgroup\egroup\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn}
9271 \gdef\@contfield{%
9272   \global\setbox\@curfield\hbox\bgroup%
9273   \let\@footnotetext\bidipoem@p@ftntext%
9274   \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
9275   \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
9276   \let\@xfootnotenext\bidipoem@p@xftntext%
9277   \let\@xfootnote\bidipoem@p@xfootnote%
9278   \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
9279   \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
9280   \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
9281   \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
9282   \color@begingroup\unhbox\@curfield}

```

62 File boek3-xetex-bidi.def

```

9283 \ProvidesFile{boek3-xetex-bidi.def}[2025/09/30 v0.5 bidi adaptations for boek3 class for XeTeX]
9284 \renewenvironment{theindex}{%
9285   \if@twocolumn
9286     \@restonecolfalse
9287   \else
9288     \@restonecoltrue
9289   \fi
9290   \columnseprule \z@
9291   \columnsep 35\p@
9292   \twocolumn[\@makeschapterhead{\indexname}]%
9293   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}}%
9294   \thispagestyle{plain}\parindent\z@
9295   \parskip\z@ \@plus .3\p@\relax
9296   \let\item\@idxitem
9297 }{%
9298   \if@restonecol\onecolumn\else\clearpage\fi}
9299 \renewcommand*{head@style}{%
9300   \interlinepenalty \@M
9301   \hyphenpenalty=\@M \exhyphenpenalty=\@M
9302   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
9303 \renewcommand*\@regtocline[3]{%
9304   \ifnum #1>\c@tocdepth
9305   \else
9306     \vskip\z@\@plus.2\p@
9307     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
9308     \if@RTL\rightskip\else\leftskip\fi\unitindent
9309     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
9310     \parfillskip\z@
9311     \@tempdima\unitindent
9312     \parindent\z@
9313     \leavevmode
9314     \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
9315     \hskip 1em \nobreak{\slshape #3}\par
9316   }%
9317   \fi}
9318 \if@oldtoc
9319 \renewcommand*\l@part[2]{%

```



```

9320 \ifnum \c@tocdepth >-2\relax
9321 \addpenalty{-\@highpenalty}%
9322 \addvspace{2.25em \@plus\p@}%
9323 \begingroup
9324 \setlength\@tempdima{3em}%
9325 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9326 \parfillskip -\@pnumwidth
9327 {\leavevmode
9328 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
9329 \nobreak
9330 \global\@nbreaktrue
9331 \everypar{\global\@nbreakfalse\everypar{}}%
9332 \endgroup
9333 \fi}
9334 \else
9335 \renewcommand*\l@part{%
9336 \ifnum \c@tocdepth >-2\relax
9337 \addpenalty{-\@highpenalty}%
9338 \addvspace{2.25em \@plus \p@}%
9339 \@regtocline{0}%
9340 \fi}
9341 \fi
9342 \if@oldtoc
9343 \renewcommand*\l@chapter[2]{%
9344 \addpenalty{-\@highpenalty}%
9345 \vskip 1.0em \@plus\p@
9346 \setlength\@tempdima{1.5em}%
9347 \begingroup
9348 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9349 \parfillskip -\@pnumwidth
9350 \leavevmode \bfseries
9351 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
9352 \hskip -\if@RTL\rightskip\else\leftskip\fi
9353 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
9354 \penalty\@highpenalty
9355 \endgroup}
9356 \else
9357 \renewcommand*\l@chapter{\@regtocline{0}}
9358 \fi
9359 \renewenvironment{abstract}{%
9360 \titlepage
9361 \null\vfil
9362 \section*{\SectFont \abstractname}
9363 \noindent\ignorespaces}
9364 {\par\vfil\null\endtitlepage}
9365 \renewenvironment{thebibliography}[1]
9366 {\chapter*{\bibname}%
9367 \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
9368 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
9369 \bidi@thebibliography@font@hook%
9370 \list{\@biblabel{\@arabic\c@enumiv}}%
9371 {\settowidth\labelwidth{\@biblabel{#1}}%
9372 \leftmargin\labelwidth
9373 \advance\leftmargin\labelsep

```



```

9374         \@openbib@code
9375         \usecounter{enumiv}%
9376         \let\p@enumiv\@empty
9377         \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
9378     \sloppy\clubpenalty4000\widowpenalty4000%
9379     \sfcode\.\@m}
9380     {\def\@noitemerr
9381       {\@latex@warning{Empty `thebibliography' environment}}}%
9382     \endlist}
9383 \renewcommand*\left@footnoterule{%
9384   \kern-3\p@
9385   \kern.5\baselineskip
9386   \hrule\@width\unitindent
9387   \kern.4\baselineskip
9388 }
9389 \renewcommand*\right@footnoterule{%
9390   \kern-3\p@
9391   \kern.5\baselineskip
9392   \nointerlineskip
9393   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
9394   \kern.4\baselineskip}
9395 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
9396 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
9397 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
9398 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
9399 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
9400 \renewcommand*\theequation{%
9401   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
9402 \renewcommand*\thefigure{%
9403   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@figure}
9404 \renewcommand*\thetable{%
9405   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}
9406 \renewcommand*\maketitle{%
9407   \begin{titlepage}%
9408     \let\footnotesize\small
9409     \let\right@footnoterule\relax
9410     \let\left@footnoterule\relax
9411     \let\textwidth\footnoterule\relax
9412     \let \footnote \thanks
9413     \long\def\@makefntext##1{\parindent\z@
9414       \def\labelitemi{\textendash}\@revlabeltrue
9415       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
9416     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
9417     \if@compatibility\setcounter{page}{0}\fi
9418     \null\vfil
9419     \vskip 60\p@
9420     \begin{center}%
9421       \TitleFont
9422       {\LARGE \def\\{\penalty -\@M}
9423         \if@allcaps
9424           \expandafter\uc@nothanks\@title\thanks\relax
9425         \else
9426           \@title
9427         \fi\par}%

```



```

9428     \vskip 3em%
9429     {\large
9430       \lineskip .75em \parindent\z@
9431       \begin{tabular}[t]{c}%
9432         \if@allcaps
9433           \expandafter\uc@authornothanks\@author\and\relax
9434         \else
9435           \@author
9436         \fi
9437       \end{tabular}\par}%
9438     \vskip 1.5em%
9439     {\large
9440       \if@allcaps
9441         \uppercase\expandafter{\@date}%
9442       \else
9443         \@date
9444       \fi\par}%
9445     \end{center}\par
9446     \@thanks
9447     \vfil\null
9448 \end{titlepage}%
9449 \setcounter{footnote}{0}%
9450 \global\let\thanks\relax
9451 \global\let\maketitle\relax
9452 \global\let\@thanks\@empty
9453 \global\let\@author\@empty
9454 \global\let\@title\@empty
9455 \global\let\@date\@empty
9456 \global\let\title\relax
9457 \global\let\author\relax
9458 \global\let\date\relax
9459 \global\let\and\relax
9460 }

```

63 File boek-xetex-bidi.def

```

9461 \ProvidesFile{boek-xetex-bidi.def}[2025/09/30 v0.5 bidi adaptations for boek class for XeTeX]
9462 \renewenvironment{theindex}{%
9463   \if@twocolumn
9464     \@restonecolfalse
9465   \else
9466     \@restonecoltrue
9467   \fi
9468   \columnseprule \z@
9469   \columnsep 35\p@
9470   \twocolumn[\@makeschapterhead{\indexname}]%
9471   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
9472   \thispagestyle{plain}\parindent\z@
9473   \parskip\z@ \@plus .3\p@\relax
9474   \let\item\@idxitem
9475 }{%
9476   \if@restonecol\onecolumn\else\clearpage\fi}
9477 \renewcommand*\head@style{%
9478   \interlinepenalty \@M

```




```

9479 \hyphenpenalty=\@M \exhyphenpenalty=\@M
9480 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
9481 \renewcommand*\@regtocline[3]{%
9482 \ifnum #1>\c@tocdepth
9483 \else
9484 \vskip\z@\@plus.2\p@
9485 {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
9486 \if@RTL\rightskip\else\leftskip\fi\unitindent
9487 \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
9488 \parfillskip\z@
9489 \@tempdima\unitindent
9490 \parindent\z@
9491 \leavevmode
9492 \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
9493 \hskip 1em \nobreak{\slshape #3}\par
9494 }%
9495 \fi}
9496 \if@oldtoc
9497 \renewcommand*\l@part[2]{%
9498 \ifnum \c@tocdepth >-2\relax
9499 \addpenalty{-\@highpenalty}%
9500 \addvspace{2.25em \@plus\p@}%
9501 \begingroup
9502 \setlength\@tempdima{3em}%
9503 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9504 \parfillskip -\@pnumwidth
9505 {\leavevmode
9506 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
9507 \nobreak
9508 \global\@nobreaktrue
9509 \everypar{\global\@nobreakfalse\everypar{}}%
9510 \endgroup
9511 \fi}
9512 \else
9513 \renewcommand*\l@part{%
9514 \ifnum \c@tocdepth >-2\relax
9515 \addpenalty{-\@highpenalty}%
9516 \addvspace{2.25em \@plus \p@}%
9517 \@regtocline{0}%
9518 \fi}
9519 \fi
9520 \if@oldtoc
9521 \renewcommand*\l@chapter[2]{%
9522 \addpenalty{-\@highpenalty}%
9523 \vskip 1.0em \@plus\p@
9524 \setlength\@tempdima{1.5em}%
9525 \begingroup
9526 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9527 \parfillskip -\@pnumwidth
9528 \leavevmode \bfseries
9529 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
9530 \hskip -\if@RTL\rightskip\else\leftskip\fi
9531 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
9532 \penalty\@highpenalty

```



```

9533 \endgroup}
9534 \else
9535 \renewcommand*\l@chapter{\@regtocline{0}}
9536 \fi
9537 \renewcommand*\left@footnoterule{%
9538 \kern-3\p@
9539 \kern.5\baselineskip
9540 \hrule\@width\unitindent
9541 \kern.4\baselineskip
9542 }
9543 \renewcommand*\right@footnoterule{%
9544 \kern-3\p@
9545 \kern.5\baselineskip
9546 \nointerlineskip
9547 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
9548 \kern.4\baselineskip}
9549 \renewenvironment{abstract}{%
9550 \titlepage
9551 \null\vfil
9552 \section*{\SectFont \abstractname}
9553 \noindent\ignorespaces}
9554 {\par\vfil\null\endtitlepage}
9555 \renewenvironment{thebibliography}[1]
9556 {\chapter*{\bibname}%
9557 \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
9558 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
9559 \bidi@thebibliography@font@hook%
9560 \list{\@biblabel{\@arabic\c@enumiv}}%
9561 {\settowidth\labelwidth{\@biblabel{#1}}%
9562 \leftmargin\labelwidth
9563 \advance\leftmargin\labelsep
9564 \openbib@code
9565 \usecounter{enumiv}%
9566 \let\p@enumiv\@empty
9567 \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
9568 \sloppy\clubpenalty4000\widowpenalty4000%
9569 \sfcode\.\@m}
9570 {\def\@noitemerr
9571 {\@latex@warning{Empty `thebibliography' environment}}}%
9572 \endlist}
9573 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
9574 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
9575 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
9576 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
9577 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
9578 \renewcommand*\theequation{%
9579 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
9580 \renewcommand*\thefigure{%
9581 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
9582 \renewcommand*\thetable{%
9583 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
9584 \renewcommand*\maketitle{%
9585 \begin{titlepage}%
9586 \let\footnotesize\small

```



```

9587 \let\right@footnoterule\relax
9588 \let\left@footnoterule\relax
9589 \let\textwidth@footnoterule\relax
9590 \let \footnote \thanks
9591 \long\def\@makefntext##1{\parindent\z@
9592 \def\labelitemi{\textendash}\@revlabeltrue
9593 \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
9594 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
9595 \if@compatibility\setcounter{page}{0}\fi
9596 \null\vfil
9597 \vskip 60\p@
9598 \begin{center}%
9599 \TitleFont
9600 {\LARGE \def\\{\penalty -\@M}
9601 \if@allcaps
9602 \expandafter\uc@nothanks\@title\thanks\relax
9603 \else
9604 \@title
9605 \fi\par}%
9606 \vskip 3em%
9607 {\large
9608 \lineskip .75em \parindent\z@
9609 \begin{tabular}[t]{c}%
9610 \if@allcaps
9611 \expandafter\uc@authornothanks\@author\and\relax
9612 \else
9613 \@author
9614 \fi
9615 \end{tabular}\par}%
9616 \vskip 1.5em%
9617 {\large
9618 \if@allcaps
9619 \uppercase\expandafter{\@date}%
9620 \else
9621 \@date
9622 \fi\par}%
9623 \end{center}\par
9624 \@thanks
9625 \vfil\null
9626 \end{titlepage}%
9627 \setcounter{footnote}{0}%
9628 \global\let\thanks\relax
9629 \global\let\maketitle\relax
9630 \global\let\@thanks\@empty
9631 \global\let\@author\@empty
9632 \global\let\@title\@empty
9633 \global\let\@date\@empty
9634 \global\let\title\relax
9635 \global\let\author\relax
9636 \global\let\date\relax
9637 \global\let\and\relax
9638 }

```



64 File `bookest-xetex-bidi.def`

```
9639 \ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for
9640 \def\@makechapterhead#1{%
9641   \vspace*{20\p@}
9642   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
9643     \ifnum \c@secnumdepth >\m@ne
9644       \if@mainmatter
9645         {\colorA\huge\scshape \@chapapp\space \thechapter}
9646         \par\nobreak
9647         \vskip 10\p@
9648       \fi
9649     \fi
9650     \interlinepenalty\@M
9651   {\colorB\hrule}
9652   \vskip 15\p@
9653   \if@RTL\begin{flushleft}\else\begin{flushright}\fi
9654     {\colorA\Huge \bfseries #1}\par\nobreak
9655   \if@RTL\end{flushleft}\else\end{flushright}\fi
9656   \vskip 5\p@
9657   {\colorB\hrule}
9658   \vskip 30\p@
9659   }}
9660 \def\@makeschapterhead#1{%
9661   \vspace*{20\p@}
9662   {\parindent \z@ \raggedright \normalfont
9663     {\colorB\hrule}
9664     \vskip 15\p@
9665     \begin{center}
9666       {\colorA\Huge \bfseries #1}\par\nobreak
9667     \end{center}
9668     \vskip 5\p@
9669     {\colorB\hrule}
9670     \vskip 30\p@
9671   }}
```

65 File `book-xetex-bidi.def`

```
9672 \ProvidesFile{book-xetex-bidi.def}[2025/12/19 v1.6 bidi adaptations for standard book class
9673 \renewenvironment{theindex}
9674   {\if@twocolumn
9675     \@restonecolfalse
9676   \else
9677     \@restonecoltrue
9678   \fi
9679   \columnseprule \z@
9680   \columnsep 35\p@
9681   \twocolumn[\@makeschapterhead{\indexname}]%
9682   \@mkboth{\MakeUppercase\indexname}%
9683     {\MakeUppercase\indexname}%
9684   \thispagestyle{plain}\parindent\z@
9685   \parskip\z@ \@plus .3\p@\relax
9686   \let\item\@idxitem}
9687   {\if@restonecol\onecolumn\else\clearpage\fi}
```



```

9688 \IfClassLoadedF{bookest}{%
9689   \if@titlepage
9690     \renewcommand\maketitle{\begin{titlepage}%
9691       \let\footnotesize\small
9692       \let\right@footnoterule\relax
9693       \let\left@footnoterule\relax
9694       \let\textwidth@footnoterule\relax
9695       \let \footnote \thanks
9696       \let \LTRfootnote \LTRthanks
9697       \let \RTLfootnote \RTLthanks
9698       \null\vfil
9699       \vskip 60\p@
9700       \begin{center}%
9701         {\LARGE \@title \par}%
9702         \vskip 3em%
9703         {\large
9704           \lineskip .75em%
9705           \begin{tabular}[t]{c}%
9706             \@author
9707           \end{tabular}\par}%
9708         \vskip 1.5em%
9709         {\large \@date \par}%           % Set date in \large size.
9710       \end{center}\par
9711       \@thanks
9712       \vfil\null
9713     \end{titlepage}%
9714     \setcounter{footnote}{0}%
9715     \global\let\thanks\relax
9716     \global\let\LTRthanks\relax
9717     \global\let\RTLthanks\relax
9718     \global\let\maketitle\relax
9719     \global\let\@thanks\@empty
9720     \global\let\@author\@empty
9721     \global\let\@date\@empty
9722     \global\let\@title\@empty
9723     \global\let\title\relax
9724     \global\let\author\relax
9725     \global\let\date\relax
9726     \global\let\and\relax
9727 }
9728 \else
9729 \renewcommand\maketitle{\par
9730   \begingroup
9731     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
9732     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
9733     \long\def\@makefntext#1{\parindent 1em\noindent
9734       \hb@xt@1.8em{%
9735         \hss\@textsuperscript{\normalfont\@thefnmark}}#1}%
9736     \if@twocolumn
9737       \ifnum \col@number=\@ne
9738         \@maketitle
9739       \else
9740         \twocolumn[\@maketitle]%
9741       \fi

```



```

9742 \else
9743 \newpage
9744 \global\@topnum\z@ % Prevents figures from going at top of page.
9745 \@maketitle
9746 \fi
9747 \thispagestyle{plain}\@thanks
9748 \endgroup
9749 \setcounter{footnote}{0}%
9750 \global\let\thanks\relax
9751 \global\let\LTRthanks\relax
9752 \global\let\RTLthanks\relax
9753 \global\let\maketitle\relax
9754 \global\let\@maketitle\relax
9755 \global\let\@thanks\@empty
9756 \global\let\@author\@empty
9757 \global\let\@date\@empty
9758 \global\let\@title\@empty
9759 \global\let\title\relax
9760 \global\let\author\relax
9761 \global\let\date\relax
9762 \global\let\and\relax
9763 }
9764 \def\@maketitle{%
9765 \newpage
9766 \null
9767 \vskip 2em%
9768 \begin{center}%
9769 \let \footnote \thanks
9770 \let \LTRfootnote \LTRthanks
9771 \let \RTLfootnote \RTLthanks
9772 {\LARGE \@title \par}%
9773 \vskip 1.5em%
9774 {\large
9775 \lineskip .5em%
9776 \begin{tabular}[t]{c}%
9777 \@author
9778 \end{tabular}\par}%
9779 \vskip 1em%
9780 {\large \@date}%
9781 \end{center}%
9782 \par
9783 \vskip 1.5em}
9784 \fi
9785 }
9786 \IfPackageLoadedF{tocloft}{%
9787 \renewcommand*\l@part[2]{%
9788 \ifnum \c@tocdepth >-2\relax
9789 \addpenalty{-\@highpenalty}%
9790 \addvspace{2.25em \@plus\p@}%
9791 \setlength\@tempdima{3em}%
9792 \begingroup
9793 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9794 \parfillskip -\@pnumwidth
9795 {\leavevmode

```



```

9796      \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
9797      \nobreak
9798      \global\@nobreaktrue
9799      \everypar{\global\@nobreakfalse\everypar{}}%
9800  \endgroup
9801  \fi}
9802  \renewcommand*\l@chapter[2]{%
9803    \ifnum \c@tocdepth >\m@ne
9804      \addpenalty{-\@highpenalty}%
9805      \vskip 1.0em \plus\p@
9806      \setlength\@tempdima{1.5em}%
9807      \begingroup
9808        \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9809        \parfillskip -\@pnumwidth
9810        \leavevmode \bfseries
9811        \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
9812        \hskip -\if@RTL\rightskip\else\leftskip\fi
9813        #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
9814        \penalty\@highpenalty
9815      \endgroup
9816    \fi}
9817  }
9818  \renewcommand\left@footnoterule{%
9819    \kern-3\p@
9820    \hrule\@width.4\columnwidth
9821    \kern2.6\p@}
9822  \renewcommand\right@footnoterule{%
9823    \kern-3\p@
9824    \nointerlineskip
9825    \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
9826    \kern2.6\p@}
9827  \renewcommand\theequation
9828    {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
9829  \renewcommand \thefigure
9830    {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
9831  \renewcommand \thetable
9832    {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
9833  \renewcommand \thechapter {\@arabic\c@chapter}
9834  \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
9835  \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
9836  \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
9837  \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
9838  \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
9839  \def\@makechapterhead#1{%
9840    \vspace*{50\p@}%
9841    {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
9842      \ifnum \c@secnumdepth >\m@ne
9843        \if@mainmatter
9844          \huge\bfseries \@chapapp\space \thechapter
9845          \par\nobreak
9846          \vskip 20\p@
9847        \fi
9848      \fi
9849      \interlinepenalty\@M

```



```

9850 \Huge \bfseries #1\par\nobreak
9851 \vskip 40\p@
9852 }}
9853 \def\@makeschapterhead#1{%
9854 \vspace*{50\p@}%
9855 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
9856 \normalfont
9857 \interlinepenalty\@M
9858 \Huge \bfseries #1\par\nobreak
9859 \vskip 40\p@
9860 }}
9861 \renewcommand\backmatter{%
9862 \if@openright
9863 \cleardoublepage
9864 \else
9865 \clearpage
9866 \fi
9867 \@mainmatterfalse}
9868 \IfPackageLoadedF{natbib}{%
9869 \renewenvironment{thebibliography}[1]
9870 {\chapter*{\bibname}%
9871 \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
9872 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
9873 \bidi@thebibliography@font@hook%
9874 \list{\@biblabel{\@arabic\c@enumiv}}%
9875 {\settowidth\labelwidth{\@biblabel{#1}}%
9876 \leftmargin\labelwidth
9877 \advance\leftmargin\labelsep
9878 \@openbib@code
9879 \usecounter{enumiv}%
9880 \let\p@enumiv\@empty
9881 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
9882 \sloppy
9883 \clubpenalty4000
9884 \@clubpenalty \clubpenalty
9885 \widowpenalty4000%
9886 \sfcode\.\@m}
9887 {\def\@noitemerr
9888 {\@latex@warning{Empty `thebibliography' environment}}}%
9889 \endlist}
9890 }

```

66 File breqn-xetex-bidi.def

```

9891 \ProvidesFile{breqn-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for breqn package for X
9892 \def\@dmath[#1]{\if@RTL\@RTLfalse\fi%
9893 \everydisplay\expandafter{\the\everydisplay \display@setup}%
9894 \if@noskipsec \leavevmode \fi
9895 \if@inlabel \leavevmode \global\@inlabelfalse \fi
9896 \if\eq@group\else\eq@prelim\fi
9897 \setkeys{breqn}{#1}%
9898 \the\eqstyle
9899 \eq@setnumber
9900 \begingroup

```




```

9901 \eq@setup@a
9902 \eq@startup
9903 }
9904 \def\@dgroup[#1]{\if@RTL\@RTLfalse\fi%
9905 \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
9906 \global\GRP@queue\@emptytoks \global\setbox\GRP@box\box\voidb@x
9907 \global\let\GRP@label\@empty
9908 \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
9909 \global\grp@linewidth\z@\global\grp@wdNum\z@
9910 \global\let\grp@eqs@numbered\@False
9911 \global\let\grp@aligned\@True
9912 \global\let\grp@shiftnumber\@False
9913 \eq@prelim
9914 \setkeys{breqn}{#1}%
9915 \if\grp@hasNumber \grp@setnumber \fi
9916 }
9917 \def\@dseries[#1]{\if@RTL\@RTLfalse\fi%
9918 \let\display@setup\dseries@display@setup
9919 % Question: should this be the default for dseries???
9920 \global\eq@wdCond\z@
9921 \@dmath[layout={M},#1]%
9922 \mathsurround\z@\@math \penalty\@Mi
9923 \let\endmath\ends@math
9924 \def\premath{%
9925 \ifdim\lastskip<.3em \unskip
9926 \else\ifnum\lastpenalty<\@M \dquad\fi\fi
9927 }%
9928 \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
9929 \ignorespaces
9930 }
9931 \def\eqnumform#1{\if@nonlatin\beginR\@RTLtrue\fi(#1\@@italiccorr)\if@nonlatin\endR\fi}
9932 \renewenvironment{dsuspend}{%
9933 \global\setbox\EQ@box\vbox\bgroup\if@nonlatin\@RTLtrue\fi \@parboxrestore
9934 \parshape 1 \displayindent \displaywidth\relax
9935 \hsize=\columnwidth \noindent\ignorespaces
9936 }{%
9937 \par\egroup
9938 \global\setbox\GRP@box\vbox{%
9939 \hbox{\copy\EQ@box\vtop{\unvbox\EQ@box}}%
9940 \unvbox\GRP@box
9941 }%
9942 \global\GRP@queue\@xp{\the\GRP@queue
9943 \@elt{\let\eq@isIntertext\@True}%
9944 }%
9945 }

```

67 File cals-xetex-bidi.def

```

9946 \ProvidesFile{cals-xetex-bidi.def}[2016/11/30 v0.4 bidi adaptations for cals package for XeT
9947 \renewcommand\cals@setup@alignment[1]{%
9948 \if c#1\relax \cals@vfillAdd \leftskip \cals@vfillAdd \rightskip \fi
9949 \if l#1\relax \cals@vfillDrop\leftskip \cals@vfillDrop\rightskip \fi
9950 \if r#1\relax \cals@vfillAdd \leftskip \cals@vfillDrop\rightskip \fi
9951 }

```



```

9952 \renewcommand\cals@table@alignment{\if@RTLtab r\else l\fi}
9953 \renewenvironment{calstable}[1][\cals@table@alignment]{%
9954 \if@RTLtab\cals@activate@rtl\fi
9955 \let\cals@thead@tokens=\relax
9956 \let\cals@tfoot@tokens=\relax
9957 \let\cals@tbody@tokens=\relax
9958 \cals@tfoot@height=0pt \relax
9959 \let\cals@last@context=n%
9960 \let\cals@current@context=b%
9961 \parindent=0pt \relax%
9962 \cals@setup@alignment{#1}%
9963 \cals@setpadding{Ag}\cals@setcellprevdepth{Al}\cals@set@tohsize%
9964 %% Alignment inside is independent on center/flushright outside
9965 \parfillskip=0pt plus1fil\relax
9966 \let\cals@borderL=\relax
9967 \let\cals@borderR=\relax
9968 \let\cals@borderT=\relax
9969 \let\cals@borderB=\relax
9970 \setbox\cals@backup@row=\box\voidb@x\relax
9971 \cals@AtBeginTable
9972 }{% End of the table
9973 \cals@tfoot@tokens\lastrule\cals@AtEndTable}
9974 \renewcommand\alignL{%
9975 \if@RTLtab
9976 \cals@vfillAdd\cals@paddingL
9977 \else
9978 \cals@vfillDrop\cals@paddingL
9979 \fi
9980 \cals@vfillDrop\cals@paddingR}
9981 \renewcommand\alignR{%
9982 \if@RTLtab
9983 \cals@vfillDrop\cals@paddingL
9984 \else
9985 \cals@vfillAdd\cals@paddingL
9986 \fi
9987 \cals@vfillDrop\cals@paddingR}

```

68 File caption-xetex-bidi.def

```

9988 \ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package f
9989 \let\@makecaption\caption@makecaption

```

69 File caption3-xetex-bidi.def

```

9990 \ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package
9991 \renewcommand*\caption@par{%
9992 \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent}%

```

70 File colortbl-xetex-bidi.def

```

9993 \ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package
9994 \def\CT@setup{%
9995 \@tempdimb\col@sep
9996 \@tempdimc\col@sep

```



```

9997 \def\CT@color{%
9998   \global\let\CT@do@color\CT@@do@color
9999   \bidicolor}}
10000 \def\@classz{\@classx
10001   \@tempcnta \count@
10002   \prepnext@tok
10003 \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
10004   \@addtopreamble{\if@RTLtab\beginL\fi%
10005     \setbox\z@\hbox\bgroup\bgroup\if@RTLtab\beginR\fi
10006     \ifcase \@chnum
10007       \hskip\stretch{.5}\kern\z@
10008       \d@llarbegin
10009       \insert@column
10010       \d@llarend\hskip\stretch{.5}\or
10011       \d@llarbegin \insert@column \d@llarend \hfill \or
10012       \hfill\kern\z@ \d@llarbegin \insert@column \d@llarend \or
10013     $\vcenter
10014     \@startpbox{\@nextchar}\insert@column \@endpbox $\or
10015     \vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
10016     \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
10017   \fi
10018 \if@RTLtab\endR\fi\egroup\egroup
10019 \begingroup
10020   \CT@setup
10021   \CT@column@color
10022   \CT@row@color
10023   \CT@cell@color
10024   \CT@do@color
10025 \endgroup
10026   \@tempdima\ht\z@
10027   \advance\@tempdima\minrowclearance
10028   \vrule\@height\@tempdima\@width\z@
10029   \unhbox\z@\if@RTLtab\endL\fi}%
10030 \prepnext@tok}

```

71 File color-xetex-bidi.def

```

10031 \ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for Xe
10032 \long\def\color@b@x#1#2#3{%
10033   \leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
10034   \setbox\z@\hbox{\kern\fbboxsep\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fbboxsep}%
10035   \dimen@ \ht\z@ \advance\dimen@ \fbboxsep \ht\z@ \dimen@
10036   \dimen@ \dp\z@ \advance\dimen@ \fbboxsep \dp\z@ \dimen@
10037   {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}%
10038     \box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
10039 \def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi}
10040 \DeclareRobustCommand\color{%
10041   \ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor]
10042 \def\@declaredcolor#1{%
10043   \@ifundefined{\string\color @#1}%
10044     {\c@lor@error{`#1'}}%
10045     {\expandafter\let\expandafter\current@color
10046       \csname\string\color @#1\endcsname
10047       \set@color}%

```



```

10048 \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
10049 \def\@undeclaredcolor[#1]#2{%
10050 \@ifundefined{color@#1}%
10051 {\c@lor@error{model `#1'}}%
10052 {\csname color@#1\endcsname\current@color{#2}%
10053 \set@color}%
10054 \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
10055 \DeclareRobustCommand\bidicolor{%
10056 \@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
10057 \def\@bidiundeclaredcolor[#1]#2{%
10058 \@ifundefined{color@#1}%
10059 {\c@lor@error{model `#1'}}%
10060 {\csname color@#1\endcsname\current@color{#2}%
10061 \set@color}%
10062 \ignorespaces}
10063 \def\@bidideclaredcolor#1{%
10064 \@ifundefined{\string\color @#1}%
10065 {\c@lor@error{`#1'}}%
10066 {\expandafter\let\expandafter\current@color
10067 \csname\string\color @#1\endcsname
10068 \set@color}%
10069 \ignorespaces}
10070 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
10071 \def\color@fbox#1#2#3{%
10072 \color@b@x{\fboxsep\z@\bidicolor#1{#2}\fbox}{\bidicolor#1{#3}}}
10073 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmod

```

72 File combine-xetex-bidi.def

```

10074 \ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for
10075 \renewcommand{\c@ll@chapsecii}[2]{%
10076 \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
10077 \if@RTL\hskip -\rightskip\else\hskip -\leftskip\fi
10078 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
10079 }
10080 \renewcommand{\c@ll@chapseci}{%
10081 \setlength\@tempdima{0em}%
10082 \begingroup
10083 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
10084 \parfillskip -\@pnumwidth
10085 \leavevmode
10086 }
10087 \renewenvironment{tocindent}[1]{%
10088 \hangindent \if@RTL-\fi#1 \hangafter -100\relax}{

```

73 File crop-xetex-bidi.def

```

10089 \ProvidesFile{crop-xetex-bidi.def}[2025/01/03 v0.3 bidi adaptations for crop package for XeT
10090 \IfClassLoadedT{memoir}{\endinput}
10091 \RequirePackage{graphicx}
10092 \renewcommand*\CROP@ulc{%
10093 \if@RTLmain%
10094 \begin{picture}(0,0)
10095 \unitlength\p@thinlines

```



```

10096      \put(-40,0){\circle{10}}
10097      \put(-30,-5){\line(0,1){10}}
10098      \put(-35,0){\line(1,0){30}}
10099      \put(-10,30){\circle{10}}
10100      \put(-5,30){\line(1,0){10}}
10101      \put(0,35){\line(0,-1){30}}
10102      \end{picture}%
10103      \else%
10104      \begin{picture}(0,0)
10105        \unitlength\p@\thinline
10106        \put(-30,0){\circle{10}}
10107        \put(-30,-5){\line(0,1){10}}
10108        \put(-35,0){\line(1,0){30}}
10109        \put(0,30){\circle{10}}
10110        \put(-5,30){\line(1,0){10}}
10111        \put(0,35){\line(0,-1){30}}
10112      \end{picture}%
10113      \fi%
10114    }
10115    \renewcommand*\CROP@urc{%
10116      \if@RTLmain%
10117        \begin{picture}(0,0)
10118          \unitlength\p@\thinline
10119          \put(20,0){\circle{10}}
10120          \put(30,-5){\line(0,1){10}}
10121          \put(35,0){\line(-1,0){30}}
10122          \put(-10,30){\circle{10}}
10123          \put(-5,30){\line(1,0){10}}
10124          \put(0,35){\line(0,-1){30}}
10125        \end{picture}%
10126        \else%
10127        \begin{picture}(0,0)
10128          \unitlength\p@\thinline
10129          \put(30,0){\circle{10}}
10130          \put(30,-5){\line(0,1){10}}
10131          \put(35,0){\line(-1,0){30}}
10132          \put(0,30){\circle{10}}
10133          \put(-5,30){\line(1,0){10}}
10134          \put(0,35){\line(0,-1){30}}
10135        \end{picture}%
10136        \fi%
10137      }
10138    \renewcommand*\CROP@llc{%
10139      \if@RTLmain%
10140        \begin{picture}(0,0)
10141          \unitlength\p@\thinline
10142          \put(-40,0){\circle{10}}
10143          \put(-30,-5){\line(0,1){10}}
10144          \put(-35,0){\line(1,0){30}}
10145          \put(-10,-30){\circle{10}}
10146          \put(-5,-30){\line(1,0){10}}
10147          \put(0,-35){\line(0,1){30}}
10148        \end{picture}%
10149        \else%

```



```

10150 \begin{picture}(0,0)
10151 \unitlength\p@\thinlines
10152 \put(-30,0){\circle{10}}
10153 \put(-30,-5){\line(0,1){10}}
10154 \put(-35,0){\line(1,0){30}}
10155 \put(0,-30){\circle{10}}
10156 \put(-5,-30){\line(1,0){10}}
10157 \put(0,-35){\line(0,1){30}}
10158 \end{picture}%
10159 \fi%
10160 }
10161 \renewcommand*\CROP@lrc{%
10162 \if@RTLmain%
10163 \begin{picture}(0,0)
10164 \unitlength\p@\thinlines
10165 \put(20,0){\circle{10}}
10166 \put(30,-5){\line(0,1){10}}
10167 \put(35,0){\line(-1,0){30}}
10168 \put(-10,-30){\circle{10}}
10169 \put(-5,-30){\line(1,0){10}}
10170 \put(0,-35){\line(0,1){30}}
10171 \end{picture}%
10172 \else%
10173 \begin{picture}(0,0)
10174 \unitlength\p@\thinlines
10175 \put(30,0){\circle{10}}
10176 \put(30,-5){\line(0,1){10}}
10177 \put(35,0){\line(-1,0){30}}
10178 \put(0,-30){\circle{10}}
10179 \put(-5,-30){\line(1,0){10}}
10180 \put(0,-35){\line(0,1){30}}
10181 \end{picture}%
10182 \fi%
10183 }
10184 \ifpackagewith{crop}{cam}{%
10185 \CROP@execopt{cam}%
10186 }{}

```

74 File cutwin-xetex-bidi.def

```

10187 \ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for
10188 \renewcommand*\c@twcompctr[2]{%
10189 \def\c@twfirst{1}
10190 \loop\advance\c@twwinlines\m@ne
10191 \setbox\c@twslicea=\vsplit#1 to\baselineskip
10192 \setbox\c@twliceb=\vsplit#1 to\baselineskip
10193 \c@twprune{\c@twslicea}{\c@twlftside}%
10194 \c@twprune{\c@twliceb}{\c@twrtside}%
10195 \ifnum\c@twfirst=\@ne
10196 \setbox#2=\vbox{\unvbox#2\hbox
10197 to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\if@RTL\box\c@tw
10198 \else
10199 \setbox#2=\vbox{\unvbox#2\hbox
10200 to\hsize{\if@RTL\box\c@twliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twlicea\else\box

```



```

10201 \fi
10202 \def\c@twfirst{2}
10203 \ifnum\c@twinlines>\z@\repeat}
10204 \renewcommand*{\c@twcompoddctr}[2]{%
10205 \def\c@twrounds{1}
10206 \def\c@twfirst{1}
10207 \@for\c@twlspec:=\c@twb\do{%
10208 \ifnum\c@twrounds=1
10209 \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
10210 \c@twprune{\c@twslicea}{\c@twlspec}%
10211 \def\c@twrounds{2}
10212 \else
10213 \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
10214 \c@twprune{\c@twsliceb}{\c@twlspec}%
10215 \ifnum\c@twfirst=1
10216 \setbox#2=\vbox{\unvbox#2\hbox
10217 to\hsize{\ifRTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\ifRTL\
10218 \def\c@twfirst{2}
10219 \else
10220 \setbox#2=\vbox{\unvbox#2\hbox
10221 to\hsize{\ifRTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\ifRTL\box\c@twslicea\el
10222 \fi
10223 \def\c@twrounds{1}
10224 \fi}}

```

75 File cuted-xetex-bidi.def

```

10225 \ProvidesFile{cuted-xetex-bidi.def}[2022/02/18 v0.7 bidi adaptations for cuted package for X
10226
10227 \def\RTL@outputdblcol{%
10228 \if@firstcolumn
10229 \global\@firstcolumnfalse
10230 \global\setbox\@leftcolumn\copy\@outputbox
10231 \splitmaxdepth\maxdimen
10232 \vbadness\maxdimen
10233 \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
10234 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10235 \toks@\expandafter{\topmark}%
10236 \xdef\@firstcoltopmark{\the\toks@}%
10237 \toks@\expandafter{\splitfirstmark}%
10238 \xdef\@firstcolfirstmark{\the\toks@}%
10239 \ifx\@firstcolfirstmark\@empty
10240 \global\let\@setmarks\relax
10241 \else
10242 \gdef\@setmarks{%
10243 \let\firstmark\@firstcolfirstmark
10244 \let\topmark\@firstcoltopmark}%
10245 \fi
10246 \else
10247 \global\@firstcolumntrue
10248 \setbox\@outputbox\vbox{%
10249 \hb@xt@\textwidth{%
10250 \hskip \columnwidth
10251 \hfil

```



```

10252      {\normalcolor\vrule \@width\columnseprule}%
10253      \hfil
10254      \hb@xt@\columnwidth{%
10255        \bidi@firstcolumn@status@write%
10256        \box\@leftcolumn \hss}%
10257      \hskip -\textwidth
10258      \hb@xt@\columnwidth{%
10259        \bidi@lastcolumn@status@write%
10260        \box\@outputbox \hss}%
10261      \hskip \columnsep
10262      \hskip \columnwidth }}%
10263    \ifvoid\hold@viper
10264    \else
10265      \setbox\@outputbox \vbox to\textheight{%
10266        \box\hold@viper
10267        \box\@outputbox
10268        \vss
10269      }%
10270    \fi
10271    \@combinedblfloats
10272    \@setmarks
10273    \@outputpage
10274    \begingroup
10275      \@dblfloatplacement
10276      \@startdblcolumn
10277      \@whiles\if@fcolmade \fi{\@outputpage
10278      \@startdblcolumn}%
10279      \ifvoid\@viper
10280      \else
10281        \global\setbox\@viper\vbox{%
10282          \vskip-\stripsep
10283          \unvbox\@viper
10284        }%
10285        \@viperoutput
10286      \fi
10287    \endgroup
10288    \fi}%
10289
10290    \def\LTR@outputdblcol{%
10291      \if@firstcolumn
10292        \global\@firstcolumnfalse
10293        \global\setbox\@leftcolumn\copy\@outputbox
10294        \splitmaxdepth\maxdimen
10295        \vbadness\maxdimen
10296        \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
10297        \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10298        \toks@\expandafter{\topmark}%
10299        \xdef\@firstcoltopmark{\the\toks@}%
10300        \toks@\expandafter{\splitfirstmark}%
10301        \xdef\@firstcolfirstmark{\the\toks@}%
10302        \ifx\@firstcolfirstmark\@empty
10303          \global\let\@setmarks\relax
10304        \else
10305          \gdef\@setmarks{%

```




```

10306      \let\firstmark\@firstcolfirstmark
10307      \let\topmark\@firstcoltopmark}%
10308  \fi
10309  \else
10310    \global\@firstcolumntrue
10311    \setbox\@outputbox\vbox{%
10312      \hb@xt@\textwidth{%
10313        \hb@xt@\columnwidth{%
10314          \bidi@firstcolumn@status@write%
10315          \box\@leftcolumn \hss}%
10316        \hfil
10317        {\normalcolor\vrule \@width\columnseprule}%
10318        \hfil
10319        \hb@xt@\columnwidth{%
10320          \bidi@lastcolumn@status@write%
10321          \box\@outputbox \hss}}}%
10322    \ifvoid\hold@viper
10323    \else
10324      \setbox\@outputbox \vbox to\textheight{%
10325        \box\hold@viper
10326        \box\@outputbox
10327        \vss
10328      }%
10329    \fi
10330  \@combinedblfloats
10331  \@setmarks
10332  \@outputpage
10333  \begingroup
10334    \@dblfloatplacement
10335    \@startdblcolumn
10336    \@whiles\if@fcolmade \fi{\@outputpage
10337    \@startdblcolumn}%
10338    \ifvoid\@viper
10339    \else
10340      \global\setbox\@viper\vbox{%
10341        \vskip-\stripsep
10342        \unvbox\@viper
10343      }%
10344      \@viperoutput
10345    \fi
10346  \endgroup
10347  \fi}%
10348
10349  \def\@addviper{%
10350    \insertfalse
10351    \def\var@thecol@num{2}%
10352    \if@firstcolumn
10353      \def\var@thecol@num{1}%
10354      \@reqcolroom=.5\@pageht
10355      \ht@viper=\@reqcolroom
10356      \advance\@reqcolroom by\ht\@viper
10357      \advance\@reqcolroom by\stripsep
10358    \else
10359      \@reqcolroom=\@colht

```



```

10360 \advance\@reqcolroom by\@pageht
10361 \ht@viper=.5\@reqcolroom
10362 \@reqcolroom=\ht@viper
10363 \advance\@reqcolroom by\ht\@viper
10364 \advance\@reqcolroom by\stripsep
10365 \global\setbox\@holdpg\vbox{%
10366     \setbox\cuted@@tempbox@a\vbox{%
10367         \aftergroup\unvbox
10368         \unvcopy\@leftcolumn
10369         \unskip\unkern\unpenalty
10370         \setbox\@tempboxa\lastbox
10371         \ifdim\dimexpr\ht\@tempboxa+\wd\@tempboxa+\dp\@tempboxa>\z@
10372             %% keeps lastbox
10373             \aftergroup\@leftcolumn
10374         \else
10375             %% removes lastbox
10376             \aftergroup\cuted@@tempbox@a
10377         \fi
10378     }%
10379     \unskip\unkern\unpenalty
10380     \on@stripcols@break
10381     \the\At@ViperColsBreak
10382     \unvbox\@holdpg
10383 }%
10384 \global\At@ViperColsBreak{}%
10385 \ht@viper=.5\ht\@holdpg
10386 \ifdim\ht@viper>\@colht
10387     \ht@viper=\@colht
10388 \fi
10389 \fi
10390 %%
10391 %% calculations for breaking
10392 %%
10393 \ifvoid\hold@viper
10394     \ht@hold@viper=\z@
10395 \else
10396     \ht@hold@viper=\ht\hold@viper
10397 \fi
10398 \cuted@@tempdim@b\ht@viper
10399 \set@split@topskip@to\topskip
10400 \loop
10401     \xdef\saved@tempdimb{\the\cuted@@tempdim@b}%
10402     \setbox\cuted@@varbox@a\copy\@holdpg
10403     \setbox\cuted@@tempbox@a\vsplit\cuted@@varbox@a to\cuted@@tempdim@b
10404     %% set leftcolumn boxes
10405     \setbox\cuted@@tempbox@c\vbox{\unvbox\cuted@@tempbox@a}%
10406     \setbox\cuted@@tempbox@a\vbox to\cuted@@tempdim@b{\unvcopy\cuted@@tempbox@c}%
10407     \xdef\var@@leftcolumn@badness{\the\badness}%
10408     %% set rightcolumn boxes
10409     \setbox\cuted@@varbox@c\vbox{\unvbox\cuted@@varbox@a}%
10410     \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@b{\unvcopy\cuted@@varbox@c}%
10411     \xdef\var@@rightcolumn@badness{\the\badness}%
10412     %% analyzing split goodness
10413     \cuted@@tempdim@spread=\ht\cuted@@tempbox@c

```



```

10414 \advance\cuted@@tempdim@spread by\dp\cuted@@tempbox@c
10415 \advance\cuted@@tempdim@spread by-\ht\cuted@@varbox@c
10416 \advance\cuted@@tempdim@spread by-\dp\cuted@@varbox@c
10417 \cuted@@wlog@debug{CUTED [-----]%
10418   ^^JLeft: \the\ht\cuted@@tempbox@c
10419   +\the\dp\cuted@@tempbox@c\space/\var@@leftcolumn@badness
10420   ^^JRight: \the\ht\cuted@@varbox@c
10421   +\the\dp\cuted@@varbox@c\space/\var@@rightcolumn@badness
10422   ^^JSplit: \the\cuted@@tempdim@b
10423   ^^JExtra height: \the\cuted@@tempdim@spread
10424 }%
10425 \ifnum\var@@leftcolumn@badness<\cuted@@column@badness
10426   \ifnum\var@@rightcolumn@badness<\cuted@@column@badness
10427     \cuted@@tempdim@spread=\z@
10428   \fi
10429 \fi
10430 \ifdim\cuted@@tempdim@spread<\z@
10431   \if@left@column@spread
10432     \if@right@column@shrink
10433       \ifdim\dimexpr\cuted@@tempdim@spread+\pageshrink>\z@
10434         \cuted@@tempdim@a=\dimexpr\ht\cuted@@tempbox@c-0.5\cuted@@tempdim@spread
10435       \else
10436         \cuted@@tempdim@a=-\dimexpr\cuted@@tempdim@spread+.5\pageshrink\relax
10437       \fi
10438       \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@a{\unvcopy\cuted@@tempbox@c}
10439       \ifnum\badness<\cuted@@column@badness
10440         \cuted@@tempdim@b=\cuted@@tempdim@a
10441         \cuted@@tempdim@spread=\z@
10442       \fi
10443       \cuted@@wlog@debug{CUTED [leftcolumn badness]: \number\badness\space on \the\ht}
10444       \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@a{\unvcopy\cuted@@varbox@c}
10445       \cuted@@wlog@debug{CUTED [rightcolumn badness]: \number\badness\space on \the\ht}
10446     \else
10447       \setbox\cuted@@varbox@a\vbox to\ht\cuted@@varbox@c{\unvcopy\cuted@@tempbox@c}
10448       \unvcopy\cuted@@tempbox@c
10449     }%
10450     \ifnum\badness<\cuted@@column@badness
10451       \@tempdimb=\ht\cuted@@varbox@c
10452       \cuted@@tempdim@spread=\z@
10453     \fi
10454     \cuted@@wlog@debug{CUTED [leftcolumn badness]: \number\badness on \the\ht}
10455     \setbox\cuted@@varbox@a\vbox to\ht\cuted@@varbox@c{\unvcopy\cuted@@varbox@c}
10456     \unvcopy\cuted@@varbox@c
10457   }%
10458   \cuted@@wlog@debug{CUTED [rightcolumn badness]: \number\badness on \the\ht}
10459 \fi
10460 \else
10461   \if@right@column@shrink
10462     \ifdim\dimexpr\cuted@@tempdim@spread+\pageshrink<\z@
10463     \else
10464       \cuted@@tempdim@b=\ht\cuted@@tempbox@c
10465       \cuted@@tempdim@spread=\z@
10466     \fi
10467   \fi

```



```

10468         \fi
10469     \else
10470         \ifdim\cuted@@tempdim@spread>\z@
10471             \ifdim\dimexpr\@tempdimb+\p@>\relax>\@colht
10472                 \cuted@@tempdim@b=\@colht
10473                 \cuted@@tempdim@spread=\z@
10474             \fi
10475         \fi
10476     \fi
10477 \ifdim\cuted@@tempdim@spread<\z@
10478     \advance\cuted@@tempdim@b 1\p@
10479 \repeat
10480 \wlog{CUTED [- LAST -]}%
10481     ^^JExtra skip:\the\cuted@@tempdim@spread
10482     ^^JLeft:\the\ht\cuted@@tempbox@c/\the\dp\cuted@@tempbox@c
10483     ^^JRight:\the\ht\cuted@@varbox@c/\the\dp\cuted@@varbox@c
10484     ^^JSplit: \saved@tempdimb
10485     ^^JOutput:\the\cuted@@tempdim@b
10486     ^^JPageshrink: \the\pageshrink
10487     ^^JPagestretch: \the\pagestretch
10488     ^^J@colht:\the\@colht
10489 }%
10490 %%
10491 %% final construction of the cuted page above strip
10492 %%
10493 \setbox\cuted@@tempbox@c\vsplit\@holdpg to\saved@tempdimb
10494 \setbox\cuted@@tempbox@a\vbox to\cuted@@tempdim@b{%
10495     \cuted@@tempdim@a=\dimexpr
10496         \cuted@@tempdim@b-\ht\cuted@@tempbox@c
10497         \relax
10498     \cuted@@tempdim@spread=\dp\cuted@@tempbox@c
10499     \unvbox\cuted@@tempbox@c
10500     \ifdim\cuted@@tempdim@spread>\dp\strutbox
10501     \else
10502         \vskip-\cuted@@tempdim@spread
10503     \fi
10504     \prevdepth\z@
10505     \hrule\@height\cuted@@page@rule width\textwidth
10506     \vskip-\cuted@@page@rule
10507     \ifdim\cuted@@tempdim@a>\z@
10508         \if@left@column@spread
10509         \else
10510             \vss
10511         \fi
10512     \else
10513         \ifdim\cuted@@tempdim@a<\z@
10514             \if@left@column@shrink
10515             \else
10516                 \vss
10517             \fi
10518         \fi
10519     \fi
10520 }%
10521 \wlog{CUTED [output]: \the\cuted@@tempdim@b

```



```

10522      ^^JCUTED [leftcolumn badness]: \number\badness
10523    }%
10524    \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@b{%
10525      \cuted@@tempdim@a=\dimexpr
10526        \cuted@@tempdim@b-\ht\@holdpg
10527      \relax
10528    \unvbox\@holdpg
10529    \ifdim\cuted@@tempdim@a>\z@
10530      \if@right@column@spread
10531      \else
10532        \vss
10533      \fi
10534    \else
10535      \ifdim\cuted@@tempdim@a<\z@
10536        \if@right@column@shrink
10537        \else
10538          \vss
10539        \fi
10540      \fi
10541    \fi
10542  }%
10543  \wlog{CUTED [rightcolumn badness]: \number\badness}%
10544  \setbox\cuted@@tempbox@var\vbox{%
10545    \hb@xt@\textwidth{%
10546      \if@RTLmain
10547        \hskip \columnwidth
10548        \hfil
10549        {\normalcolor\vrule \@width\columnseprule}%
10550        \hfil
10551        \hb@xt@\columnwidth{%
10552          \vbox to\ht@viper{\box\cuted@@tempbox@a\vss}%
10553          \hss
10554        }%
10555        \hskip -\textwidth
10556        \hb@xt@\columnwidth{%
10557          \vbox to\ht@viper{\box\cuted@@varbox@a\vss}%
10558          \hss
10559        }%
10560        \hskip \columnsep
10561        \hskip \columnwidth
10562      \else
10563        \hb@xt@\columnwidth{%
10564          \vbox to\ht@viper{\box\cuted@@tempbox@a\vss}%
10565          \hss
10566        }%
10567        \hfil
10568        {\normalcolor\vrule \@width\columnseprule}%
10569        \hfil
10570        \hb@xt@\columnwidth{%
10571          \vbox to\ht@viper{\box\cuted@@varbox@a\vss}%
10572          \hss
10573        }%
10574      \fi
10575    }%

```



```

10576     }%
10577     %%
10578     %% finalize cuted page
10579     %%
10580     \ifvoid\hold@viper
10581         \global\setbox\hold@viper\vbox{%
10582             \unvbox\cuted@@tempbox@var
10583             \penalty\interlinepenalty
10584             \vskip\stripsep
10585             \the\preCutedStrip
10586             \ifnum\outputpenalty<-\@Mii
10587                 \vskip -\parskip
10588             \fi
10589             \outputpenalty\z@
10590         }%
10591     \else
10592         \global\setbox\hold@viper\vbox{%
10593             \unvbox\hold@viper
10594             \cuted@@tempbox@var
10595             \penalty\interlinepenalty
10596             \vskip\stripsep
10597             \the\preCutedStrip
10598             \ifnum\outputpenalty<-\@Mii
10599                 \vskip -\parskip
10600             \fi
10601             \outputpenalty\z@
10602         }%
10603     \fi
10604     \ifdim\@colht>\@reqcolroom
10605         \global\setbox\hold@viper\vbox{%
10606             \unvbox\hold@viper
10607             \box\@viper
10608             \penalty\interlinepenalty
10609             \the\postCutedStrip
10610             \vskip\stripsep
10611             \ifnum\outputpenalty<-\@Mii
10612                 \vskip -\parskip
10613             \fi
10614             \outputpenalty\z@
10615         }%
10616     \@inserttrue
10617     \global\@firstcolumntrue
10618     \advance\ht@hold@viper by-\ht\hold@viper
10619     \global\advance\@colht by\ht@hold@viper
10620     \ifdim\@colht<2.5\baselineskip
10621         \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
10622             too tall on page \thepage (\var@thecol@num column)}}%
10623         \@emptycol
10624         \if@firstcolumn
10625         \else
10626             \@emptycol
10627         \fi
10628         \global\@lastvipertrue
10629     \else

```



```

10630         \global\vsizel\colht
10631         \global\@colroom\colht
10632         \check@floats\cuted@@tempdim@a
10633         \ifdim\cuted@@tempdim@a>\z@
10634             \global\advance\@colroom by-\cuted@@tempdim@a
10635         \fi
10636         \ifdim\@colroom<\z@
10637             \global\@colroom1\p@
10638             \ifdim\cuted@@tempdim@a>\colht
10639                 \@latex@warning@no@line{TOP and/or BOT FLOAT's
10640                     to large on \thepage (\var@@thecol@num column)}%
10641             \fi
10642             \@emptycol
10643             \if@firstcolumn
10644             \else
10645                 \@emptycol
10646             \fi
10647             \global\@lastvipertrue
10648         \fi
10649     \fi
10650 \fi
10651 \if@insert
10652 \else
10653     \advance\ht@hold@viper by-\ht\hold@viper
10654     \global\advance\colht by\ht@hold@viper
10655     \global\setbox\hold@viper\ vbox{%
10656         \unvbox\hold@viper
10657         \set@split@topskip@to{\z@ plus2\p@}%
10658         \vsplit\@viper to\colht
10659         \vss
10660     }%
10661     \vbox{%
10662         \global\@firstcolumnfalse
10663         \newpage
10664     \fi
10665 }

```

76 File cvthemebidicasual.sty

```

10666 \NeedsTeXFormat{LaTeX2e}
10667 \ProvidesPackage{cvthemebidicasual}
10668 \DeclareOption{blue}{}
10669 \newif\if@colourorange\@colourorangefalse
10670 \DeclareOption{orange}{\@colourorange true}
10671 \newif\if@colourgreen\@colourgreenfalse
10672 \DeclareOption{green}{\@colourgreentrue}
10673 \newif\if@colourred\@colourredfalse
10674 \DeclareOption{red}{\@colourred true}
10675 \newif\if@colourgrey\@colourgreyfalse
10676 \DeclareOption{grey}{\@colourgrey true}
10677 \DeclareOption*{
10678     \PackageWarning{cvthemebidicasual}{Unknown option '\CurrentOption'}}
10679 \ExecuteOptions{colour}
10680 \ProcessOptions\relax

```



```

10681 \renewcommand*{\listitemsymbol}{\textbullet}
10682 \definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
10683 \familynamecolour{808080}
10684 \firstnamecolour{A9A9A9}
10685 \quotecolour{696969}
10686 \addresscolour{696969}
10687 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
10688 \sectiontitlecolour{1E90FF}
10689 \subsectioncolour{4682B4}
10690 \definecolor{rulecolour}{gray}{0.6}
10691 \definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
10692 \definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}
10693 \if@colourorange
10694 \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
10695 \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
10696 \sectiontitlecolour{FF8C00}
10697 \subsectioncolour{FF8C00}
10698 \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
10699 \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
10700 \if@colourgreen
10701 \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
10702 \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
10703 \sectiontitlecolour{008000}
10704 \subsectioncolour{008000}
10705 \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}
10706 \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
10707 \if@coloured
10708 \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
10709 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
10710 \sectiontitlecolour{FF0000}
10711 \subsectioncolour{FF0000}
10712 \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
10713 \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
10714 \if@colourgrey
10715 \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
10716 \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
10717 \sectiontitlecolour{808080}
10718 \subsectioncolour{808080}
10719 \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
10720 \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
10721 \renewcommand*{\ttdefault}{pcr}
10722 \renewcommand*{\firstnamefont}{\fontsize{38}{40}\mdseries\upshape}
10723 \renewcommand*{\familynamefont}{\firstnamefont}
10724 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
10725 \renewcommand*{\quotefont}{\large\slshape}
10726 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
10727 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
10728 \renewcommand*{\maketitle}{%
10729   {%
10730     \ifthenelse{\isundefined{\@photo}}{%
10731       {%
10732         {\color{firstnamecolor}\framebox{\includegraphics[width=\@photowidth]{\@photo}}}%
10733         \hfill%
10734         \bidi@raggedleft{\firstnamestyle{\@firstname}~\familynamestyle{\@familyname}}\[-.35em]}%

```




```

10735   {\color{firstnamecolor}\rule{\textwidth}{.25ex}\[2.5em]}%
10736   \ifthenelse{\isundefined{\@quote}}{%
10737     {}%
10738     {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\%
10739   }%
10740   \newif\if@firstfooterelement\@firstfooterelementtrue
10741   \providecommand*{\footersymbol}{}
10742   \renewcommand*{\footersymbol}{}%
10743   \if@firstfooterelement%
10744   \else%
10745     {~~\color{footersymbolcolor}\textbullet~~}\fi}
10746   \providecommand*{\makefooter}{}
10747   \renewcommand*{\makefooter}{}%
10748   \fancypagestyle{plain}{%
10749     \fancyfoot[c]{%
10750       \parbox{0.8\textwidth}{%
10751         \centering%
10752         \addressfont\@addresscolour%
10753         \ifthenelse{\isundefined{\@address}}{}{}%
10754         \addresssymbol~\@address\\%
10755         \@firstfooterelementfalse}%
10756         \ifthenelse{\isundefined{\@mobile}}{}{\mobilesymbol~\@mobile\@firstfooterelementfalse}%
10757         \ifthenelse{\isundefined{\@phone}}{}{\footersymbol\phonesymbol~\@phone\@firstfooterelementfalse}%
10758         \ifthenelse{\isundefined{\@fax}}{}{\footersymbol\xaxsymbol~\@fax\@firstfooterelementfalse}%
10759         \ifthenelse{\isundefined{\@email}}{}{\footersymbol\emailsymbol~\emaillink{\@email}\@firstfooterelementfalse}%
10760         \ifthenelse{\isundefined{\@extrainfo}}{}{\footersymbol\@extrainfo\@firstfooterelementfalse}%
10761       }%
10762     \pagestyle{plain}}
10763   \AtBeginDocument{\makefooter}

```

77 File cvthemebidiclassic.sty

```

10764 \NeedsTeXFormat{LaTeX2e}
10765 \ProvidesPackage{cvthemebidiclassic}
10766 \DeclareOption{blue}{}
10767 \newif\if@colourorange\@colourorangefalse
10768 \DeclareOption{orange}{\@colourorangertrue}
10769 \newif\if@colourgreen\@colourgreentruefalse
10770 \DeclareOption{green}{\@colourgreentrue}
10771 \newif\if@colourred\@colourreddfalse
10772 \DeclareOption{red}{\@colourreddtrue}
10773 \newif\if@colourgrey\@colourgreyfalse
10774 \DeclareOption{grey}{\@colourgreytrue}
10775 \DeclareOption*{
10776   \PackageWarning{cvthemebidiclassic}{Unknown option '\CurrentOption'}}
10777 \ExecuteOptions{colour}
10778 \ProcessOptions\relax
10779 \renewcommand*{\listitemsymbol}{\textbullet}
10780 \firstnamecolour{}
10781 \familynamecolour{}
10782 \titlecolour{808080}
10783 \quotecolour{696969}
10784 \addresscolour{696969}
10785 \definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}

```



```

10786 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}
10787 \sectiontitlecolour{1E90FF}
10788 \subsectioncolour{4682B4}
10789 \if@colourorange
10790   \addresscolour{FF8C00}
10791   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
10792   \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
10793   \sectiontitlecolour{FF8C00}
10794   \subsectioncolour{FF8C00}\fi
10795 \if@colourgreen
10796   \addresscolour{008000}
10797   \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
10798   \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
10799   \sectiontitlecolour{008000}
10800   \subsectioncolour{008000}\fi
10801 \if@colourred
10802   \addresscolour{FF0000}
10803   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
10804   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
10805   \sectiontitlecolour{FF0000}
10806   \subsectioncolour{FF0000}\fi
10807 \if@colourgrey
10808   \addresscolour{808080}
10809   \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
10810   \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
10811   \sectiontitlecolour{808080}
10812   \subsectioncolour{808080}\fi
10813 \renewcommand*{\ttdefault}{pcr}
10814 \renewcommand*{\firstnamefont}{\fontsize{34}{36}\mdseries\upshape}
10815 \renewcommand*{\titlefont}{\LARGE\mdseries\slshape}
10816 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
10817 \renewcommand*{\familynamefont}{\firstnamefont}
10818 \renewcommand*{\quoteont}{\large\slshape}
10819 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
10820 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
10821 \newlength{\maketitlenamemaxwidth}
10822 \setlength{\maketitlenamemaxwidth}{.525\textwidth}
10823 \newlength{\maketitlenamefullwidth}
10824 \settowidth{\maketitlenamefullwidth}{\firstnamestyle{\@firstname~}\familynamestyle{\@familyname}}
10825 \newlength{\maketitlenamewidth}
10826 \ifnum\maketitlenamemaxwidth<\maketitlenamefullwidth\setlength{\maketitlenamewidth}{\maketitlenamemaxwidth}
10827 \newlength{\maketitlepicturewidth}
10828 \setlength{\maketitlepicturewidth}{\@photowidth}
10829 \newlength{\maketitledetailwidth}
10830 \renewcommand*{\recomputethemelengths}{%
10831   \setlength{\maketitledetailwidth}{\textwidth}%
10832   \addtolength{\maketitledetailwidth}{-\maketitlenamewidth}%
10833   \addtolength{\maketitledetailwidth}{-\separatorcolumnwidth}%
10834   \addtolength{\maketitledetailwidth}{-\maketitlepicturewidth}}
10835 \recomputethemelengths
10836 \newif\if@firstdetailselement\@firstdetailselementtrue
10837 \newcommand*{\maketitledetailnewline}{%
10838   \if@firstdetailselement%
10839     \@firstdetailselementfalse%

```



```

10840 \else%
10841 \[\.2em]\fi}
10842 \renewcommand*{\maketitle}{%
10843 % name and title
10844 \begin{minipage}[b]{\maketitlewidth}%
10845 \firstnamestyle{\@firstname~}\familynamestyle{\@familyname}%
10846 \ifthenelse{\equal{\@title}{}}{\}\{\}\[1.25em]\titlestyle{\@title}}%
10847 \end{minipage}%
10848 % optional data
10849 \begin{minipage}[b]{\maketitledetailwidth}%
10850 \bidi@raggedleft\addressfont\@addresscolour%
10851 \ifthenelse{\isundefined{\@address}}{\}%
10852 \maketitledetailsnewline%
10853 \addresssymbol~\\\@address}%
10854 \ifthenelse{\isundefined{\@mobile}}{\}\{\maketitledetailsnewline\mobilesymbol~\@mobile}%
10855 \ifthenelse{\isundefined{\@phone}}{\}\{\maketitledetailsnewline\phonesymbol~\@phone}%
10856 \ifthenelse{\isundefined{\@fax}}{\}\{\maketitledetailsnewline\faxsymbol~\@fax}%
10857 \ifthenelse{\isundefined{\@email}}{\}\{\maketitledetailsnewline\emailsymbol~\emailink{\@email}}%
10858 \ifthenelse{\isundefined{\@extrainfo}}{\}\{\maketitledetailsnewline\@extrainfo}%
10859 \end{minipage}%
10860 % optional photo
10861 \ifthenelse{\isundefined{\@photo}}{\}%
10862 {\hspace*{\separatorcolumnwidth}\color{firstnamecolor}\framebox{\includegraphics[width=\separatorcolumnwidth]{\@photo}}}%
10863 % optional quote
10864 \ifthenelse{\isundefined{\@quote}}{\}%
10865 {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}}\%
10866 }
10867 }
10868 }

```

78 File dblfnote-xetex-bidi.def

```

10869 \ProvidesFile{dblfnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package]
10870 \let\autofootnoterule\relax
10871 \let\rightfootnoterule\relax
10872 \let\leftfootnoterule\relax
10873 \let\textwidthfootnoterule\relax
10874 \let\LRfootnoterule\relax
10875 \def\footnoterule{\kern-3\p@
10876 \hrule \@width \DFNcolumnwidth \kern 2.6\p@}%
10877 \AtBeginDocument{\let\dfn@latex@footnotetext\@footnotetext}
10878 \let\@footnotetext\dfn@footnotetext}
10879 \long\def\dfn@LTRfootnotetext#1{\setbox\dfn@boxa\vbox{
10880 \let\insert\dfn@gobble
10881 \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
10882 \def\@makefnmark{\smash{\dfn@makefnmark}}
10883 \dfn@latex@LTRfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
10884 \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
10885 \ifdim\dfn@dima>\z@else
10886 \dfn@dima1sp\relax
10887 \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
10888 \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
10889 \ifvoid\dfn@ins\else
10890 \unvbox\dfn@ins \allowbreak \nointerlineskip \fi

```



```

10891         \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
10892     \setbox\dfn@boxa\copy\dfn@ins
10893     \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10894     \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
10895     \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
10896     \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
10897     \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
10898 \AtBeginDocument{\let\dfn@latex@LTRfootnotetext\@LTRfootnotetext
10899 \let\@LTRfootnotetext\dfn@LTRfootnotetext}
10900 \long\def\dfn@RTLfootnotetext#1{{\setbox\dfn@boxa\vbox{
10901     \let\insert\dfn@gobble
10902     \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
10903     \def\@makefnmark{\smash{\dfn@makefnmark}}
10904     \dfn@latex@RTLfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
10905     \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
10906     \ifdim\dfn@dima>\z@\else
10907         \dfn@dima1sp\relax
10908         \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
10909     \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
10910         \ifvoid\dfn@ins\else
10911             \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
10912         \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
10913     \setbox\dfn@boxa\copy\dfn@ins
10914     \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10915     \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
10916     \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
10917     \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
10918     \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
10919 \AtBeginDocument{\let\dfn@latex@RTLfootnotetext\@RTLfootnotetext
10920 \let\@RTLfootnotetext\dfn@RTLfootnotetext}
10921 \def\dfn@RTLmakecol{{\ifvoid\footins\else
10922     \dfn@dima\ht\footins
10923     \@tempcnta\z@ \dfn@countins
10924     \@tempdima\z@ \let\@elt\dfn@elt\getht
10925     \dfn@list\@nil
10926     \ifdim\@tempdima=\z@\else
10927         \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
10928         \global\setbox\dfn@ins\box\dfn@ins
10929         \@tempswatrue
10930         \ifdfn@trysingle
10931             \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
10932             \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
10933             \advance\@tempdima-\skip\footins
10934             \advance\@tempdima-\ht\dfn@boxa
10935             \ifdim\@tempdima<\z@\else \@tempswafalse
10936                 \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
10937                     \footnoterule \unvbox\dfn@boxa}\fi\fi
10938         \if@tempswa
10939             \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10940             \global\setbox\footins\vbox{\hbox{%
10941                 \hskip \DFNcolumnwidth
10942                 \hskip\DFNcolumnsep
10943                 \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
10944                     \unvbox\dfn@boxb\vss}\hss}

```



```

10945         \hskip -\textwidth
10946         \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
10947             \vbox to\@tempdima{
10948                 \setbox\@tempboxa\vbox{\footnoterule}
10949                 \ifdfn@ruleboth \unvbox\@tempboxa
10950                 \else \@tempdima\ht\@tempboxa
10951                     \advance\@tempdima\dp\@tempboxa
10952                     \vskip\@tempdima
10953                     \prevdepth\dp\@tempboxa \fi
10954                 \unvbox\dfn@boxa\vss}\fi\hss}
10955             \hskip \DFNcolumnsep
10956             \hskip \DFNcolumnwidth}}\fi\fi
10957     \global\dfn@fnht\z@
10958     \ifx\dfn@list\@empty\else
10959         \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
10960         \dfn@list \global\advance\dfn@fnht\dfn@dimb
10961         \let\@elt\relax
10962         \ifdim\dfn@dimb>\z@
10963             \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
10964             \insert\footins{\floatingpenalty\@MM
10965                 \vbox to\dfn@dimb{}}\fi
10966         \ifdim\dfn@fnht>\@tempdima
10967             \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
10968             \global\dfn@fnht\@tempdima
10969             \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
10970             \xdef\dfn@afteroutput{\insert\footins{
10971                 \floatingpenalty\@MM
10972                 \vbox to\number\@tempdimb sp{}}}%
10973             \global\let\noexpand\dfn@afteroutput\relax}%
10974         \fi\fi
10975     \fi}%
10976     \let\footnoterule\relax \dfn@latex@makecol
10977     \let\footnoterule\dfn@footnoterule}
10978 \def\dfn@LTRmakecol{\ifvoid\footins\else
10979     \dfn@dima\ht\footins
10980     \@tempcnta\z@ \dfn@countins
10981     \@tempdima\z@ \let\@elt\dfn@elt@getht
10982     \dfn@list\@nil
10983     \ifdim\@tempdima=\z@\else
10984         \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
10985         \global\setbox\dfn@ins\box\dfn@ins
10986         \@tempswatrue
10987         \ifdfn@trysingle
10988             \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
10989             \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
10990             \advance\@tempdima-\skip\footins
10991             \advance\@tempdima-\ht\dfn@boxa
10992             \ifdim\@tempdima<\z@\else \@tempswafalse
10993                 \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
10994                     \footnoterule \unvbox\dfn@boxa}\fi\fi
10995         \if@tempswa
10996             \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10997             \global\setbox\footins\vbox{\hbox{%
10998                 \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule

```



```

11099          \unvbox\dfn@boxb\vss}\hss}\hskip\DFNcolumnsep
11000          \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
11001            \vbox to\@tempdima{
11002              \setbox\@tempboxa\vbox{\footnoterule}
11003              \ifdfn@ruleboth \unvbox\@tempboxa
11004              \else \@tempdima\ht\@tempboxa
11005                \advance\@tempdima\dp\@tempboxa
11006                \vskip\@tempdima
11007                \prevdepth\dp\@tempboxa \fi
11008              \unvbox\dfn@boxa\vss}\fi\hss}}}\fi\fi
11009      \global\dfn@fnht\z@
11010      \ifx\dfn@list\empty\else
11011        \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
11012        \dfn@list \global\advance\dfn@fnht\dfn@dimb
11013        \let\@elt\relax
11014        \ifdim\dfn@dimb>\z@
11015          \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
11016          \insert\footins{\floatingpenalty\@MM
11017            \vbox to\dfn@dimb{}}\fi
11018        \ifdim\dfn@fnht>\@tempdima
11019          \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
11020          \global\dfn@fnht\@tempdima
11021          \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
11022          \xdef\dfn@afteroutput{\insert\footins{
11023            \floatingpenalty\@MM
11024            \vbox to\number\@tempdimb sp{}}}%
11025          \global\let\noexpand\dfn@afteroutput\relax}%
11026        \fi\fi
11027      \fi}%
11028      \let\footnoterule\relax \dfn@latex@makecol
11029      \let\footnoterule\dfn@footnoterule}
11030 \renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
11031 \newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
11032 \newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
11033 \DFNalwaysdouble

```

79 File diagbox-xetex-bidi.def

```

11034 \ProvidesFile{diagbox-xetex-bidi.def}[2017/12/30 v0.2 bidi adaptations for diagbox package f
11035 \bidi@patchcmd{\diagbox@double}{%
11036   \begin{tabular}{@{\hspace{\diagbox@insepl}}>\diagbox@font}l@{}
11037 }{\bidi@@diagbox@double@ii}{-}{-}
11038 \bidi@patchcmd{\diagbox@double}{%
11039   \begin{tabular}{@{}>\diagbox@font}r@{\hspace{\diagbox@insepr}}
11040 }{\bidi@@diagbox@double@iii}{-}{-}
11041 \newcommand*\bidi@@diagbox@double@ii{%
11042   \ifRTL
11043     \begin{tabular}{@{}>\diagbox@font}r@{\hspace{\diagbox@insepl}}
11044   \else
11045     \begin{tabular}{@{\hspace{\diagbox@insepl}}>\diagbox@font}l@{}
11046   \fi
11047 }
11048 \newcommand*\bidi@@diagbox@double@iii{%
11049   \ifRTL

```



```

11050 \begin{tabular}{@{\hspace{\diagbox@insepr}}>{\diagbox@font}l@{}}
11051 \else
11052 \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}
11053 \fi
11054 }
11055 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
11056 \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
11057 }{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{-}{-}
11058 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
11059 \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
11060 }{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{-}{-}
11061 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
11062 \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}
11063 }{\bidi@@diagbox@triple@setbox@NW@tabular@iii}{-}{-}
11064 \newcommand*{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{%
11065 \if@RTL
11066 \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepl}}}
11067 \else
11068 \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
11069 \fi}
11070 \newcommand*{\bidi@@diagbox@triple@setbox@NW@tabular@iii}{%
11071 \if@RTL
11072 \begin{tabular}{@{\hspace{\diagbox@insepr}}>{\diagbox@font}l@{}}
11073 \else
11074 \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}
11075 \fi}
11076 \let\diagbox@triple@setbox@SW\diagbox@triple@setbox@NW
11077 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
11078 \begin{tabular}{@{\hspace{\diagbox@insepl}}l@{}}%
11079 }{\bidi@@diagbox@triple@setbox@SE@tabular@i}{-}{-}
11080 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
11081 \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}%
11082 }{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{-}{-}
11083 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
11084 \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}%
11085 }{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{-}{-}
11086 \newcommand*{\bidi@@diagbox@triple@setbox@SE@tabular@i}{%
11087 \if@RTL
11088 \begin{tabular}{@{}r@{\hspace{\diagbox@insepl}}}
11089 \else
11090 \begin{tabular}{@{\hspace{\diagbox@insepl}}l@{}}
11091 \fi
11092 }
11093 \newcommand*{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{%
11094 \if@RTL
11095 \begin{tabular}{@{\hspace{\diagbox@insepr}}l@{}}
11096 \else
11097 \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}
11098 \fi
11099 }
11100 \let\diagbox@triple@setbox@NE\diagbox@triple@setbox@SE
11101 \bidi@patchcmd{\diagbox@double@pict@SE}{%
11102 \diagbox@setlinecolor
11103 \Line(0,\strip@pt{\diagbox@ht})(\strip@pt{\diagbox@wd},0)%

```



```

11104 }{%
11105   {\diagbox@setlinecolor
11106     \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)}%
11107 }{}{}
11108 \let\diagbox@double@pict@NW\diagbox@double@pict@SE
11109 \bidi@patchcmd{\diagbox@double@pict@NE}{%
11110   \diagbox@setlinecolor
11111   \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)}%
11112 }{%
11113   {\diagbox@setlinecolor
11114     \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)}%
11115 }{}{}
11116 \let\diagbox@double@pict@SW\diagbox@double@pict@NE
11117 \bidi@patchcmd{\diagbox@triple@pict@NW}{%
11118   \diagbox@setlinecolor
11119   \Line(0,\yym)(\x,0)
11120   \Line(\xm,\y)(\x,0)}%
11121 }{%
11122   {\diagbox@setlinecolor
11123     \Line(0,\yym)(\x,0)
11124     \Line(\xm,\y)(\x,0)}%
11125 }{}{}
11126 \bidi@patchcmd{\diagbox@triple@pict@NE}{%
11127   \diagbox@setlinecolor
11128   \Line(0,0)(\xxm,\y)
11129   \Line(0,0)(\x,\yym)}%
11130 }{%
11131   {\diagbox@setlinecolor
11132     \Line(0,0)(\xxm,\y)
11133     \Line(0,0)(\x,\yym)}%
11134 }{}{}
11135 \bidi@patchcmd{\diagbox@triple@pict@SW}{%
11136   \diagbox@setlinecolor
11137   \Line(0,\ym)(\x,\y)
11138   \Line(\xm,0)(\x,\y)}%
11139 }{%
11140   {\diagbox@setlinecolor
11141     \Line(0,\ym)(\x,\y)
11142     \Line(\xm,0)(\x,\y)}%
11143 }{}{}
11144 \bidi@patchcmd{\diagbox@triple@pict@SE}{%
11145   \diagbox@setlinecolor
11146   \Line(0,\y)(\xxm,0)
11147   \Line(0,\y)(\x,\ym)}%
11148 }{%
11149   {\diagbox@setlinecolor
11150     \Line(0,\y)(\xxm,0)
11151     \Line(0,\y)(\x,\ym)}%
11152 }{}{}

```

80 File draftwatermark-xetex-bidi.def

```

11153 \ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwater
11154 \renewcommand\SetWatermarkText[1]{%

```




```
11155 \def\sc@wm@text{\if@RTLmain\beginR\fi#1\if@RTLmain\endR\fi}}
```

81 File eso-pic-xetex-bidi.def

```
11156 \ProvidesFile{eso-pic-xetex-bidi.def}[2022/02/18 v0.4 bidi adaptations for eso-pic package f
11157 \renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
11158 \put(\if@RTLmain\paperwidth\else 0\fi,-\paperheight){#1}}
11159
11160 \ESO@isMEMOIR{%
11161 \renewcommand\AtTextUpperLeft[1]{%
11162 \begingroup
11163 \ifodd\c@page
11164 \if@RTLmain
11165 \ESO@tempdima=\paperwidth
11166 \advance\ESO@tempdima-\textwidth
11167 \advance\ESO@tempdima-\spinemargin
11168 \else
11169 \ESO@tempdima=\spinemargin
11170 \fi
11171 \else
11172 \if@RTLmain
11173 \ESO@tempdima=\spinemargin
11174 \else
11175 \ESO@tempdima=\paperwidth
11176 \advance\ESO@tempdima-\textwidth
11177 \advance\ESO@tempdima-\spinemargin
11178 \fi
11179 \fi
11180 \ESO@tempdimb=-\uppermargin
11181 \AtPageUpperLeft{%
11182 \put(\if@RTLmain-\textwidth-\fi\ESO@tempdima,\ESO@tempdimb){#1}%
11183 }%
11184 \endgroup
11185 }
11186 }{%
11187 \renewcommand\AtTextUpperLeft[1]{%
11188 \begingroup
11189 \ESO@tempdima=1in\relax
11190 \if@twoside
11191 \ifodd\c@page
11192 \if@RTLmain
11193 \advance\ESO@tempdima\evensidemargin
11194 \else
11195 \advance\ESO@tempdima\oddsidemargin
11196 \fi
11197 \else
11198 \if@RTLmain
11199 \advance\ESO@tempdima\oddsidemargin
11200 \else
11201 \advance\ESO@tempdima\evensidemargin
11202 \fi
11203 \fi
11204 \else
11205 \advance\ESO@tempdima\oddsidemargin
```



```

11206 \fi
11207 \ESO@tempdimb=-1in\relax
11208 \advance\ESO@tempdimb-\topmargin
11209 \advance\ESO@tempdimb-\headheight
11210 \advance\ESO@tempdimb-\headsep
11211 \AtPageUpperLeft{%
11212 \put(\if@RTLmain-\textwidth-\fi\ESO@tempdima,\ESO@tempdimb){#1}%
11213 }%
11214 \endgroup
11215 }
11216 }

```

82 File empheq-xetex-bidi.def

```

11217 \ProvidesFile{empheq-xetex-bidi.def}[2018/01/08 v0.2 bidi adaptations for empheq package for
11218 \MHInternalSyntaxOn
11219 \def\EQ_tag_plus_endmark:{%
11220 \iftagsleft@
11221 \gdef\maketag@@@#1{%
11222 \hfuzz\displaywidth
11223 \if@RTL\makebox[\widthof{##1}][r]{%
11224 \hbox to \displaywidth{\m@th\normalfont##1\hss
11225 \raisebox{-\dp\EQ_mathdisplay_box
11226 -\depthof{\EQ_outerbox:}}{
11227 {\PotEndMark{\hss}}}}
11228 \else\makebox[\widthof{##1}][l]{%
11229 \hbox to \displaywidth{\m@th\normalfont##1\hss
11230 \raisebox{-\dp\EQ_mathdisplay_box
11231 -\depthof{\EQ_outerbox:}}{
11232 {\PotEndMark{\hss}}}}\fi}%
11233 \MH_else:
11234 \gdef\maketag@@@#1{%
11235 \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{%
11236 \settoheight{\@tempdima}{\@nameuse{\InTheoType Symbol}}}%
11237 \MH_addtolength:dn \@tempdima
11238 {\g_EQ_bottomtag_depth_dim+\mintagvsep}
11239 \setlength{\@tempdimb}
11240 {\g_EQ_bottomrow_depth_dim+\depthof{\EQ_outerbox:}}
11241 +\depthof{\EQ_innerbox:}}
11242 \MH_if_dim:w \@tempdima>\@tempdimb
11243 \MH_setlength:dn \@tempdima{-\dp\EQ_mathdisplay_box
11244 -\@tempdima+\g_EQ_bottomrow_depth_dim}
11245 \addtolength{\@tempdima}{\depthof{\EQ_innerbox:}}}%
11246 \def\EQ_next:{\raisebox{\@tempdima}}%
11247 \MH_else:
11248 \def\EQ_next:{
11249 \raisebox{-\dp\EQ_mathdisplay_box
11250 -\depthof{\EQ_outerbox:}}}%
11251 \MH_fi:\EQ_next:}}}%
11252 \MH_fi:}
11253 \def\EQ_post_process:{%
11254 \EQ_initialize:
11255 \EQ_begin_equation:
11256 \MH_if_boolean:nT {outer_mult}{

```



```

11257 \setkeys{MT_options_name:}{
11258   firstline-afterskip=Opt,
11259   lastline-preskip=Opt,
11260   multlined-width=Opt,
11261 }
11262 \ifodd \l_EQ_alignmentmode_int
11263   \setkeys{MT_options_name:}{multlined-pos=b}
11264 \MH_else:
11265   \setkeys{MT_options_name:}{multlined-pos=t}
11266 \MH_fi:
11267   \g@addto@macro\EQ_complete_mathdisplay:{
11268     \begin{MTmultlined}\relax}
11269 }
11270 \g@addto@macro\EQ_complete_mathdisplay:\EQ_mathbody:
11271 \MH_if_boolean:nT {outer_mult}{
11272   \g@addto@macro\EQ_complete_mathdisplay:{\end{MTmultlined}}
11273 }
11274 \EQ_end_equation:
11275 \edef\EQ_hyperref_link_fint{\number\Hy@linkcounter}
11276 \savecounters@
11277 \EQ_typeset_tags:
11278 \edef\l_EQ_equation_fint{\number\c@equation}
11279 \restorecounters@
11280 \Hy@linkcounter=\EQ_hyperref_link_fint
11281 \settowidth\l_EQ_totalwidth_dim{%
11282   $\EQ_left_side:\EQ_innerbox:{}\EQ_right_side:$}%
11283 \MH_if_boolean:nTF {outer_mult}
11284 { \def\EQ_next:{_mult} }
11285 { \def\EQ_next:{} }
11286 \@nameuse{EQ_modify_linewidth_
11287   \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
11288 \EQ_typeset_display:
11289 \@nameuse{EQ_find_displaywidth_
11290   \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
11291 \MH_addtolength:dn
11292 \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}
11293 \savebox\EQ_mathdisplay_box[\l_EQ_totalwidth_dim][c]{%
11294   $\EQ_left_side:
11295   \EQ_innerbox:{%
11296     \MH_if_case:w \l_EQ_alignmentmode_int\MH_or:
11297     \makebox[\l_EQ_displaywidth_dim][c]
11298     {\usebox{\EQ_mathdisplay_box}}}%
11299   \MH_or:
11300   \makebox[\l_EQ_displaywidth_dim][c]
11301   {\usebox{\EQ_mathdisplay_box}}}%
11302   \MH_or:
11303   \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
11304     \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11305       \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
11306         \kern-\@mathmargin
11307       \MH_fi:
11308     \MH_fi:
11309     \usebox{\EQ_mathdisplay_box}}}%
11310   \else\makebox[\l_EQ_displaywidth_dim][l]{%

```



```

11311         \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11312         \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
11313         \kern-\@mathmargin
11314         \MH_fi:
11315     \MH_fi:
11316     \usebox{\EQ_mathdisplay_box}}\fi%
11317 \MH_or:
11318 \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
11319     \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11320     \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
11321     \kern-\@mathmargin
11322     \MH_fi:
11323     \MH_fi:
11324     \usebox{\EQ_mathdisplay_box}}
11325 \else\makebox[\l_EQ_displaywidth_dim][l]{%
11326     \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11327     \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
11328     \kern-\@mathmargin
11329     \MH_fi:
11330     \MH_fi:
11331     \usebox{\EQ_mathdisplay_box}}\fi%
11332 \MH_fi:}%
11333 \EQ_right_side:$}%
11334 \begin{AmSequation*}
11335 \@nameuse{EQ_place_display_
11336     \romannumeral\l_EQ_equationtype_int\EQ_next: :}
11337 \MH_if_dim:w \g_EQ_widesttag_dim>\z@
11338 \MH_set_boolean_T:n {show_manual_tags}
11339 \MH_if_case:w \l_EQ_alignmentmode_int
11340 \MH_or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#1
11341 \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#2
11342 \MH_or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#3
11343 \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#4
11344 \MH_fi:
11345 \MH_fi:
11346 \end{AmSequation*}
11347 \global\c@equation=\l_EQ_equation_fint\relax
11348 }
11349 \AtBeginDocument{%
11350 \@ifpackageloaded{fancybox}{%
11351     \@ifpackageloaded{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}%
11352     {\renewcommand*{\textcolor[2]{\normalcolor{#2}}}%
11353     \renewcommand*{\shadowbox{%
11354         \@ifstar{\MH_set_boolean_T:n {shadowbox_star}
11355             \VerbBox\EQ_shadowbox:n}
11356         {\MH_set_boolean_F:n {shadowbox_star}
11357             \VerbBox\EQ_shadowbox:n}}
11358     \def\EQ_shadowbox:n #1{%
11359         \sbox{\z@}{\fbox{#1}}%
11360         \MH_if_boolean:nTF {shadowbox_star}{
11361             \MH_setlength:dn \@tempdima{\z@}%
11362         }{
11363             \MH_setlength:dn \@tempdima{\dp\z@+\shadowsize}%
11364         }

```



```

11365 \raisebox{\@tempdima}{%
11366 \if@RTL\makebox[\z@][r]{%
11367 \kern\shadowsize \textcolor{shadowcolor}{%
11368 \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
11369 }%
11370 \else\makebox[\z@][l]{%
11371 \kern\shadowsize \textcolor{shadowcolor}{%
11372 \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
11373 }\fi%
11374 \usebox\z@\textcolor{shadowcolor}{%
11375 \rule[-\dp\z@-\shadowsize]{\shadowsize}{\ht\z@+\dp\z@}}}%
11376 }{}%
11377 }
11378 \MHInternalSyntaxOff

```

83 File extarticle-xetex-bidi.def

```

11379 \ProvidesFile{extarticle-xetex-bidi.def}[2025/09/30 v0.8 bidi adaptations for extarticle cla
11380 \renewcommand*\l@section[2]{%
11381 \ifnum \c@tocdepth >\z@
11382 \addpenalty\@secpenalty
11383 \addvspace{1.0em \@plus\p@}%
11384 \setlength\@tempdima{1.5em}%
11385 \begingroup
11386 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
11387 \parfillskip -\@pnumwidth
11388 \leavevmode \bfseries
11389 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
11390 \hskip -\if@RTL\rightskip\else\leftskip\fi
11391 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
11392 \endgroup
11393 \fi}
11394 \renewcommand*\l@part[2]{%
11395 \ifnum \c@tocdepth >-2\relax
11396 \addpenalty\@secpenalty
11397 \addvspace{2.25em \@plus\p@}%
11398 \begingroup
11399 \setlength\@tempdima{3em}%
11400 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
11401 \parfillskip -\@pnumwidth
11402 {\leavevmode
11403 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
11404 \nobreak
11405 \endgroup
11406 \fi}
11407 \ApplyPatchIfPackageLoaded{nameref}{%
11408 \bidi@patchcmd\NR@part\raggedright{%
11409 \if@RTL\raggedleft\else\raggedright\fi
11410 }{}{\bidi@warningnoline{Oops! patching `string\NR@part' failed}}%
11411 \bidi@patchcmd\NR@spart\raggedright{%
11412 \if@RTL\raggedleft\else\raggedright\fi
11413 }{}{\bidi@warningnoline{Oops! patching `string\NR@spart' failed}}%
11414 }{}%
11415 \bidi@patchcmd\@part\raggedright{%

```



```

11416 \if@RTL\raggedleft\else\raggedright\fi
11417 }{\if@warningnoline{Oops! patching `string\@part' failed}}}%
11418 \bidi@patchcmd\@spart\raggedright{%
11419 \if@RTL\raggedleft\else\raggedright\fi
11420 }{\if@warningnoline{Oops! patching `string\@spart' failed}}}%
11421 }
11422 \renewenvironment{thebibliography}[1]
11423 {\section*{\refname
11424 \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%
11425 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
11426 \bidi@thebibliography@font@hook%
11427 \list{\@biblabel{\@arabic{c@enumiv}}}%
11428 {\settowidth\labelwidth{\@biblabel{#1}}%
11429 \leftmargin\labelwidth
11430 \advance\leftmargin\labelsep
11431 \openbib@code
11432 \usecounter{enumiv}%
11433 \let\p@enumiv\@empty
11434 \renewcommand\theenumiv{\@arabic{c@enumiv}}}%
11435 \sloppy\clubpenalty4000\widowpenalty4000%
11436 \sfcode`. \m}
11437 {\def\@noitemerr
11438 {\@latex@warning{Empty `thebibliography' environment}}}%
11439 \endlist}
11440 \renewcommand\left@footnoterule{%
11441 \kern-3\p@
11442 \hrule\@width.4\columnwidth
11443 \kern2.6\p@}
11444 \renewcommand\right@footnoterule{%
11445 \kern-3\p@
11446 \nointerlineskip
11447 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
11448 \kern2.6\p@}
11449 \if@titlepage
11450 \renewcommand\maketitle{\begin{titlepage}%
11451 \let\footnotesize\small
11452 \let\right@footnoterule\relax
11453 \let\left@footnoterule\relax
11454 \let\textwidth\footnoterule\relax
11455 \let \footnote \thanks
11456 \null\vfil
11457 \vskip 60\p@
11458 \begin{center}%
11459 {\LARGE \@title \par}%
11460 \vskip 3em%
11461 {\large
11462 \lineskip .75em%
11463 \begin{tabular}[t]{c}%
11464 \@author
11465 \end{tabular}\par}%
11466 \vskip 1.5em%
11467 {\large \@date \par}% % Set date in \large size.
11468 \end{center}\par
11469 \@thanks

```



```

11470 \vfil\null
11471 \end{titlepage}%
11472 \setcounter{footnote}{0}%
11473 \global\let\thanks\relax
11474 \global\let\maketitle\relax
11475 \global\let\@thanks\@empty
11476 \global\let\@author\@empty
11477 \global\let\@date\@empty
11478 \global\let\@title\@empty
11479 \global\let\title\relax
11480 \global\let\author\relax
11481 \global\let\date\relax
11482 \global\let\and\relax
11483 }
11484 \else
11485 \renewcommand\maketitle{\par
11486 \begingroup
11487 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
11488 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
11489 \long\def\@makefntext##1{\parindent 1em\noindent
11490 \hb@xt@1.8em{%
11491 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
11492 \if@twocolumn
11493 \ifnum \col@number=\@ne
11494 \@maketitle
11495 \else
11496 \twocolumn[\@maketitle]%
11497 \fi
11498 \else
11499 \newpage
11500 \global\@topnum\z@ % Prevents figures from going at top of page.
11501 \@maketitle
11502 \fi
11503 \thispagestyle{plain}\@thanks
11504 \endgroup
11505 \setcounter{footnote}{0}%
11506 \global\let\thanks\relax
11507 \global\let\maketitle\relax
11508 \global\let\@maketitle\relax
11509 \global\let\@thanks\@empty
11510 \global\let\@author\@empty
11511 \global\let\@date\@empty
11512 \global\let\@title\@empty
11513 \global\let\title\relax
11514 \global\let\author\relax
11515 \global\let\date\relax
11516 \global\let\and\relax
11517 }
11518 \def\@maketitle{%
11519 \newpage
11520 \null
11521 \vskip 2em%
11522 \begin{center}%
11523 \let \footnote \thanks

```



```

11524     {\LARGE \@title \par}%
11525     \vskip 1.5em%
11526     {\large
11527       \lineskip .5em%
11528       \begin{tabular}[t]{c}%
11529         \@author
11530       \end{tabular}\par}%
11531     \vskip 1em%
11532     {\large \@date}%
11533   \end{center}%
11534   \par
11535   \vskip 1.5em}
11536 \fi
11537 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@section}
11538 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
11539 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
11540 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}%%

```

84 File extbook-xetex-bidi.def

```

11541 \ProvidesFile{extbook-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extbook class for
11542 \if@titlepage
11543 \renewcommand\maketitle{\begin{titlepage}%
11544 \let\footnotesize\small
11545 \let\right@footnoterule\relax
11546 \let\left@footnoterule\relax
11547 \let\textwidth\footnoterule\relax
11548 \let \footnote \thanks
11549 \let \LTRfootnote \LTRthanks
11550 \let \RTLfootnote \RTLthanks
11551 \null\vfil
11552 \vskip 60\p@
11553 \begin{center}%
11554   {\LARGE \@title \par}%
11555   \vskip 3em%
11556   {\large
11557     \lineskip .75em%
11558     \begin{tabular}[t]{c}%
11559       \@author
11560     \end{tabular}\par}%
11561     \vskip 1.5em%
11562     {\large \@date \par}% % Set date in \large size.
11563   \end{center}\par
11564   \@thanks
11565   \vfil\null
11566 \end{titlepage}%
11567 \setcounter{footnote}{0}%
11568 \global\let\thanks\relax
11569 \global\let\LTRthanks\relax
11570 \global\let\RTLthanks\relax
11571 \global\let\maketitle\relax
11572 \global\let\@thanks\@empty
11573 \global\let\@author\@empty
11574 \global\let\@date\@empty

```




```

11575 \global\let\@title\@empty
11576 \global\let\title\relax
11577 \global\let\author\relax
11578 \global\let\date\relax
11579 \global\let\and\relax
11580 }
11581 \else
11582 \renewcommand\maketitle{\par
11583 \begingroup
11584 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
11585 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
11586 \long\def\@makefntext##1{\parindent 1em\noindent
11587 \hb@xt@1.8em{%
11588 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
11589 \if@twocolumn
11590 \ifnum \col@number=\@ne
11591 \@maketitle
11592 \else
11593 \twocolumn[\@maketitle]%
11594 \fi
11595 \else
11596 \newpage
11597 \global\@topnum\z@ % Prevents figures from going at top of page.
11598 \@maketitle
11599 \fi
11600 \thispagestyle{plain}\@thanks
11601 \endgroup
11602 \setcounter{footnote}{0}%
11603 \global\let\thanks\relax
11604 \global\let\LTRthanks\relax
11605 \global\let\RTLthanks\relax
11606 \global\let\maketitle\relax
11607 \global\let\@maketitle\relax
11608 \global\let\@thanks\@empty
11609 \global\let\@author\@empty
11610 \global\let\@date\@empty
11611 \global\let\@title\@empty
11612 \global\let\title\relax
11613 \global\let\author\relax
11614 \global\let\date\relax
11615 \global\let\and\relax
11616 }
11617 \def\@maketitle{%
11618 \newpage
11619 \null
11620 \vskip 2em%
11621 \begin{center}%
11622 \let \footnote \thanks
11623 \let \LTRfootnote \LTRthanks
11624 \let \RTLfootnote \RTLthanks
11625 {\LARGE \@title \par}%
11626 \vskip 1.5em%
11627 {\large
11628 \lineskip .5em%

```



```

11629     \begin{tabular}[t]{c}%
11630     \@author
11631     \end{tabular}\par}%
11632     \vskip 1em%
11633     {\large \@date}%
11634     \end{center}%
11635     \par
11636     \vskip 1.5em}
11637 \fi
11638 \renewcommand*\l@part[2]{%
11639     \ifnum \c@tocdepth >-2\relax
11640     \addpenalty{-\@highpenalty}%
11641     \addvspace{2.25em \@plus\p@}%
11642     \begingroup
11643     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
11644     \parfillskip -\@pnumwidth
11645     {\leavevmode
11646     \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
11647     \nobreak
11648     \global\@nobreaktrue
11649     \everypar{\global\@nobreakfalse\everypar{}}}%
11650     \endgroup
11651     \fi}
11652 \renewcommand\theequation
11653     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
11654 \renewcommand \thefigure
11655     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
11656 \renewcommand \thetable
11657     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
11658 \renewcommand \thechapter {\@arabic\c@chapter}
11659 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
11660 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
11661 \renewcommand \thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
11662 \renewcommand \theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
11663 \renewcommand \thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
11664 \def\@makechapterhead#1{%
11665     \vspace*{50\p@}%
11666     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
11667     \ifnum \c@secnumdepth >\m@ne
11668     \if@mainmatter
11669     \huge\bfseries \@chapapp\space \thechapter
11670     \par\nobreak
11671     \vskip 20\p@
11672     \fi
11673     \fi
11674     \interlinepenalty\@M
11675     \Huge \bfseries #1\par\nobreak
11676     \vskip 40\p@
11677     }}
11678
11679 \def\@makeschapterhead#1{%
11680     \vspace*{50\p@}%
11681     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
11682     \normalfont

```



```

11683 \interlinepenalty\@M
11684 \Huge \bfseries #1\par\nobreak
11685 \vskip 40\p@
11686 }}
11687 \renewcommand\backmatter{%
11688 \if@openright
11689 \cleardoublepage
11690 \else
11691 \clearpage
11692 \fi
11693 \@mainmatterfalse}
11694 \renewenvironment{thebibliography}[1]
11695 {\chapter*{\bibname
11696 \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
11697 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
11698 \bidi@thebibliography@font@hook%
11699 \list{\@biblabel{\@arabic\c@enumiv}}%
11700 {\settowidth\labelwidth{\@biblabel{#1}}%
11701 \leftmargin\labelwidth
11702 \advance\leftmargin\labelsep
11703 \@openbib@code
11704 \usecounter{enumiv}%
11705 \let\p@enumiv\@empty
11706 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
11707 \sloppy
11708 \clubpenalty4000
11709 \@clubpenalty \clubpenalty
11710 \widowpenalty4000%
11711 \sfcode\.\@m}
11712 {\def\@noitemerr
11713 {\@latex@warning{Empty `thebibliography' environment}}}%
11714 \endlist}

```

85 File extletter-xetex-bidi.def

```

11715 \ProvidesFile{extletter-xetex-bidi.def}[2025/09/30 v0.3 bidi adaptations for extletter class]
11716 \renewcommand*\opening[1]{\ifx\@empty\fromaddress
11717 \thispagestyle{firstpage}%
11718 {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
11719 \else % home address
11720 \thispagestyle{empty}%
11721 {\if@RTL\raggedright\begin{tabular}{r@{}}\else\raggedleft\begin{tabular}{l@{}}\fi\ignore
11722 \fromaddress \|[2\parskip]%
11723 \@date \end{tabular}\par}%
11724 \fi
11725 \vspace{2\parskip}%
11726 {\if@RTL\raggedleft\else\raggedright\fi \toname \[ \toaddress \par}%
11727 \vspace{2\parskip}%
11728 #1\par\nobreak}
11729 \renewcommand\closing[1]{\par\nobreak\vspace{\parskip}%
11730 \stopbreaks
11731 \noindent
11732 \ifx\@empty\fromaddress\else
11733 \hspace*\[longindentation]\fi

```



```

11734 \parbox{\indentedwidth}{\if@RTL\raggedleft\else\raggedright\fi
11735 \ignorespaces #1\[[6\medskipamount]%
11736 \ifx\@empty\fromsig
11737 \fromname
11738 \else \fromsig \fi\strut}%
11739 \par}
11740 \renewcommand\left@footnoterule{%
11741 \kern-\p@
11742 \hrule \@width .4\columnwidth
11743 \kern .6\p@}
11744 \renewcommand\right@footnoterule{%
11745 \kern-\p@
11746 \nointerlineskip
11747 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
11748 \kern .6\p@}

```

86 File extrafootnotefeatures-xetex-bidi.def

```

11749 \ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2025/09/13 v2.8 bidi extra footnote feat
11750 \newdimen\bidi@columnwidth
11751 \def\bidi@floathook{%
11752 \bidi@columnwidth\columnwidth
11753 }
11754 \newcommand*{\@bidi@before@Hy@hyperfootnotes}{%
11755 \if@bidi@csundef{ifHy@hyperfootnotes}{-}{%
11756 \if@bidi@csundef{HLTR@LTRfootnotetext}{-}{%
11757 \ifHy@hyperfootnotes
11758 \let\@H@footnotetext\@footnotetext
11759 \let\@HLTR@LTRfootnotetext\@LTRfootnotetext
11760 \let\@HRTL@RTLfootnotetext\@RTLfootnotetext
11761 \let\@H@mpfootnotetext\@mpfootnotetext
11762 \let\@HLTR@mpLTRfootnotetext\@mpLTRfootnotetext
11763 \let\@HRTL@mpRTLfootnotetext\@mpRTLfootnotetext
11764 \fi
11765 }%
11766 }%
11767 }
11768 \newcommand*{\@bidi@after@Hy@hyperfootnotes}{%
11769 \if@bidi@csundef{ifHy@hyperfootnotes}{-}{%
11770 \if@bidi@csundef{HLTR@LTRfootnotetext}{-}{%
11771 \ifHy@hyperfootnotes
11772 \let\H@footnotetext\@footnotetext
11773 \let\@footnotetext\@H@footnotetext
11774 \let\HLTR@LTRfootnotetext\@LTRfootnotetext
11775 \let\@LTRfootnotetext\@HLTR@LTRfootnotetext
11776 \let\HRTL@RTLfootnotetext\@RTLfootnotetext
11777 \let\@RTLfootnotetext\@HRTL@RTLfootnotetext
11778 \let\H@mpfootnotetext\@mpfootnotetext
11779 \let\@mpfootnotetext\@H@mpfootnotetext
11780 \let\HLTR@mpLTRfootnotetext\@mpLTRfootnotetext
11781 \let\@mpLTRfootnotetext\@HLTR@mpLTRfootnotetext
11782 \let\HRTL@mpRTLfootnotetext\@mpRTLfootnotetext
11783 \let\@mpRTLfootnotetext\@HRTL@mpRTLfootnotetext
11784 \fi

```



```

11785 }%
11786 }%
11787 }
11788 \let\autofootnoterule\relax
11789 \let\rightfootnoterule\relax
11790 \let\leftfootnoterule\relax
11791 \let\textwidthfootnoterule\relax
11792 \let\LRfootnoterule\relax
11793 \def\footnoterule{\kern-3\p@
11794   \hrule \@width \columnwidth \kern 2.6\p@}
11795 \newcommand{\@preamnormalfmt}{%
11796   \parindent 1em%
11797   \noindent
11798 }
11799 \newcommand{\@normalfootfmt}[1]{%
11800   \@preamnormalfmt
11801   \footfootmark
11802   \rule{z@}{\footnotesep}\ignorespaces{\foottextfont #1}%
11803   \@finalstrut\strutbox
11804 }
11805 \newcommand{\@normalRTLfootfmt}[1]{%
11806   \@preamnormalfmt
11807   \RTLfootfootmark
11808   \rule{z@}{\footnotesep}\ignorespaces{\RTLfoottextfont #1}%
11809   \@finalstrut\strutbox
11810 }
11811 \newcommand{\@normalLTRfootfmt}[1]{%
11812   \@preamnormalfmt
11813   \LTRfootfootmark
11814   \rule{z@}{\footnotesep}\ignorespaces{\LTRfoottextfont #1}%
11815   \@finalstrut\strutbox
11816 }
11817 \renewcommand{\@footnotetext}[1]{%
11818   \insert\footins{%
11819     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11820     \def\baselinestretch{\m@m@footnote@spacing}%
11821     \reset@font
11822     \foottextfont
11823     \@preamfntext
11824     \hsize\columnwidth
11825     \protected@edef\@currentlabel{%
11826       \csname p@footnote\endcsname\@thefnmark}%
11827     \color@begingroup
11828     \@normalfootfmt{#1}%
11829     \color@endgroup}%
11830     \m@m@mmf@prepare}
11831 \renewcommand{\@RTLfootnotetext}[1]{%
11832   \insert\footins{%
11833     \@RTLtrue%
11834     \def\baselinestretch{\m@m@footnote@spacing}%
11835     \reset@font
11836     \RTLfoottextfont
11837     \@preamfntext
11838     \hsize\columnwidth

```



```

11839 \protected@edef\@currentlabel{%
11840 \csname p@footnote\endcsname\@thefnmark}%
11841 \color@begingroup
11842 \normalRTLfootfmt{#1}%
11843 \color@endgroup}%
11844 \m@mmf@prepare}
11845 \renewcommand{\@LTRfootnotetext}[1]{%
11846 \insert\footins{%
11847 \@RTLfalse%
11848 \def\baselinestretch{\m@m@footnote@spacing}%
11849 \reset@font
11850 \LTRfoottextfont
11851 \@preamfntext
11852 \hsize\columnwidth
11853 \protected@edef\@currentlabel{%
11854 \csname p@footnote\endcsname\@thefnmark}%
11855 \color@begingroup
11856 \normalLTRfootfmt{#1}%
11857 \color@endgroup}%
11858 \m@mmf@prepare}
11859 \renewcommand{\@mpfootnotetext}[1]{%
11860 \global\setbox\@mpfootins\vbox{%
11861 \unvbox\@mpfootins
11862 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
11863 \def\baselinestretch{\m@m@footnote@spacing}%
11864 \reset@font%
11865 \foottextfont \hsize\columnwidth \@parboxrestore
11866 \protected@edef\@currentlabel{%
11867 \csname p@mpfootnote\endcsname\@thefnmark}%
11868 \color@begingroup
11869 \normalfootfmt{#1}%
11870 \color@endgroup}}
11871 \renewcommand{\@mplTRfootnotetext}[1]{%
11872 \global\setbox\@mpfootins\vbox{%
11873 \unvbox\@mpfootins
11874 \@RTLfalse
11875 \def\baselinestretch{\m@m@footnote@spacing}%
11876 \reset@font%
11877 \LTRfoottextfont \hsize\columnwidth \@parboxrestore
11878 \protected@edef\@currentlabel{%
11879 \csname p@mpfootnote\endcsname\@thefnmark}%
11880 \color@begingroup
11881 \normalLTRfootfmt{#1}%
11882 \color@endgroup}}
11883 \renewcommand{\@mpRTLfootnotetext}[1]{%
11884 \global\setbox\@mpfootins\vbox{%
11885 \unvbox\@mpfootins
11886 \@RTLtrue
11887 \def\baselinestretch{\m@m@footnote@spacing}%
11888 \reset@font%
11889 \RTLfoottextfont \hsize\columnwidth \@parboxrestore
11890 \protected@edef\@currentlabel{%
11891 \csname p@mpfootnote\endcsname\@thefnmark}%
11892 \color@begingroup

```



```

11893 \normalRTLfootfmt{#1}%
11894 \color@endgroup}}
11895 \let\m@mold@footnotetext\@footnotetext
11896 \let\m@mold@LTRfootnotetext\@LTRfootnotetext
11897 \let\m@mold@RTLfootnotetext\@RTLfootnotetext
11898 \let\m@mold@mpfootnotetext\@mpfootnotetext
11899 \let\m@mold@mpLTRfootnotetext\@mpLTRfootnotetext
11900 \let\m@mold@mpRTLfootnotetext\@mpRTLfootnotetext
11901 \bidi@ensure@newcommand{\normalfootnotes}{%
11902 \@bidi@before@Hy@hyperfootnotes
11903 \let\@footnotetext\m@mold@footnotetext
11904 \let\@LTRfootnotetext\m@mold@LTRfootnotetext
11905 \let\@RTLfootnotetext\m@mold@RTLfootnotetext
11906 \let\@mpfootnotetext\m@mold@mpfootnotetext
11907 \let\@mpLTRfootnotetext\m@mold@mpLTRfootnotetext
11908 \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
11909 \@bidi@after@Hy@hyperfootnotes
11910 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
11911 }
11912 \IfClassLoadedT{memoir}{\let\plainfootnotes\normalfootnotes}
11913 \bidi@ensure@newcommand*{\setSingleSpace}[1]{%
11914 \def\m@m@singlespace{#1}%
11915 \def\m@m@footnote@spacing{#1}%
11916 \def\m@m@float@spacing{#1} %
11917 }
11918 \setSingleSpace{1}
11919 \bidi@ensure@newcommand*{\multiplefootnotemarker}{3sp}
11920 \bidi@ensure@newcommand*{\m@m@mmf@prepare}{%
11921 \kern-\multiplefootnotemarker
11922 \kern\multiplefootnotemarker\relax}
11923 \bidi@ensure@newlength{\footmarkwidth}
11924 \bidi@ensure@newcommand*{\footmarkstyle}[1]{\def\footscript##1{#1}}
11925 \bidi@ensure@newcommand*{\LTRfootmarkstyle}[1]{\def\LTRfootscript##1{#1}}
11926 \bidi@ensure@newcommand*{\RTLfootmarkstyle}[1]{\def\RTLfootscript##1{#1}}
11927 \bidi@ensure@newcommand{\footfootmark}{%
11928 \ifdim\footmarkwidth < \z@
11929 \llap{\hb@xt@ -\footmarkwidth{%
11930 \hss\normalfont\footscript{\@thefnmark}}}%
11931 \hspace*{-\footmarkwidth}}%
11932 \else
11933 \ifdim\footmarkwidth = \z@
11934 {\normalfont\footscript{\@thefnmark}}%
11935 \else
11936 \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\@thefnmark}}%
11937 \fi
11938 \fi}
11939 \bidi@ensure@newcommand{\LTRfootfootmark}{%
11940 \ifdim\footmarkwidth < \z@
11941 \llap{\hb@xt@ -\footmarkwidth{%
11942 \hss\normalfont\LTRfootscript{\@thefnmark}}}%
11943 \hspace*{-\footmarkwidth}}%
11944 \else
11945 \ifdim\footmarkwidth = \z@
11946 {\normalfont\LTRfootscript{\@thefnmark}}%

```



```

11947 \else
11948 \hb@xt@{\footmarkwidth{\hss\normalfont\LTRfootscript{\@thefnmark}}}%
11949 \fi
11950 \fi}
11951 \bidi@ensure@newcommand{\RTLfootfootmark}{%
11952 \ifdim\footmarkwidth < \z@
11953 \llap{\hb@xt@ -\footmarkwidth{%
11954 \hss\normalfont\RTLfootscript{\@thefnmark}}}%
11955 \hspace*{-\footmarkwidth}}%
11956 \else
11957 \ifdim\footmarkwidth = \z@
11958 {\normalfont\RTLfootscript{\@thefnmark}}%
11959 \else
11960 \hb@xt@{\footmarkwidth{\hss\normalfont\RTLfootscript{\@thefnmark}}}%
11961 \fi
11962 \fi}
11963 \footmarkstyle{\textsuperscript{#1}}
11964 \LTRfootmarkstyle{\textsuperscript{#1}}
11965 \RTLfootmarkstyle{\textsuperscript{#1}}
11966 \newcommand*{\bidi@normal@footmarkwidth}{%
11967 \setlength{\footmarkwidth}{1em plus.3em minus.3em}%
11968 }
11969 \newcommand*{\bidi@star@footmarkwidth}{%
11970 \setlength{\footmarkwidth}{0em plus.3em minus.3em}%
11971 }
11972 \bidi@normal@footmarkwidth
11973 \bidi@ensure@newcommand{\m@mdoextrafeet}{\extrafeetins}
11974 \bidi@ensure@newcommand*{\extrafeetins}{%
11975 \bidi@joinfootnotes\footinsv@r\@footstartv@r\@footgroupv@r
11976 \bidi@joinfootnotes\footinsv@l\@footstartv@l\@LTRfootgroupv@l
11977 \bidi@joinfootnotes\@bidi@copyins@}{\unvbox\@bidi@copyins@}%
11978 \extrafeetinshook}
11979 \bidi@ensure@newcommand{\extrafeetinshook}{%
11980 \bidi@ensure@newcommand{\foottextfont}{\footnotesize}
11981 \bidi@ensure@newcommand{\LTRfoottextfont}{\footnotesize}
11982 \bidi@ensure@newcommand{\RTLfoottextfont}{\footnotesize}
11983 \bidi@ensure@newlength{\footinsdim}
11984 \setlength{\footinsdim}{8in} % standard for \dimen\footins
11985 \bidi@ensure@newcommand{\@preamfntext}{%
11986 \interlinepenalty\interfootnotelinepenalty
11987 \floatingpenalty \@MM
11988 \splittopskip=\footnotesep
11989 \splitmaxdepth=\dp\strutbox
11990 \@parboxrestore}
11991 \def\bidi@ifmulticol#1#2{\@tempswafalse
11992 \ifnum\col@number>\@ne
11993 \ifnum\count\footins>1999 \@tempswatrue \fi
11994 \fi
11995 \if@tempswa #1\else #2\fi
11996 }
11997 \def\bidi@joinfootnotes#1#2#3{%
11998 \ifvoid#1
11999 \else
12000 \@tempskipa\skip#1%

```




```

12001 \bidi@ifmulticol{\divide\@tempskipa\col@number}{}%
12002 \edef\bidi@footskip{\vskip\the\@tempskipa\relax}%
12003 \bidi@removexfootskip
12004 \ifvoid\footins
12005 \global\setbox\footins\vbox{#2#3}%
12006 \else
12007 \global\setbox\footins\vbox{%
12008 \unvbox\footins
12009 \bidi@footskip
12010 #2#3%
12011 }%
12012 \fi
12013 \fi
12014 }
12015 \def\bidi@joinmpfootnotes#1#2#3{%
12016 \ifvoid#1
12017 \else
12018 \@tempskipa\skip#1%
12019 \bidi@ifmulticol{\divide\@tempskipa\col@number}{}%
12020 \edef\bidi@footskip{\vskip\the\@tempskipa\relax}%
12021 \bidi@removexfootskip
12022 \ifvoid\@mpfootins
12023 \global\setbox\@mpfootins\vbox{#2#3}%
12024 \else
12025 \global\setbox\@mpfootins\vbox{%
12026 \unvbox\@mpfootins
12027 \bidi@footskip
12028 #2#3%
12029 }%
12030 \fi
12031 \fi
12032 }
12033 \bidi@ensure@newcommand{\m@mdoextrafeetmini}{%
12034 \extrafeetminihook}
12035 \bidi@ensure@newcommand{\extrafeetendmini}{%
12036 \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
12037 \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
12038 \extrafeetendminihook}
12039 \bidi@ensure@newcommand{\extrafeetendminihook}{%
12040 \bidi@ensure@newcommand{\m@mdoextrafeetendmini}{\extrafeetendmini}
12041 \def\endminipage{%
12042 \par
12043 \unskip
12044 \m@mdoextrafeetendmini
12045 \ifvoid\@mpfootins
12046 \else
12047 \vskip\skip\@mpfootins
12048 \normalcolor
12049 \footnoterule
12050 \unvbox\@mpfootins
12051 \fi
12052 \@minipagefalse
12053 \color@endgroup
12054 \egroup

```



```

12055 \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
12056 \bidi@ensure@newcommand{\m@make@footstart}[1]{%
12057 \@namedef{\footstart#1}{%
12058 \leftskip=\z@
12059 \rightskip=\z@
12060 \parindent=\z@
12061 }%
12062 }
12063 \newinsert\footinsv@r
12064 \skip\footinsv@r\skip\footins
12065 \count\footinsv@r=1000 % no magnification
12066 \dimen\footinsv@r=\footinsdim
12067 \m@make@footstart{v@r}
12068 \newinsert\footinsv@l
12069 \skip\footinsv@l\skip\footins
12070 \count\footinsv@l=1000 % no magnification
12071 \dimen\footinsv@l=\footinsdim
12072 \m@make@footstart{v@l}
12073 \bidi@ensure@newcommand{\@footgroupv@r}{}
12074 \newinsert\@mpfootinsv@r
12075 \skip\@mpfootinsv@r\skip\@mpfootins
12076 \newinsert\@mpfootinsv@l
12077 \skip\@mpfootinsv@l\skip\@mpfootins
12078 \bidi@ensure@newcommand{\mp@footgroupv@r}{}
12079 \newcount\m@m@k \newdimen\m@m@h
12080 \bidi@ensure@newcommand*\{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
12081 \@@line{\beginR\splittopskip=\m@m@h \vbadness=\@M \hfilneg
12082 \valign{##\vfill\cr\m@mdosplits}\endR}}
12083 \newcommand*\{\bidi@LTRrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
12084 \@@line{\beginL\splittopskip=\m@m@h \vbadness=\@M \hfilneg
12085 \valign{##\vfill\cr\m@mdosplits}\endL}}
12086 \bidi@ensure@newcommand*\{\m@mdosplits}{\ifnum\m@m@k>0 \noalign{\hfil}\m@msplitoff
12087 \global\advance\m@m@k-1\cr\m@mdosplits\fi}
12088 \bidi@ensure@newcommand*\{\m@msplitoff}{\dimen0=\ht0
12089 \divide\dimen0 by\m@m@k \advance\dimen0 by\m@m@h
12090 \setbox2 \vsplit0 to \dimen0
12091 \unvbox2 }
12092 \bidi@ensure@newcommand{\twocolumnfootnotes}{%
12093 \@namedef{\foottextfontv@r}{\foottextfont}% % [RS]
12094 \@namedef{\foottextfontv@l}{\LTRfoottextfont}%
12095 \@bidi@before@Hy@hyperfootnotes
12096 \let\@footnotetext\@twocolfootnotetext
12097 \let\@LTRfootnotetext\@twocolLTRfootnotetext
12098 \let\@RTLfootnotetext\@twocolRTLfootnotetext
12099 \dimen\footinsv@r=2\footinsdim
12100 \count\footinsv@r=500\relax
12101 \m@make@twocol@footgroup{v@r}%
12102 \let\@footgroupv@r\@twocol@footgroupv@r
12103 \dimen\footinsv@l=2\footinsdim
12104 \count\footinsv@l=500\relax
12105 \bidi@make@twocol@LTRfootgroup{v@l}%
12106 \let\@LTRfootgroupv@l\@twocol@LTRfootgroupv@l
12107 \let\@mpfootnotetext\@mptwocolfootnotetext
12108 \let\@mpLTRfootnotetext\@mptwocolLTRfootnotetext

```



```

12109 \let\@mpRTLfootnotetext\@mptwocolRTLfootnotetext
12110 \@bidi@after@Hy@hyperfootnotes
12111 \m@make@mptwocol@footgroup{v@r}%
12112 \let\mp@footgroupv@r\@mptwocol@footgroupv@r
12113 \bidi@make@mptwocol@LTRfootgroup{v@l}%
12114 \let\mp@LTRfootgroupv@l\@mptwocol@LTRfootgroupv@l
12115 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12116 }
12117 \bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert
12118 \ifRTL@footnote
12119 \footinsv@r
12120 \else
12121 \footinsv@l
12122 \fi
12123 {\ifRTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12124 \def\baselinestretch{\m@m@footnote@spacing}%
12125 \reset@font\foottextfont
12126 \@preamfntext
12127 \protected@edef\@currentlabel{%
12128 \csname p@footnote\endcsname\@thefnmark}%
12129 \color@begingroup
12130 \@twocolfootfmt{#1}%
12131 \color@endgroup}%
12132 \m@mmf@prepare}
12133 \bidi@ensure@newcommand{\@twocolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
12134 \def\baselinestretch{\m@m@footnote@spacing}%
12135 \reset@font\LTRfoottextfont
12136 \@preamfntext
12137 \protected@edef\@currentlabel{%
12138 \csname p@footnote\endcsname\@thefnmark}%
12139 \color@begingroup
12140 \@twocolLTRfootfmt{#1}%
12141 \color@endgroup}%
12142 \m@mmf@prepare}
12143 \bidi@ensure@newcommand{\@twocolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
12144 \def\baselinestretch{\m@m@footnote@spacing}%
12145 \reset@font\RTLfoottextfont
12146 \@preamfntext
12147 \protected@edef\@currentlabel{%
12148 \csname p@footnote\endcsname\@thefnmark}%
12149 \color@begingroup
12150 \@twocolRTLfootfmt{#1}%
12151 \color@endgroup}%
12152 \m@mmf@prepare}
12153 \bidi@ensure@newcommand{\@preamtwofmt}{%
12154 \hspace{.45\hspace}
12155 \parindent=\z@
12156 \tolerance=5000\relax
12157 \leavevmode}
12158 \bidi@ensure@newcommand{\@twocolfootfmt}[1]{%
12159 \@preamtwofmt
12160 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12161 \bidi@ensure@newcommand{\@twocolLTRfootfmt}[1]{%
12162 \@preamtwofmt

```



```

12163 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12164 \bidi@ensure@newcommand{\@twocolRTLfootfmt}[1]{%
12165   \@preamtwofmt
12166   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12167 \bidi@ensure@newcommand{\@mptwocolfootnotetext}[1]{%
12168   \global\setbox
12169     \if@RTL@footnote
12170     \@mpfootinsv@r
12171   \else
12172     \@mpfootinsv@l
12173   \fi
12174   \vbox{%
12175     \unvbox
12176     \if@RTL@footnote
12177     \@mpfootinsv@r
12178   \else
12179     \@mpfootinsv@l
12180   \fi
12181   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12182   \def\baselinestretch{\m@m@footnote@spacing}%
12183   \reset@font\foottextfont
12184   \hsize\columnwidth \@parboxrestore
12185   \protected@edef\@currentlabel{%
12186     \csname p@mpfootnote\endcsname\@thefnmark}%
12187   \color@begingroup
12188     \@twocolfootfmt{#1}%
12189   \color@endgroup}%
12190   \m@m@prepare}
12191 \bidi@ensure@newcommand{\@mptwocolLTRfootnotetext}[1]{%
12192   \global\setbox\@mpfootinsv@l\vbox{%
12193     \unvbox\@mpfootinsv@l
12194     \@RTLfalse
12195     \def\baselinestretch{\m@m@footnote@spacing}%
12196     \reset@font\LTRfoottextfont
12197     \hsize\columnwidth \@parboxrestore
12198     \protected@edef\@currentlabel{%
12199       \csname p@mpfootnote\endcsname\@thefnmark}%
12200   \color@begingroup
12201     \@twocolLTRfootfmt{#1}%
12202   \color@endgroup}%
12203   \m@m@prepare}
12204 \bidi@ensure@newcommand{\@mptwocolRTLfootnotetext}[1]{%
12205   \global\setbox\@mpfootinsv@r\vbox{%
12206     \unvbox\@mpfootinsv@r
12207     \@RTLtrue
12208     \def\baselinestretch{\m@m@footnote@spacing}%
12209     \reset@font\RTLfoottextfont
12210     \hsize\columnwidth \@parboxrestore
12211     \protected@edef\@currentlabel{%
12212       \csname p@mpfootnote\endcsname\@thefnmark}%
12213   \color@begingroup
12214     \@twocolRTLfootfmt{#1}%
12215   \color@endgroup}%
12216   \m@m@prepare}

```



```

12217 \bidi@ensure@newcommand{\m@make@twocol@footgroup}[1]{%
12218   \@namedef{@twocol@footgroup#1}{%
12219     \def\baselinestretch{\m@m@footnote@spacing}%
12220     \hsize\bidi@columnwidth
12221     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12222     \m@rigrigidbodybalance{\@nameuse{footins#1}}{\tw@}{\splittopskip}}}%
12223 \newcommand{\bidi@make@twocol@LTRfootgroup}[1]{%
12224   \@namedef{@twocol@LTRfootgroup#1}{%
12225     \def\baselinestretch{\m@m@footnote@spacing}%
12226     \hsize\bidi@columnwidth
12227     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12228     \bidi@LTRrigrigidbodybalance{\@nameuse{footins#1}}{\tw@}{\splittopskip}}}%
12229 \bidi@ensure@newcommand{\m@make@mptwocol@footgroup}[1]{%
12230   \@namedef{@mptwocol@footgroup#1}{%
12231     \def\baselinestretch{\m@m@footnote@spacing}%
12232     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12233     \m@rigrigidbodybalance{\@nameuse{mpfootins#1}}{\tw@}{\splittopskip}}}%
12234 \newcommand{\bidi@make@mptwocol@LTRfootgroup}[1]{%
12235   \@namedef{@mptwocol@LTRfootgroup#1}{%
12236     \def\baselinestretch{\m@m@footnote@spacing}%
12237     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12238     \bidi@LTRrigrigidbodybalance{\@nameuse{mpfootins#1}}{\tw@}{\splittopskip}}}%
12239 \bidi@ensure@newcommand{\threecolumnfootnotes}{%
12240   \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
12241   \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12242   \@bidi@before@Hy@hyperfootnotes
12243   \let\@footnotetext\@threecolfootnotetext
12244   \let\@LTRfootnotetext\@threecolLTRfootnotetext
12245   \let\@RTLfootnotetext\@threecolRTLfootnotetext
12246   \dimen\footinsv@r=3\footinsdim
12247   \count\footinsv@r=333\relax
12248   \m@make@threecol@footgroup{v@r}%
12249   \let\@footgroupv@r\@threecol@footgroupv@r
12250   \dimen\footinsv@l=3\footinsdim
12251   \count\footinsv@l=333\relax
12252   \bidi@make@threecol@LTRfootgroup{v@l}%
12253   \let\@LTRfootgroupv@l\@threecol@LTRfootgroupv@l
12254   \let\@mpfootnotetext\@mpthreecolfootnotetext
12255   \let\@mpLTRfootnotetext\@mpthreecolLTRfootnotetext
12256   \let\@mpRTLfootnotetext\@mpthreecolRTLfootnotetext
12257   \@bidi@after@Hy@hyperfootnotes
12258   \m@make@mpthreecol@footgroup{v@r}%
12259   \let\mp@footgroupv@r\@mpthreecol@footgroupv@r
12260   \bidi@make@mpthreecol@LTRfootgroup{v@l}%
12261   \let\mp@LTRfootgroupv@l\@mpthreecol@LTRfootgroupv@l
12262   \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12263 }
12264 \bidi@ensure@newcommand{\@threecolfootnotetext}[1]{\insert
12265   \if@RTL@footnote
12266     \footinsv@r
12267   \else
12268     \footinsv@l
12269   \fi
12270 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%

```



```

12271 \def\baselinestretch{\m@m@footnote@spacing}%
12272 \reset@font\foottextfont
12273 \@preamfntext
12274 \protected@edef\@currentlabel{%
12275   \csname p@footnote\endcsname\@thefnmark}%
12276 \color@begingroup
12277   \@threecolfootfmt{#1}%
12278 \color@endgroup}\m@mmf@prepare}
12279 \bidi@ensure@newcommand{\@threecolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
12280 \def\baselinestretch{\m@m@footnote@spacing}%
12281 \reset@font\LTRfoottextfont
12282 \@preamfntext
12283 \protected@edef\@currentlabel{%
12284   \csname p@footnote\endcsname\@thefnmark}%
12285 \color@begingroup
12286   \@threecolLTRfootfmt{#1}%
12287 \color@endgroup}\m@mmf@prepare}
12288 \bidi@ensure@newcommand{\@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
12289 \def\baselinestretch{\m@m@footnote@spacing}%
12290 \reset@font\RTLfoottextfont
12291 \@preamfntext
12292 \protected@edef\@currentlabel{%
12293   \csname p@footnote\endcsname\@thefnmark}%
12294 \color@begingroup
12295   \@threecolRTLfootfmt{#1}%
12296 \color@endgroup}\m@mmf@prepare}
12297 \bidi@ensure@newcommand{\@preamthreefmt}{%
12298   \hsize .3\hsize
12299   \parindent=\z@
12300   \tolerance=5000\relax
12301   \leavevmode}
12302 \bidi@ensure@newcommand{\@threecolfootfmt}[1]{%
12303   \@preamthreefmt
12304   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12305 \bidi@ensure@newcommand{\@threecolLTRfootfmt}[1]{%
12306   \@preamthreefmt
12307   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12308 \bidi@ensure@newcommand{\@threecolRTLfootfmt}[1]{%
12309   \@preamthreefmt
12310   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12311 \bidi@ensure@newcommand{\@mpthreecolfootnotetext}[1]{%
12312   \global\setbox
12313     \if@RTL@footnote
12314     \@mpfootinsv@r
12315   \else
12316     \@mpfootinsv@l
12317   \fi
12318   \vbox{%
12319     \unvbox
12320     \if@RTL@footnote
12321     \@mpfootinsv@r
12322   \else
12323     \@mpfootinsv@l
12324   \fi

```



```

12325 \ifRTL@footnote\@RTLtrue\else\@RTLfalse\fi
12326 \def\baselinestretch{\m@m@footnote@spacing}%
12327 \reset@font\foottextfont
12328 \hsize\columnwidth \@parboxrestore
12329 \protected@edef\@currentlabel{%
12330 \csname p@mpfootnote\endcsname\@thefnmark}%
12331 \color@begingroup
12332 \@threecolfootfmt{#1}%
12333 \color@endgroup}\m@mmf@prepare}
12334 \bidi@ensure@newcommand{\@mpthreecolLTRfootnotetext}[1]{%
12335 \global\setbox\@mpfootinsv@l\vbox{%
12336 \unvbox\@mpfootinsv@l
12337 \@RTLfalse
12338 \def\baselinestretch{\m@m@footnote@spacing}%
12339 \reset@font\LTRfoottextfont
12340 \hsize\columnwidth \@parboxrestore
12341 \protected@edef\@currentlabel{%
12342 \csname p@mpfootnote\endcsname\@thefnmark}%
12343 \color@begingroup
12344 \@threecolLTRfootfmt{#1}%
12345 \color@endgroup}\m@mmf@prepare}
12346 \bidi@ensure@newcommand{\@mpthreecolRTLfootnotetext}[1]{%
12347 \global\setbox\@mpfootinsv@r\vbox{%
12348 \unvbox\@mpfootinsv@r
12349 \@RTLtrue
12350 \def\baselinestretch{\m@m@footnote@spacing}%
12351 \reset@font\RTLfoottextfont
12352 \hsize\columnwidth \@parboxrestore
12353 \protected@edef\@currentlabel{%
12354 \csname p@mpfootnote\endcsname\@thefnmark}%
12355 \color@begingroup
12356 \@threecolRTLfootfmt{#1}%
12357 \color@endgroup}\m@mmf@prepare}
12358 \bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
12359 \@namedef{\@threecol@footgroup#1}{\{
12360 \def\baselinestretch{\m@m@footnote@spacing}%
12361 \hsize\columnwidth
12362 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12363 \m@mrigidbalance{\@nameuse{footins#1}}{\thr@@}{\splittopskip}}}}
12364 \newcommand{\bidi@make@threecol@LTRfootgroup}[1]{%
12365 \@namedef{\@threecol@LTRfootgroup#1}{\{
12366 \def\baselinestretch{\m@m@footnote@spacing}%
12367 \hsize\columnwidth
12368 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12369 \bidi@LTRrigidbalance{\@nameuse{footins#1}}{\thr@@}{\splittopskip}}}}
12370 \bidi@ensure@newcommand{\m@make@mpthreecol@footgroup}[1]{%
12371 \@namedef{\@mpthreecol@footgroup#1}{\{
12372 \def\baselinestretch{\m@m@footnote@spacing}%
12373 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12374 \m@mrigidbalance{\@nameuse{mpfootins#1}}{\thr@@}{\splittopskip}}}}
12375 \newcommand{\bidi@make@mpthreecol@LTRfootgroup}[1]{%
12376 \@namedef{\@mpthreecol@LTRfootgroup#1}{\{
12377 \def\baselinestretch{\m@m@footnote@spacing}%
12378 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox

```



```

12379 \bidi@LTRrigidbalance{\@nameuse{@mpfootins#1}}{\thr@@}{\splittopskip}}}}
12380 \bidi@ensure@newcommand{\fourcolumnfootnotes}{%
12381 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
12382 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12383 \@bidi@before@Hy@hyperfootnotes
12384 \let\@footnotetext\@fourcolfootnotetext
12385 \let\@LTRfootnotetext\@fourcolLTRfootnotetext
12386 \let\@RTLfootnotetext\@fourcolRTLfootnotetext
12387 \dimen\footinsv@r=4\footinsdim
12388 \count\footinsv@r=250\relax
12389 \m@make@fourcol@footgroup{v@r}%
12390 \let\@footgroupv@r\@fourcol@footgroupv@r
12391 \dimen\footinsv@l=4\footinsdim
12392 \count\footinsv@l=250\relax
12393 \bidi@make@fourcol@LTRfootgroup{v@l}%
12394 \let\@LTRfootgroupv@l\@fourcol@LTRfootgroupv@l
12395 \let\@mpfootnotetext\@mpfourcolfootnotetext
12396 \let\@mpLTRfootnotetext\@mpfourcolLTRfootnotetext
12397 \let\@mpRTLfootnotetext\@mpfourcolRTLfootnotetext
12398 \@bidi@after@Hy@hyperfootnotes
12399 \m@make@mpfourcol@footgroup{v@r}%
12400 \let\mp@footgroupv@r\@mpfourcol@footgroupv@r
12401 \bidi@make@mpfourcol@LTRfootgroup{v@l}%
12402 \let\mp@LTRfootgroupv@l\@mpfourcol@LTRfootgroupv@l
12403 \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12404 }
12405 \bidi@ensure@newcommand{\@fourcolfootnotetext}[1]{\insert
12406 \if@RTL@footnote
12407 \footinsv@r
12408 \else
12409 \footinsv@l
12410 \fi
12411 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12412 \def\baselinestretch{\m@{footnote@spacing}%
12413 \reset@font\foottextfont
12414 \@preamfntext
12415 \protected@edef\@currentlabel{%
12416 \csname p@footnote\endcsname\@thefnmark}%
12417 \color@begingroup
12418 \@fourcolfootfmt{#1}%
12419 \color@endgroup}%
12420 \m@mmf@prepare}
12421 \bidi@ensure@newcommand{\@fourcolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
12422 \def\baselinestretch{\m@{footnote@spacing}%
12423 \reset@font\LTRfoottextfont
12424 \@preamfntext
12425 \protected@edef\@currentlabel{%
12426 \csname p@footnote\endcsname\@thefnmark}%
12427 \color@begingroup
12428 \@fourcolLTRfootfmt{#1}%
12429 \color@endgroup}%
12430 \m@mmf@prepare}
12431 \bidi@ensure@newcommand{\@fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
12432 \def\baselinestretch{\m@{footnote@spacing}%

```




```

12433 \reset@font\RTLfoottextfont
12434 \@preamfntext
12435 \protected@edef\@currentlabel{%
12436   \csname p@footnote\endcsname\@thefnmark}%
12437 \color@begingroup
12438   \@fourcolRTLfootfmt{#1}%
12439 \color@endgroup}%
12440 \m@mmf@prepare}
12441 \bidi@ensure@newcommand{\@preamfourfmt}{%
12442   \hsize .25\hsize
12443   \parindent=\z@
12444   \tolerance=5000\relax
12445   \leavevmode}
12446 \bidi@ensure@newcommand{\@fourcolfootfmt}[1]{%
12447   \@preamfourfmt
12448   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12449 \bidi@ensure@newcommand{\@fourcolLTRfootfmt}[1]{%
12450   \@preamfourfmt
12451   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12452 \bidi@ensure@newcommand{\@fourcolRTLfootfmt}[1]{%
12453   \@preamfourfmt
12454   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12455 \bidi@ensure@newcommand{\@mpfourcolfootnotetext}[1]{%
12456   \global\setbox
12457     \if@RTL@footnote
12458     \@mpfootinsv@r
12459   \else
12460     \@mpfootinsv@l
12461   \fi
12462   \vbox{%
12463     \unvbox
12464     \if@RTL@footnote
12465     \@mpfootinsv@r
12466   \else
12467     \@mpfootinsv@l
12468   \fi
12469   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12470   \def\baselinestretch{\m@m@footnote@spacing}%
12471   \reset@font\foottextfont
12472   \hsize\columnwidth \@parboxrestore
12473   \protected@edef\@currentlabel{%
12474     \csname p@mpfootnote\endcsname\@thefnmark}%
12475   \color@begingroup
12476     \@fourcolfootfmt{#1}%
12477   \color@endgroup}%
12478   \m@mmf@prepare}
12479 \bidi@ensure@newcommand{\@mpfourcolLTRfootnotetext}[1]{%
12480   \global\setbox\@mpfootinsv@l\vbox{%
12481     \unvbox\@mpfootinsv@l
12482     \@RTLfalse
12483     \def\baselinestretch{\m@m@footnote@spacing}%
12484     \reset@font\LTRfoottextfont
12485     \hsize\columnwidth \@parboxrestore
12486     \protected@edef\@currentlabel{%

```



```

12487 \csname p@mpfootnote\endcsname\@thefnmark}%
12488 \color@begingroup
12489 \@fourcolLTRfootfmt{#1}%
12490 \color@endgroup}%
12491 \m@mmf@prepare}
12492 \bidi@ensure@newcommand{\@mpfourcolRTLfootnotetext}[1]{%
12493 \global\setbox\@mpfootinsv@r\vbox{%
12494 \unvbox\@mpfootinsv@r
12495 \@RTLtrue
12496 \def\baselinestretch{\m@m@footnote@spacing}%
12497 \reset@font\RTLfoottextfont
12498 \hsize\columnwidth \@parboxrestore
12499 \protected@edef\@currentlabel{%
12500 \csname p@mpfootnote\endcsname\@thefnmark}%
12501 \color@begingroup
12502 \@fourcolRTLfootfmt{#1}%
12503 \color@endgroup}%
12504 \m@mmf@prepare}
12505 \bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
12506 \@namedef{\@fourcol@footgroup#1}{%
12507 \def\baselinestretch{\m@m@footnote@spacing}%
12508 \hsize\bidi@columnwidth
12509 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12510 \m@mrigidbalance{\@nameuse{footins#1}}{4}{\splittopskip}}}}
12511 \newcommand{\bidi@make@fourcol@LTRfootgroup}[1]{%
12512 \@namedef{\@fourcol@LTRfootgroup#1}{%
12513 \def\baselinestretch{\m@m@footnote@spacing}%
12514 \hsize\bidi@columnwidth
12515 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12516 \bidi@LTRrigidbalance{\@nameuse{footins#1}}{4}{\splittopskip}}}}
12517 \bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
12518 \@namedef{\@mpfourcol@footgroup#1}{%
12519 \def\baselinestretch{\m@m@footnote@spacing}%
12520 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12521 \m@mrigidbalance{\@nameuse{\@mpfootins#1}}{4}{\splittopskip}}}}
12522 \newcommand{\bidi@make@mpfourcol@LTRfootgroup}[1]{%
12523 \@namedef{\@mpfourcol@LTRfootgroup#1}{%
12524 \def\baselinestretch{\m@m@footnote@spacing}%
12525 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12526 \bidi@LTRrigidbalance{\@nameuse{\@mpfootins#1}}{4}{\splittopskip}}}}
12527 \bidi@ensure@newcommand{\fivecolumnfootnotes}{%
12528 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
12529 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12530 \@bidi@before@Hy@hyperfootnotes
12531 \let\@footnotetext\@fivecolfootnotetext
12532 \let\@LTRfootnotetext\@fivecolLTRfootnotetext
12533 \let\@RTLfootnotetext\@fivecolRTLfootnotetext
12534 \dimen\footinsv@r=5\footinsdim
12535 \count\footinsv@r=200\relax
12536 \m@make@fivecol@footgroup{v@r}%
12537 \let\@footgroupv@r\@fivecol@footgroupv@r
12538 \dimen\footinsv@l=5\footinsdim
12539 \count\footinsv@l=200\relax
12540 \bidi@make@fivecol@LTRfootgroup{v@l}%

```



```

12541 \let\@LTRfootgroupv@l\@fivecol@LTRfootgroupv@l
12542 \let\@mpfootnotetext\@mpfivecolfootnotetext
12543 \let\@mpLTRfootnotetext\@mpfivecolLTRfootnotetext
12544 \let\@mpRTLfootnotetext\@mpfivecolRTLfootnotetext
12545 \@bidi@after@Hy@hyperfootnotes
12546 \m@make@mpfivecol@footgroup{v@r}%
12547 \let\mp@footgroupv@r\@mpfivecol@footgroupv@r
12548 \bidi@make@mpfivecol@LTRfootgroup{v@l}%
12549 \let\mp@LTRfootgroupv@l\@mpfivecol@LTRfootgroupv@l
12550 \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12551 }
12552 \bidi@ensure@newcommand{\@fivecolfootnotetext}[1]{\insert
12553   \if@RTL@footnote
12554     \footinsv@r
12555   \else
12556     \footinsv@l
12557   \fi
12558 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12559   \def\baselinestretch{\m@footnote@spacing}%
12560   \reset@font\foottextfont
12561   \@preamfntext
12562   \protected@edef\@currentlabel{%
12563     \csname p@footnote\endcsname\@thefnmark}%
12564   \color@begingroup
12565     \@fivecolfootfmt{#1}%
12566   \color@endgroup}%
12567   \m@mmf@prepare}
12568 \bidi@ensure@newcommand{\@fivecolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
12569   \def\baselinestretch{\m@footnote@spacing}%
12570   \reset@font\LTRfoottextfont
12571   \@preamfntext
12572   \protected@edef\@currentlabel{%
12573     \csname p@footnote\endcsname\@thefnmark}%
12574   \color@begingroup
12575     \@fivecolLTRfootfmt{#1}%
12576   \color@endgroup}%
12577   \m@mmf@prepare}
12578 \bidi@ensure@newcommand{\@fivecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
12579   \def\baselinestretch{\m@footnote@spacing}%
12580   \reset@font\RTLfoottextfont
12581   \@preamfntext
12582   \protected@edef\@currentlabel{%
12583     \csname p@footnote\endcsname\@thefnmark}%
12584   \color@begingroup
12585     \@fivecolRTLfootfmt{#1}%
12586   \color@endgroup}%
12587   \m@mmf@prepare}
12588 \bidi@ensure@newcommand{\@preamfivefmt}{%
12589   \hspace{.2\hsize}
12590   \parindent=\z@
12591   \tolerance=5000\relax
12592   \leavevmode}
12593 \bidi@ensure@newcommand{\@fivecolfootfmt}[1]{%
12594   \@preamfivefmt

```



```

12595 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12596 \bidi@ensure@newcommand{\@fivecolLTRfootfmt}[1]{%
12597   \@preamfivefmt
12598   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12599 \bidi@ensure@newcommand{\@fivecolRTLfootfmt}[1]{%
12600   \@preamfivefmt
12601   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12602 \bidi@ensure@newcommand{\@mpfivecolfootnotetext}[1]{%
12603   \global\setbox
12604     \if@RTL@footnote
12605     \@mpfootinsv@r
12606   \else
12607     \@mpfootinsv@l
12608   \fi
12609   \vbox{%
12610     \unvbox
12611     \if@RTL@footnote
12612     \@mpfootinsv@r
12613   \else
12614     \@mpfootinsv@l
12615   \fi
12616   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12617   \def\baselinestretch{\m@m@footnote@spacing}%
12618   \reset@font\foottextfont
12619   \hsize\columnwidth \@parboxrestore
12620   \protected@edef\@currentlabel{%
12621     \csname p@mpfootnote\endcsname\@thefnmark}%
12622   \color@begingroup
12623     \@fivecolfootfmt{#1}%
12624   \color@endgroup}%
12625   \m@m@mmf@prepare}
12626 \bidi@ensure@newcommand{\@mpfivecolLTRfootnotetext}[1]{%
12627   \global\setbox\@mpfootinsv@l\vbox{%
12628     \unvbox\@mpfootinsv@l
12629     \@RTLfalse
12630     \def\baselinestretch{\m@m@footnote@spacing}%
12631     \reset@font\LTRfoottextfont
12632     \hsize\columnwidth \@parboxrestore
12633     \protected@edef\@currentlabel{%
12634       \csname p@mpfootnote\endcsname\@thefnmark}%
12635     \color@begingroup
12636       \@fivecolLTRfootfmt{#1}%
12637     \color@endgroup}%
12638     \m@m@mmf@prepare}
12639 \bidi@ensure@newcommand{\@mpfivecolRTLfootnotetext}[1]{%
12640   \global\setbox\@mpfootinsv@r\vbox{%
12641     \unvbox\@mpfootinsv@r
12642     \@RTLtrue
12643     \def\baselinestretch{\m@m@footnote@spacing}%
12644     \reset@font\RTLfoottextfont
12645     \hsize\columnwidth \@parboxrestore
12646     \protected@edef\@currentlabel{%
12647       \csname p@mpfootnote\endcsname\@thefnmark}%
12648     \color@begingroup

```



```

12649 \@fivecolRTLfootfmt{#1}%
12650 \color@endgroup}%
12651 \m@mmf@prepare}
12652 \bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
12653 \@namedef{@fivecol@footgroup#1}{%
12654 \def\baselinestretch{\m@m@footnote@spacing}%
12655 \hsize\bidi@columnwidth
12656 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12657 \m@mrigidbodybalance{\@nameuse{footins#1}}{5}{\splittopskip}}}}
12658 \newcommand{\bidi@make@fivecol@LTRfootgroup}[1]{%
12659 \@namedef{@fivecol@LTRfootgroup#1}{%
12660 \def\baselinestretch{\m@m@footnote@spacing}%
12661 \hsize\bidi@columnwidth
12662 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12663 \bidi@LTRigidbodybalance{\@nameuse{footins#1}}{5}{\splittopskip}}}}
12664 \bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
12665 \@namedef{@mpfivecol@footgroup#1}{%
12666 \def\baselinestretch{\m@m@footnote@spacing}%
12667 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12668 \m@mrigidbodybalance{\@nameuse{mpfootins#1}}{5}{\splittopskip}}}}
12669 \newcommand{\bidi@make@mpfivecol@LTRfootgroup}[1]{%
12670 \@namedef{@mpfivecol@LTRfootgroup#1}{%
12671 \def\baselinestretch{\m@m@footnote@spacing}%
12672 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12673 \bidi@LTRigidbodybalance{\@nameuse{mpfootins#1}}{5}{\splittopskip}}}}
12674 \bidi@ensure@newcommand{\sixcolumnfootnotes}{%
12675 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
12676 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12677 \@bidi@before@Hy@hyperfootnotes
12678 \let\@footnotetext\@sixcolfootnotetext
12679 \let\@LTRfootnotetext\@sixcolLTRfootnotetext
12680 \let\@RTLfootnotetext\@sixcolRTLfootnotetext
12681 \dimen\footinsv@r=6\footinsdim
12682 \count\footinsv@r=166\relax
12683 \m@make@sixcol@footgroup{v@r}%
12684 \let\@footgroupv@r\@sixcol@footgroupv@r
12685 \dimen\footinsv@l=6\footinsdim
12686 \count\footinsv@l=166\relax
12687 \bidi@make@sixcol@LTRfootgroup{v@l}%
12688 \let\@LTRfootgroupv@l\@sixcol@LTRfootgroupv@l
12689 \let\@mpfootnotetext\@mpsixcolfootnotetext
12690 \let\@mpLTRfootnotetext\@mpsixcolLTRfootnotetext
12691 \let\@mpRTLfootnotetext\@mpsixcolRTLfootnotetext
12692 \@bidi@after@Hy@hyperfootnotes
12693 \m@make@mpsixcol@footgroup{v@r}%
12694 \let\mp@footgroupv@r\@mpsixcol@footgroupv@r
12695 \bidi@make@mpsixcol@LTRfootgroup{v@l}%
12696 \let\mp@LTRfootgroupv@l\@mpsixcol@LTRfootgroupv@l
12697 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12698 }
12699 \bidi@ensure@newcommand{\@sixcolfootnotetext}[1]{\insert
12700 \if@RTL@footnote
12701 \footinsv@r
12702 \else

```



```

12703 \footinsv@l
12704 \fi
12705 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12706 \def\baselinestretch{\m@{footnote@spacing}%
12707 \reset@font\foottextfont
12708 \@preamfntext
12709 \protected@edef\@currentlabel{%
12710 \csname p@footnote\endcsname\@thefnmark}%
12711 \color@begingroup
12712 \@sixcolfootfmt{#1}%
12713 \color@endgroup}%
12714 \m@{mmf@prepare}
12715 \bidi@ensure@newcommand{\@sixcolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
12716 \def\baselinestretch{\m@{footnote@spacing}%
12717 \reset@font\LTRfoottextfont
12718 \@preamfntext
12719 \protected@edef\@currentlabel{%
12720 \csname p@footnote\endcsname\@thefnmark}%
12721 \color@begingroup
12722 \@sixcolLTRfootfmt{#1}%
12723 \color@endgroup}%
12724 \m@{mmf@prepare}
12725 \bidi@ensure@newcommand{\@sixcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
12726 \def\baselinestretch{\m@{footnote@spacing}%
12727 \reset@font\RTLfoottextfont
12728 \@preamfntext
12729 \protected@edef\@currentlabel{%
12730 \csname p@footnote\endcsname\@thefnmark}%
12731 \color@begingroup
12732 \@sixcolRTLfootfmt{#1}%
12733 \color@endgroup}%
12734 \m@{mmf@prepare}
12735 \bidi@ensure@newcommand{\@preamsixfmt}{%
12736 \hspace{.16\hspace}
12737 \parindent=\z@
12738 \tolerance=5000\relax
12739 \leavevmode}
12740 \bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
12741 \@preamsixfmt
12742 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12743 \bidi@ensure@newcommand{\@sixcolLTRfootfmt}[1]{%
12744 \@preamsixfmt
12745 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12746 \bidi@ensure@newcommand{\@sixcolRTLfootfmt}[1]{%
12747 \@preamsixfmt
12748 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12749 \bidi@ensure@newcommand{\@mpsixcolfootnotetext}[1]{%
12750 \global\setbox
12751 \if@RTL@footnote
12752 \@mpfootinsv@r
12753 \else
12754 \@mpfootinsv@l
12755 \fi
12756 \vbox{%

```



```

12757 \unvbox
12758 \if@RTL@footnote
12759 \@mpfootinsv@r
12760 \else
12761 \@mpfootinsv@l
12762 \fi
12763 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12764 \def\baselinestretch{\m@m@footnote@spacing}%
12765 \reset@font\foottextfont
12766 \hsize\columnwidth \@parboxrestore
12767 \protected@edef\@currentlabel{%
12768 \csname p@mpfootnote\endcsname\@thefnmark}%
12769 \color@begingroup
12770 \@sixcolfootfmt{#1}%
12771 \color@endgroup}%
12772 \m@m@mmf@prepare}
12773 \bidi@ensure@newcommand{\@mpsixcolLTRfootnotetext}[1]{%
12774 \global\setbox\@mpfootinsv@l\vbox{%
12775 \unvbox\@mpfootinsv@l
12776 \@RTLfalse
12777 \def\baselinestretch{\m@m@footnote@spacing}%
12778 \reset@font\LTRfoottextfont
12779 \hsize\columnwidth \@parboxrestore
12780 \protected@edef\@currentlabel{%
12781 \csname p@mpfootnote\endcsname\@thefnmark}%
12782 \color@begingroup
12783 \@sixcolLTRfootfmt{#1}%
12784 \color@endgroup}%
12785 \m@m@mmf@prepare}
12786 \bidi@ensure@newcommand{\@mpsixcolRTLfootnotetext}[1]{%
12787 \global\setbox\@mpfootinsv@r\vbox{%
12788 \unvbox\@mpfootinsv@r
12789 \@RTLtrue
12790 \def\baselinestretch{\m@m@footnote@spacing}%
12791 \reset@font\RTLfoottextfont
12792 \hsize\columnwidth \@parboxrestore
12793 \protected@edef\@currentlabel{%
12794 \csname p@mpfootnote\endcsname\@thefnmark}%
12795 \color@begingroup
12796 \@sixcolRTLfootfmt{#1}%
12797 \color@endgroup}%
12798 \m@m@mmf@prepare}
12799 \bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
12800 \@namedef{\@sixcol@footgroup#1}{%
12801 \def\baselinestretch{\m@m@footnote@spacing}%
12802 \hsize\bidi@columnwidth
12803 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12804 \m@m@rigidbalance{\@nameuse{footins#1}}{6}{\splittopskip}}}%
12805 \newcommand{\bidi@make@sixcol@LTRfootgroup}[1]{%
12806 \@namedef{\@sixcol@LTRfootgroup#1}{%
12807 \def\baselinestretch{\m@m@footnote@spacing}%
12808 \hsize\bidi@columnwidth
12809 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12810 \bidi@LTRrigidbalance{\@nameuse{footins#1}}{6}{\splittopskip}}}%

```



```

12811 \bidi@ensure@newcommand{\m@make@mpsixel@footgroup}[1]{%
12812 \namedef{@mpsixel@footgroup#1}{%
12813 \def\baselinestretch{\m@footnote@spacing}%
12814 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12815 \m@rigidbalance{\@nameuse{@mpfootins#1}}{6}{\splittopskip}}}%
12816 \newcommand{\bidi@make@mpsixel@LTRfootgroup}[1]{%
12817 \namedef{@mpsixel@LTRfootgroup#1}{%
12818 \def\baselinestretch{\m@footnote@spacing}%
12819 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12820 \bidi@LTRrigidbalance{\@nameuse{@mpfootins#1}}{6}{\splittopskip}}}%
12821 \bidi@ensure@newcommand{\sevendcolumnfootnotes}{%
12822 \namedef{foottextfontv@r}{\foottextfont}% % [RS]
12823 \namedef{foottextfontv@l}{\LTRfoottextfont}%
12824 \@bidi@before@Hy@hyperfootnotes
12825 \let\@footnotetext\@sevendcolumnfootnotetext
12826 \let\@LTRfootnotetext\@sevendcolumnLTRfootnotetext
12827 \let\@RTLfootnotetext\@sevendcolumnRTLfootnotetext
12828 \dimen\footinsv@r=7\footinsdim
12829 \count\footinsv@r=142\relax
12830 \m@make@sevendcolumn@footgroup{v@r}%
12831 \let\@footgroupv@r\@sevendcolumn@footgroupv@r
12832 \dimen\footinsv@l=7\footinsdim
12833 \count\footinsv@l=142\relax
12834 \bidi@make@sevendcolumn@LTRfootgroup{v@l}%
12835 \let\@LTRfootgroupv@l\@sevendcolumn@LTRfootgroupv@l
12836 \let\@mpfootnotetext\@mpsevendcolumnfootnotetext
12837 \let\@mpLTRfootnotetext\@mpsevendcolumnLTRfootnotetext
12838 \let\@mpRTLfootnotetext\@mpsevendcolumnRTLfootnotetext
12839 \@bidi@after@Hy@hyperfootnotes
12840 \m@make@mpsevendcolumn@footgroup{v@r}%
12841 \let\mp@footgroupv@r\@mpsevendcolumn@footgroupv@r
12842 \bidi@make@mpsevendcolumn@LTRfootgroup{v@l}%
12843 \let\mp@LTRfootgroupv@l\@mpsevendcolumn@LTRfootgroupv@l
12844 \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12845 }
12846 \bidi@ensure@newcommand{\@sevendcolumnfootnotetext}[1]{\insert
12847 \if@RTL@footnote
12848 \footinsv@r
12849 \else
12850 \footinsv@l
12851 \fi
12852 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12853 \def\baselinestretch{\m@footnote@spacing}%
12854 \reset@font\foottextfont
12855 \@preamfntext
12856 \protected@edef\@currentlabel{%
12857 \csname p@footnote\endcsname\@thefnmark}%
12858 \color@begingroup
12859 \@sevendcolumnfootfmt{#1}%
12860 \color@endgroup}%
12861 \m@mmf@prepare}
12862 \bidi@ensure@newcommand{\@sevendcolumnLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
12863 \def\baselinestretch{\m@footnote@spacing}%
12864 \reset@font\LTRfoottextfont

```




```

12865 \@preamfntext
12866 \protected@edef\@currentlabel{%
12867   \csname p@footnote\endcsname\@thefnmark}%
12868 \color@begingroup
12869   \@sevenscolLTRfootfmt{#1}%
12870 \color@endgroup}%
12871 \m@mmf@prepare}
12872 \bidi@ensure@newcommand{\@sevenscolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
12873   \def\baselinestretch{\m@m@footnote@spacing}%
12874   \reset@font\RTLfoottextfont
12875   \@preamfntext
12876   \protected@edef\@currentlabel{%
12877     \csname p@footnote\endcsname\@thefnmark}%
12878   \color@begingroup
12879     \@sevenscolRTLfootfmt{#1}%
12880   \color@endgroup}%
12881   \m@mmf@prepare}
12882 \bidi@ensure@newcommand{\@preamsevenfmt}{%
12883   \hspace{.142\hspace}
12884   \parindent=\z@
12885   \tolerance=5000\relax
12886   \leavevmode}
12887 \bidi@ensure@newcommand{\@sevenscolfootfmt}[1]{%
12888   \@preamsevenfmt
12889   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12890 \bidi@ensure@newcommand{\@sevenscolLTRfootfmt}[1]{%
12891   \@preamsevenfmt
12892   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12893 \bidi@ensure@newcommand{\@sevenscolRTLfootfmt}[1]{%
12894   \@preamsevenfmt
12895   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12896 \bidi@ensure@newcommand{\@mpsevenscolfootnotetext}[1]{%
12897   \global\setbox
12898     \if@RTL@footnote
12899     \@mpfootinsv@r
12900   \else
12901     \@mpfootinsv@l
12902   \fi
12903   \vbox{%
12904     \unvbox
12905     \if@RTL@footnote
12906     \@mpfootinsv@r
12907   \else
12908     \@mpfootinsv@l
12909   \fi
12910   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12911   \def\baselinestretch{\m@m@footnote@spacing}%
12912   \reset@font\foottextfont
12913   \hspace\columnwidth \@parboxrestore
12914   \protected@edef\@currentlabel{%
12915     \csname p@mpfootnote\endcsname\@thefnmark}%
12916   \color@begingroup
12917     \@sevenscolfootfmt{#1}%
12918   \color@endgroup}%

```



```

12919 \m@mmf@prepare}
12920 \bidi@ensure@newcommand{\@mpsevenscolLTRfootnotetext}[1]{%
12921 \global\setbox\@mpfootinsv@l\vbox{%
12922 \unvbox\@mpfootinsv@l
12923 \RTLfalse
12924 \def\baselinestretch{\m@m@footnote@spacing}%
12925 \reset@font\LTRfoottextfont
12926 \hsize\columnwidth \@parboxrestore
12927 \protected@edef\@currentlabel{%
12928 \csname p@mpfootnote\endcsname\@thefnmark}%
12929 \color@begingroup
12930 \@sevenscolLTRfootfmt{#1}%
12931 \color@endgroup}%
12932 \m@mmf@prepare}
12933 \bidi@ensure@newcommand{\@mpsevenscolRTLfootnotetext}[1]{%
12934 \global\setbox\@mpfootinsv@r\vbox{%
12935 \unvbox\@mpfootinsv@r
12936 \RTLtrue
12937 \def\baselinestretch{\m@m@footnote@spacing}%
12938 \reset@font\RTLfoottextfont
12939 \hsize\columnwidth \@parboxrestore
12940 \protected@edef\@currentlabel{%
12941 \csname p@mpfootnote\endcsname\@thefnmark}%
12942 \color@begingroup
12943 \@sevenscolRTLfootfmt{#1}%
12944 \color@endgroup}%
12945 \m@mmf@prepare}
12946 \bidi@ensure@newcommand{\m@make@sevenscol@footgroup}[1]{%
12947 \@namedef{\@sevenscol@footgroup#1}{%
12948 \def\baselinestretch{\m@m@footnote@spacing}%
12949 \hsize\bidi@columnwidth
12950 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12951 \m@mrigidbalance{\@nameuse{footins#1}}{7}{\splittopskip}}}%
12952 \newcommand{\bidi@make@sevenscol@LTRfootgroup}[1]{%
12953 \@namedef{\@sevenscol@LTRfootgroup#1}{%
12954 \def\baselinestretch{\m@m@footnote@spacing}%
12955 \hsize\bidi@columnwidth
12956 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12957 \bidi@LTRrigidbalance{\@nameuse{footins#1}}{7}{\splittopskip}}}%
12958 \bidi@ensure@newcommand{\m@make@mpsevenscol@footgroup}[1]{%
12959 \@namedef{\@mpsevenscol@footgroup#1}{%
12960 \def\baselinestretch{\m@m@footnote@spacing}%
12961 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12962 \m@mrigidbalance{\@nameuse{\@mpfootins#1}}{7}{\splittopskip}}}%
12963 \newcommand{\bidi@make@mpsevenscol@LTRfootgroup}[1]{%
12964 \@namedef{\@mpsevenscol@LTRfootgroup#1}{%
12965 \def\baselinestretch{\m@m@footnote@spacing}%
12966 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12967 \bidi@LTRrigidbalance{\@nameuse{\@mpfootins#1}}{7}{\splittopskip}}}%
12968 \bidi@ensure@newcommand{\eightcolumnfootnotes}{%
12969 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
12970 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12971 \@bidi@before@Hy@hyperfootnotes
12972 \let\@footnotetext\@eightcolfootnotetext

```



```

12973 \let\@LTRfootnotetext\@eightcolLTRfootnotetext
12974 \let\@RTLfootnotetext\@eightcolRTLfootnotetext
12975 \dimen\footinsv@r=8\footinsdim
12976 \count\footinsv@r=125\relax
12977 \m@make@eightcol@footgroup{v@r}%
12978 \let\@footgroupv@r\@eightcol@footgroupv@r
12979 \dimen\footinsv@l=8\footinsdim
12980 \count\footinsv@l=125\relax
12981 \bidi@make@eightcol@LTRfootgroup{v@l}%
12982 \let\@LTRfootgroupv@l\@eightcol@LTRfootgroupv@l
12983 \let\@mpfootnotetext\@mpeightcolfootnotetext
12984 \let\@mpLTRfootnotetext\@mpeightcolLTRfootnotetext
12985 \let\@mpRTLfootnotetext\@mpeightcolRTLfootnotetext
12986 \@bidi@after@Hy@hyperfootnotes
12987 \m@make@mpeightcol@footgroup{v@r}%
12988 \let\mp@footgroupv@r\@mpeightcol@footgroupv@r
12989 \bidi@make@mpeightcol@LTRfootgroup{v@l}%
12990 \let\mp@LTRfootgroupv@l\@mpeightcol@LTRfootgroupv@l
12991 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12992 }
12993 \bidi@ensure@newcommand{\@eightcolfootnotetext}[1]{\insert
12994   \if@RTL@footnote
12995     \footinsv@r
12996   \else
12997     \footinsv@l
12998   \fi
12999 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
13000 \def\baselinestretch{\m@mm@footnote@spacing}%
13001 \reset@font\foottextfont
13002 \@preamfntext
13003 \protected@edef\@currentlabel{%
13004   \csname p@footnote\endcsname\@thefnmark}%
13005 \color@begingroup
13006   \@eightcolfootfmt{#1}%
13007 \color@endgroup}%
13008 \m@mmf@prepare}
13009 \bidi@ensure@newcommand{\@eightcolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
13010 \def\baselinestretch{\m@mm@footnote@spacing}%
13011 \reset@font\LTRfoottextfont
13012 \@preamfntext
13013 \protected@edef\@currentlabel{%
13014   \csname p@footnote\endcsname\@thefnmark}%
13015 \color@begingroup
13016   \@eightcolLTRfootfmt{#1}%
13017 \color@endgroup}%
13018 \m@mmf@prepare}
13019 \bidi@ensure@newcommand{\@eightcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
13020 \def\baselinestretch{\m@mm@footnote@spacing}%
13021 \reset@font\RTLfoottextfont
13022 \@preamfntext
13023 \protected@edef\@currentlabel{%
13024   \csname p@footnote\endcsname\@thefnmark}%
13025 \color@begingroup
13026   \@eightcolRTLfootfmt{#1}%

```



```

13027 \color@endgroup}%
13028 \m@mmf@prepare}
13029 \bidi@ensure@newcommand{\@preameightfmt}{%
13030 \hsize .125\hsize
13031 \parindent=\z@
13032 \tolerance=5000\relax
13033 \leavevmode}
13034 \bidi@ensure@newcommand{\@eightcolfootfmt}[1]{%
13035 \@preameightfmt
13036 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
13037 \bidi@ensure@newcommand{\@eightcolLTRfootfmt}[1]{%
13038 \@preameightfmt
13039 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
13040 \bidi@ensure@newcommand{\@eightcolRTLfootfmt}[1]{%
13041 \@preameightfmt
13042 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
13043 \bidi@ensure@newcommand{\@mpeightcolfootnotetext}[1]{%
13044 \global\setbox
13045 \if@RTL@footnote
13046 \mpfootinsv@r
13047 \else
13048 \mpfootinsv@l
13049 \fi
13050 \vbox{%
13051 \unvbox
13052 \if@RTL@footnote
13053 \mpfootinsv@r
13054 \else
13055 \mpfootinsv@l
13056 \fi
13057 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13058 \def\baselinestretch{\m@m@footnote@spacing}%
13059 \reset@font\foottextfont
13060 \hsize\columnwidth \@parboxrestore
13061 \protected@edef\@currentlabel{%
13062 \csname p@mpfootnote\endcsname\@thefnmark}%
13063 \color@begingroup
13064 \@eightcolfootfmt{#1}%
13065 \color@endgroup}%
13066 \m@mmf@prepare}
13067 \bidi@ensure@newcommand{\@mpeightcolLTRfootnotetext}[1]{%
13068 \global\setbox\mpfootinsv@l\vbox{%
13069 \unvbox\mpfootinsv@l
13070 \@RTLfalse
13071 \def\baselinestretch{\m@m@footnote@spacing}%
13072 \reset@font\LTRfoottextfont
13073 \hsize\columnwidth \@parboxrestore
13074 \protected@edef\@currentlabel{%
13075 \csname p@mpfootnote\endcsname\@thefnmark}%
13076 \color@begingroup
13077 \@eightcolLTRfootfmt{#1}%
13078 \color@endgroup}%
13079 \m@mmf@prepare}
13080 \bidi@ensure@newcommand{\@mpeightcolRTLfootnotetext}[1]{%

```



```

13081 \global\setbox\@mpfootinsv@r\vbox{%
13082   \unvbox\@mpfootinsv@r
13083   \@RTLtrue
13084   \def\baselinestretch{\m@m@footnote@spacing}%
13085   \reset@font\RTLfoottextfont
13086   \hsize\columnwidth \@parboxrestore
13087   \protected@edef\@currentlabel{%
13088     \csname p@mpfootnote\endcsname\@thefnmark}%
13089   \color@begingroup
13090     \@eightcolRTLfootfmt{#1}%
13091   \color@endgroup}%
13092   \m@m@mmf@prepare}
13093 \bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%
13094   \@namedef{@eightcol@footgroup#1}{%
13095     \def\baselinestretch{\m@m@footnote@spacing}%
13096     \hsize\bidi@columnwidth
13097     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13098     \m@m@rigidbalance{\@nameuse{footins#1}}{8}{\splittopskip}}}}
13099 \newcommand{\bidi@make@eightcol@LTRfootgroup}[1]{%
13100   \@namedef{@eightcol@LTRfootgroup#1}{%
13101     \def\baselinestretch{\m@m@footnote@spacing}%
13102     \hsize\bidi@columnwidth
13103     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13104     \bidi@LTRrigidbalance{\@nameuse{footins#1}}{8}{\splittopskip}}}}
13105 \bidi@ensure@newcommand{\m@make@mpeightcol@footgroup}[1]{%
13106   \@namedef{@mpeightcol@footgroup#1}{%
13107     \def\baselinestretch{\m@m@footnote@spacing}%
13108     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13109     \m@m@rigidbalance{\@nameuse{mpfootins#1}}{8}{\splittopskip}}}}
13110 \newcommand{\bidi@make@mpeightcol@LTRfootgroup}[1]{%
13111   \@namedef{@mpeightcol@LTRfootgroup#1}{%
13112     \def\baselinestretch{\m@m@footnote@spacing}%
13113     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13114     \bidi@LTRrigidbalance{\@nameuse{mpfootins#1}}{8}{\splittopskip}}}}
13115 \bidi@ensure@newcommand{\ninecolumnfootnotes}{%
13116   \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
13117   \@namedef{foottextfontv@l}{\LTRfoottextfont}%
13118   \@bidi@before@Hy@hyperfootnotes
13119   \let\@footnotetext\@ninecolfootnotetext
13120   \let\@LTRfootnotetext\@ninecolLTRfootnotetext
13121   \let\@RTLfootnotetext\@ninecolRTLfootnotetext
13122   \dimen\footinsv@r=9\footinsdim
13123   \count\footinsv@r=111\relax
13124   \m@make@ninecol@footgroup{v@r}%
13125   \let\@footgroupv@r\@ninecol@footgroupv@r
13126   \dimen\footinsv@l=9\footinsdim
13127   \count\footinsv@l=111\relax
13128   \bidi@make@ninecol@LTRfootgroup{v@l}%
13129   \let\@LTRfootgroupv@l\@ninecol@LTRfootgroupv@l
13130   \let\@mpfootnotetext\@mpninecolfootnotetext
13131   \let\@mpLTRfootnotetext\@mpninecolLTRfootnotetext
13132   \let\@mpRTLfootnotetext\@mpninecolRTLfootnotetext
13133   \@bidi@after@Hy@hyperfootnotes
13134   \m@make@mpninecol@footgroup{v@r}%

```



```

13135 \let\mp@footgroupv@r\@mpninelcol@footgroupv@r
13136 \bidi@make@mpninelcol@LTRfootgroup{v@1}%
13137 \let\mp@LTRfootgroupv@1\@mpninelcol@LTRfootgroupv@1
13138 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13139 }
13140 \bidi@ensure@newcommand{\@ninelcolfootnotetext}[1]{\insert
13141 \ifRTL@footnote
13142 \footinsv@r
13143 \else
13144 \footinsv@l
13145 \fi
13146 {\ifRTL@footnote\@RTLtrue\else\@RTLfalse\fi%
13147 \def\baselinestretch{\m@m@footnote@spacing}%
13148 \reset@font\foottextfont
13149 \@preamfntext
13150 \protected@edef\@currentlabel{%
13151 \csname p@footnote\endcsname\@thefnmark}%
13152 \color@begingroup
13153 \@ninelcolfootfmt{#1}%
13154 \color@endgroup}%
13155 \m@m@mmf@prepare}
13156 \bidi@ensure@newcommand{\@ninelcolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
13157 \def\baselinestretch{\m@m@footnote@spacing}%
13158 \reset@font\LTRfoottextfont
13159 \@preamfntext
13160 \protected@edef\@currentlabel{%
13161 \csname p@footnote\endcsname\@thefnmark}%
13162 \color@begingroup
13163 \@ninelcolLTRfootfmt{#1}%
13164 \color@endgroup}%
13165 \m@m@mmf@prepare}
13166 \bidi@ensure@newcommand{\@ninelcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
13167 \def\baselinestretch{\m@m@footnote@spacing}%
13168 \reset@font\RTLfoottextfont
13169 \@preamfntext
13170 \protected@edef\@currentlabel{%
13171 \csname p@footnote\endcsname\@thefnmark}%
13172 \color@begingroup
13173 \@ninelcolRTLfootfmt{#1}%
13174 \color@endgroup}%
13175 \m@m@mmf@prepare}
13176 \bidi@ensure@newcommand{\@preamninelmt}{%
13177 \hspace{.1\hspace}
13178 \parindent=\z@
13179 \tolerance=5000\relax
13180 \leavevmode}
13181 \bidi@ensure@newcommand{\@ninelcolfootfmt}[1]{%
13182 \@preamninelmt
13183 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
13184 \bidi@ensure@newcommand{\@ninelcolLTRfootfmt}[1]{%
13185 \@preamninelmt
13186 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
13187 \bidi@ensure@newcommand{\@ninelcolRTLfootfmt}[1]{%
13188 \@preamninelmt

```



```

13189 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
13190 \bidi@ensure@newcommand{\@mpninecolfootnotetext}[1]{%
13191   \global\setbox
13192     \if@RTL@footnote
13193       \@mpfootinsv@r
13194     \else
13195       \@mpfootinsv@l
13196   \fi
13197   \vbox{%
13198     \unvbox
13199     \if@RTL@footnote
13200       \@mpfootinsv@r
13201     \else
13202       \@mpfootinsv@l
13203   \fi
13204   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13205   \def\baselinestretch{\m@m@footnote@spacing}%
13206   \reset@font\foottextfont
13207   \hsize\columnwidth \@parboxrestore
13208   \protected@edef\@currentlabel{%
13209     \csname p@mpfootnote\endcsname\@thefnmark}%
13210   \color@begingroup
13211     \@ninecolfootfmt{#1}%
13212   \color@endgroup}%
13213   \m@mmf@prepare}
13214 \bidi@ensure@newcommand{\@mpninecolLTRfootnotetext}[1]{%
13215   \global\setbox\@mpfootinsv@l\vbox{%
13216     \unvbox\@mpfootinsv@l
13217     \@RTLfalse
13218     \def\baselinestretch{\m@m@footnote@spacing}%
13219     \reset@font\LTRfoottextfont
13220     \hsize\columnwidth \@parboxrestore
13221     \protected@edef\@currentlabel{%
13222       \csname p@mpfootnote\endcsname\@thefnmark}%
13223     \color@begingroup
13224       \@ninecolLTRfootfmt{#1}%
13225     \color@endgroup}%
13226   \m@mmf@prepare}
13227 \bidi@ensure@newcommand{\@mpninecolRTLfootnotetext}[1]{%
13228   \global\setbox\@mpfootinsv@r\vbox{%
13229     \unvbox\@mpfootinsv@r
13230     \@RTLtrue
13231     \def\baselinestretch{\m@m@footnote@spacing}%
13232     \reset@font\RTLfoottextfont
13233     \hsize\columnwidth \@parboxrestore
13234     \protected@edef\@currentlabel{%
13235       \csname p@mpfootnote\endcsname\@thefnmark}%
13236     \color@begingroup
13237       \@ninecolRTLfootfmt{#1}%
13238     \color@endgroup}%
13239   \m@mmf@prepare}
13240 \bidi@ensure@newcommand{\m@make@ninecol@footgroup}[1]{%
13241   \@namedef{\@ninecol@footgroup#1}{%
13242     \def\baselinestretch{\m@m@footnote@spacing}%

```



```

13243 \hsize\bidicolumnwidth
13244 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13245 \m@mrigidbalance{\@nameuse{footins#1}}{9}{\splittopskip}}}}
13246 \newcommand{\bidi@make@necol@LTRfootgroup}[1]{%
13247 \@namedef{@necol@LTRfootgroup#1}{%
13248 \def\baselinestretch{\m@m@footnote@spacing}%
13249 \hsize\bidicolumnwidth
13250 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13251 \bidi@LTRrigidbalance{\@nameuse{footins#1}}{9}{\splittopskip}}}}
13252 \bidi@ensure@newcommand{\m@make@mpnecol@footgroup}[1]{%
13253 \@namedef{@mpnecol@footgroup#1}{%
13254 \def\baselinestretch{\m@m@footnote@spacing}%
13255 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13256 \m@mrigidbalance{\@nameuse{mpfootins#1}}{9}{\splittopskip}}}}
13257 \newcommand{\bidi@make@mpnecol@LTRfootgroup}[1]{%
13258 \@namedef{@mpnecol@LTRfootgroup#1}{%
13259 \def\baselinestretch{\m@m@footnote@spacing}%
13260 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13261 \bidi@LTRrigidbalance{\@nameuse{mpfootins#1}}{9}{\splittopskip}}}}
13262 \bidi@ensure@newcommand{\tencolumnfootnotes}{%
13263 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
13264 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
13265 \@bidi@before@Hy@hyperfootnotes
13266 \let\@footnotetext\@tencolfootnotetext
13267 \let\@LTRfootnotetext\@tencolLTRfootnotetext
13268 \let\@RTLfootnotetext\@tencolRTLfootnotetext
13269 \dimen\footinsv@r=10\footinsdim
13270 \count\footinsv@r=100\relax
13271 \m@make@tencol@footgroup{v@r}%
13272 \let\@footgroupv@r\@tencol@footgroupv@r
13273 \dimen\footinsv@l=10\footinsdim
13274 \count\footinsv@l=100\relax
13275 \bidi@make@tencol@LTRfootgroup{v@l}%
13276 \let\@LTRfootgroupv@l\@tencol@LTRfootgroupv@l
13277 \let\@mpfootnotetext\@mptencolfootnotetext
13278 \let\@mpLTRfootnotetext\@mptencolLTRfootnotetext
13279 \let\@mpRTLfootnotetext\@mptencolRTLfootnotetext
13280 \@bidi@after@Hy@hyperfootnotes
13281 \m@make@mptencol@footgroup{v@r}%
13282 \let\mp@footgroupv@r\@mptencol@footgroupv@r
13283 \bidi@make@mptencol@LTRfootgroup{v@l}%
13284 \let\mp@LTRfootgroupv@l\@mptencol@LTRfootgroupv@l
13285 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13286 }
13287 \bidi@ensure@newcommand{\@tencolfootnotetext}[1]{\insert
13288 \if@RTL@footnote
13289 \footinsv@r
13290 \else
13291 \footinsv@l
13292 \fi
13293 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
13294 \def\baselinestretch{\m@m@footnote@spacing}%
13295 \reset@font\foottextfont
13296 \@preamfntext

```




```

13297 \protected@edef\@currentlabel{%
13298   \csname p@footnote\endcsname\@thefnmark}%
13299 \color@begingroup
13300   \@tencolfootfmt{#1}%
13301 \color@endgroup}%
13302 \m@mmf@prepare}
13303 \bidi@ensure@newcommand{\@tencolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
13304   \def\baselinestretch{\m@m@footnote@spacing}%
13305   \reset@font\LTRfoottextfont
13306   \@preamfntext
13307   \protected@edef\@currentlabel{%
13308     \csname p@footnote\endcsname\@thefnmark}%
13309   \color@begingroup
13310     \@tencolLTRfootfmt{#1}%
13311   \color@endgroup}%
13312   \m@mmf@prepare}
13313 \bidi@ensure@newcommand{\@tencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
13314   \def\baselinestretch{\m@m@footnote@spacing}%
13315   \reset@font\RTLfoottextfont
13316   \@preamfntext
13317   \protected@edef\@currentlabel{%
13318     \csname p@footnote\endcsname\@thefnmark}%
13319   \color@begingroup
13320     \@tencolRTLfootfmt{#1}%
13321   \color@endgroup}%
13322   \m@mmf@prepare}
13323 \bidi@ensure@newcommand{\@preamtenfmt}{%
13324   \hsize .1\hsize
13325   \parindent=\z@
13326   \tolerance=5000\relax
13327   \leavevmode}
13328 \bidi@ensure@newcommand{\@tencolfootfmt}[1]{%
13329   \@preamtenfmt
13330   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
13331 \bidi@ensure@newcommand{\@tencolLTRfootfmt}[1]{%
13332   \@preamtenfmt
13333   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
13334 \bidi@ensure@newcommand{\@tencolRTLfootfmt}[1]{%
13335   \@preamtenfmt
13336   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
13337 \bidi@ensure@newcommand{\@mptencolfootnotetext}[1]{%
13338   \global\setbox
13339     \if@RTL@footnote
13340     \@mpfootinsv@r
13341   \else
13342     \@mpfootinsv@l
13343   \fi
13344   \vbox{%
13345     \unvbox
13346     \if@RTL@footnote
13347     \@mpfootinsv@r
13348   \else
13349     \@mpfootinsv@l
13350   \fi

```



```

13351 \ifRTL@footnote\@RTLtrue\else\@RTLfalse\fi
13352 \def\baselinestretch{\m@m@footnote@spacing}%
13353 \reset@font\foottextfont
13354 \hsize\columnwidth \@parboxrestore
13355 \protected@edef\@currentlabel{%
13356 \csname p@mpfootnote\endcsname\@thefnmark}%
13357 \color@begingroup
13358 \@tencolfootfmt{#1}%
13359 \color@endgroup}%
13360 \m@m@mmf@prepare}
13361 \bidi@ensure@newcommand{\@mptencolLTRfootnotetext}[1]{%
13362 \global\setbox\@mpfootinsv@l\vbox{%
13363 \unvbox\@mpfootinsv@l
13364 \@RTLfalse
13365 \def\baselinestretch{\m@m@footnote@spacing}%
13366 \reset@font\LTRfoottextfont
13367 \hsize\columnwidth \@parboxrestore
13368 \protected@edef\@currentlabel{%
13369 \csname p@mpfootnote\endcsname\@thefnmark}%
13370 \color@begingroup
13371 \@tencolLTRfootfmt{#1}%
13372 \color@endgroup}%
13373 \m@m@mmf@prepare}
13374 \bidi@ensure@newcommand{\@mptencolRTLfootnotetext}[1]{%
13375 \global\setbox\@mpfootinsv@r\vbox{%
13376 \unvbox\@mpfootinsv@r
13377 \@RTLtrue
13378 \def\baselinestretch{\m@m@footnote@spacing}%
13379 \reset@font\RTLfoottextfont
13380 \hsize\columnwidth \@parboxrestore
13381 \protected@edef\@currentlabel{%
13382 \csname p@mpfootnote\endcsname\@thefnmark}%
13383 \color@begingroup
13384 \@tencolRTLfootfmt{#1}%
13385 \color@endgroup}%
13386 \m@m@mmf@prepare}
13387 \bidi@ensure@newcommand{\m@make@tencol@footgroup}[1]{%
13388 \@namedef{@tencol@footgroup#1}{%
13389 \def\baselinestretch{\m@m@footnote@spacing}%
13390 \hsize\bidi@columnwidth
13391 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13392 \m@mrigidbalance{\@nameuse{footins#1}}{10}{\splittopskip}}}%
13393 \newcommand{\bidi@make@tencol@LTRfootgroup}[1]{%
13394 \@namedef{@tencol@LTRfootgroup#1}{%
13395 \def\baselinestretch{\m@m@footnote@spacing}%
13396 \hsize\bidi@columnwidth
13397 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13398 \bidi@LTRrigidbalance{\@nameuse{footins#1}}{10}{\splittopskip}}}%
13399 \bidi@ensure@newcommand{\m@make@mptencol@footgroup}[1]{%
13400 \@namedef{@mptencol@footgroup#1}{%
13401 \def\baselinestretch{\m@m@footnote@spacing}%
13402 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13403 \m@mrigidbalance{\@nameuse{mpfootins#1}}{10}{\splittopskip}}}%
13404 \newcommand{\bidi@make@mptencol@LTRfootgroup}[1]{%

```



```

13405 \@namedef{@mptencol@LTRfootgroup#1}{%
13406 \def\baselinestretch{\m@m@footnote@spacing}%
13407 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13408 \bidi@LTRrigidbalance{\@nameuse{@mpfootins#1}}{10}{\splittopskip}}
13409 \bidi@ensure@newcommand{\m@munvxh}[1]{%
13410 \setbox0=\vbox{\unvbox#1%
13411 \global\setbox1=\lastbox}%
13412 \unhbox1
13413 \unskip
13414 \unskip
13415 \unpenalty
13416 \hskip\m@mipn@skip}
13417 \bidi@ensure@newcommand{\m@mungebox}{%
13418 \setbox0=\hbox{\m@munvxh0}%
13419 \dp0=\z@
13420 \ht0=\footfudgefactor\wd0
13421 \box0
13422 \penalty0}
13423 \newskip\m@mipn@skip
13424 \bidi@ensure@newcommand*{\m@minterparanoteglue}[1]{%
13425 {foottextfont\global\m@mipn@skip=#1\relax}}
13426 \m@minterparanoteglue{1em plus.3em minus.3em}
13427 \bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
13428 \setbox0=\hbox{}%
13429 \loop
13430 \unpenalty
13431 \setbox2=\lastbox
13432 \ifhbox2
13433 \setbox0=\hbox{\box2\unhbox0}
13434 \repeat}
13435 \bidi@ensure@newcommand*{\m@mremovehboxes}{\setbox0=\lastbox
13436 \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}
13437 \newcommand*{\AddExtraParaSkip}[1]{%
13438 \def\bidi@xparaskip{\advance@tempdima#1\relax}%
13439 }
13440 \let\bidi@xparaskip\relax
13441 \@onlypreamble\AddExtraParaSkip
13442 \@onlypreamble\bidi@xparaskip
13443 \def\bidi@startparafootskip#1{%
13444 \global\advance\skip#1\bidi@paraskip
13445 }
13446 \@onlypreamble\bidi@startparafootskip
13447 \bidi@ensure@newcommand{\paragraphfootnotes}{%
13448 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
13449 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
13450 \@bidi@before@Hy@hyperfootnotes
13451 \let\@footnotetext\@parafootnotetext
13452 \let\@LTRfootnotetext\@paraLTRfootnotetext
13453 \let\@RTLfootnotetext\@paraRTLfootnotetext
13454 \dimen\footinsv@r=\footinsdim
13455 \count\footinsv@r=1000\relax
13456 \let\bidi@removexfootskip\bidi@removexparafootskip
13457 \m@make@para@footgroup{v@r}%
13458 \m@make@para@footstart{v@r}%

```



```

13459 \let\@footgroupv@r\@para@footgroupv@r
13460 \let\@footstartv@r\@para@footstartv@r
13461 \dimen\footinsv@l=\footinsdim
13462 \count\footinsv@l=1000\relax
13463 \bidi@make@para@LTRfootgroup{v@l}%
13464 \m@make@para@footstart{v@l}%
13465 \let\@LTRfootgroupv@l\@para@LTRfootgroupv@l
13466 \let\@footstartv@l\@para@footstartv@l
13467 \let\@mpfootnotetext\@mpparafootnotetext
13468 \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
13469 \let\@mpRTLfootnotetext\@mpparaRTLfootnotetext
13470 \@bidi@after@Hy@hyperfootnotes
13471 \m@make@mppara@footgroup{v@r}%
13472 \bidi@make@mppara@LTRfootgroup{v@l}%
13473 \let\mp@footgroupv@r\@mppara@footgroupv@r
13474 \let\mp@LTRfootgroupv@l\@mppara@LTRfootgroupv@l
13475 \g@addto@macro\bidi@floathook{%
13476   \begingroup
13477     \foottextfont \@tempdima\normalbaselineskip
13478     \multiply \@tempdima \@cclvi
13479     \@tempdimb \columnwidth
13480     \divide \@tempdimb \@cclvi
13481     \divide \@tempdima \@tempdimb
13482     \xdef\footfudgefactor{\strip@pt\@tempdima}%
13483   \endgroup
13484 }
13485 \AtBeginDocument{%
13486   \begingroup
13487     \foottextfont
13488     \@tempdima\footnotesep
13489     \advance\@tempdima -\ht\strutbox
13490     \ifdim\@tempdima<z@ \@tempdima z@ \fi
13491     \advance\@tempdima.5\normalbaselineskip
13492     \bidi@xparaskip
13493     \xdef\bidi@paraskip{\the\@tempdima\relax}%
13494   \endgroup
13495   \bidi@startparafootskip\footinsv@r
13496   \bidi@startparafootskip\footinsv@l
13497 }
13498 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13499 }
13500 \newcommand{\normalRTLparaLTRfootnotes}{%
13501   \@namedef{foottextfontv@l}{\LTRfoottextfont}%
13502   \@bidi@before@Hy@hyperfootnotes
13503   \if@RTL@footnote
13504     \let\@footnotetext\m@mold@footnotetext
13505   \else
13506     \let\@footnotetext\@parafootnotetext
13507   \fi
13508   \let\@LTRfootnotetext\@paraLTRfootnotetext
13509   \let\@RTLfootnotetext\m@mold@RTLfootnotetext
13510   \dimen\footinsv@l=\footinsdim
13511   \count\footinsv@l=1000\relax
13512   \let\bidi@removexfootskip\bidi@removexparafootskip

```



```

13513 \bidi@make@para@LTRfootgroup{v@1}%
13514 \m@make@para@footstart{v@1}%
13515 \let\@LTRfootgroupv@1\@para@LTRfootgroupv@1
13516 \let\@footstartv@1\@para@footstartv@1
13517 \if@RTL@footnote
13518 \let\@mpfootnotetext\m@mold@mpfootnotetext
13519 \else
13520 \let\@mpfootnotetext\@mpparafootnotetext
13521 \fi
13522 \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
13523 \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
13524 \@bidi@after@Hy@hyperfootnotes
13525 \bidi@make@mppara@LTRfootgroup{v@1}%
13526 \let\mp@LTRfootgroupv@1\@mppara@LTRfootgroupv@1
13527 \g@addto@macro\bidi@floathook{%
13528 \beginngroup
13529 \LTRfoottextfont \@tempdima\normalbaselineskip
13530 \multiply \@tempdima \@cclvi
13531 \@tempdimb \columnwidth
13532 \divide \@tempdimb \@cclvi
13533 \divide \@tempdima \@tempdimb
13534 \xdef\footfudgefactor{\strip@pt\@tempdima}%
13535 \endgroup
13536 }
13537 \AtBeginDocument{%
13538 \beginngroup
13539 \LTRfoottextfont
13540 \@tempdima\footnotesep
13541 \advance\@tempdima -\ht\strutbox
13542 \ifdim\@tempdima<z@ \@tempdima=z@ \fi
13543 \advance\@tempdima.5\normalbaselineskip
13544 \bidi@xparaskip
13545 \xdef\bidi@paraskip{\the\@tempdima\relax}%
13546 \endgroup
13547 \bidi@startparafootskip\footinsv@1
13548 }
13549 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13550 }
13551 \bidi@ensure@newcommand{\@parafootnotetext}[1]{\insert
13552 \if@RTL@footnote
13553 \footinsv@r
13554 \else
13555 \footinsv@l
13556 \fi
13557 {%
13558 \let\bidi@RTL@everypar\@empty%
13559 \def\baselinestretch{\m@m@footnote@spacing}%
13560 \reset@font\foottextfont
13561 \@preamfntext
13562 \protected@edef\@currentlabel{%
13563 \csname p@footnote\endcsname\@thefnmark}%
13564 \setbox0=\vbox{\hsize=\maxdimen
13565 \color@begingroup
13566 \noindent \@parafootfmt{#1}%

```



```

13567 \color@endgroup}%
13568 \m@mungebox}\m@mmf@prepare}
13569 \bidi@ensure@newcommand{\@paraLTRfootnotetext}[1]{\insert\footinsv@l{%
13570 \let\bidi@RTL@everypar\@empty%
13571 \def\baselinestretch{\m@m@footnote@spacing}%
13572 \reset@font\LTRfoottextfont
13573 \@preamfntext
13574 \protected@edef\@currentlabel{%
13575 \csname p@footnote\endcsname\@thefnmark}%
13576 \setbox0=\vbox{\hsize=\maxdimen
13577 \color@begingroup
13578 \noindent \@paraLTRfootfmt{#1}%
13579 \color@endgroup}%
13580 \m@mungebox}\m@mmf@prepare}
13581 \bidi@ensure@newcommand{\@paraRTLfootnotetext}[1]{\insert\footinsv@r{%
13582 \let\bidi@RTL@everypar\@empty%
13583 \def\baselinestretch{\m@m@footnote@spacing}%
13584 \reset@font\RTLfoottextfont
13585 \@preamfntext
13586 \protected@edef\@currentlabel{%
13587 \csname p@footnote\endcsname\@thefnmark}%
13588 \setbox0=\vbox{\hsize=\maxdimen
13589 \color@begingroup
13590 \noindent \@paraRTLfootfmt{#1}%
13591 \color@endgroup}%
13592 \m@mungebox}\m@mmf@prepare}
13593 \bidi@ensure@newcommand{\@parafootfmt}[1]{%
13594 \parindent=\z@
13595 \parfillskip=0pt \@plus 1fil
13596 {\footfootmark\strut {\foottextfont #1}\penalty-10}}
13597 \bidi@ensure@newcommand{\@paraLTRfootfmt}[1]{%
13598 \parindent=\z@
13599 \parfillskip=0pt \@plus 1fil
13600 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\penalty-10}}
13601 \bidi@ensure@newcommand{\@paraRTLfootfmt}[1]{%
13602 \parindent=\z@
13603 \parfillskip=0pt \@plus 1fil
13604 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\penalty-10}}
13605 \bidi@ensure@newcommand{\@mpparafootnotetext}[1]{%
13606 \global\setbox
13607 \if@RTL@footnote
13608 \@mpfootinsv@r
13609 \else
13610 \@mpfootinsv@l
13611 \fi
13612 \vbox{%
13613 \unvbox
13614 \if@RTL@footnote
13615 \@mpfootinsv@r
13616 \else
13617 \@mpfootinsv@l
13618 \fi
13619 \let\bidi@RTL@everypar\@empty
13620 \def\baselinestretch{\m@m@footnote@spacing}%

```



```

13621 \reset@font\foottextfont
13622 \hsize\columnwidth \@parboxrestore
13623 \protected@edef\@currentlabel{%
13624 \csname p@mpfootnote\endcsname\@thefnmark}%
13625 \setbox0=\vbox{\hsize=\maxdimen
13626 \color@begingroup
13627 \noindent \@parafootfmt{#1}%
13628 \color@endgroup}%
13629 \m@mungebox}\m@mmf@prepare}
13630 \bidi@ensure@newcommand{\@mpparaLTRfootnotetext}[1]{%
13631 \global\setbox\@mpfootinsv@l\vbox{%
13632 \unvbox\@mpfootinsv@l
13633 \let\bidi@RTL@everypar\@empty
13634 \def\baselinestretch{\m@m@footnote@spacing}%
13635 \reset@font\LTRfoottextfont
13636 \hsize\columnwidth \@parboxrestore
13637 \protected@edef\@currentlabel{%
13638 \csname p@mpfootnote\endcsname\@thefnmark}%
13639 \setbox0=\vbox{\hsize=\maxdimen
13640 \color@begingroup
13641 \noindent \@paraLTRfootfmt{#1}%
13642 \color@endgroup}%
13643 \m@mungebox}\m@mmf@prepare}
13644 \bidi@ensure@newcommand{\@mpparaRTLfootnotetext}[1]{%
13645 \global\setbox\@mpfootinsv@r\vbox{%
13646 \unvbox\@mpfootinsv@r
13647 \let\bidi@RTL@everypar\@empty
13648 \def\baselinestretch{\m@m@footnote@spacing}%
13649 \reset@font\RTLfoottextfont
13650 \hsize\columnwidth \@parboxrestore
13651 \protected@edef\@currentlabel{%
13652 \csname p@mpfootnote\endcsname\@thefnmark}%
13653 \setbox0=\vbox{\hsize=\maxdimen
13654 \color@begingroup
13655 \noindent \@paraRTLfootfmt{#1}%
13656 \color@endgroup}%
13657 \m@mungebox}\m@mmf@prepare}
13658 \bidi@ensure@newcommand{\m@make@para@footgroup}[1]{%
13659 \@namedef{\@para@footgroup#1}{%
13660 \unvbox\@nameuse{footins#1}
13661 \@RTLtrue
13662 \m@mmakehboxofhboxes
13663 \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
13664 \hsize\bidi@columnwidth
13665 \@parboxrestore
13666 \def\baselinestretch{\m@m@footnote@spacing}%
13667 \@nameuse{foottextfont#1}%
13668 \noindent\unhbox0\par}}
13669 \bidi@ensure@newcommand{\bidi@make@para@LTRfootgroup}[1]{%
13670 \@namedef{\@para@LTRfootgroup#1}{%
13671 \unvbox\@nameuse{footins#1}
13672 \@RTLfalse
13673 \m@mmakehboxofhboxes
13674 \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%

```



```

13675 \hsize\bidicolumnwidth
13676 \@parboxrestore
13677 \def\baselinestretch{\m@m@footnote@spacing}%
13678 \@nameuse{foottextfont#1}%
13679 \noindent\unhbox0\par}}
13680 \newcommand{\bidi@removexparafootskip}{%
13681 \advance\@tempskipa -\bidi@paraskip
13682 \edef\bidi@footskip{\vskip\the\@tempskipa\relax}%
13683 }
13684 \let\bidi@removexfootskip\relax
13685 \bidi@ensure@newcommand{\m@make@mppara@footgroup}[1]{%
13686 \@namedef{@mppara@footgroup#1}{%
13687 \unvbox\@nameuse{@mpfootins#1}
13688 \@RTLtrue
13689 \m@mmakehboxofhboxes
13690 \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
13691 \def\baselinestretch{\m@m@footnote@spacing}%
13692 \@nameuse{foottextfont#1}%
13693 \noindent\unhbox0\par}}
13694 \bidi@ensure@newcommand{\bidi@make@mppara@LTRfootgroup}[1]{%
13695 \@namedef{@mppara@LTRfootgroup#1}{%
13696 \unvbox\@nameuse{@mpfootins#1}
13697 \@RTLfalse
13698 \m@mmakehboxofhboxes
13699 \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
13700 \def\baselinestretch{\m@m@footnote@spacing}%
13701 \@nameuse{foottextfont#1}%
13702 \noindent\unhbox0\par}}
13703 \bidi@ensure@newcommand{\m@make@para@footstart}[1]{%
13704 \@namedef{@para@footstart#1}{%
13705 \leftskip=\z@
13706 \rightskip=\z@
13707 \parindent=\z@
13708 }%
13709 }
13710 \bidi@ensure@newcommand*{\m@m@makecolfloats}{%
13711 \xdef\@freelist{\@freelist\@midlist}%
13712 \global\let\@midlist\@empty
13713 \@combinefloats}
13714 \bidi@ensure@newcommand*{\m@m@makecoltext}{%
13715 \ifvbox\@kludgeins
13716 \@makespecialcolbox
13717 \else
13718 \setbox\@outputbox \vbox to\@colht{%
13719 \@texttop
13720 \dimen@ \dp\@outputbox
13721 \unvbox \@outputbox
13722 \vskip -\dimen@
13723 \@textbottom}%
13724 \fi}
13725 \bidi@ensure@newcommand*{\m@m@makecolintro}{%
13726 \bidi@ensure@newcommand*{\m@mopfootnote}{\setbox\@outputbox \vbox{%
13727 \boxmaxdepth\@maxdepth
13728 \tempdima\dp\@cclv

```




```

13729 \unvbox\@cclv
13730 \vskip-\@tempdima
13731 \bidi@mopfn@bottom
13732 \vskip \skip\footins
13733 \color@begingroup
13734 \normalcolor
13735 \footnoterule
13736 \unvbox \footins
13737 \color@endgroup
13738 }%
13739 }
13740 \newcommand*{\bidi@mopfootnotebf}{%
13741 \setbox\@outputbox \vbox{%
13742 \boxmaxdepth\@maxdepth
13743 \unvbox\@outputbox
13744 \bidi@mopfn@bottom
13745 \vskip\skip\footins
13746 \color@begingroup
13747 \normalcolor
13748 \footnoterule
13749 \unvbox \footins
13750 \color@endgroup
13751 }%
13752 }
13753 \gdef\mem@makecol{%
13754 \m@m@makecolintro
13755 \m@m@doextrafeet
13756 \ifvoid\footins
13757 \setbox\@outputbox \box\@cclv
13758 \else
13759 \m@mopfootnote
13760 \fi
13761 \m@m@makecolfloats
13762 \m@m@makecoltext
13763 \global \maxdepth \@maxdepth}
13764 \gdef\bidi@makecolbf{%
13765 \m@m@makecolintro
13766 \m@m@doextrafeet
13767 \setbox\@outputbox \box\@cclv
13768 \m@m@makecolfloats
13769 \ifvoid\footins
13770 \else
13771 \bidi@mopfootnotebf
13772 \fi
13773 \m@m@makecoltext
13774 \global \maxdepth \@maxdepth}
13775 \newcommand{\FeetAboveFloat}{\gdef\@makecol{\mem@makecol}}
13776 \newcommand{\FeetBelowFloat}{\gdef\@makecol{\bidi@makecolbf}}
13777 \newcommand\FeetAtBottom{\def\bidi@mopfn@bottom{\vfill\relax}}
13778 \newcommand\FeetBelowRagged{\let\bidi@mopfn@bottom\relax}
13779 \FeetAboveFloat
13780 \FeetBelowRagged
13781 \def\bidi@reinserts#1{\ifvoid#1\else
13782 \ifnum\count\@currbox>\z@

```



```

13783      \advance\@pageht \ht#1%
13784      \advance\@pageht \skip#1%
13785      \advance\@pageht \dp#1%
13786      \fi
13787      \insert#1{\unvbox#1}%
13788      \fi
13789  }
13790  \def\bid@init@multi@footins#1{%
13791      \multiply\count#1\col@number
13792      \multiply\skip#1\col@number
13793  }
13794  \def\bid@reinsert@footnotes#1{\ifvoid#1\else
13795      \insert#1{}\fi}
13796  \AtBeginDocument{%
13797      \bid@preto\@doclearpage\m@mdoextrafeet
13798      \g@addto@macro\@reinserts{%
13799          \bid@reinserts\footinsv@r
13800          \bid@reinserts\footinsv@l
13801      }
13802      \bid@floathook
13803      \g@addto@macro\@floatplacement{%
13804          \bid@ifmulticol{}\bid@floathook}%
13805      }%
13806      \if@bid@csundef{multi@column@out}{%
13807          \@onlypreamble\bid@init@multi@footins
13808          \let\bid@ifmulticol\@secondoftwo
13809      }{%
13810          \bid@preto\multi@column@out\m@mdoextrafeet
13811          \g@addto@macro\init@mult@footins{%
13812              \bid@init@multi@footins\footinsv@r
13813              \bid@init@multi@footins\footinsv@l
13814          }%
13815          \g@addto@macro\reinsert@footnotes{%
13816              \bid@reinsert@footnotes\footinsv@r
13817              \bid@reinsert@footnotes\footinsv@l
13818          }%
13819      }%
13820  }

```

87 File extreport-xetex-bidi.def

```

13821 \ProvidesFile{extreport-xetex-bidi.def}[2025/09/30 v0.4 bidi adaptations for extreport class]
13822 \renewcommand*\l@part[2]{%
13823     \ifnum \c@tocdepth >-2\relax
13824         \addpenalty{-\@highpenalty}%
13825         \addvspace{2.25em \@plus\p}%
13826         \begingroup
13827             \setlength\@tempdima{3em}%
13828             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13829             \parfillskip -\@pnumwidth
13830             {\leavevmode
13831                 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
13832             \nobreak
13833             \global\@nobreaktrue

```



```

13834 \everypar{\global\@nobreakfalse\everypar{}}%
13835 \endgroup
13836 \fi}
13837 \renewcommand*\l@chapter[2]{%
13838 \ifnum \c@tocdepth >\m@ne
13839 \addpenalty{-\@highpenalty}%
13840 \vskip 1.0em \@plus\p@
13841 \setlength\@tempdima{1.5em}%
13842 \begingroup
13843 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13844 \parfillskip -\@pnumwidth
13845 \leavevmode \bfseries
13846 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
13847 \hskip -\if@RTL\rightskip\else\leftskip\fi
13848 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
13849 \penalty\@highpenalty
13850 \endgroup
13851 \fi}
13852 \def\@makechapterhead#1{%
13853 \vspace*{50\p@}%
13854 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
13855 \ifnum \c@secnumdepth >\m@ne
13856 \huge\bfseries \@chapapp\space \thechapter
13857 \par\nobreak
13858 \vskip 20\p@
13859 \fi
13860 \interlinepenalty\@M
13861 \Huge \bfseries #1\par\nobreak
13862 \vskip 40\p@
13863 }}
13864 \def\@makeschapterhead#1{%
13865 \vspace*{50\p@}%
13866 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
13867 \normalfont
13868 \interlinepenalty\@M
13869 \Huge \bfseries #1\par\nobreak
13870 \vskip 40\p@
13871 }}
13872 \renewcommand\left@footnoterule{%
13873 \kern-3\p@
13874 \hrule\@width.4\columnwidth
13875 \kern2.6\p@}
13876 \renewcommand\right@footnoterule{%
13877 \kern-3\p@
13878 \nointerlineskip
13879 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
13880 \kern2.6\p@}
13881 \renewenvironment{thebibliography}[1]
13882 {\chapter*{\bibname
13883 \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
13884 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
13885 \bidi@thebibliography@font@hook%
13886 \list{\@biblabel{\@arabic\c@enumiv}}%
13887 {\settowidth\labelwidth{\@biblabel{#1}}%

```



```

13888         \leftmargin\labelwidth
13889         \advance\leftmargin\labelsep
13890         \@openbib@code
13891         \usecounter{enumiv}%
13892         \let\p@enumiv\@empty
13893         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
13894     \sloppy\clubpenalty4000\widowpenalty4000%
13895     \sfcode`.\@m}
13896     {\def\@noitemerr
13897       {\@latex@warning{Empty `thebibliography' environment}}}%
13898     \endlist}
13899 \if@titlepage
13900 \renewcommand\maketitle{\begin{titlepage}%
13901 \let\footnotesize\small
13902 \let\right@footnoterule\relax
13903 \let\left@footnoterule\relax
13904 \let\textwidth\footnoterule\relax
13905 \let \footnote \thanks
13906 \null\vfil
13907 \vskip 60\p@
13908 \begin{center}%
13909   {\LARGE \@title \par}%
13910   \vskip 3em%
13911   {\large
13912     \lineskip .75em%
13913     \begin{tabular}[t]{c}%
13914       \@author
13915       \end{tabular}\par}%
13916     \vskip 1.5em%
13917     {\large \@date \par}%           % Set date in \large size.
13918 \end{center}\par
13919 \@thanks
13920 \vfil\null
13921 \end{titlepage}}%
13922 \setcounter{footnote}{0}%
13923 \global\let\thanks\relax
13924 \global\let\maketitle\relax
13925 \global\let\@thanks\@empty
13926 \global\let\@author\@empty
13927 \global\let\@date\@empty
13928 \global\let\@title\@empty
13929 \global\let\title\relax
13930 \global\let\author\relax
13931 \global\let\date\relax
13932 \global\let\and\relax
13933 }
13934 \else
13935 \renewcommand\maketitle{\par
13936   \begin{group
13937     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
13938     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
13939     \long\def\@makefntext##1{\parindent 1em\noindent
13940       \hb@xt@1.8em{%
13941         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%

```



```

13942 \if@twocolumn
13943 \ifnum \col@number=\@ne
13944 \maketitle
13945 \else
13946 \twocolumn[\maketitle]%
13947 \fi
13948 \else
13949 \newpage
13950 \global\@topnum\z@ % Prevents figures from going at top of page.
13951 \maketitle
13952 \fi
13953 \thispagestyle{plain}\@thanks
13954 \endgroup
13955 \setcounter{footnote}{0}%
13956 \global\let\thanks\relax
13957 \global\let\maketitle\relax
13958 \global\let\@maketitle\relax
13959 \global\let\@thanks\@empty
13960 \global\let\@author\@empty
13961 \global\let\@date\@empty
13962 \global\let\@title\@empty
13963 \global\let\title\relax
13964 \global\let\author\relax
13965 \global\let\date\relax
13966 \global\let\and\relax
13967 }
13968 \def\@maketitle{%
13969 \newpage
13970 \null
13971 \vskip 2em%
13972 \begin{center}%
13973 \let \footnote \thanks
13974 {\LARGE \@title \par}%
13975 \vskip 1.5em%
13976 {\large
13977 \lineskip .5em%
13978 \begin{tabular}[t]{c}%
13979 \@author
13980 \end{tabular}\par}%
13981 \vskip 1em%
13982 {\large \@date}%
13983 \end{center}%
13984 \par
13985 \vskip 1.5em}
13986 \fi
13987 \renewcommand\thesection {\thechapter\@SepMark\@arabic\c@section}
13988 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\csubsection}
13989 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\csubsubsection}
13990 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\cparagraph}
13991 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\csubparagraph}
13992 \renewcommand\theequation{%
13993 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
13994 \renewcommand\thefigure{%
13995 \ifnum \c@chapter>\z@\thechapter\@SepMark\fi \@arabic\c@figure}

```



```

13996 \renewcommand\thetable{%
13997   \ifnum \c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}

```

88 File fancybox-xetex-bidi.def

```

13998 \ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package]
13999 \def\fancy@oval#1#2#3{%
14000   \boxmaxdepth \maxdimen
14001   \@ovttrue \ovbtrue \ovltrue \ovrtrue
14002   \@tfor\@tempa :=#3\do{\csname @ov\@tempa false\endcsname}%
14003   \@ovxx#1\relax
14004   \advance\@ovxx-\@wholewidth
14005   \@ovyy#2\relax
14006   \advance\@ovyy-\@wholewidth
14007   \@tempdimb \ifdim \@ovyy >\@ovxx \@ovxx \@ovxx\else \@ovyy \fi
14008   \advance\@tempdimb-2\p@
14009   \ifdim\@tempdimb>\the@cornersize\relax
14010     \@tempdimb=\the@cornersize
14011   \fi
14012   \@getcirc\@tempdimb
14013   \@ovro\ht\@tempboxa \ovri\dp\@tempboxa
14014   \@ovdx\@ovxx \advance\@ovdx-\@tempdima \divide\@ovdx \tw@
14015   \@ovdy\@ovyy \advance\@ovdy-\@tempdima \divide\@ovdy \tw@
14016   \@circlefnt
14017   \setbox\@tempboxa\hbox{\beginL%
14018     \if@ovr \ovvert32\kern -\@tempdima \fi
14019     \if@ovl \kern \@ovxx \ovvert01\kern -\@tempdima \kern -\@ovxx \fi
14020     \if@ovt \ovhorz \kern -\@ovxx \fi
14021     \if@ovb \raise \@ovyy \ovhorz \fi\endL}%
14022   \advance\@ovdx\@ovro
14023   \advance\@ovdy\@ovro
14024   \advance\@ovxx\@wholewidth
14025   \wd\@tempboxa=\@ovxx
14026   \dp\@tempboxa=\z@}

```

89 File fancyhdr-xetex-bidi.def

```

14027 \ProvidesFile{fancyhdr-xetex-bidi.def}[2025/09/03 v1.0 bidi adaptations for fancyhdr package]
14028
14029 \let\f@nch@everypar\everypar
14030
14031 \def\f@nch@parbox@align@hl{\def\f@nch@align@h{\bidi@raggedright}}
14032 \def\f@nch@parbox@align@hr{\def\f@nch@align@h{\bidi@raggedleft}}
14033

```

90 File fix2col-xetex-bidi.def

```

14034 \ProvidesFile{fix2col-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for fix2col package]
14035 \def\RTL@outputdblcol{%
14036   \if@firstcolumn
14037     \global\@firstcolumnfalse
14038     \global\setbox\@leftcolumn\copy\@outputbox
14039     \splitmaxdepth\maxdimen
14040     \vbadness\maxdimen

```



```

14041 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
14042 \toks@\expandafter{\topmark}%
14043 \xdef\@firstcoltopmark{\the\toks@}%
14044 \toks@\expandafter{\splitfirstmark}%
14045 \xdef\@firstcolfirstmark{\the\toks@}%
14046 \ifx\@firstcolfirstmark\empty
14047 \global\let\@setmarks\relax
14048 \else
14049 \gdef\@setmarks{%
14050 \let\firstmark\@firstcolfirstmark
14051 \let\topmark\@firstcoltopmark}%
14052 \fi
14053 \else \global\@firstcolumntrue
14054 \setbox\@outputbox \vbox {\hbox to\textwidth {%
14055 \hskip \columnwidth
14056 \hfil \vrule width\columnseprule \hfil
14057 \hbox to\columnwidth {%
14058 \bidi@firstcolumn@status@write%
14059 \box\@leftcolumn \hss}%
14060 \hskip -\textwidth
14061 \hbox to\columnwidth{%
14062 \bidi@lastcolumn@status@write%
14063 \box\@outputbox \hss}%
14064 \hskip \columnsep
14065 \hskip \columnwidth }}%
14066 \@combinedblfloats \@setmarks \@outputpage
14067 \begingroup \@dblfloatplacement \@startdblcolumn
14068 \@whilesw\if@fcolmade \fi
14069 {\@outputpage \@startdblcolumn }\endgroup
14070 \fi}
14071 \def\LTR@outputdblcol{%
14072 \if@firstcolumn
14073 \global\@firstcolumnfalse
14074 \global\setbox\@leftcolumn\copy\@outputbox
14075 \splitmaxdepth\maxdimen
14076 \vbadness\maxdimen
14077 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
14078 \toks@\expandafter{\topmark}%
14079 \xdef\@firstcoltopmark{\the\toks@}%
14080 \toks@\expandafter{\splitfirstmark}%
14081 \xdef\@firstcolfirstmark{\the\toks@}%
14082 \ifx\@firstcolfirstmark\empty
14083 \global\let\@setmarks\relax
14084 \else
14085 \gdef\@setmarks{%
14086 \let\firstmark\@firstcolfirstmark
14087 \let\topmark\@firstcoltopmark}%
14088 \fi
14089 \else
14090 \global\@firstcolumntrue
14091 \setbox\@outputbox\vbox{%
14092 \hb@xt@\textwidth{%
14093 \hb@xt@\columnwidth{%
14094 \bidi@firstcolumn@status@write%

```



```

14095      \box\@leftcolumn \hss}%
14096      \hfil
14097      \vrule \@width\columnseprule
14098      \hfil
14099      \hb@xt@\columnwidth{%
14100      \bidi@lastcolumn@status@write%
14101      \box\@outputbox \hss}}}%
14102 \@@combinedblfloats
14103   \setmarks
14104   \outputpage
14105   \begingroup
14106     \dblfloatplacement
14107     \startdblcolumn
14108     \@whilesw@if@fcolmade \fi{\@outputpage\@startdblcolumn}%
14109   \endgroup
14110 \fi}

```

91 File fleqn-xetex-bidi.def

```

14111 \ProvidesFile{fleqn-xetex-bidi.def}[2024/12/07 v0.2 bidi adaptations for fleqn tag for XeTeX]
14112 \DeclareRobustCommand\{\relax
14113     \ifmmode\@badmath
14114     \else
14115         \begin{trivlist}%
14116             \beginparpenalty\predisplaypenalty
14117             \endparpenalty\postdisplaypenalty
14118             \item[]\leavevmode
14119             \hb@xt@\linewidth\bgroup \beginL$\m@th\displaystyle %$
14120             \hskip\mathindent\bgroup
14121         \fi}
14122 \DeclareRobustCommand\}{\relax
14123     \ifmmode
14124         \egroup $\hfil% $
14125     \endL\egroup
14126     \end{trivlist}%
14127     \else \@badmath
14128     \fi}
14129 \renewenvironment{equation}%
14130 {
14131     \beginparpenalty\predisplaypenalty
14132     \endparpenalty\postdisplaypenalty
14133     \refstepcounter{equation}%
14134     \trivlist \item[]\leavevmode
14135     \hb@xt@\linewidth\bgroup\beginL $\m@th% $
14136     \displaystyle
14137     \hskip\mathindent}%
14138     {\$ \hfil % $
14139     \displaywidth\linewidth\hbox{\@eqnnum}%
14140     \endL\egroup
14141     \endtrivlist}

```

92 File float-xetex-bidi.def

```

14141 \ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for XeTeX]
14142 \renewcommand\floatc@plain[2]{\setbox\@tempboxa\hbox{\@fs@cfont #1:} #2}%

```




```

14143 \ifdim\wd\@tempboxa>\hsize {\@fs@cfont #1:} #2\par
14144 \else\hbox to\hsize{\ifRTL\beginR\fi\hfil\box\@tempboxa\hfil\ifRTL\endR\fi}\fi}
14145 \def\float@newx#1[#2]{\@ifundefined{c@#1}{\newcounter{#1}[#2]%
14146 \expandafter\edef\csname the#1\endcsname{%
14147 \expandafter\noexpand\csname
14148 the#2\endcsname\@SepMark\noexpand\arabic{#1}}}%
14149 {\PackageWarning{float}{Can't redefine counter variable for #1.}}}

```

93 File floatrow-xetex-bidi.def

```

14150 \ProvidesFile{floatrow-xetex-bidi.def}[2025/01/03 v0.2 bidi adaptations for floatrow package]
14151 \RequirePackage{color}
14152 \renewcommand\flnew@within[1]{\@addtoreset{FB@capttype}{#1}%
14153 \expandafter\edef\csname theFB@capttype\endcsname{%
14154 \expandafter\noexpand\csname
14155 the#1\endcsname\@SepMark\noexpand\arabic{FB@capttype}}}

```

94 File flowfram-xetex-bidi.def

```

14156 \ProvidesFile{flowfram-xetex-bidi.def}[2025/01/03 v0.6 bidi adaptations for flowfram package]
14157 \def\@outputdblcol{%
14158 \@nxtcol=\c@thisframe
14159 \c@curpg=\c@page
14160 \@g@tnextcol{\@nxtcol}%
14161 \if@ff@nwpag % next flow frame starts on new page
14162 \global\@firstcolumntrue
14163 \@setcolbox\c@thisframe
14164 \if@specialpage
14165 \global\@specialpagefalse
14166 \@nameuse{ps@\@specialstyle}\relax
14167 \fi
14168 \if@twoside
14169 \ifodd\count\z@
14170 \let\@thehead\@oddhead
14171 \let\@thefoot\@oddfoot
14172 \else
14173 \let\@thehead\@evenhead
14174 \let\@thefoot\@evenfoot
14175 \fi
14176 \else
14177 \let\@thehead\@oddhead
14178 \let\@thefoot\@oddfoot
14179 \fi
14180 \@beginindvi
14181 \@dodynamicthehead\@dodynamicthefoot
14182 \vbadness=\@M
14183 \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}%
14184 \@combinedblfloats
14185 \@outputpage
14186 \advance\c@curpg by -\c@page\relax
14187 \whiledo{\c@curpg>0}{\advance\c@curpg by -1\relax
14188 \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}%
14189 \@outputpage}
14190 \begingroup

```



```

14191 \@dblfloatplacement
14192 \@startdblcolumn
14193 \@whilesw \if@fcolmade \fi
14194 {\@outputpage \@startdblcolumn }\endgroup
14195 \@resetst@tics
14196 \@resetdyn@mics
14197 \else % still on same page, save contents of box255
14198 \global\@firstcolumnfalse
14199 \@setcolbox\c@thisframe
14200 \fi
14201 \global\c@thisframe=\@nxtcol
14202 \@setcol{\c@thisframe}\relax
14203 \global\@colht\vsiz
14204 }
14205 \def\@outputpage{%
14206 \begingroup
14207 \let\protect\noexpand
14208 \@resetactivechars
14209 \global\let\@if@newlist\if@newlist
14210 \global\@newlistfalse\@parboxrestore
14211 \global\let\@bidi@BeforeOutputPageShipOut\@firstofone
14212 \bidi@beforeoutputpageshipouthook
14213 \shipout\vbox{\set@typeset@protect
14214 \aftergroup
14215 \endgroup
14216 \aftergroup
14217 \set@typeset@protect
14218 \reset@font\normalsize
14219 \bidi@font\@outputpage
14220 \normalsfcodes
14221 \let\label\@gobble
14222 \let\index\@gobble
14223 \let\glossary\@gobble
14224 \baselineskip\z@skip
14225 \lineskip\z@skip
14226 \lineskiplimit\z@
14227 \vskip\topmargin\moveright\@themargin
14228 \vbox{%
14229 \global\let\@bidi@BeforeHeader\@firstofone
14230 \bidi@beforeheaderhook
14231 \vskip\headheight
14232 \vskip\headsep
14233 \global\let\@bidi@BeforeOutputBoxOutputPage\@firstofone
14234 \bidi@beforeoutputboxoutputpagehook
14235 \box\@outputbox
14236 \global\let\@bidi@AfterOutputBoxOutputPage\@firstofone
14237 \bidi@afteroutputboxoutputpagehook
14238 }}%
14239 \global\let\@bidi@AfterOutputPageShipOut\@firstofone
14240 \bidi@afteroutputpageshipouthook
14241 \global\let\if@newlist\@if@newlist
14242 \stepcounter{page}%
14243 \setcounter{displayedframe}{0}%
14244 \let\firstmark\botmark

```



```

14245 \global\let\bidid@AtEndOutputPage\@firstofone
14246 \bidid@atendoutputpagehook
14247 }
14248
14249
14250 \newcommand*\bidid@s@tfftextcol{\ifthenelse{\equal{\ff@txtcol}{}}{-}{%
14251 \expandafter\bidicolor\ff@txtcol}}
14252
14253 \newcommand{\bidid@ff@box}[3]{\@ffbackground{\vbox to#2
14254 {\hb@xt@ #1{\hss{\bidid@s@tfftextcol #3}\hss}\vss\kern\z@}}}}
14255
14256
14257 \renewcommand*\@docolbox}[1]{%
14258 \edef\ff@frametype{%
14259 \csname @ff@frametype@\romannumeral#1\endcsname}%
14260 \edef\ff@col{\csname @ff@col@\romannumeral#1\endcsname}%
14261 \edef\ff@txtcol{\csname @ff@txtcol@\romannumeral#1\endcsname}%
14262 \edef\ff@backcol{\csname @ff@backcol@\romannumeral#1\endcsname}%
14263 \@ff@setoffset{#1}%
14264 \rotateframe{\csname @ff@angle@\romannumeral#1\endcsname}{%
14265 \ifthenelse{\boolean{columnframe\romannumeral#1}}{-}{%
14266 \@ff@fbox{\csname colwidth\romannumeral#1\endcsname}%
14267 {\csname colheight\romannumeral#1\endcsname}{%
14268 \expandafter\box\csname column\romannumeral#1\endcsname}{%
14269 \csname\ff@frametype\endcsname}%
14270 }{%
14271 \bidid@ff@box{\csname colwidth\romannumeral#1\endcsname}%
14272 {\csname colheight\romannumeral#1\endcsname}{%
14273 \expandafter\box\csname column\romannumeral#1\endcsname}%
14274 }}}
14275 \IfClassLoadedT{book}{%
14276 \renewcommand\theequation
14277 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
14278 \renewcommand \thefigure
14279 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
14280 \renewcommand \thetable
14281 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
14282 \renewcommand \thechapter {\@arabic\c@chapter}
14283 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
14284 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
14285 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
14286 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
14287 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
14288 \IfClassLoadedT{report}{%
14289 \renewcommand\theequation
14290 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
14291 \renewcommand \thefigure
14292 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
14293 \renewcommand \thetable
14294 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
14295 \renewcommand \thechapter {\@arabic\c@chapter}
14296 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
14297 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
14298 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}

```



```

14299 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
14300 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}}
14301 \renewcommand{\rotateframe}[2]{\if@ttb@rotate
14302 \rotatebox{#1}{\if@RTL\beginL\fi#2\if@RTL\endL\fi}%
14303 \else
14304 #2\relax
14305 \fi}

```

95 File fnpct-xetex-bidi.def

```

14306 \ProvidesFile{fnpct-xetex-bidi.def}[2025/09/12 v0.2 bidi adaptations for fnpct package for Xe
14307 \ExplSyntaxOn
14308   \@ifclassloaded{beamer}
14309   {
14310     \AdaptNote \footnote{d<>o+m} [\beamer@mpfn]
14311     {
14312       \IfNoValueTF{#1}
14313       {\IfNoValueTF{#2}{#NOTE{#3}}{#NOTE[2]{#3}}}
14314       {\IfNoValueTF{#2}{#NOTE<#1>{#3}}{#NOTE<#1>[2]{#3}}}
14315     }
14316     \AdaptNote \RTLfootnote{d<>o+m} [\beamer@mpfn]
14317     {
14318       \IfNoValueTF{#1}
14319       {\IfNoValueTF{#2}{#NOTE{#3}}{#NOTE[2]{#3}}}
14320       {\IfNoValueTF{#2}{#NOTE<#1>{#3}}{#NOTE<#1>[2]{#3}}}
14321     }
14322     \AdaptNote \LTRfootnote{d<>o+m} [\beamer@mpfn]
14323     {
14324       \IfNoValueTF{#1}
14325       {\IfNoValueTF{#2}{#NOTE{#3}}{#NOTE[2]{#3}}}
14326       {\IfNoValueTF{#2}{#NOTE<#1>{#3}}{#NOTE<#1>[2]{#3}}}
14327     }
14328   }
14329   {
14330     \AdaptNote \RTLfootnote {o+m} [\@mpfn]
14331     { \IfNoValueTF {#1} {#NOTE{#2}} {#NOTE[1]{#2}} }
14332     \AdaptNote \LTRfootnote {o+m} [\@mpfn]
14333     { \IfNoValueTF {#1} {#NOTE{#2}} {#NOTE[1]{#2}} }
14334   }
14335 \ExplSyntaxOff

```

96 File footnote-xetex-bidi.def

```

14336 \ProvidesFile{footnote-xetex-bidi.def}[2025/09/30 v1.6 bidi footnote macros for XeTeX engine
14337 \if@RTLmain\@RTL@footnotetrue\else\@RTL@footnotefalse\fi
14338 \newif\ifbidi@autofootnoterule
14339 \def\bidi@mpfootnoterule{\footnoterule}
14340 \newcounter{footdir@label}
14341 \renewcommand*{\thefootdir@label}{footdir@the\value{footdir@label}}
14342 \newcommand*{\footdir@write}{%
14343   \stepcounter{footdir@label}%
14344   \zref@labelbyprops{\thefootdir@label}{abspage}%
14345 }
14346 \newcommand*{\debugfootnotedirection}{\footdir@debugtrue}

```



```

14347 \newtoks\footdir@toks
14348 \newcommand*{\footdir@debug}[1]{%
14349   \iffootdir@debug
14350     \typeout{[footdir] #1}%
14351   \fi
14352 }
14353 %\@ifpackagelater{zref-abspage}{2012/10/27}{%
14354   \newcommand*{\footdir@LeftRightElse}{%
14355     \ltx@ifundefined{footdir@the\value{zabspage}}{%
14356       \footdir@debug{abspage \the\value{zabspage}: else}%
14357     \ltx@thirdofthree
14358   }{%
14359     \if\csname footdir@the\value{zabspage}\endcsname L%
14360       \footdir@debug{abspage \the\value{zabspage}: left}%
14361     \expandafter\ltx@firstofthree
14362   \else
14363     \footdir@debug{abspage \the\value{zabspage}: right}%
14364     \expandafter\ltx@secondofthree
14365   \fi
14366   }%
14367 }%
14368 %}{%
14369   \providecommand*{\c@zabspage}{\c@abspage}%
14370   \newcommand*{\footdir@LeftRightElse}{%
14371     \footdir@write
14372     \zifrefundefined{\thefootdir@label}{%
14373       \footdir@debug{abspage ??: else}%
14374     \ltx@thirdofthree
14375   }{%
14376     \edef\footdir@abspage{%
14377       \zref@extractdefault{\thefootdir@label}{abspage}{0}%
14378     }%
14379     \ltx@ifundefined{footdir@\footdir@abspage}{%
14380       \footdir@debug{\footdir@abspage: else}%
14381     \ltx@thirdofthree
14382   }{%
14383     \if\csname footdir@\footdir@abspage\endcsname L%
14384       \footdir@debug{\footdir@abspage: left}%
14385     \expandafter\ltx@firstofthree
14386   \else
14387     \footdir@debug{\footdir@abspage: right}%
14388     \expandafter\ltx@secondofthree
14389   \fi
14390   }%
14391 }%
14392 }%
14393 %}
14394 \newcommand*{\footdir@fntext}[1]{%
14395   \zifrefundefined{\thefootdir@label}{%
14396   }{%
14397     \edef\footdir@name{%
14398       footdir@\zref@extractdefault{\thefootdir@label}{abspage}{0}%
14399     }%
14400     \@ifundefined{footdir@name}{%

```



```

14401     \expandafter\gdef\csname\footdir@name\endcsname{#1}%
14402     }{}%
14403   }%
14404 }
14405
14406 \newcommand*{\footdir@temp}[3]{%
14407   \@ifdefinable{#1}{%
14408     \let#1#2%
14409     \renewcommand{#2}[1]{%
14410       \footdir@write
14411       \footdir@fntext{#3}%
14412       \stepcounter{footdir@label}%
14413       \footdir@fntext{#3}%
14414       \footdir@toks{##1}%
14415       \footdir@toks\expandafter{%
14416         \the\expandafter\footdir@toks
14417         \expandafter
14418         \zref@labelbyprops\expandafter{\the\footdir@label}{abspage}%
14419       }%
14420       \expandafter#1\expandafter{\the\footdir@toks}%
14421     }%
14422   }%
14423 }
14424
14425 \def\right@footnoterule{%
14426   \kern-3\p@
14427   \nointerlineskip
14428   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
14429   \kern2.6\p@}
14430 \def\left@footnoterule{\kern-3\p@
14431   \hrule \@width .4\columnwidth \kern 2.6\p@}
14432 \def\textwidth@footnoterule{\kern-3\p@
14433   \hrule \@width \columnwidth \kern 2.6\p@}
14434 \def\leftfootnoterule{%
14435   \bidi@autofootnoterulefalse
14436   \def\footnoterule{\left@footnoterule}}
14437 \let\LRfootnoterule=\leftfootnoterule
14438 \def\rightfootnoterule{%
14439   \bidi@autofootnoterulefalse
14440   \def\footnoterule{\right@footnoterule}}
14441 \def\textwidthfootnoterule{%
14442   \bidi@autofootnoterulefalse
14443   \def\footnoterule{\textwidth@footnoterule}}
14444
14445
14446
14447 \def\auto@footnoterule{%
14448   \footdir@LeftRightElse%
14449   \left@footnoterule%
14450   \right@footnoterule%
14451   \left@footnoterule%
14452 }
14453
14454

```



```

14455
14456 \def\autofootnoterule{%
14457 \bidi@autofootnoteruletrue%
14458 \def\footnoterule{\auto@footnoterule}%
14459 }
14460
14461 \newcommand*{\SplitFootnoteRule}{%
14462 \gdef\split@prev{0}
14463 \let\pagefootnoterule\footnoterule
14464 \let\mpfootnoterule\footnoterule
14465 \def\splitfootnoterule{\kern-3\p@ \hrule \kern2.6\p@}
14466 \def\footnoterule{\relax
14467 \ifx \@listdepth\@mplistdepth
14468 \mpfootnoterule
14469 \else
14470 \ifnum\split@prev=\z@
14471 \pagefootnoterule
14472 \else
14473 \splitfootnoterule
14474 \fi
14475 \xdef\split@prev{\the\insertpenalties}%
14476 \fi
14477 }%
14478 }
14479
14480
14481
14482
14483 \def\RTLfootnote{\@ifnextchar[\@xRTLfootnote{\stepcounter\@mpfn
14484 \protected@xdef\@thefnmark{\thempfn}}%
14485 \@footnotemark\@RTLfootnotetext}}
14486 \def\@xRTLfootnote[#1]{%
14487 \begingroup
14488 \csname c@\@mpfn\endcsname #1\relax
14489 \unrestored@protected@xdef\@thefnmark{\thempfn}%
14490 \endgroup
14491 \@footnotemark\@RTLfootnotetext}
14492 \def\LTRfootnote{\@ifnextchar[\@xLTRfootnote{\stepcounter\@mpfn
14493 \protected@xdef\@thefnmark{\thempfn}}%
14494 \@footnotemark\@LTRfootnotetext}}
14495 \def\@xLTRfootnote[#1]{%
14496 \begingroup
14497 \csname c@\@mpfn\endcsname #1\relax
14498 \unrestored@protected@xdef\@thefnmark{\thempfn}%
14499 \endgroup
14500 \@footnotemark\@LTRfootnotetext}
14501
14502
14503 \def\setfootnoteRL{\@RTL@footnotetrue}
14504 \def\unsetfootnoteRL{\@RTL@footnotefalse}
14505 \def\setfootnoteLR{\unsetfootnoteRL}
14506
14507 \newcommand*{\bidi@footnotetext@font}{\footnotesize}
14508 \newcommand*{\bidi@LTRfootnotetext@font}{\footnotesize}

```



```

14509 \newcommand*{\bidi@RTLfootnotetext@font}{\footnotesize}
14510
14511 \long\def\@footnotetext#1{\insert\footins{%
14512   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
14513   \reset@font%
14514   \bidi@footnotetext@font% \reset@font\footnotesize
14515   \interlinepenalty\interfootnotelinepenalty
14516   \splittopskip\footnotesep
14517   \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
14518   \hsize\columnwidth \@parboxrestore
14519   \protected@edef\@currentlabel{%
14520     \csname p@footnote\endcsname\@thefnmark
14521   }%
14522   \color@begingroup
14523     \makefnintext{%
14524       \rule{z@footnotesep\ignorespaces#1\@finalstrut\strutbox}%
14525     \color@endgroup}}%
14526
14527
14528 \long\def\@RTLfootnotetext#1{\insert\footins{%
14529   \@RTLtrue%
14530   \reset@font%
14531   \bidi@RTLfootnotetext@font% \reset@font\footnotesize
14532   \interlinepenalty\interfootnotelinepenalty
14533   \splittopskip\footnotesep
14534   \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
14535   \hsize\columnwidth \@parboxrestore
14536   \protected@edef\@currentlabel{%
14537     \csname p@footnote\endcsname\@thefnmark
14538   }%
14539   \color@begingroup
14540     \makefnintext{%
14541       \rule{z@footnotesep\ignorespaces#1\@finalstrut\strutbox}%
14542     \color@endgroup}}%
14543
14544 \long\def\@LTRfootnotetext#1{\insert\footins{%
14545   \@RTLfalse%
14546   \reset@font%
14547   \bidi@LTRfootnotetext@font% \reset@font\footnotesize
14548   \interlinepenalty\interfootnotelinepenalty
14549   \splittopskip\footnotesep
14550   \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
14551   \hsize\columnwidth \@parboxrestore
14552   \protected@edef\@currentlabel{%
14553     \csname p@footnote\endcsname\@thefnmark
14554   }%
14555   \color@begingroup
14556     \makefnintext{%
14557       \rule{z@footnotesep\ignorespaces#1\@finalstrut\strutbox}%
14558     \color@endgroup}}%
14559
14560 \AtBeginDocument{%
14561 \if@RTL@footnote
14562   \newcommand*{\bidi@footdir@footnote}{R}

```




```

14563 \else
14564   \newcommand*{\bidi@footdir@footnote}{L}
14565 \fi%
14566 }
14567
14568 \footdir@temp\footdir@ORG@bidi@footnotetext\@footnotetext{\bidi@footdir@footnote}%
14569 \footdir@temp\footdir@ORG@bidi@RTLfootnotetext\@RTLfootnotetext{R}%
14570 \footdir@temp\footdir@ORG@bidi@LTRfootnotetext\@LTRfootnotetext{L}%
14571
14572 \long\def\@mpRTLfootnotetext#1{%
14573   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footnoterule%
14574   \global\setbox\@mpfootins\vbox{%
14575     \unvbox\@mpfootins
14576     \RTLtrue
14577     \reset@font%
14578     \bidi@RTLfootnotetext@font% \reset@font\footnotesize
14579     \hsize\columnwidth
14580     \@parboxrestore
14581     \protected@edef\@currentlabel
14582       {\csname p@mpfootnote\endcsname\@thefnmark}%
14583     \color@begingroup
14584     \@makefntext{%
14585       \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
14586     \color@endgroup}}
14587 \long\def\@mpLTRfootnotetext#1{%
14588   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footnoterule%
14589   \global\setbox\@mpfootins\vbox{%
14590     \unvbox\@mpfootins
14591     \RTLfalse
14592     \reset@font%
14593     \bidi@LTRfootnotetext@font% \reset@font\footnotesize
14594     \hsize\columnwidth
14595     \@parboxrestore
14596     \protected@edef\@currentlabel
14597       {\csname p@mpfootnote\endcsname\@thefnmark}%
14598     \color@begingroup
14599     \@makefntext{%
14600       \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
14601     \color@endgroup}}
14602 \long\def\@mpfootnotetext#1{%
14603   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\ifRTL@footnote\global\let\bidi@mpfootnoterule\right@footnoterule%
14604   \global\setbox\@mpfootins\vbox{%
14605     \unvbox\@mpfootins
14606     \ifRTL@footnote\RTLtrue\else\RTLfalse\fi
14607     \reset@font%
14608     \bidi@footnotetext@font% \reset@font\footnotesize
14609     \hsize\columnwidth
14610     \@parboxrestore
14611     \protected@edef\@currentlabel
14612       {\csname p@mpfootnote\endcsname\@thefnmark}%
14613     \color@begingroup
14614     \@makefntext{%
14615       \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
14616     \color@endgroup}}

```



```

14617 \def\@iiiminipage#1#2[#3]#4{%
14618   \leavevmode
14619   \@pboxswfalse
14620   \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
14621   \ifRTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi
14622   \setlength\@tempdima{#4}%
14623   \def\@mpargs{#1}#2[#3]{#4}}%
14624   \setbox\@tempboxa\vbox\bgroup
14625     \color@begingroup
14626     \hsize\@tempdima
14627     \textwidth\hsize \columnwidth\hsize
14628     \@parboxrestore
14629     \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
14630     \let\@footnotetext\@mpfootnotetext
14631     \let\@LTRfootnotetext\@mpLTRfootnotetext
14632     \let\@RTLfootnotetext\@mpRTLfootnotetext
14633     \let\@listdepth\@mplistdepth \@mplistdepth\z@
14634     \@minipagerestore
14635     \@setminipage}
14636 \def\endminipage{%
14637   \par
14638   \unskip
14639   \ifvoid\@mpfootins\else
14640     \vskip\skip\@mpfootins
14641     \normalcolor
14642     \bidi@mpfootnoterule
14643     \unvbox\@mpfootins
14644   \fi
14645   \@minipagefalse %% added 24 May 89
14646   \color@endgroup
14647   \egroup
14648   \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
14649 \def\LTRthanks#1{\footnotemark
14650   \protected@xdef\@thanks{\@thanks
14651     \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
14652 }
14653 \def\LTRfootnotetext{%
14654   \@ifnextchar [\@xLTRfootnotenext
14655     {\protected@xdef\@thefnmark{\thempfn}%
14656     \@LTRfootnotetext}}
14657 \def\@xLTRfootnotenext[#1]{%
14658   \begingroup
14659     \csname c@\@mpfn\endcsname #1\relax
14660     \unrestored@protected@xdef\@thefnmark{\thempfn}%
14661   \endgroup
14662   \@LTRfootnotetext}
14663 \def\RTLthanks#1{\footnotemark
14664   \protected@xdef\@thanks{\@thanks
14665     \protect\RTLfootnotetext[\the\c@footnote]{#1}}%
14666 }
14667 \let\@thanks\@empty
14668 \def\RTLfootnotetext{%
14669   \@ifnextchar [\@xRTLfootnotenext
14670     {\protected@xdef\@thefnmark{\thempfn}%

```



```

14671 \RTLfootnotetext}}
14672 \def\@xRTLfootnotenext[#1]{%
14673 \begingroup
14674 \csname c@\mpfn\endcsname #1\relax
14675 \unrestored@protected@xdef\@thefnmark{\thempfn}%
14676 \endgroup
14677 \RTLfootnotetext}
14678 \leftfootnoterule

```

97 File footnotebackref-xetex-bidi.def

```

14679 \ProvidesFile{footnotebackref-xetex-bidi.def}[2022/02/18 v0.1 bidi adaptations for footnote]
14680 \LetLtxMacro{\BHFN@OldLTRFootnote}{\LTRfootnote}
14681 \LetLtxMacro{\BHFN@OldRTLFootnote}{\RTLfootnote}
14682
14683 \renewcommand*\LTRfootnote{%
14684 \refstepcounter{BackrefHyperFootnoteCounter}%
14685 \edef\BackrefFootnoteTag{bhfn:\theBackrefHyperFootnoteCounter}%
14686 \label{\BackrefFootnoteTag}%
14687 \@ifnextchar[\Backref@OptLTRHyperFootnote\Backref@HyperLTRFootnote}
14688
14689 \renewcommand*\RTLfootnote{%
14690 \refstepcounter{BackrefHyperFootnoteCounter}%
14691 \edef\BackrefFootnoteTag{bhfn:\theBackrefHyperFootnoteCounter}%
14692 \label{\BackrefFootnoteTag}%
14693 \@ifnextchar[\Backref@OptRTLHyperFootnote\Backref@HyperRTLFootnote}
14694 \newcommand\Backref@HyperLTRFootnote[1]{%
14695 \BHFN@OldLTRFootnote{\Backref@HyperSymbol#1}}
14696
14697 \newcommand\Backref@HyperRTLFootnote[1]{%
14698 \BHFN@OldRTLFootnote{\Backref@HyperSymbol#1}}
14699
14700 \newcommand\Backref@OptHyperLTRFootnote[2][\empty]{%
14701 \BHFN@OldLTRFootnote[#1]{\Backref@HyperSymbol#2}}
14702
14703 \newcommand\Backref@OptHyperRTLFootnote[2][\empty]{%
14704 \BHFN@OldRTLFootnote[#1]{\Backref@HyperSymbol#2}}
14705
14706 \bidi@AfterFile{extrafootnotefeatures-xetex-bidi.def}{%
14707 \ifFootnoteBackref@numberlinked
14708 \renewcommand{\footfootmark}{%
14709 \ifdim\footmarkwidth < \z@
14710 \llap{\hb@xt@ -\footmarkwidth{%
14711 \hss\normalfont\footscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
14712 \hspace*{-\footmarkwidth}}}%
14713 \else
14714 \ifdim\footmarkwidth = \z@
14715 {\normalfont\footscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
14716 \else
14717 \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}
14718 \fi
14719 \fi}
14720 \renewcommand{\LTRfootfootmark}{%
14721 \ifdim\footmarkwidth < \z@

```



```

14722 \llap{\hb@xt@ -\footmarkwidth{%
14723 \hss\normalfont\LTRfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
14724 \hspace*{-\footmarkwidth}}%
14725 \else
14726 \ifdim\footmarkwidth = \z@
14727 {\normalfont\LTRfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
14728 \else
14729 \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
14730 \fi
14731 \fi}
14732 \renewcommand{\RTLfootfootmark}{%
14733 \ifdim\footmarkwidth < \z@
14734 \llap{\hb@xt@ -\footmarkwidth{%
14735 \hss\normalfont\RTLfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
14736 \hspace*{-\footmarkwidth}}%
14737 \else
14738 \ifdim\footmarkwidth = \z@
14739 {\normalfont\RTLfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
14740 \else
14741 \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
14742 \fi
14743 \fi}
14744 \fi
14745 }

```

98 File framed-xetex-bidi.def

```

14746 \ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for xetex]
14747 \renewcommand\TitleBarFrame[3][\begingroup
14748 \ifx\delimiter#1\delimiter
14749 \let\TF@conlab\@empty
14750 \else
14751 \def\TF@conlab{% continuation label
14752 \nointerlineskip
14753 \smash{\rlap{\kern\wd\@tempboxa\kern\fboxrule\kern\fboxsep #1}}}%
14754 \fi
14755 %\let\TF@savecolor\current@color
14756 \textcolor{TF@FrameColor}{%
14757 \CustomFBox
14758 {\TF@Title{#2}}{\TF@conlab}%
14759 \fboxrule\fboxrule\fboxrule\fboxrule
14760 %{\let\current@color\TF@savecolor\set@color #3}%
14761 {\normalcolor #3}%
14762 }\endgroup
14763 }
14764 \renewenvironment{titled-frame}[1]{%
14765 \def\FrameCommand{\fboxsep8pt\fboxrule2pt
14766 \TitleBarFrame{\textbf{#1}}}%
14767 \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
14768 \TitleBarFrame[\if@RTL\blacktriangleleft\else\blacktriangleright\fi]{\textbf{#1}}}%
14769 \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
14770 \TitleBarFrame[\if@RTL\blacktriangleleft\else\blacktriangleright\fi]{\textbf{#1\ (cont)}}}%
14771 \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
14772 \TitleBarFrame{\textbf{#1\ (cont)}}}%

```



```

14773 \MakeFramed{\advance\hsize-20pt \FrameRestore}}%
14774 % note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
14775 % could interfere with the width measurement.
14776 {\endMakeFramed}
14777 \chardef\FrameRestore=\catcode`\| % for debug
14778 \catcode`\|=\catcode`\% % (debug: insert space after backslash)
14779 \def\fb@put@frame#1#2{\relax
14780 \ifdim\pagegoal=\maxdimen \pagegoal\vsizerelax \fi
14781 | \message{===== Entering putframe =====^^J
14782 | \pagegoal=\the\pagegoal, \pagetotal=\the\pagetotal.}%
14783 \ifinner
14784 \fb@putboxa#1%
14785 \fb@afterframe
14786 \else
14787 \dimen@=\pagegoal \advance\dimen@-\pagetotal % natural space left on page
14788 \ifdim\dimen@<2\baselineskip % Too little room on page
14789 | \message{Page has only \the\dimen@space room left; eject.}%
14790 \eject \fb@adjheight \fb@put@frame#1#2%
14791 \else % there's appreciable room left on the page
14792 \fb@sizeofframe#1%
14793 | \message{\string\pagetotal=\the\pagetotal,
14794 | \string\pagegoal=\the\pagegoal,
14795 | \string\pagestretch=\the\pagestretch,
14796 | \string\pageshrink=\the\pageshrink,
14797 | \string\fb@frh=\the\fb@frh. \space}
14798 | \message{^^JBox of size \the\ht@tempboxa\space}%
14799 \begingroup % temporarily set \dimen@ to be...
14800 \advance\dimen@.8\pageshrink % maximum space available on page
14801 \advance\dimen@-\fb@frh\relax % max space available for frame's contents
14802 %%% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
14803 \expandafter\endgroup
14804 % expand \ifdim, then restore \dimen@ to real room left on page
14805 \ifdim\dimen@>\ht@tempboxa % whole box does fit
14806 | \message{fits in \the\dimen@.}%
14807 % ToDo: Change this to use vsplit anyway to capture the marks
14808 % MERGE THIS WITH THE else CLAUSE!!!
14809 \fb@putboxa#1%
14810 \fb@afterframe
14811 \else % box must be split
14812 | \message{must be split to fit in \the\dimen@.}%
14813 % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
14814 \fb@sizeofframe#2%
14815 \setbox\@tempboxa\vbox{% simulate frame and flexibility of the page:
14816 \vskip \fb@frh \@plus\pagestretch \@minus.8\pageshrink
14817 \kern137sp\kern-137sp\penalty-30
14818 \unvbox\@tempboxa}%
14819 \edef\fb@resto@set{\boxmaxdepth\the\boxmaxdepth
14820 \splittopskip\the\splittopskip}%
14821 \boxmaxdepth\z@ \splittopskip\z@
14822 | \message{^^JBox of size \the\ht@tempboxa\space split to \the\dimen@}%
14823 % Split box here
14824 \setbox\tw@\vsplit\@tempboxa to\dimen@
14825 | \toks99\expandafter{\splitfirstmark}%
14826 | \toks98\expandafter{\splitbotmark}%

```



```

14827 | \message{Marks are: \the\toks99, \the\toks98. }%
14828 | \setbox\tw@\vbox{\unvbox\tw@}% natural-sized
14829 | \message{Natural height of split box is \the\ht\tw@, leaving
14830 | \the\ht\@tempboxa\space remainder. }%
14831 | % If the split-to size > (\vsize-\topskip), then set box to full size.
14832 | \begingroup
14833 | \advance\dimen@\topskip
14834 | \expandafter\endgroup
14835 | \ifdim\dimen@>\pagegoal
14836 | \message{Frame is big -- Use up the full column. }%
14837 | \dimen@ii\pagegoal
14838 | \advance\dimen@ii -\topskip
14839 | \advance\dimen@ii \FrameHeightAdjust\relax
14840 | \else % suspect this is implemented incorrectly:
14841 | % If the split-to size > feasible room_on_page, rebox it smaller.
14842 | \advance\dimen@.8\pageshrink
14843 | \ifdim\ht\tw@>\dimen@
14844 | \message{Box too tall; rebox it to \the\dimen@. }%
14845 | \dimen@ii\dimen@
14846 | \else % use natural size
14847 | \dimen@ii\ht\tw@
14848 | \fi
14849 | \fi
14850 | % Re-box contents to desired size \dimen@ii
14851 | \advance\dimen@ii -\fb@frh
14852 | \setbox\tw@\vbox to\dimen@ii \bgroup
14853 | % remove simulated frame and page flexibility:
14854 | \vskip -\fb@frh \@plus-\pagestretch \@minus-.8\pageshrink
14855 | \unvbox\tw@ \unpenalty\unpenalty
14856 | \ifdim\lastkern=-137sp % whole box went to next page
14857 | \message{box split at beginning! }%
14858 | % need work here???
14859 | \egroup \fb@resto@set \eject % (\vskip for frame size was discarded)
14860 | \fb@adjheight
14861 | \fb@put@frame#1#2% INSERTED ???
14862 | \else % Got material split off at the head
14863 | \egroup \fb@resto@set
14864 | \ifvoid\@tempboxa % it all fit after all
14865 | \message{box split at end! }%
14866 | \setbox\@tempboxa\box\tw@
14867 | \fb@putboxa#1%
14868 | \fb@afterframe
14869 | \else % it really did split
14870 | \message{box split as expected. Its reboxed height is \the\ht\tw@. }%
14871 | \ifdim\wd\tw@>\z@
14872 | \wd\tw@\wd\@tempboxa
14873 | \centerline{#2{\hboxL{\box\tw@}}}% ??? \centerline bad idea
14874 | \else
14875 | \message{Zero width means likely blank. Don't frame it (guess)}%
14876 | \box\tw@
14877 | \fi
14878 | \hrule \@height\z@ \@width\hsize
14879 | \eject
14880 | \fb@adjheight

```



```

14881          \fb@put@frame\LastFrameCommand\MidFrameCommand
14882 \fi\fi\fi\fi\fi
14883 }
14884 \def\fb@putboxa#1{%
14885   \ifvoid\@tempboxa
14886     \PackageWarning{framed}{Boxa is void -- discard it. }%
14887   \else
14888 |   \message{Frame and place boxa. }%
14889 |   %{\showoutput\showbox\@tempboxa}%
14890   \centerline{#1{\hboxL{\box\@tempboxa}}}%
14891 \fi
14892 }
14893 \catcode`\|=\FrameRestore
14894 \def\FrameRestore{%
14895   \let\if@nobreak\iffalse
14896   \let\if@noskipsec\iffalse
14897   \let\-\@dischph
14898   \let'\@acci\let'\@accii\let\=\@acciii
14899   % \message{FrameRestore:
14900   %   \@totalleftmargin=\the \@totalleftmargin,
14901   %   \rightmargin=\the\rightmargin,
14902   %   \@listdepth=\the\@listdepth. }%
14903   % Test if we are in a list (or list-like paragraph)
14904   \ifnum \ifdim\@totalleftmargin>\z@ 1\fi
14905     \ifdim\rightmargin>\z@ 1\fi
14906     \ifnum\@listdepth>\z@ 1\fi 0>\z@
14907     % \message{In a list: \linewidth=\the\linewidth, \@totalleftmargin=\the\@totalleftmargin,
14908     %   \parshape=\the\parshape, \columnwidth=\the\columnwidth, \hsize=\the\hsize,
14909     %   \labelwidth=\the\labelwidth. }%
14910     \@setminipage % snug fit around the item
14911     % Now try to propagate changes of width from \hsize to list parameters.
14912     % This is deficient, but a more advanced way to indicate modification to text
14913     % dimensions is not (yet) provided; in particular, no separate left/right
14914     % adjustment.
14915     \advance\linewidth-\columnwidth \advance\linewidth\hsize
14916     \parshape\@ne \@totalleftmargin \linewidth
14917   \else % Not in list
14918     \linewidth=\hsize
14919     %\message{No list, set \string\linewidth=\the\hsize. }%
14920   \fi
14921   \sloppy
14922 }

```

99 File ftnright-xetex-bidi.def

```

14923 \ProvidesFile{ftnright-xetex-bidi.def}[2018/09/29 v0.6 bidi adaptations for ftnright package]
14924
14925 \def\prepare@bidi@copyins{%
14926   \global\@bidi@rcol@copyinsskip\skip\@bidi@copyins@
14927   \global\skip\@bidi@copyins@\z@
14928   \global\count\@bidi@copyins@\z@
14929   \global\dimen\@bidi@copyins@\textheight}
14930
14931 \newskip\@bidi@rcol@copyinsskip

```



```

14932
14933 \def\LTR@outputdblcol{%
14934   \if@firstcolumn
14935     \global\@firstcolumnfalse
14936     \global\setbox\@leftcolumn\copy\@outputbox
14937     \global\count\footins\@m
14938     \global\skip\footins\rcol@footinsskip
14939     \global\count\@bidi@copyins\@m
14940     \global\skip\@bidi@copyins\@bidi@rcol@copyinsskip
14941     \splitmaxdepth\maxdimen
14942     \vbadness\maxdimen
14943     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
14944     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
14945     \toks@{\expandafter{\topmark}}%
14946     \xdef\@firstcoltopmark{\the\toks@}%
14947     \toks@{\expandafter{\splitfirstmark}}%
14948     \xdef\@firstcolfirstmark{\the\toks@}%
14949     \ifx\@firstcolfirstmark\@empty
14950       \global\let\@setmarks\relax
14951     \else
14952       \gdef\@setmarks{%
14953         \let\firstmark\@firstcolfirstmark
14954         \let\topmark\@firstcoltopmark}%
14955     \fi
14956   \else
14957     \preparefootins
14958     \prepare@bidi@copyins
14959     \global\@firstcolumntrue
14960     \setbox\@outputbox\vbox{%
14961       \hb@xt@\textwidth{%
14962         \hb@xt@\columnwidth{%
14963           \bidi@firstcolumn@status@write%
14964           \box\@leftcolumn \hss}%
14965         \hfil
14966         {\normalcolor\vrule \@width\columnseprule}%
14967         \hfil
14968         \hb@xt@\columnwidth{%
14969           \bidi@lastcolumn@status@write%
14970           \box\@outputbox \hss}}}%
14971   \@combinedblfloats
14972   \@setmarks
14973   \@outputpage
14974   \begingroup
14975     \@dblfloatplacement
14976     \@startdblcolumn
14977     \@whilesw\if@fcolmade \fi{\@outputpage
14978       \@startdblcolumn}%
14979   \endgroup
14980 \fi}%
14981
14982 \def\RTL@outputdblcol{%
14983   \if@firstcolumn
14984     \global\@firstcolumnfalse
14985     \global\setbox\@leftcolumn\copy\@outputbox

```




```

14986 \global\count\footins\@m
14987 \global\skip\footins\rcol@footinsskip
14988 \global\count\@bidi@copyins\@m
14989 \global\skip\@bidi@copyins\@bidi@rcol@copyinsskip
14990 \splitmaxdepth\maxdimen
14991 \vbadness\maxdimen
14992 \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
14993 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
14994 \toks@\expandafter{\topmark}%
14995 \xdef\@firstcoltopmark{\the\toks@}%
14996 \toks@\expandafter{\splitfirstmark}%
14997 \xdef\@firstcolfirstmark{\the\toks@}%
14998 \ifx\@firstcolfirstmark\@empty
14999 \global\let\@setmarks\relax
15000 \else
15001 \gdef\@setmarks{%
15002 \let\firstmark\@firstcolfirstmark
15003 \let\topmark\@firstcoltopmark}%
15004 \fi
15005 \else
15006 \preparefootins
15007 \prepare@bidi@copyins
15008 \global\@firstcolumntrue
15009 \setbox\@outputbox\vbox{%
15010 \hb@xt@\textwidth{%
15011 \hskip \columnwidth
15012 \hfil
15013 {\normalcolor\vrule \@width\columnseprule}%
15014 \hfil
15015 \hb@xt@\columnwidth{%
15016 \bidi@firstcolumn@status@write%
15017 \box\@leftcolumn \hss}%
15018 \hskip -\textwidth
15019 \hb@xt@\columnwidth{%
15020 \bidi@lastcolumn@status@write%
15021 \box\@outputbox \hss}%
15022 \hskip \columnsep
15023 \hskip \columnwidth }}%
15024 \@combinedblfloats
15025 \@setmarks
15026 \@outputpage
15027 \begingroup
15028 \@dblfloatplacement
15029 \@startdblcolumn
15030 \@whiles\if@fcolmade \fi{\@outputpage
15031 \@startdblcolumn}%
15032 \endgroup
15033 \fi}%
15034
15035 \def\@startcolumn{%
15036 \ifx\@deferlist\@empty
15037 \global\@fcolmadefalse
15038 \global\@colroom\@colht
15039 \else

```



```

15040 \ifvoid\footins\else
15041 \ftn@amount\ht\footins
15042 \advance\ftn@amount\dp\footins
15043 \advance\ftn@amount\skip\footins
15044 \fi
15045 \ifvoid\@bidi@copyins@\else
15046 \bidi@copyins@amount\ht\@bidi@copyins@
15047 \advance\bidi@copyins@amount\dp\@bidi@copyins@
15048 \advance\bidi@copyins@amount\skip\@bidi@copyins@
15049 \fi
15050 \global\advance\@colht-\ftn@amount
15051 \global\advance\@colht-\bidi@copyins@amount
15052 \global\@colroom\@colht
15053 \@xstartcol
15054 \global\advance\@colht\ftn@amount
15055 \global\advance\@colroom\ftn@amount
15056 \global\advance\@colht\bidi@copyins@amount
15057 \global\advance\@colroom\bidi@copyins@amount
15058 \fi
15059 \if@fcolmade
15060 \setbox\@cclv\box\@outputbox
15061 \@makecol
15062 \else
15063 \ifvoid\footins\else
15064 \insert\footins{\unvbox\footins}\fi
15065 \ifvoid\@bidi@copyins@\else
15066 \insert\@bidi@copyins@\unvbox\@bidi@copyins@\fi
15067 \fi}
15068
15069 \newdimen\bidi@copyins@amount
15070
15071 \def\@makecol{\if@firstcolumn
15072 \setbox\@outputbox\box\@cclv
15073 \if@twocolumn \else
15074 \ifvoid\footins \else
15075 \@latexerr{ftnright package
15076 used in one-column mode}%
15077 {The ftnright package was designed to
15078 work with LaTeX's standard^^Jtwocolumn
15079 option. It does *not* work with the
15080 multicol package.^^JSo please specify
15081 `twocolumn' in the
15082 \noexpand\documentclass command.}%
15083 \shipout\box\footins \fi
15084 \ifvoid\@bidi@copyins@ \else
15085 \@latexerr{ftnright package
15086 used in one-column mode}%
15087 {The ftnright package was designed to
15088 work with LaTeX's standard^^Jtwocolumn
15089 option. It does *not* work with the
15090 multicol package.^^JSo please specify
15091 `twocolumn' in the
15092 \noexpand\documentclass command.}%
15093 \shipout\box\@bidi@copyins@ \fi\fi

```



```

15094 \ifnum\insertpenalties>\z@
15095   \@latexerr{ftnright package
15096     scrambled footnotes}%
15097   {There is too much footnote material in
15098     the first column and ftnright^^Jis
15099     unable to cope with this.^^JYou need
15100     to reduce the amount to get a properly
15101     formatted page.}%
15102 \fi
15103 \else
15104 \ifvoid\footins
15105   \ifvoid\@bidi@copyins@
15106     \setbox\@outputbox\box\@cclv
15107   \else
15108     \setbox\@outputbox\vbox
15109     {\ifvoid\@cclv \else
15110       \unvbox\@cclv
15111       \vskip \skip\@bidi@copyins@
15112     \fi
15113     \color@begingroup
15114     \normalcolor
15115     \unvbox \@bidi@copyins@
15116     \color@endgroup}%
15117 \fi
15118 \else
15119   \setbox\@outputbox\vbox
15120   {\ifvoid\@cclv \else
15121     \unvbox\@cclv
15122     \vskip\skip\footins\fi
15123     \color@begingroup
15124     \normalcolor
15125     \footnoterule\unvbox\footins
15126     \color@endgroup
15127     \ifvoid\@bidi@copyins@
15128     \else
15129       \vskip \skip\@bidi@copyins@
15130       \color@begingroup
15131       \normalcolor
15132       \unvbox \@bidi@copyins@
15133       \color@endgroup
15134     \fi
15135   }%
15136 \fi
15137 \fi
15138 \xdef\@freelist{\@freelist\@midlist}%
15139 \global \let \@midlist \@empty
15140 \@combinefloats
15141 \ifvbox\@kludgeins
15142   \@makespecialcolbox
15143 \else
15144   \setbox\@outputbox\vbox to\@colht
15145   {\boxmaxdepth\maxdepth
15146     \@texttop
15147     \@tempdima\dp\@outputbox

```



```

15148      \unvbox\@outputbox
15149      \vskip-\@tempdima
15150      \@textbottom}%
15151  \fi
15152  \global\maxdepth\@maxdepth}
15153
15154  \let\leftfootnoterule\@empty
15155  \let\rightfootnoterule\@empty
15156  \let\textwidthfootnoterule\@empty
15157  \let\autofootnoterule\@empty
15158  \let\footnoterule\@empty
15159  \long\def\@makefntext#1{\parindent 1em
15160    \noindent\hbox to 2em{}%
15161    \llap{\@thefnmark\hbox{.}\,\,}\,#1}
15162
15163  \setlength{\skip\@bidi@copyins@}
15164    {10pt plus 5pt minus 3pt}
15165  \AtBeginDocument{\prepare@bidi@copyins}

```

100 File graphicx-xetex-bidi.def

```

15166 \ProvidesFile{graphicx-xetex-bidi.def}[2017/06/17 v0.5 bidi adaptations for graphicx package]
15167 \def\Grot@box@std#1#2{\ifmmode\else\if@RTL\beginL\fi\fi%
15168   \Grot@setangle{#1}%
15169   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi#2\if@RTL\endR\fi\else\if@RTL\beginR\fi#2\if@RTL\endR\fi}%
15170   \Grot@x\z@
15171   \Grot@y\z@
15172   \Grot@box\ifmmode\else\if@RTL\endL\fi\fi}
15173 \long\def\Grot@box@kv[#1]#2#3{\ifmmode\else\if@RTL\beginL\fi\fi%
15174   \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\endR\fi}%
15175   \Grot@x\width \divide\Grot@x\tw@
15176   \Grot@y\height \advance\Grot@y-\depth \divide\Grot@y\tw@
15177   \setkeys{Grot}{#1}%
15178   \setbox\z@\box\@tempboxa
15179   \Grot@setangle{#2}%
15180   \Grot@box\ifmmode\else\if@RTL\endL\fi\fi
15181   \@end@tempboxa}
15182 \long\def\Gscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
15183   \leavevmode
15184   \def\Gscale@x{#1}\def\Gscale@y{#2}%
15185   \setbox\z@\hbox{#3}%
15186   \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
15187   \ifdim#2\p<\z@
15188     \ht\tw@-#2\dp\z@
15189     \dp\tw@-#2\ht\z@
15190   \else
15191     \ht\tw@#2\ht\z@
15192     \dp\tw@#2\dp\z@
15193   \fi
15194   \ifdim#1\p<\z@
15195     \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
15196   \else
15197     \wd\tw@#1\wd\z@
15198     \box\tw@

```



```

15199 \fi\ifmmode\else\if@RTL\endL\fi\fi}
15200 \def\Gin@iii[#1,#2][#3,#4]#5{%
15201 \begingroup
15202 \ifmmode\else\if@RTL\beginL\fi\fi
15203 \Gin@bboxtrue
15204 \Gin@defaultbp\Gin@llx{#1}%
15205 \Gin@defaultbp\Gin@lly{#2}%
15206 \Gin@defaultbp\Gin@urx{#3}%
15207 \Gin@defaultbp\Gin@ury{#4}%
15208 \Gininclude@graphics{#5}%
15209 \ifmmode\else\if@RTL\endL\fi\fi
15210 \endgroup}
15211 \def\Gin@ii[#1]#2{%
15212 \def\@tempa{[]}\def\@tempb{#2}%
15213 \ifx\@tempa\@tempb
15214 \def\@tempa{\Gin@iii[#1][]}%
15215 \expandafter\@tempa
15216 \else
15217 \begingroup
15218 \ifmmode\else\if@RTL\beginL\fi\fi
15219 \@tempswafalse
15220 \toks@{\Gininclude@graphics{#2}}%
15221 \setkeys{Gin}{#1}%
15222 \Gin@esetsize
15223 \the\toks@
15224 \ifmmode\else\if@RTL\endL\fi\fi
15225 \endgroup
15226 \fi}
15227 \def\reflectbox{\bidiGscale@box-1[1]}
15228 \long\def\bidiGscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
15229 \leavevmode
15230 \def\Gscale@x{#1}\def\Gscale@y{#2}%
15231 \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\endR\fi}%
15232 \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
15233 \ifdim#2\p@<\z@
15234 \ht\tw@-#2\dp\z@
15235 \dp\tw@-#2\ht\z@
15236 \else
15237 \ht\tw@#2\ht\z@
15238 \dp\tw@#2\dp\z@
15239 \fi
15240 \ifdim#1\p@<\z@
15241 \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
15242 \else
15243 \wd\tw@#1\wd\z@
15244 \box\tw@
15245 \fi\ifmmode\else\if@RTL\endL\fi\fi}
15246 \def\scalebox#1{%
15247 \@ifnextchar[{\bidiGscale@box{#1}}{\bidiGscale@box{#1}[#1]}%
15248 \def\resizebox{%
15249 \leavevmode
15250 \@ifstar{\bidiGscale@@box\totalheight}{\bidiGscale@@box\height}}
15251 \def\bidiGscale@@box#1#2#3{%
15252 \let\@tempa\Gin@exclamation

```



```

15253 \expandafter\def\expandafter\@tempb\expandafter{\string#2}%
15254 \expandafter\def\expandafter\@tempc\expandafter{\string#3}%
15255 \ifx\@tempb\@tempa
15256   \ifx\@tempc\@tempa
15257     \toks@{\mbox}%
15258   \else
15259     \toks@{\bidiGscale@box@dd{#3}#1}%
15260   \fi
15261 \else
15262   \ifx\@tempc\@tempa
15263     \toks@{\bidiGscale@box@dd{#2}\width}%
15264   \else
15265     \toks@{\bidiGscale@box@dddd{#2}\width{#3}#1}%
15266   \fi
15267 \fi
15268 \the\toks@}
15269 \long\def\bidiGscale@box@dd#1#2#3{%
15270   \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\endR\fi}%
15271   \setlength\@tempdima{#1}%
15272   \setlength\@tempdimb{#2}%
15273   \Gscale@div\@tempa\@tempdima\@tempdimb
15274   \Gscale@box\@tempa[\@tempa]{\box\@tempboxa}%
15275   \@end@tempboxa}
15276 \long\def\bidiGscale@box@dddd#1#2#3#4#5{%
15277   \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#5\if@RTL\endR\fi\else\if@RTL\beginR\fi#5\if@RTL\endR\fi}%
15278   \setlength\@tempdima{#1}%
15279   \setlength\@tempdimb{#2}%
15280   \Gscale@div\@tempa\@tempdima\@tempdimb
15281   \setlength\@tempdima{#3}%
15282   \setlength\@tempdimb{#4}%
15283   \Gscale@div\@tempb\@tempdima\@tempdimb
15284   \ifGin@iso
15285     \ifdim\@tempa\p@>\@tempb\p@
15286       \let\@tempa\@tempb
15287     \else
15288       \let\@tempb\@tempa
15289     \fi
15290   \fi
15291   \Gscale@box\@tempa[\@tempb]{\box\@tempboxa}%
15292   \@end@tempboxa}

```

101 File geometry-xetex-bidi.def

```

15293 \ProvidesFile{geometry-xetex-bidi.def}[2017/01/14 v0.2 bidi adaptations for geometry package]
15294 \renewcommand*{\Gm@vrules@mpi}{%
15295   \if@RTLmain%
15296     \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
15297       \llap{\Gm@vrule}\ignorespaces
15298       \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
15299       \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}%
15300   \else%
15301     \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
15302       \hskip \textwidth\Gm@vrule\hskip \marginparsep
15303       \llap{\Gm@vrule}\hfil\Gm@vrule}\fi}%

```



```

15304 \renewcommand*{\Gm@vrules@mpii}{%
15305 \if@RTLmain%
15306   \hb@xt@{\@tempdima{\llap{\Gm@vrule}\ignorespaces
15307     \hskip \textwidth\Gm@vrule\hskip \marginparsep
15308     \llap{\Gm@vrule}\hfil\Gm@vrule}%
15309 \else%
15310   \hb@xt@{\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
15311     \llap{\Gm@vrule}\ignorespaces
15312     \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
15313     \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}\fi}%
15314 \bidi@patchcmd{\Gm@pageframes}{%
15315   \ifodd\count\z@
15316     \let\@themargin\oddsidemargin
15317   \else
15318     \let\@themargin\evensidemargin
15319   \fi
15320 }{%
15321   \ifodd\count\z@
15322     \if@RTLmain
15323       \let\@themargin\evensidemargin
15324     \else
15325       \let\@themargin\oddsidemargin
15326     \fi
15327   \else
15328     \if@RTLmain
15329       \let\@themargin\oddsidemargin
15330     \else
15331       \let\@themargin\evensidemargin
15332     \fi
15333   \fi
15334 }{}{}

```

102 File hggeneric-testphase-xetex-bidi.def

```

15335 \ProvidesFile{hggeneric-testphase-xetex-bidi.def}[2025/09/26 v0.3 bidi adaptations for generi
15336 \ExplSyntaxOn
15337 \bidi@undef\hyper@linkstart
15338 \bidi@undef\hyper@linkend
15339 \cs_new_protected:Npn \hyper@linkstart #1 #2 % #1 context, #2=destination name
15340 {
15341   \bool_if:NT \l__hyp_annot_GoTo_bool
15342   {
15343     \int_gincr:N\g__hyp_linknestlevel_int
15344     \__hyp_check_link_nesting:TF
15345     {
15346       \Hy@VerboseLinkStart{#1}{#2}% only for debug
15347       \group_begin:
15348       \tl_set:Nn \l_hyp_current_dest_name_tl {#2}
15349       \socket_use:nnn{hyp/link/GoTo/Contents}{#2}{}
15350       \hook_use:n {hyp/link/#1}
15351       \ifmmode\else\beginL\fi
15352       \__hyp_link_goto_begin:nw {#2}
15353     }
15354   }

```



```

15355         \group_begin:
15356     }
15357 }
15358 }
15359
15360 \cs_new_protected:Npn \hyper@linkend
15361 {
15362     \bool_if:NT \l__hyp_annot_GoTo_bool
15363     {
15364         \__hyp_check_link_nesting:TF
15365         {
15366             \__hyp_link_goto_end:
15367             \ifmmode\else\endL\fi
15368             \group_end:
15369             \Hy@VerboseLinkStop
15370         }
15371         {
15372             \group_end:
15373         }
15374         \int_gdecr:N\g__hyp_linknestlevel_int
15375     }
15376 }
15377 \AtBeginDocument{%
15378 \bidi@undef\hyper@link
15379 \bidi@undef\hyper@linkfile
15380 \bidi@undef\hyper@linkurl
15381 \bidi@undef\hyper@linknamed
15382 \cs_new_protected:Npn \hyper@link #1 #2 #3 % #1 context, #2=destination name, #3 content
15383 {
15384     \bool_if:NTF \l__hyp_annot_GoTo_bool
15385     {
15386         \int_gincr:N\g__hyp_linknestlevel_int
15387         \__hyp_check_link_nesting:TF
15388         {
15389             \Hy@VerboseLinkStart{#1}{#2}
15390             \group_begin:
15391             \tl_set:Nn \l_hyp_current_dest_name_tl {#2}
15392             \socket_use:nnn{hyp/link/GoTo/Contents}{#2}{#3}
15393             \hook_use:n {hyp/link/#1}
15394             \ifmmode\else\beginL\fi
15395             \__hyp_link_goto_begin:nw {#2}\ifmmode\else\if@RTL\beginR\fi\fi#3\ifmmode\else\fi
15396             \__hyp_link_goto_end:
15397             \ifmmode\else\endL\fi
15398             \group_end:
15399             \Hy@VerboseLinkStop
15400         }
15401         {
15402             \group_begin: #3\group_end:
15403         }
15404         \int_gdecr:N\g__hyp_linknestlevel_int
15405     }
15406     {\let\protect\relax#3}}
15407 }
15408 \cs_new_protected:Npn \hyper@linkfile #1 #2 #3 % link text, filename, destname

```




```

15409 {
15410   \bool_if:NTF \l__hyp_annot_GoToR_bool
15411   {
15412     \int_gincr:N\g__hyp_linknestlevel_int
15413     \__hyp_check_link_nesting:TF
15414     {
15415       \group_begin:
15416       \tl_set:Nx \l__hyp_filename_tmpa_tl { \text_expand:n { #2 } }
15417       \exp_args:Nx
15418       \pdf_object_if_exist:nF { __hyp_file_\tl_to_str:N \l__hyp_filename_tmpa_tl }
15419       {
15420         \pdfdict_put:nne { l_pdffile/Filespec } { Subtype } { \pdf_name_from_unicode_e:n }
15421         \pdffile_embed_file:noe
15422         {}
15423         { \l__hyp_filename_tmpa_tl }
15424         { __hyp_file_\tl_to_str:N \l__hyp_filename_tmpa_tl }
15425       }
15426       \pdfdict_put:nne
15427       { l_hyp/annot/A/GoToR }
15428       { F }
15429       { \pdf_object_ref:e { __hyp_file_\tl_to_str:N \l__hyp_filename_tmpa_tl } }
15430       \__hyp_text_pdfstring:nnN
15431       { #3 }
15432       { \l__hyp_text_enc_dest_print_tl }
15433       \l__hyp_dest_name_tmpa_tl
15434       \socket_use:nn{hyp/link/GoToR/Contents}{#2}
15435       \tl_if_blank:eTF {#3}
15436       {
15437         \pdfdict_put:nne { l_hyp/annot/A/GoToR } { D }
15438         {
15439           [
15440             \int_eval:n
15441             { \int_max:nn {0} { 0\l__hyp_href_pdf_page_tl - 1 } }
15442             /\l__hyp_dest_pdfremotestartview_tl
15443           ]
15444         }
15445       }
15446       {
15447         \pdfdict_put:nno { l_hyp/annot/A/GoToR } { D } { \l__hyp_dest_name_tmpa_tl }
15448       }
15449       \mode_leave_vertical:
15450       \pdf_object_unnamed_write:ne{dict}{\pdfdict_use:n { l_hyp/annot/A/GoToR }}
15451       \pdfannot_dict_put:nne { link/GoToR } { A } { \pdf_object_ref_last: }
15452       \ifmmode\else\beginL\fi
15453       \pdfannot_link:nnn %expansion??
15454       { GoToR }
15455       {
15456       }
15457       {
15458         \let\protect\relax
15459         \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace
15460         \Hy@VerboseLinkStop %where is the start??
15461       }
15462       \ifmmode\else\endL\fi

```



```

15463         \group_end:
15464     }
15465     {
15466         \group_begin: #1 \group_end:
15467     }
15468     \int_gdecr:N\g__hyp_linknestlevel_int
15469 }
15470 {{\let\protect\relax#1}}
15471 }
15472 \cs_new_protected:Npn \hyper@linkurl #1 #2 %#1:link text #2: URI,
15473 {
15474     \bool_if:NTF \l__hyp_annot_URI_bool
15475     {
15476         \int_gincr:N\g__hyp_linknestlevel_int
15477         \__hyp_check_link_nesting:TF
15478         {
15479             \group_begin:
15480             \__hyp_text_pdfstring:eoN
15481             { #2}
15482             { \l__hyp_text_enc_uri_print_tl }
15483             \l__hyp_uri_tmpa_tl
15484             \pdfdict_put:nno{1_hyp/annot/A/URI}{URI}{\l__hyp_uri_tmpa_tl}
15485             \bool_if:NT \l__hyp_href_url_ismap_bool
15486             {
15487                 \pdfdict_put:nnn{1_hyp/annot/A/URI}{IsMap}{true}
15488             }
15489             \socket_use:nn{hyp/link/URI/Contents}{#2}
15490             \cs_set_eq:NN \# \c_hash_str
15491             \cs_set_eq:NN \% \c_percent_str
15492             \Hy@safe@activetrue
15493             \mode_leave_vertical:
15494             \pdfannot_dict_put:nne {link/URI}{A}{<<\pdfdict_use:n {1_hyp/annot/A/URI}>>}
15495             \ifmmode\else\beginL\fi
15496             \pdfannot_link:nen { URI }
15497             {
15498             }
15499             {
15500                 \let\protect\relax
15501                 \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi
15502                 \Hy@xspace@end
15503                 \Hy@VerboseLinkStop %where is the start??
15504             }
15505             \ifmmode\else\endL\fi
15506             \group_end:
15507         }
15508     }
15509     \group_begin: #1 \group_end:
15510 }
15511 \int_gdecr:N\g__hyp_linknestlevel_int
15512 }
15513 {{\let\protect\relax#1}}
15514 }
15515 \RenewDocumentCommand \Acrobatmenu { m m }
15516 {

```



```

15517   \hyper@linknamed {#1} {#2}
15518 }
15519 \cs_new_protected:Npn \hyper@linknamed #1 #2 %#1 action, #2 link text
15520 {
15521   \bool_if:NTF \l__hyp_annot_Named_bool
15522   {
15523     \int_gincr:N\g__hyp_linknestlevel_int
15524     \__hyp_check_link_nesting:TF
15525     {
15526       \group_begin:
15527       \pdfmeta_standard_verify:nnTF {named_actions}{#1}
15528       {
15529         \mode_leave_vertical:
15530         \pdfdict_put:nne {l_hyp/annot/A/Named}{N}
15531         {\pdf_name_from_unicode_e:n{#1}}
15532         \pdfannot_dict_put:nne {link/Named}{A}{<<\pdfdict_use:n {l_hyp/annot/A/Named
15533         \ifmmode\else\beginL\fi
15534         \pdfannot_link:nnn { Named }
15535         {
15536           %           /A
15537           %           <<
15538           %           \pdfdict_use:n { l_hyp/annot/A/Named }
15539           %           >>
15540         }
15541         {
15542           \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi
15543           \Hy@xspace@end
15544           \Hy@VerboseLinkStop
15545         }
15546         \ifmmode\else\endL\fi
15547       }
15548       {
15549         \msg_warning:nnn { hyp } { pdfa-no-named-action }{#1}
15550         #2
15551       }
15552       \group_end:
15553     }
15554     { \group_begin: #2 \group_end: }
15555     \int_gdecr:N\g__hyp_linknestlevel_int
15556   }
15557   {\let\protect\relax#2}}
15558 }
15559 }
15560 \bidi@patchcmd\@TextField{%
15561   \pdfannot_box:nnnn
15562 }{%
15563   \if@RTL
15564     \hskip\Fld@width
15565   \fi
15566   \pdfannot_box:nnnn
15567 }{}{}
15568 \bidi@patchcmd\@TextField{%
15569   \MakeTextField{\Fld@width}{\Fld@height}
15570 }{%

```



```

15571 \if@RTL
15572 \hskip-\Fld@width
15573 \fi
15574 \MakeTextField{\Fld@width}{\Fld@height}
15575 }{}{}
15576 \ExplSyntaxOff

```

103 File hvfloat-xetex-bidi.def

```

15577 \ProvidesFile{hvfloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hvfloat package f
15578 \def\do@hvFloat[#1]#2#3{%
15579 \def\hv@shortCap{#1}
15580 \def\hv@longCap{#2}
15581 \def\hv@label{#3}
15582 %\newcommand*{\hvFloat}[5][{}]{%
15583 % [#1]: keyvalues
15584 % #2: type figure | table | ...
15585 % #3: float contents
15586 % [#4]: short caption
15587 % #5: caption
15588 % #6: label
15589 % \setDefaults%
15590 % \def@tempa{#1}%
15591 % \ifx\@tempa\empty\else\setkeys{hvSet}{#1}\fi% set options, only when not empty
15592 \def@tempa{90}%
15593 \ifx\hvSet@rotAngle\@tempa \setlength{\hvMaxCapWidth}{\textheight}
15594 \else \setlength{\hvMaxCapWidth}{\linewidth}
15595 \fi
15596 %
15597 % First we save the object in \hvObjectBox
15598 %
15599 \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
15600 \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
15601 \else
15602 \savebox{\hvObjectBox}{%
15603 \rotatebox{\hvSet@objectAngle}{%
15604 \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}}
15605 \fi
15606 \setlength{\hvObjectWidth}{\wd\hvObjectBox}
15607 %
15608 % Now we save the caption with its defined \hvCapWidth
15609 %
15610 \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}
15611 \else
15612 \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht\hvObjectBox}
15613 \else
15614 \setlength{\hvCapWidth}{\hvObjectWidth}
15615 \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
15616 \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
15617 \ifdim\hvSet@capWidth\columnwidth<\hvMaxCapWidth
15618 \setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}
15619 \else
15620 \setlength{\hvCapWidth}{\hvMaxCapWidth}
15621 \fi

```



```

15622 \fi
15623 \fi
15624 %
15625 % now we have the object and the caption with the right
15626 % rotated angles saved in boxes
15627 %
15628 \def\fps@figure{\hvSet@floatPos}
15629 \ifhv@nonFloat\begin{group}% Start the nonfloat part
15630 \else \begin{\hv@floatType}% Start the floating environment
15631 \fi%
15632 \saveCaptionSkip% we put this space ourselves
15633 \ifx\hvSet@capAngle\hv@Width % need rotation?
15634 \sbox{\hvCaptionBox}{%
15635 \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
15636 \ifhv@nonFloat%
15637 \ifhv@onlyText#2%
15638 \else%
15639 \ifx\hv@floatType\hv@figure
15640 \ifx\relax#1\relax \figcaption{#2}\else\figcaption{#1}{#2}\fi
15641 \else
15642 \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption{#1}{#2}\fi%
15643 \fi
15644 \fi
15645 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption{#1}{#2}\fi%
15646 \fi%
15647 \label{#3}%
15648 \end{minipage}%
15649 }%
15650 \else%
15651 \sbox{\hvCaptionBox}{%
15652 \rotatebox{\hvSet@capAngle}{%
15653 \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
15654 \ifhv@nonFloat%
15655 \ifhv@onlyText#2%
15656 \else%
15657 \ifx\hv@floatType\hv@figure
15658 \ifx\relax#1\relax \figcaption{#2}\else\figcaption{#1}{#2}\fi
15659 \else
15660 \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption{#1}{#2}\fi%
15661 \fi
15662 \fi
15663 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption{#1}{#2}\fi%
15664 \fi%
15665 \label{#3}%
15666 \end{minipage}%
15667 }%
15668 }%
15669 \fi%
15670 %%
15671 \restoreCaptionSkip% save old values
15672 \ifx\hvSet@objectPos\hv@Right\bidiraggedleft%
15673 \else%
15674 \ifx\hvSet@objectPos\hv@Center
15675 \ifhv@nonFloat\hspace*{\fill}\else\centering\fi%

```



```

15676     \fi%
15677 \fi%
15678 %
15679 % to rotate object and caption together, we save all in another box
15680 % the caption comes first, if its on the left or the top
15681 %
15682 \savebox{\@tempboxa}{%
15683   \ifx\hvSet@capPos\hv@Left % caption on left side
15684 \if@RTL%
15685 \ifx\hvSet@capVPos\hv@Center%
15686     \ifhv@fbox
15687     \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
15688     \else
15689     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
15690     \fi%
15691     \hspace{\hvSet@floatCapSep pt}%
15692     \ifhv@fbox
15693     \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}
15694     \else
15695     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
15696     \fi%
15697 \else%
15698 \ifx\hvSet@capVPos\hv@Top
15699     \ifhv@fbox
15700     \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
15701     \else
15702     \raisebox{-\height}{\usebox{\hvObjectBox}}%
15703     \fi%
15704     \hspace{\hvSet@floatCapSep pt}%
15705     \ifhv@fbox
15706     \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
15707     \else
15708     \raisebox{-\height}{\usebox{\hvCaptionBox}}%
15709     \fi
15710 \else
15711     \ifhv@fbox
15712     \fbox{\usebox{\hvObjectBox}}%
15713     \else
15714     \usebox{\hvObjectBox}%
15715     \fi
15716     \hspace{\hvSet@floatCapSep pt}%
15717     \ifhv@fbox
15718     \fbox{\usebox{\hvCaptionBox}}%
15719     \else
15720     \usebox{\hvCaptionBox}%
15721     \fi%
15722 \fi%
15723 \fi%
15724 \else% not RTL
15725 \ifx\hvSet@capVPos\hv@Center%
15726 \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
15727 \else \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
15728 \fi%
15729 \hspace{\hvSet@floatCapSep pt}% capfloatsep

```



```

15730 \ifhv@fbox\fbbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
15731 \else \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
15732 \fi%
15733 \else%
15734 \ifx\hvSet@capVPos\hv@Top % caption at top
15735 \ifhv@fbox\fbbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
15736 \else \raisebox{-\height}{\usebox{\hvCaptionBox}}%
15737 \fi
15738 \hspace{\hvSet@floatCapSep pt}% capfloatsep
15739 \ifhv@fbox\fbbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
15740 \else \raisebox{-\height}{\usebox{\hvObjectBox}}%
15741 \fi%
15742 \else% caption on bottom
15743 \ifhv@fbox\fbbox{\usebox{\hvCaptionBox}}
15744 \else\usebox{\hvCaptionBox}
15745 \fi%
15746 \hspace{\hvSet@floatCapSep pt}%
15747 \ifhv@fbox\fbbox{\usebox{\hvObjectBox}}
15748 \else \usebox{\hvObjectBox}
15749 \fi%
15750 \fi%
15751 \fi% end of RTL
15752 \fi%
15753 \else
15754 \ifx\hvSet@capPos\hv@Top
15755 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
15756 \begin{minipage}{\wd\hvCaptionBox}
15757 \else
15758 \begin{minipage}{\wd\hvObjectBox}
15759 \fi
15760 \centering
15761 \ifhv@fbox
15762 \fbbox{\usebox{\hvCaptionBox}}\[\hvBelowCaptionSkip]
15763 \fbbox{\usebox{\hvObjectBox}}
15764 \else
15765 \usebox{\hvCaptionBox}\[\hvBelowCaptionSkip]
15766 \usebox{\hvObjectBox}
15767 \fi%
15768 \end{minipage}
15769 \else
15770 \ifx\hvSet@capPos\hv@Bottom
15771 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
15772 \begin{minipage}{\wd\hvCaptionBox}
15773 \else
15774 \begin{minipage}{\wd\hvObjectBox}
15775 \fi
15776 \centering
15777 \ifhv@fbox
15778 \fbbox{\usebox{\hvObjectBox}}\[\hvAboveCaptionSkip]
15779 \fbbox{\usebox{\hvCaptionBox}}
15780 \else
15781 \usebox{\hvObjectBox}\[\hvAboveCaptionSkip]
15782 \usebox{\hvCaptionBox}
15783 \fi%

```



```

15784     \end{minipage}
15785     \else% the last option: put the caption on the right
15786 \if@RTL%
15787     \ifx\hvSet@capVPos\hv@Center%
15788     \ifhv@fbox\fbbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
15789     \else     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
15790     \fi%
15791     \hspace{\hvSet@floatCapSep pt}% capfloatsep
15792     \ifhv@fbox\fbbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
15793     \else     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
15794     \fi%
15795 \else%
15796     \ifx\hvSet@capVPos\hv@Top % caption at top
15797     \ifhv@fbox\fbbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
15798     \else     \raisebox{-\height}{\usebox{\hvCaptionBox}}%
15799     \fi
15800     \hspace{\hvSet@floatCapSep pt}% capfloatsep
15801     \ifhv@fbox\fbbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
15802     \else     \raisebox{-\height}{\usebox{\hvObjectBox}}%
15803     \fi%
15804     \else% caption on bottom
15805     \ifhv@fbox\fbbox{\usebox{\hvCaptionBox}}
15806     \else\usebox{\hvCaptionBox}
15807     \fi%
15808     \hspace{\hvSet@floatCapSep pt}%
15809     \ifhv@fbox\fbbox{\usebox{\hvObjectBox}}
15810     \else     \usebox{\hvObjectBox}
15811     \fi%
15812     \fi%
15813 \fi%
15814 \else% not RTL
15815     \ifx\hvSet@capVPos\hv@Center%
15816     \ifhv@fbox
15817     \fbbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
15818     \else
15819     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
15820     \fi%
15821     \hspace{\hvSet@floatCapSep pt}%
15822     \ifhv@fbox
15823     \fbbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
15824     \else
15825     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
15826     \fi%
15827     \else%
15828     \ifx\hvSet@capVPos\hv@Top
15829     \ifhv@fbox
15830     \fbbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
15831     \else
15832     \raisebox{-\height}{\usebox{\hvObjectBox}}%
15833     \fi%
15834     \hspace{\hvSet@floatCapSep pt}%
15835     \ifhv@fbox
15836     \fbbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
15837     \else

```




```

15838         \raisebox{-\height}{\usebox{\hvCaptionBox}}%
15839         \fi
15840     \else
15841         \ifhv@fbox
15842             \fbox{\usebox{\hvObjectBox}}%
15843         \else
15844             \usebox{\hvObjectBox}%
15845         \fi
15846         \hspace{\hvSet@floatCapSep pt}%
15847         \ifhv@fbox
15848             \fbox{\usebox{\hvCaptionBox}}%
15849         \else
15850             \usebox{\hvCaptionBox}%
15851         \fi%
15852     \fi%
15853 \fi
15854 \fi% end of RTL
15855 \fi
15856 \fi
15857 \fi
15858 }% End savebox Object and caption
15859 %
15860 % now we rotate the object and caption, if needed
15861 %
15862 \ifx\hvSet@rotAngle\hv@Zero
15863     \usebox{\@tempboxa}
15864 \else
15865     \rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}
15866 \fi
15867 \ifhv@nonFloat
15868     \ifx\hvSet@objectPos\hv@Center
15869         \ifhv@nonFloat
15870             \hspace{\fill}
15871         \fi
15872     \fi
15873 \endgroup% End the nonfloat part
15874 \else
15875     \end{\hv@floatType}% End the floating environment
15876 \fi
15877 }

```

104 File hyperref-xetex-bidi.def

```

15878 \ProvidesFile{hyperref-xetex-bidi.def}[2025/12/06 v1.5 bidi adaptations for hyperref package]
15879 \AtBeginDocument{%
15880 \def\contentsline#1#2#3#4{%
15881     \ifx\#4\%
15882         \csname l@#1\endcsname{#2}{#3}%
15883     \else
15884         \ifcase\Hy@linktoc % none
15885             \csname l@#1\endcsname{#2}{#3}%
15886         \or % section
15887             \csname l@#1\endcsname{%
15888                 \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend

```



```

15889     }{#3}%
15890 \or % page
15891     \csname l@#1\endcsname{#{2}}{#{%
15892     \hyper@linkstart{link}{#4}{#3}\hyper@linkend
15893     }%
15894 \else % all
15895     \csname l@#1\endcsname{#{%
15896     \hyper@linkstart{link}{#4}{#{if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
15897     }{#{%
15898     \hyper@linkstart{link}{#4}{#3}\hyper@linkend
15899     }%
15900 \fi
15901 \fi
15902 }
15903 \ifHy@hyperfootnotes
15904 \let\H@footnotetext\@footnotetext
15905 \let\HRTL@RTLfootnotetext\@RTLfootnotetext
15906 \let\HLTR@LTRfootnotetext\@LTRfootnotetext
15907 \def\xfootnotenext[#1]{%
15908 \begingroup
15909 \csname c@#1\endcsname #1\relax
15910 \unrestored@protected@xdef\@thefnmark{\thempfn}%
15911 \endgroup
15912 \ifx\@footnotetext\@mpfootnotetext
15913 \expandafter\H@mpfootnotetext
15914 \else
15915 \expandafter\H@footnotetext
15916 \fi
15917 }%
15918 \def\xRTLfootnotenext[#1]{%
15919 \begingroup
15920 \csname c@#1\endcsname #1\relax
15921 \unrestored@protected@xdef\@thefnmark{\thempfn}%
15922 \endgroup
15923 \ifx\@RTLfootnotetext\@mpRTLfootnotetext
15924 \expandafter\HRTL@mpRTLfootnotetext
15925 \else
15926 \expandafter\HRTL@RTLfootnotetext
15927 \fi
15928 }%
15929 \def\xLTRfootnotenext[#1]{%
15930 \begingroup
15931 \csname c@#1\endcsname #1\relax
15932 \unrestored@protected@xdef\@thefnmark{\thempfn}%
15933 \endgroup
15934 \ifx\@LTRfootnotetext\@mpLTRfootnotetext
15935 \expandafter\HLTR@mpLTRfootnotetext
15936 \else
15937 \expandafter\HLTR@LTRfootnotetext
15938 \fi
15939 }%
15940 \def\xfootnotemark[#1]{%
15941 \begingroup
15942 \c@footnote #1\relax

```



```

15943     \unrestored@protected@xdef\@thefnmark{\thefootnote}%
15944   \endgroup
15945   \H@@footnotemark
15946 }%
15947 \let\H@@mpfootnotetext\@mpfootnotetext
15948 \let\HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
15949 \let\HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
15950 \long\def\@mpfootnotetext#1{%
15951   \H@@mpfootnotetext{%
15952     \ifHy@nesting
15953       \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
15954     \else
15955       \Hy@raisedlink{%
15956         \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
15957       }#1%
15958     \fi
15959   }%
15960 }%
15961 \long\def\@mpRTLfootnotetext#1{%
15962   \HRTL@@mpRTLfootnotetext{%
15963     \ifHy@nesting
15964       \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
15965     \else
15966       \Hy@raisedlink{%
15967         \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
15968       }#1%
15969     \fi
15970   }%
15971 }%
15972 \long\def\@mpLTRfootnotetext#1{%
15973   \HLTR@@mpLTRfootnotetext{%
15974     \ifHy@nesting
15975       \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
15976     \else
15977       \Hy@raisedlink{%
15978         \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
15979       }#1%
15980     \fi
15981   }%
15982 }%
15983 \long\def\@footnotetext#1{%
15984   \H@@footnotetext{%
15985     \ifHy@nesting
15986       \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
15987     \else
15988       \Hy@raisedlink{%
15989         \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
15990       }%
15991       \let\@currentHlabel\Hy@footnote@currentHlabel
15992       \let\@currentHref\Hy@footnote@currentHref
15993       \let\@currentlabelname\@empty
15994       #1%
15995     \fi
15996   }%

```



```

15997 }%
15998 \long\def\@RTLfootnotetext#1{%
15999 \HRTL@RTLfootnotetext{%
16000 \ifHy@nesting
16001 \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
16002 \else
16003 \Hy@raisedlink{%
16004 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
16005 }%
16006 \let\@currentHlabel\Hy@footnote@currentHlabel
16007 \let\@currentHref\Hy@footnote@currentHref
16008 \let\@currentlabelname\@empty
16009 #1%
16010 \fi
16011 }%
16012 }%
16013 \long\def\@LTRfootnotetext#1{%
16014 \HLTR@LTRfootnotetext{%
16015 \ifHy@nesting
16016 \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
16017 \else
16018 \Hy@raisedlink{%
16019 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
16020 }%
16021 \let\@currentHlabel\Hy@footnote@currentHlabel
16022 \let\@currentHref\Hy@footnote@currentHref
16023 \let\@currentlabelname\@empty
16024 #1%
16025 \fi
16026 }%
16027 }%
16028 \ApplyPatchCodeToPackage{tabularx}{%
16029 \let\HyOrg@TX@endtabularx\TX@endtabularx
16030 \def\Hy@tabularx@hook{%
16031 \let\@footnotetext\H@@footnotetext
16032 \let\@LTRfootnotetext\HLTR@LTRfootnotetext
16033 \let\@RTLfootnotetext\HRTL@RTLfootnotetext
16034 \let\@footnotemark\H@@footnotemark
16035 \let\@mpfootnotetext\H@@mpfootnotetext
16036 \let\@mpLTRfootnotetext\HLTR@mpLTRfootnotetext
16037 \let\@mpRTLfootnotetext\HRTL@mpRTLfootnotetext
16038 }%
16039 \begingroup
16040 \toks@\expandafter{\TX@endtabularx}%
16041 \xdef\Hy@gtemp{%
16042 \noexpand\Hy@tabularx@hook
16043 \the\toks@
16044 }%
16045 \endgroup
16046 \let\TX@endtabularx\Hy@gtemp
16047 }%
16048 \ApplyPatchCodeToPackage{longtable}{%
16049 \CheckCommand{\LT@p@LTRfnttext}[1]{%
16050 \edef\@tempa{%

```



```

16051     \the\LT@p@ftn
16052     \noexpand\LTRfootnotetext[\the\c@footnote]%
16053   }%
16054   \global\LT@p@ftn\expandafter{\@tempa{#1}}%
16055 }%
16056 \long\def\LT@p@LTRftntext#1{%
16057   \edef\@tempa{%
16058     \the\LT@p@ftn
16059     \begingroup
16060     \noexpand\c@footnote=\the\c@footnote\relax
16061     \noexpand\protected@xdef\noexpand\@thefnmark{%
16062       \noexpand\thempfn
16063     }%
16064     \noexpand\Hy@LT@LTRfootnotetext{%
16065       \Hy@footnote@currentHref
16066     }%
16067   }%
16068   \global\LT@p@ftn\expandafter{%
16069     \@tempa{#1}%
16070   \endgroup
16071   }%
16072 }%
16073 \long\def\Hy@LT@LTRfootnotetext#1#2{%
16074   \HLTR@@@LTRfootnotetext{%
16075     \ifHy@nesting
16076       \hyper@@anchor{#1}{#2}%
16077     \else
16078       \Hy@raisedlink{%
16079         \hyper@@anchor{#1}{\relax}%
16080       }%
16081       \def\@currentHref{#1}%
16082       \let\@currentlabelname\@empty
16083       #2%
16084     \fi
16085   }%
16086 }%
16087 \CheckCommand{\LT@p@RTLftntext}[1]{%
16088   \edef\@tempa{%
16089     \the\LT@p@ftn
16090     \noexpand\RTLfootnotetext[\the\c@footnote]%
16091   }%
16092   \global\LT@p@ftn\expandafter{\@tempa{#1}}%
16093 }%
16094 \long\def\LT@p@RTLftntext#1{%
16095   \edef\@tempa{%
16096     \the\LT@p@ftn
16097     \begingroup
16098     \noexpand\c@footnote=\the\c@footnote\relax
16099     \noexpand\protected@xdef\noexpand\@thefnmark{%
16100       \noexpand\thempfn
16101     }%
16102     \noexpand\Hy@LT@RTLfootnotetext{%
16103       \Hy@footnote@currentHref
16104     }%

```



```

16105 }%
16106 \global\LT@p@ftn\expandafter{%
16107     \@tempa{#1}%
16108     \endgroup
16109 }%
16110 }%
16111 \long\def\Hy@LT@RTLfootnotetext#1#2{%
16112     \HRTL@RTLfootnotetext{%
16113         \ifHy@nesting
16114             \hyper@@anchor{#1}{#2}%
16115         \else
16116             \Hy@raisedlink{%
16117                 \hyper@@anchor{#1}{\relax}%
16118             }%
16119             \def\@currentHref{#1}%
16120             \let\@currentlabelname\@empty
16121             #2%
16122         \fi
16123     }%
16124 }%
16125 }%
16126 \ApplyPatchCodeToPackage{bidipoem}{%
16127     \long\def\bidipoem@p@ftntext#1{%
16128         \edef\@tempx{%
16129             \the\bidipoem@p@ftn
16130             \begin{group}
16131                 \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
16132                 \noexpand\protected@xdef\noexpand\@thefnmark{%
16133                     \noexpand\thempfn
16134                 }%
16135                 \noexpand\Hy@bidipoem@footnotetext{%
16136                     \Hy@footnote@currentHref
16137                 }%
16138             }%
16139             \global\bidipoem@p@ftn\expandafter{%
16140                 \@tempx{#1}%
16141             \end{group}
16142         }%
16143     }%
16144     \long\def\Hy@bidipoem@footnotetext#1#2{%
16145         \H@@footnotetext{%
16146             \ifHy@nesting
16147                 \hyper@@anchor{#1}{#2}%
16148             \else
16149                 \Hy@raisedlink{%
16150                     \hyper@@anchor{#1}{\relax}%
16151                 }%
16152                 \def\@currentHref{#1}%
16153                 \let\@currentlabelname\@empty
16154                 #2%
16155             \fi
16156         }%
16157     }%
16158     \long\def\bidipoem@p@LTRftntext#1{%

```



```

16159 \edef\@tempxi{%
16160 \the\bidipoem@p@ftn
16161 \begingroup
16162 \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
16163 \noexpand\protected@xdef\noexpand\@thefnmark{%
16164 \noexpand\thempfn
16165 }%
16166 \noexpand\Hy@bidipoem@LTRfootnotetext{%
16167 \Hy@footnote@currentHref
16168 }%
16169 }%
16170 \global\bidipoem@p@ftn\expandafter{%
16171 \@tempxi{#1}%
16172 \endgroup
16173 }%
16174 }%
16175 \long\def\Hy@bidipoem@LTRfootnotetext#1#2{%
16176 \HLTR@@LTRfootnotetext{%
16177 \ifHy@nesting
16178 \hyper@@anchor{#1}{#2}%
16179 \else
16180 \Hy@raisedlink{%
16181 \hyper@@anchor{#1}{\relax}%
16182 }%
16183 \def\@currentHref{#1}%
16184 \let\@currentlabelname\@empty
16185 #2%
16186 \fi
16187 }%
16188 }%
16189 \long\def\bidipoem@p@RTLftntext#1{%
16190 \edef\@tempxii{%
16191 \the\bidipoem@p@ftn
16192 \begingroup
16193 \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
16194 \noexpand\protected@xdef\noexpand\@thefnmark{%
16195 \noexpand\thempfn
16196 }%
16197 \noexpand\Hy@bidipoem@RTLfootnotetext{%
16198 \Hy@footnote@currentHref
16199 }%
16200 }%
16201 \global\bidipoem@p@ftn\expandafter{%
16202 \@tempxii{#1}%
16203 \endgroup
16204 }%
16205 }%
16206 \long\def\Hy@bidipoem@RTLfootnotetext#1#2{%
16207 \HRTL@@RTLfootnotetext{%
16208 \ifHy@nesting
16209 \hyper@@anchor{#1}{#2}%
16210 \else
16211 \Hy@raisedlink{%
16212 \hyper@@anchor{#1}{\relax}%

```



```

16213         }%
16214         \def\@currentHref{#1}%
16215         \let\@currentlabelname\@empty
16216         #2%
16217         \fi
16218     }%
16219 }%
16220 }%
16221 % \let\HyOrg@maketitle\maketitle
16222 \def\maketitle{%
16223     \let\Hy@saved@footnotemark\@footnotemark
16224     \let\Hy@saved@footnotetext\@footnotetext
16225     \let\HyRTL@saved@RTLfootnotetext\@RTLfootnotetext
16226     \let\HyLTR@saved@LTRfootnotetext\@LTRfootnotetext
16227     \let\@footnotemark\H@@footnotemark
16228     \let\@footnotetext\H@@footnotetext
16229     \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
16230     \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
16231     \@ifnextchar[\Hy@maketitle@optarg{% ]
16232     \HyOrg@maketitle
16233     \Hy@maketitle@end
16234 }%
16235 }%
16236 \def\Hy@maketitle@optarg[#1]{%
16237     \HyOrg@maketitle[#{#1}]%
16238     \Hy@maketitle@end
16239 }%
16240 \def\Hy@maketitle@end{%
16241     \ifx\@footnotemark\H@@footnotemark
16242         \let\@footnotemark\Hy@saved@footnotemark
16243     \fi
16244     \ifx\@footnotetext\H@@footnotetext
16245         \let\@footnotetext\Hy@saved@footnotetext
16246     \fi
16247     \ifx\@RTLfootnotetext\HRTL@@RTLfootnotetext
16248         \let\@RTLfootnotetext\HyRTL@saved@RTLfootnotetext
16249     \fi
16250     \ifx\@LTRfootnotetext\HLTR@@LTRfootnotetext
16251         \let\@LTRfootnotetext\HyLTR@saved@LTRfootnotetext
16252     \fi
16253 }%
16254 \def\realfootnote{%
16255     \@ifnextchar[\@xfootnote{%
16256         \stepcounter{\@mpfn}%
16257         \protected@xdef\@thefnmark{\thempfn}%
16258         \H@@@footnotemark\H@@@footnotetext
16259     }%
16260 }%
16261 \fi
16262 \def\Hy@BeginAnnot#1{%
16263     \ifmmode\else\beginL\fi%
16264     \global\advance\c@Hy@AnnotLevel\@ne
16265     \ifnum\c@Hy@AnnotLevel=\@ne
16266         #1%

```




```

16267 \fi
16268 }
16269 \def\Hy@EndAnnot{%
16270 \ifnum\c@Hy@AnnotLevel=\@ne
16271 \Hy@endcolorlink
16272 \@pdfm@mark{eann}%
16273 \fi
16274 \global\advance\c@Hy@AnnotLevel\m@ne
16275 \ifmmode\else\endL\fi%
16276 }
16277 \def\hyper@link#1#2#3{%
16278 \hyper@linkstart{#1}{#2}\ifmmode\else\if@RTL\beginR\fi\fi#3\ifmmode\else\if@RTL\endR\fi\fi%
16279 }
16280 \def\hyper@linkfile#1#2#3{%
16281 \leavevmode
16282 \Hy@BeginAnnot{%
16283 \def\Hy@pstringF{#2}%
16284 \Hy@CleanupFile\Hy@pstringF
16285 \Hy@pstringdef\Hy@pstringF\Hy@pstringF
16286 \Hy@pstringdef\Hy@pstringD{#3}%
16287 \Hy@MakeRemoteAction
16288 \@pdfm@mark{%
16289 bann<<%
16290 /Type/Annot%
16291 /Subtype/Link%
16292 \ifHy@pdfa /F 4\fi
16293 \Hy@setpdfborder
16294 \ifx\@filebordercolor\relax
16295 \else
16296 /C[\@filebordercolor]%
16297 \fi
16298 /A<<%
16299 /S/GoToR%
16300 /F(\Hy@pstringF)%
16301 /D%
16302 \ifx\@#3\%
16303 [\Hy@href@page\@pdfremotestartview]%
16304 \else
16305 (\Hy@pstringD)%
16306 \fi
16307 \Hy@SetNewWindow
16308 \Hy@href@nextactionraw
16309 >>%
16310 >>%
16311 }%
16312 \Hy@colorlink\@filecolor
16313 }%
16314 \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
16315 \Hy@EndAnnot
16316 }
16317 \def\@hyper@launch run:#1\@#2#3{% filename, anchor text linkname
16318 \leavevmode
16319 \Hy@BeginAnnot{%
16320 \Hy@pstringdef\Hy@pstringF{#1}%

```



```

16321 \Hy@pstringdef\Hy@pstringP{#3}%
16322 \@pdfm@mark{%
16323   bann<<%
16324     /Type/Annot%
16325     /Subtype/Link%
16326     \ifHy@pdfa /F 4\fi
16327     \Hy@setpdfborder
16328     \ifx\@runbordercolor\relax
16329     \else
16330       /C[\@runbordercolor]%
16331     \fi
16332     /A<<%
16333     /F(\Hy@pstringF)%
16334     /S/Launch%
16335     \Hy@SetNewWindow
16336     \ifx\#3\%
16337     \else
16338       /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
16339     \fi
16340     \Hy@href@nextactionraw
16341     >>%
16342   >>%
16343   }%
16344   \Hy@colorlink\@runcolor
16345 }%
16346 \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
16347 \Hy@endAnnot
16348 }
16349 \def\hyper@linkurl#1#2{%
16350   \leavevmode
16351   \Hy@BeginAnnot{%
16352     \Hy@pstringdef\Hy@pstringURI{#2}%
16353     \@pdfm@mark{%
16354       bann<<%
16355         /Type/Annot%
16356         /Subtype/Link%
16357         \ifHy@pdfa /F 4\fi
16358         \Hy@setpdfborder
16359         \ifx\@urlbordercolor\relax
16360         \else
16361           /C[\@urlbordercolor]%
16362         \fi
16363         /A<<%
16364         /S/URI%
16365         /URI(\Hy@pstringURI)%
16366         \ifHy@href@ismap
16367         /IsMap true%
16368         \fi
16369         \Hy@href@nextactionraw
16370       >>%
16371     >>%
16372     }%
16373     \Hy@colorlink\@urlcolor
16374   }%

```



```

16375 \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
16376 \Hy@EndAnnot
16377 }
16378 \def\Acrobatmenu#1#2{%
16379 \Hy@Acrobatmenu{#1}{#2}{%
16380 \Hy@BeginAnnot{%
16381 \EdefEscapeName\Hy@temp@menu{#1}%
16382 \@pdfm@mark{%
16383 bann<<%
16384 /Type/Annot%
16385 /Subtype/Link%
16386 \ifHy@pdfa /F 4\fi
16387 \Hy@setpdfborder
16388 \ifx\@menubordercolor\relax
16389 \else
16390 /C[\@menubordercolor]%
16391 \fi
16392 /A<<%
16393 /S/Named%
16394 /N/\Hy@temp@menu
16395 \Hy@href@nextactionraw
16396 >>%
16397 >>%
16398 }%
16399 \Hy@colorlink\@menucolor
16400 }%
16401 \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
16402 \Hy@EndAnnot
16403 }%
16404 }
16405 \def\hyper@natlinkstart#1{%
16406 \Hy@backout{#1}%
16407 \hyper@linkstart{cite}{cite.#1}\if@RTL\beginR\fi%
16408 \def\hyper@nat@current{#1}%
16409 }
16410 \def\hyper@natlinkend{%
16411 \if@RTL\endR\fi\hyper@linkend
16412 }
16413 \def\hyper@natlinkbreak#1#2{%
16414 \if@RTL\endR\fi\hyper@linkend#1\hyper@linkstart{cite}{cite.#2}\if@RTL\beginR\fi%
16415 }%
16416 }
16417 \pdfstringdefDisableCommands{%
16418 \let\LRE\@firstofone
16419 \let\LR\@firstofone
16420 \let\RLE\@firstofone
16421 \let\RL\@firstofone
16422 \def\XeTeX{Xe\TeX}%
16423 \def\XeLaTeX{Xe\LaTeX}%
16424 }
16425 \bidi@patchcmd\@TextField{%
16426 \@pdfm@mark
16427 }{%
16428 \if@RTL

```



```

16429 \hskip\Fld@width
16430 \fi
16431 \@pdfm@mark
16432 }{}{}
16433 \bidi@patchcmd\@TextField{%
16434 \unhbox
16435 }{%
16436 \if@RTL
16437 \hskip-\Fld@width
16438 \fi
16439 \unhbox
16440 }{}{}
16441 \bidi@patchcmd\@@Radio{%
16442 \@pdfm@mark
16443 }{%
16444 \if@RTL
16445 \hskip\Fld@width
16446 \fi
16447 \@pdfm@mark
16448 }{}{}
16449 \bidi@patchcmd\@@Radio{%
16450 \unhcopy
16451 }{%
16452 \if@RTL
16453 \hskip-\Fld@width
16454 \fi
16455 \unhcopy
16456 }{}{}
16457 \bidi@patchcmd\@Submit{%
16458 \@pdfm@mark
16459 }{%
16460 \if@RTL
16461 \null
16462 \hskip\wd\pdfm@box
16463 \fi
16464 \@pdfm@mark
16465 }{}{}
16466 \bidi@patchcmd\@Submit{%
16467 \unhbox
16468 }{%
16469 \if@RTL
16470 \hskip-\wd\pdfm@box
16471 \fi
16472 \unhbox
16473 }{}{}
16474 \bidi@patchcmd\@Reset{%
16475 \@pdfm@mark
16476 }{%
16477 \if@RTL
16478 \null
16479 \hskip\wd\pdfm@box
16480 \fi
16481 \@pdfm@mark
16482 }{}{}

```



```

16483 \bidi@patchcmd\@Reset{%
16484   \unhbox
16485 }{%
16486   \if@RTL
16487     \hskip-\wd\pdfm@box
16488   \fi
16489   \unhbox
16490 }{}{}

```

105 File imspdoc-xetex-bidi.def

```

16491 \ProvidesFile{imspdoc-xetex-bidi.def}[2025/09/30 v0.2 bidi adaptations for imspdoc class for
16492 \newenvironment{thebibliography}[1]{%
16493   \@bibtitlestyle
16494   \normalfont\bibliofont\labelsep .5em\relax
16495   \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
16496   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
16497   \bidi@thebibliography@font@hook
16498   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
16499     \leftmargin\labelwidth \advance\leftmargin\labelsep
16500     \usecounter{enumiv}}%
16501   \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
16502   \sfcode`\.=\@m
16503 }{%
16504   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
16505   \endlist
16506 }
16507
16508 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
16509   \columnseprule\z@ \columnsep 35\p@
16510   \@indextitlestyle
16511   \thispagestyle{plain}%
16512   \let\item\@idxitem
16513   \parindent\z@ \parskip\z@\@plus.3\p@\relax
16514   \if@RTL\raggedleft\else\raggedright\fi
16515   \hyphenpenalty\@M
16516   \footnotesize
16517   \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
16518   \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
16519   \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
16520
16521 \def\right@footnoterule{%
16522   \kern-.4\p@
16523   \nointerlineskip
16524   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
16525   \kern11\p@\kern-\footnotesep}
16526 \def\left@footnoterule{\kern-.4\p@
16527   \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
16528 \def\@makefnmark{%
16529   \leavevmode
16530   \raise.9ex\hbox{\fontsize\sf@size\z@\normalfont\@thefnmark}}%
16531 }
16532
16533 \def\part{\@startsection{part}{0}%

```



```

16534 \z@{\linespacing\@plus\linespacing}{.5\linespacing}%
16535 {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
16536 \def\tocline#1#2#3#4#5#6#7{\relax
16537 \ifnum #1>\c@tocdepth % then omit
16538 \else
16539 \par \addpenalty\@secpenalty\addvspace{#2}%
16540 \begingroup \hyphenpenalty\@M
16541 \@ifempty{#4}{%
16542 \@tempdima\csname r@tocindent\number#1\endcsname\relax
16543 }{%
16544 \@tempdima#4\relax
16545 }%
16546 \parindent\z@ \if@RTL\righskip\else\leftskip\fi#3\relax \advance\if@RTL\righskip\else\leftskip\fi#4\relax
16547 \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
16548 #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
16549 \hfil\hbox to\@pnumwidth{\tocpagenum{#7}}\par
16550 \nobreak
16551 \endgroup
16552 \fi}
16553 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
16554 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
16555 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
16556 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
16557 \def\maketitle{\par
16558 \topnum\z@ % this prevents figures from falling at the top of page 1
16559 \setcopyright
16560 \thispagestyle{firstpage}% this sets first page specifications
16561 \uppercase\shorttitle
16562 \ifx\@empty\shortauthors \let\shortauthors\shorttitle
16563 \else \andify\shortauthors
16564 \fi
16565 \@maketitle@hook
16566 \begingroup
16567 \@maketitle
16568 \toks@{\xp{\shortauthors}\@temptokena\xp{\shorttitle}}%
16569 \toks4{\def\{\ignorespaces}}% defend against questionable usage
16570 \edef\@tempa{%
16571 \nx\markboth{\the\toks4
16572 \nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
16573 \@tempa
16574 \endgroup
16575 \c@footnote\z@
16576 \cleartopmattertags
16577 }

```

106 File leqno-xetex-bidi.def

```

16578 \ProvidesFile{leqno-xetex-bidi.def}[2018/01/07 v0.2 bidi adaptations for leqno tag for XeTeX]
16579 \renewcommand\@eqnnum{\hb@xt@.01\p@{}%
16580 \rlap{\hskip -\displaywidth
16581 {\normalfont\normalcolor\if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}

```

107 File letter-xetex-bidi.def



```

16582 \ProvidesFile{letter-xetex-bidi.def}[2025/09/30 v0.4 bidi adaptations for standard letter cl
16583 \renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
16584   \thispagestyle{firstpage}%
16585   {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
16586 \else % home address
16587   \thispagestyle{empty}%
16588   {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r{}}\else\begin{tabular}{l{}}
16589     \fromaddress \*[2\parskip]%
16590     \@date \end{tabular}\par}%
16591 \fi
16592 \vspace{2\parskip}%
16593 {\if@RTL\raggedleft\else\raggedright\fi \toname \ \ toaddress \par}%
16594 \vspace{2\parskip}%
16595 #1\par\nobreak}
16596 \renewcommand\left@footnoterule{%
16597   \kern-\p@
16598   \hrule \@width .4\columnwidth
16599   \kern .6\p@}
16600 \renewcommand\right@footnoterule{%
16601   \kern-\p@
16602   \nointerlineskip
16603   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
16604   \kern .6\p@}

```

108 File lettrine-xetex-bidi.def

```

16605 \ProvidesFile{lettrine-xetex-bidi.def}[2024/12/08 v0.9 bidi adaptations for lettrine package
16606 \RemoveFromHook{begindocument}[lettrine]
16607 \AtBeginDocument[lettrine]{%
16608   \if\DefaultOptionsFile\relax
16609   \else
16610     \InputIfFileExists{\DefaultOptionsFile}%
16611     {}%
16612     {\PackageWarning{lettrine.sty}%
16613      {File \DefaultOptionsFile\space not found}%
16614     }%
16615   \fi
16616   \let\ifL@RTL\if@RTL
16617 }

```

109 File lineno-xetex-bidi.def

```

16618 \ProvidesFile{lineno-xetex-bidi.def}[2024/12/07 v0.3 bidi adaptations for lineno package for
16619 \bidi@patchcmd{\MakeLineNo}{%
16620   \hb@xt@\z@{\makeLineNumber}%
16621 }{%
16622   \hboxL to \z@{\makeLineNumber}%
16623 }{}{}
16624
16625 \bidi@patchcmd{\makeLineNumberLeft}{\LineNumber}{%
16626   \if@RTL
16627     \hb@xt@\linenumberwidth{\LineNumber\hss}%
16628   \else
16629     \LineNumber

```



```

16630 \fi
16631 }{}{}
16632
16633 \bidi@patchcmd{\makeLineNumberRight}{%
16634 \hb@xt@\linenumberwidth{\hss\LineNumber}%
16635 }{%
16636 \if@RTL
16637 \LineNumber
16638 \else
16639 \hb@xt@\linenumberwidth{\hss\LineNumber}%
16640 \fi
16641 }{}{}
16642
16643 \bidi@AfterPreamble{%
16644 \if@RTLmain
16645 \rightlinenumbers*
16646 \else
16647 \leftlinenumbers*
16648 \fi
16649 \@ifpackagewith{lineno}{left}{%
16650 \leftlinenumbers*
16651 }{}
16652 \@ifpackagewith{lineno}{right}{%
16653 \rightlinenumbers*
16654 }{}
16655 \@ifpackagewith{lineno}{switch}{%
16656 \if@RTLmain
16657 \switchlinenumbers*%
16658 \else
16659 \switchlinenumbers
16660 \fi
16661 }{}
16662 \@ifpackagewith{lineno}{switch*}{%
16663 \if@RTLmain
16664 \switchlinenumbers
16665 \else
16666 \switchlinenumbers*%
16667 \fi
16668 }{}
16669 }
16670

```

110 File listings-xetex-bidi.def

```

16671 \ProvidesFile{listings-xetex-bidi.def}[2025/01/03 v1.6 bidi adaptations for listings package]
16672 \lst@Key{captiondirection}{textdirection}{%
16673 \lstKV@SwitchCases{#1}%
16674 {textdirection:\\%
16675 RTL:\chardef\bidi@lst@caption@direction\@ne\\%
16676 LTR:\chardef\bidi@lst@caption@direction\z@%
16677 }{\PackageError{Listings}{direction #1 unknown}\@ehc}}
16678
16679 \lst@Key{captionscript}{textscript}{%
16680 \lstKV@SwitchCases{#1}%

```




```

16681 {textscript:\\%
16682 latin:\chardef\bidi@lst@caption@script\@ne\\%
16683 nonlatin:\chardef\bidi@lst@caption@script\z@%
16684 }{\PackageError{Listings}{direction #1 unknown}\@ehc}}
16685
16686 \newcommand*{\bidi@lst@ensure@caption@direction}[2]{%
16687 \@ifundefined{bidi@lst@caption@direction}{}{%
16688 \ifnum\bidi@lst@caption@direction=\z@%
16689 #1%
16690 \else%
16691 \ifnum\bidi@lst@caption@direction=\@ne%
16692 #2%
16693 \fi%
16694 \fi%
16695 }}
16696
16697 \newcommand*{\bidi@lst@ensure@caption@script}[2]{%
16698 \@ifundefined{bidi@lst@caption@script}{}{%
16699 \ifnum\bidi@lst@caption@script=\z@%
16700 #1%
16701 \else%
16702 \ifnum\bidi@lst@caption@script=\@ne%
16703 #2%
16704 \fi%
16705 \fi%
16706 }}
16707
16708 \long\def\@bidi@lst@makecaption#1#2{%
16709 \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
16710 \vskip\abovecaptionskip
16711 \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
16712 \sbox\@tempboxa{%
16713 \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
16714 #1: #2%
16715 \bidi@lst@ensure@caption@direction{\endL}{\endR}%
16716 }%
16717 \ifdim \wd\@tempboxa >\hsize
16718 #1: #2\par
16719 \else
16720 \global \@minipagefalse
16721 \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
16722 \fi
16723 \vskip\belowcaptionskip}%
16724 \def\lst@makecaption{\@bidi@lst@makecaption}
16725 \def\lst@maketitle{\@bidi@lst@makecaption\lst@title@dropdelim}
16726 \bidi@AtEndPreamble{%
16727 \bidi@patchcmd{\lst@MakeCaption}{%
16728 \ifx #1t%
16729 \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
16730 \expandafter\refstepcounter
16731 \fi {lstlisting}}%
16732 }{%
16733 \ifx #1t%
16734 \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%

```



```

16735         \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
16736                                     \expandafter\refstepcounter
16737         \fi {lstlisting}%
16738         \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLfalse}%
16739 }{}{}%
16740 \bidi@patchcmd{\lst@MakeCaption}{%
16741         \addcontentsline{lol}{lstlisting}%
16742         {\protect\numberline{\thelstlisting}\lst@@caption}%
16743 }{}%
16744 \begingroup%
16745         \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
16746         \addcontentsline{lol}{lstlisting}%
16747         {\protect\numberline{\thelstlisting}\lst@@caption}%
16748 \endgroup%
16749 }{}{}%
16750 }
16751 \ApplyPatchIfPackageLoaded{caption}{%
16752   \AtBeginCaption{%
16753     \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
16754     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
16755   }
16756   \let\@bidi@lst@makecaption\caption@makecaption%
16757   \def\lst@makecaption{\caption@starfalse\@bidi@lst@makecaption}%
16758   \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\@empty}%
16759 }{}%
16760 \AtBeginDocument{%
16761   \@ifundefined{captionlabelfalse}{}{}%
16762   \def\lst@maketitle{\captionlabelfalse\@bidi@lst@makecaption\@empty}}%
16763 \@ifundefined{caption@startrue}{}{}%
16764 \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\@empty}}%
16765 }%
16766 }
16767 \AtBeginDocument{
16768   \@ifundefined{thechapter}{\let\lst@ifnumberbychapter\iffalse}{}
16769   \lst@ifnumberbychapter
16770     \gdef\thelstlisting%
16771       {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@lstlisting}
16772   \else
16773     \gdef\thelstlisting{\@arabic\c@lstlisting}
16774   \fi}

```

111 File longtable-xetex-bidi.def

```

16775 \ProvidesFile{longtable-xetex-bidi.def}[2025/01/05 v0.8 bidi adaptations for longtable packa
16776 \ExplSyntaxOn
16777 \def\LT@array[#1]#2{%
16778   \UseTaggingSocket{tbl/init}
16779   \tl_if_empty:eTF { \LTcaptive }
16780     {
16781       \tl_gset:Ne \@currentHref {LT@tables.\theHLT@tables}
16782     }
16783     {
16784       \@kernel@refstepcounter{\LTcaptive}\stepcounter{LT@tables}
16785       \tl_gset:Ne \@currentHref {LTcaptive.\cs_if_exist_use:c {theH\LTcaptive}}

```



```

16786   }
16787   \tbl_gzero_row_count:
16788   \UseTaggingSocket{tbl/longtable/init}
16789   \if l#1%
16790     \if@RTLtab\LTleft\fill \LTright\z@\else\LTleft\z@ \LTright\fill\fi
16791   \else\if r#1%
16792     \if@RTLtab\LTleft\z@ \LTright\fill\else\LTleft\fill \LTright\z@\fi
16793   \else\if c#1%
16794     \LTleft\fill \LTright\fill
16795   \fi\fi\fi
16796   \let\LT@mc@col\multicolumn
16797   \let\LT@@@tabarray\@tabarray
16798   \let\LT@@@hline\hline
16799   \def\@tabarray{%
16800     \let\hline\LT@@@hline
16801     \LT@@@tabarray}%
16802   \let\@LT@tabularcr
16803   \let\@tabularnewline\@
16804   \def\newpage{\noalign{\break}}%
16805   \def\pagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk-}4}%
16806   \def\nopagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk4}}%
16807   \let\hline\LT@hline \let\kill\LT@kill\let\caption\LT@caption
16808   \@tempdima\ht\strutbox
16809   \let\@endpbox\LT@endpbox
16810   \ifx\extrarowheight\@undefined
16811     \let\@acol\@tabacol
16812     \let\@classz\@tabclassz \let\@classiv\@tabclassiv
16813     \def\@startpbox{\vtop\LT@startpbox}%
16814     \let\@@startpbox\@startpbox
16815     \let\@@endpbox\@endpbox
16816     \let\LT@LL@FM@cr\@tabularcr
16817   \else
16818     \advance\@tempdima\extrarowheight
16819     \col@sep\@tabcolsep
16820     \let\@startpbox\LT@startpbox\let\LT@LL@FM@cr\@arraycr
16821   \fi
16822   \setbox\@arstrutbox\hbox{\vrule
16823     \@height \arraystretch \@tempdima
16824     \@depth \arraystretch \dp \strutbox
16825     \@width \z@}%
16826   \let\@sharp##\let\protect\relax
16827   \begingroup
16828   \@mkpream{#2}%
16829   \tbl_count_table_cols:
16830   \xdef\LT@bchunk{%
16831     \tbl_inbetween_rows:
16832     \global\advance\c@LT@chunks\@ne
16833     \global\LT@rows\z@\setbox\z@\vbox\bgroup
16834     \LT@setprevdepth
16835     \tabskip\LTleft \noexpand\halign to\hsize\bgroup
16836     \tabskip\z@ \@arstrut
16837     \UseTaggingSocket{tbl/row/begin}%
16838     \tbl_init_cell_data_for_row:
16839     \@preamble \tabskip\LTright \cr}%

```



```

16840 \endgroup
16841 \expandafter\LT@nofcols\LT@bchunk&\LT@nofcols
16842 \LT@make@row
16843 \m@th\let\par\@empty
16844 \everycr{%
16845   \noalign{%
16846     \tbl_trace:n {--longtable-->~chunk-row:~ \the\LT@rows \space
16847       row:~ \the\g__tbl_row_int \space
16848       column:~ \the\g__tbl_col_int
16849   }
16850   \tbl_if_row_was_started:T
16851   {
16852     \UseTaggingSocket{tbl/row/end}
16853     \tbl_inbetween_rows:
16854   }
16855   \int_compare:nNnT \LT@rows < \LTchunksize
16856   { \tbl_gincr_row_count: } % next is row about to start
16857 }%
16858 }%
16859 \lineskip\z@\baselineskip\z@
16860 \LT@bchunk}
16861 \ExplSyntaxOff
16862 \def\LT@makecaption#1#2#3{%
16863   \LT@mcol\LT@cols c{\hbox to\z@{\hss\parbox[t]{\LTcapwidth{%
16864     \reset@font
16865     \sbox\@tempboxa{\if@RTL\beginR\fi#1{#2: }#3\if@RTL\endR\fi}%
16866     \ifdim\wd\@tempboxa>\hsize
16867       #1{#2: }#3%
16868     \else
16869       \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
16870     \fi
16871     \endgraf\vskip\baselineskip}%
16872   \hss}}}%
16873 \ApplyPatchCodeToPackage{caption}{%
16874   \renewcommand\LT@makecaption[3]{%
16875     \caption@LT@make{%
16876       \caption@LT@settype\LTcaptype
16877       \caption@LT@setup
16878       \caption@setautoposition{\ifcase\LT@rows t\else b\fi}%
16879       \caption@startrue#1\caption@starfalse
16880       \caption@prepare@stepcounter\LTcaptype
16881       \caption@begin\LTcaptype
16882       \caption@normalsize
16883       \vskip-\ht\strutbox
16884       \caption@ifdefined\FBifcapttop{%
16885         \let\caption@belowskip\@empty}{}%
16886       \caption@make@above
16887       \caption@@make{#2}{#3}\endgraf
16888       \caption@make@below
16889     \caption@end}}}%
16890 }
16891 \def\LT@startpbox#1{%
16892   \bgroup
16893   \color@begingroup

```



```

16894 \let\@footnotetext\LT@p@ftntext
16895 \let\@LTRfootnotetext\LT@p@LTRftntext
16896 \let\@RTLfootnotetext\LT@p@RTLftntext
16897 \setlength\hspace{#1}%
16898 \arrayparboxrestore
16899 \everypar{%
16900 \vrule \@height \ht\@arstrutbox \@width \z@
16901 \everypar{}}%
16902 }
16903 \long\def\LT@p@LTRftntext#1{%
16904 \edef\@tempa{\the\LT@p@ftn\noexpand\LTRfootnotetext[\the\c@footnote]}%
16905 \global\LT@p@ftn\expandafter{\@tempa{#1}}}%
16906 \long\def\LT@p@RTLftntext#1{%
16907 \edef\@tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext[\the\c@footnote]}%
16908 \global\LT@p@ftn\expandafter{\@tempa{#1}}}%
16909 \def\LT@output{%
16910 \ifnum\outputpenalty <-\@Mi
16911 \ifnum\outputpenalty > -\LT@end@pen
16912 \LT@err{floats and marginpars not allowed in a longtable}\@ehc
16913 \else
16914 \setbox\z@\vbox{\unvbox\@cclv}%
16915 \ifdim \ht\LT@lastfoot>\ht\LT@foot
16916 \dimen@ \pagegoal
16917 \advance\dimen@ \ht\LT@foot
16918 \advance\dimen@ -\ht\LT@lastfoot
16919 \ifdim\dimen@<\ht\z@
16920 \setbox\@cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
16921 \@makecol
16922 \@outputpage
16923 \global\vsizel\colroom
16924 \setbox\z@\vbox{\box\LT@head}%
16925 \fi
16926 \fi
16927 \if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi
16928 \unvbox\z@\box\ifvoid\LT@lastfoot\LT@foot\else\LT@lastfoot\fi
16929 \UseTaggingSocket{tbl/longtable/foot}
16930 \if@RTLtab\egroup\endR\egroup\fi
16931 \fi
16932 \else
16933 \setbox\@cclv\vbox{%
16934 \if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi
16935 \unvbox\@cclv\copy\LT@foot\vss
16936 \if@RTLtab\egroup\endR\egroup\fi
16937 }%
16938 \UseTaggingSocket{tbl/longtable/foot}
16939 \@makecol
16940 \@outputpage
16941 \global\vsizel\colroom
16942 \copy\LT@head\nobreak
16943 \fi}

```

112 File `lscape-xetex-bidi.def`

16944 \ProvidesFile{lscape-xetex-bidi.def}[2025/01/03 v0.3 bidi adaptations for lscape package for



```

16945 \RequirePackage{graphicx}
16946 \bidi@patchcmd{\LS@rot}{\rotatebox{90}{\box\@outputbox}}{%
16947   \if@RTL
16948     \rotatebox[origin=br]{-90}{\box\@outputbox}%
16949   \else
16950     \rotatebox{90}{\box\@outputbox}%
16951   \fi
16952 }{}{}
16953
16954 \g@addto@macro{\landscape}{%
16955   \if@bidi@csdef{bidi@columnwidth}{%
16956     \bidi@columnwidth\columnwidth
16957   }{}%
16958   \let\bidi@left@footnoterule\left@footnoterule
16959   \let\bidi@right@footnoterule\right@footnoterule
16960   \def\left@footnoterule{%
16961     \if@RTL
16962       \bidi@right@footnoterule
16963     \else
16964       \bidi@left@footnoterule
16965     \fi
16966   }%
16967   \def\right@footnoterule{%
16968     \if@RTL
16969       \bidi@left@footnoterule
16970     \else
16971       \bidi@right@footnoterule
16972     \fi
16973   }%
16974 }

```

113 File mathtools-xetex-bidi.def

```

16975 \ProvidesFile{mathtools-xetex-bidi.def}[2025/01/03 v0.2 bidi adaptations for mathtools packa
16976 \RequirePackage{graphicx}
16977 \MHInternalSyntaxOn
16978 \def\MT_define_tagform:nwnn #1[#2]#3#4{
16979   \@namedef{MT_tagform_#1:n}##1
16980     {\maketag@@@{\if@nonlatin\beginR\fi#3\kern\z@\ignorespaces#2{##1}\unskip\@italiccorr#4}
16981 }
16982 \renewtagform{default}{({})}
16983 \MHInternalSyntaxOff

```

114 File mdframed-xetex-bidi.def

```

16984 \ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package
16985 \newif\if@bidi@mdf@RTL
16986 \def\mdf@lrbox#1{%
16987   \mdf@patchamsthm%patch amsthm
16988   \if@RTL\@bidi@mdf@RTLtrue\fi%
16989   \@RTLfalse%
16990   \setbox#1\ vbox\bgroup%
16991     \color@begingroup%
16992     \if@bidi@mdf@RTL\@RTLtrue\fi%

```



```

16993 \mdf@horizontalmargin@equation%
16994 \columnwidth=\hsize%
16995 \textwidth=\hsize%
16996 \let\if@nobreak\iffalse%
16997 \let\if@noskipsec\iffalse%
16998 \let\par\@par%
16999 \let\-\@dischyph%
17000 \let'\@acci\let`\@accii\let=\@acciii%
17001 \parindent\z@ \parskip\z@skip%
17002 \linewidth\hsize%
17003 \@totalleftmargin\z@%
17004 \leftskip\z@skip \rightskip\z@skip \@rightskip\z@skip%
17005 \parfillskip\@flushglue \lineskip\normallineskip%
17006 \baselineskip\normalbaselineskip%
17007 %% \sloppy%
17008 \let\\\@normalcr%
17009 \mdf@par@local%New feature to restore parskip/parindent local in save box
17010 \ifbool{mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%
17011 \@afterindentfalse%
17012 %\@afterheading%
17013 }
17014 \renewrobustcmd\mdfframedtitleenv[1]{%
17015 \mdf@lrbox{\mdf@frametitlebox}%
17016 \mdf@frametitlealignment%
17017 \leavevmode{\color{\mdf@frametitlefontcolor}%
17018 \normalfont\mdf@frametitlefont{#1}
17019 \ifbool{mdf@ignorelastdescenders}%
17020 {%
17021 \par\strut\par
17022 \unskip\unskip\setbox0=\lastbox
17023 \vspace*{\dimexpr\ht\strutbox-\baselineskip\relax}%
17024 }{}}%
17025 \par\unskip\ifvmode\nointerlineskip\hrule \@height\z@ \@width\hsize\fi%
17026 \endmdf@lrbox\relax%
17027 \mdf@ignorevbadness%
17028 \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
17029 \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
17030 \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
17031 \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
17032 \mdfframetitleboxtotalheight=\dimexpr
17033 \ht\mdf@frametitlebox
17034 +\dp\mdf@frametitlebox%
17035 +\mdf@frametitleaboveskip@length
17036 +\mdf@frametitlebelowskip@length
17037 \relax%
17038 }
17039
17040 \renewrobustcmd*\mdf@footnoteoutput{%
17041 \ifvoid\@mpfootins\else%
17042 \nobreak%
17043 \vskip\mdf@footnotedistance@length%
17044 \normalcolor%
17045 \bidi@mpfootnoterule%
17046 \unvbox\@mpfootins%

```



```

17047 \fi%
17048 }
17049
17050
17051 \renewrobustcmd*\mdf@footnoteinput{%
17052 \def\@mpfn{mpfootnote}%
17053 \def\thempfn{\thempfootnote}%
17054 \c@mpfootnote\z@%
17055 \let\@footnotetext\@mpfootnotetext%
17056 \let\@LTRfootnotetext\@mpLTRfootnotetext%
17057 \let\@RTLfootnotetext\@mpRTLfootnotetext%
17058 }

```

115 File media9-xetex-bidi.def

```

17059 \ProvidesFile{media9-xetex-bidi.def}[2025/01/03 v0.1 bidi adaptations for media9 package for
17060 \RequirePackage{bidi-media9}

```

116 File bidi-media9.sty

```

17061 \ProvidesExplPackage{bidi-media9}{2022/02/18}{0.4}
17062 {bidi fixes for media9 package for the XeTeX engine}
17063
17064 \keys_define:nn{media9/mbtn}{
17065 draft .code:n = {},
17066 final .code:n = {},
17067
17068 tooltip .tl_gset_x:N = \g_mix_tooltip_tl,
17069 tooltip .value_required:n = {true},
17070
17071 overface .code:n = {
17072 \sbox\l_mix_poster_box{
17073 \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}
17074 \mix_pdfxform:n{\l_mix_poster_box}
17075 \tl_gset:Nx\g_mix_overbtn_tl{\mix_pdflastxform:}
17076 },
17077 overface .value_required:n = {true},
17078
17079 downface .code:n = {
17080 \sbox\l_mix_poster_box{
17081 \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}
17082 \mix_pdfxform:n{\l_mix_poster_box}
17083 \tl_gset:Nx\g_mix_downbtn_tl{\mix_pdflastxform:}
17084 },
17085 downface .value_required:n = {true},
17086
17087 3Dgotoview .code:n = {
17088 \tl_set:Nx\l_tmpa_tl{#1} %extract ref
17089 \regex_replace_once:nnN{([~:]+)??.*}{\1}\l_tmpa_tl
17090 \tl_trim_spaces:N\l_tmpa_tl
17091 \tl_if_exist:cTF{ann@\l_tmpa_tl}{
17092 \str_if_eq:eeF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
17093 \tl_set:Nx\l_tmpb_tl{#1} %extract idx
17094 \regex_replace_once:nnN{[~:]+:??}{\1}\l_tmpb_tl

```




```

17095 \tl_trim_spaces:N\l_tmpb_tl
17096 \tl_if_blank:VF\l_tmpb_tl{
17097   \regex_match:nVTF{^[DFLNP]$}\l_tmpb_tl{
17098     \tl_set:Nx\l_mix_vidx_tl{/ \l_tmpb_tl}
17099   }{
17100     \regex_match:nVTF{^\d+$}\l_tmpb_tl{
17101       \tl_set:Nx\l_mix_vidx_tl{~ \l_tmpb_tl}
17102     }{
17103       \regex_replace_once:nnN{^\(s*\)}\l_tmpb_tl
17104       \regex_replace_once:nnN{s*\)}\l_tmpb_tl
17105       \tl_set:Nx\l_mix_vidx_tl{~ (\l_tmpb_tl)}
17106     }
17107   }
17108 }
17109 \mix_pdfobj:nnn{}{dict}{
17110   /S/JavaScript/JS~(
17111     if(typeof(annotRM)=='undefined'){annotRM=new-Array();}
17112     if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
17113       annotRM['\l_tmpa_tl']=
17114         this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
17115     }
17116     annotRM['\l_tmpa_tl'].activated=true;
17117   )
17118   \tl_if_blank:VF\l_tmpb_tl{
17119     /Next~<<
17120     /S/GoTo3DView
17121     /TA~\tl_use:c{ann@\l_tmpa_tl}
17122     /V\l_mix_vidx_tl
17123     >>
17124   }
17125 }
17126 \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
17127 }
17128 }{
17129   \msg_warning:nnx{media9}{undefined-reference}{\l_tmpa_tl}
17130   \cs_if_exist:NF\g_mix_refundefwarned_tl{
17131     \tl_new:N\g_mix_refundefwarned_tl
17132     \AtEndDocument{\msg_warning:nn{media9}{undefined-references}}
17133   }
17134 }
17135 },
17136 3Dgotoview .value_required:n = {true},
17137
17138 mediacommand .code:n = {
17139   \tl_set:Nx\l_tmpa_tl{#1}
17140   \regex_replace_once:nnN{([~:]+)??.*}{\1}\l_tmpa_tl %extract ref
17141   \tl_trim_spaces:N\l_tmpa_tl
17142   \tl_if_exist:cTF{ann@\l_tmpa_tl}{
17143     \str_if_eq:eeF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
17144       \tl_set:Nx\l_tmpb_tl{#1}
17145       \regex_replace_once:nnN{[~:]+\?:}{\1}\l_tmpb_tl
17146       \tl_trim_spaces:N\l_tmpb_tl
17147       \regex_replace_all:nnN{^{\|\\}$}{\1}\l_tmpb_tl
17148       \tl_set:Nx\l_mix_cmd_tl{

```



```

17149     \exp_after:wN\mix_separate_cmd_from_actn:w\l_tmpb_tl[]\q_stop}
17150     \tl_trim_spaces:N\l_mix_cmd_tl
17151     \tl_set:Nx\l_mix_arg_tl{
17152       \exp_after:wN\mix_separate_arg_from_actn:w\l_tmpb_tl[]\q_stop}
17153     \tl_trim_spaces:N\l_mix_arg_tl
17154     \mix_pdfobj:nnn{}{dict}{
17155       /S/JavaScript/JS~(
17156         if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
17157         if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
17158           annotRM['\l_tmpa_tl']=
17159             this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
17160         }
17161         annotRM['\l_tmpa_tl'].activated=true;
17162       )
17163     \tl_if_blank:VF\l_mix_cmd_tl{
17164       /Next~<<
17165       /S/RichMediaExecute
17166       /TA~\tl_use:c{ann@\l_tmpa_tl}
17167       /TI~\tl_use:c{main@\l_tmpa_tl}
17168       /CMD~<<
17169       /C~(\l_mix_cmd_tl)
17170       \tl_if_blank:VF\l_mix_arg_tl{
17171         /A~[\l_mix_arg_tl]
17172       }
17173       >>
17174     }
17175   }
17176 }
17177 \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
17178 }
17179 }{
17180   \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
17181   \cs_if_exist:NF\g_mix_refundefwarned_tl{
17182     \tl_new:N\g_mix_refundefwarned_tl
17183     \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
17184   }
17185 }
17186 },
17187 mediacommand .value_required:n = {true},
17188
17189 jsaction .code:n = {
17190   \tl_set:Nx\l_tmpa_tl{#1}
17191   \regex_match:nVTF{^[^{:]+:.*$}\l_tmpa_tl{
17192     \regex_replace_once:nnN{([[:+]):??.*}{\1}\l_tmpa_tl %extract ref
17193   }\tl_trim_spaces:N\l_tmpa_tl
17194   }{\tl_clear:N\l_tmpa_tl}
17195   \tl_set:Nx\l_tmpb_tl{#1}
17196   \tl_if_blank:VF\l_tmpa_tl{
17197     \tl_if_exist:cF{ann@\l_tmpa_tl}{
17198       \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
17199       \cs_if_exist:NF\g_mix_refundefwarned_tl{
17200         \tl_new:N\g_mix_refundefwarned_tl
17201         \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
17202       }

```



```

17203     }
17204     \regex_replace_once:nnN{[^\:]+\:}{\l_tmpb_tl
17205   }
17206   \tl_set:Nx\l_tmpb_tl{\exp_after:wN\use:n\l_tmpb_tl}
17207   \tl_trim_spaces:N\l_tmpb_tl
17208   \tl_if_blank:VF\l_tmpb_tl{
17209     \mix_pdfobj:nnn{}{dict}{
17210       /S/JavaScript/JS~(
17211         try{\l_tmpb_tl}catch(e){console.show();console.println(e)}}}
17212   \bool_lazy_and:nnT{
17213     \tl_if_exist_p:c{ann@\l_tmpa_tl}
17214   }{
17215     !\str_if_eq_p:ee{\tl_use:c{ann@\l_tmpa_tl}}{draft}
17216   }{
17217     \mix_pdfobj:nnn{}{dict}{
17218       /S/JavaScript/JS~(
17219         if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
17220         if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
17221           annotRM['\l_tmpa_tl']=
17222             this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
17223         }
17224         annotRM['\l_tmpa_tl'].activated=true;
17225       )
17226       \tl_if_blank:VF\l_tmpb_tl{/Next~\mix_pdflastobj:}
17227     }
17228   }
17229   \bool_if:nT{
17230     \bool_lazy_and_p:nn{
17231       \tl_if_exist_p:c{ann@\l_tmpa_tl}
17232     }{
17233       !\str_if_eq_p:ee{\tl_use:c{ann@\l_tmpa_tl}}{draft}
17234     }
17235     || !\tl_if_blank_p:V\l_tmpb_tl
17236   }{
17237     \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
17238   }
17239 },
17240 jsaction .value_required:n = {true},
17241
17242 unknown .code:n = {
17243   \msg_error:nnx{media9}{unknown~option}{\l_keys_key_tl}
17244 }
17245 }
17246
17247 \RenewDocumentCommand\includemedia{O{}mm}{%#1 options, #2 text/image #3 media file
17248   \mix_uriend:
17249   \group_begin:
17250   \mix_beginLTR:
17251   \mode_leave_vertical:
17252   %empty stream as appearance dummy
17253   \cs_if_exist:NF\g_mix_appearance_tl{
17254     \hbox_set:Nn\l_mix_poster_box{\phantom{\rule{1pt}{1pt}}}
17255     \mix_pdfxform:n{\l_mix_poster_box}
17256     \tl_gset:Nx\g_mix_appearance_tl{\mix_pdflastxform:}

```



```

17257 }
17258 \mix_reset:
17259 \mix_urbegin: %treat URI characters correctly
17260 \keys_set:nn{media9/user}{#1}
17261 \mix_uriend:
17262 \tl_greplace_all:Nnn\g_mix_flashvars_tl{~&}{&}
17263 \tl_greplace_all:Nnn\g_mix_flashvars_tl{&~}{&}
17264 \tl_greplace_all:Nnn\g_mix_flashvars_tl{~={}{=}
17265 \tl_greplace_all:Nnn\g_mix_flashvars_tl{=~}{=}
17266 \tl_gtrim_spaces:N\g_mix_flashvars_tl
17267
17268 \cs_if_exist:NT\Ginput@path{\cs_set_eq:NN\input@path\Ginput@path}
17269
17270 %\hbox_set:Nn\l_mix_poster_box{\group_begin:#2\group_end:}
17271 %\hbox_set:Nn\l_mix_poster_box{#2}
17272 \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
17273 \mix_scale:n{\l_mix_poster_box}
17274 \bool_if:nT{
17275   \dim_compare_p:n{\g_mix_tt_tl=\c_zero_dim}||
17276   \dim_compare_p:n{\g_mix_wd_tl=\c_zero_dim}
17277 }{
17278   \tl_gset:Nn\g_mix_usrpbtn_tl{none}
17279 }
17280 \bool_if:NTF\g_mix_usrdraft_bool{
17281   \tl_if_empty:NF\g_mix_usrlabel_tl{
17282     \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{draft}
17283   }
17284   \tl_if_blank:oTF{#2}{
17285     \mix_urbegin: %treat URI characters correctly
17286     \mix_draftbox:n{\tl_to_str:n{#3}}
17287     \mix_uriend:
17288   }{
17289     \hbox_to_wd:nn{\g_mix_wd_tl}{
17290       \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl
17291       \box_use:N\l_mix_poster_box\hss
17292     }
17293   }
17294 }{
17295   \bool_if:nF{\str_if_eq_p:Vn\g_mix_usrpbtn_tl{none}}{
17296     %attach script that switches off play button overlay upon activation
17297     \mix_pdfobj:nnn{}{stream}{
17298       }{
17299         var~ocgs=host.getOCGs(host.pageNum);
17300         for(var~i=0;i<ocgs.length;i++){
17301           if(ocgs[i].name=='MediaPlayerButton\int_use:N\g_mix_rmcnt_int'){
17302             ocgs[i].state=false;
17303           }
17304         }
17305       }
17306     }
17307     \mix_pdfobj:nnn{}{dict}{
17308       /Type/Filespec/EF~<</F~\mix_pdflastobj:>>/F~(btnoff)%/UF~(btnoff)
17309     }
17310     \tl_gset:Nx\g_mix_assets_tl{(btnoff)~\mix_pdflastobj:}

```



```

17311     \tl_set:Nx\l_mix_scripts_tl{~\mix_pdflastobj:~}
17312     %enforce plain playbutton overlay for XeTeX
17313     \sys_if_engine_xetex:T{\tl_gset:Nn\g_mix_usrpbtn_tl{plain}}
17314   }
17315   %embed main asset
17316   \mix_uribegin:
17317   \mix_embedasset:n{#3}
17318   \bool_if:nTF{
17319     \str_if_eq_p:Vn\l_mix_ext_tl{prc}||\str_if_eq_p:Vn\l_mix_ext_tl{u3d}
17320   }{
17321     \bool_gset_true:N\g_mix_iiid_bool
17322     \tl_gset:Nn\g_mix_mainassetsub_tl{3D}
17323   }{
17324     \str_case_e:nnF{\l_mix_base_tl}{
17325       {APlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
17326       {AudioPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
17327       {VPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
17328       {VideoPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
17329       {StrobeMediaPlayback}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
17330     }\tl_gset:Nn\g_mix_mainassetsub_tl{Flash}}
17331   }
17332   \tl_gset:Nx\g_mix_mainasset_tl{~\g_mix_lastasset_tl}
17333   \mix_uriend:
17334   %secondary assets (added by addresource)
17335   \seq_map_function:NN\g_mix_res_seq\mix_embedasset:n
17336   \seq_map_inline:Nn\g_mix_script_seq{
17337     \mix_embedasset:n{##1}
17338     \tl_put_right:Nx\l_mix_scripts_tl{~\g_mix_lastasset_tl}
17339   }
17340   %attach 3D calculation script
17341   \bool_if:nT{\g_mix_iiid_bool && \g_mix_iiidcalc_bool}{
17342     \mix_embedasset:n{3Dmenu.js}
17343     \tl_put_left:Nx\l_mix_scripts_tl{\g_mix_lastasset_tl~}
17344   }
17345   %create 3D views from file (option 3Dviews)
17346   \bool_if:nT{\g_mix_iiid_bool && !(\tl_if_blank_p:V\g_mix_vfile_tl)}{
17347     \tl_set:Nn\l_mix_level_tl{-1}
17348     \int_zero:N\l_mix_viewcnt_int
17349     \int_zero:N\l_mix_lineno_int
17350
17351     \ior_open:Nn\l_mix_vfile_stream{\g_mix_vfile_tl}
17352     \ior_map_inline:Nn\l_mix_vfile_stream{
17353       \int_incr:N\l_mix_lineno_int
17354       \keys_set:nn{media9/views}{##1} %process input line
17355     }
17356     \ior_close:N\l_mix_vfile_stream
17357   }
17358   \bool_if:nT{ %create default 3D view if required
17359     \g_mix_iiid_bool &&
17360     (\g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl)
17361   }{
17362     \tl_set_eq:NN\l_mix_bg_tl\g_mix_opt_bg_tl
17363     \tl_set_eq:NN\l_mix_ls_tl\g_mix_opt_ls_tl
17364     \tl_set_eq:NN\l_mix_rm_tl\g_mix_opt_rm_tl

```



```

17365 \tl_set_eq:NN\l_mix_psob_tl\g_mix_opt_psob_tl
17366 \tl_set_eq:NN\l_mix_coo_tl\g_mix_opt_coo_tl
17367 \tl_set_eq:NN\l_mix_ctoc_tl\g_mix_opt_ctoc_tl
17368 \tl_set_eq:NN\l_mix_ciiw_tl\g_mix_opt_ciiw_tl
17369
17370 \fp_set_eq:NN\l_mix_roo_fp\g_mix_opt_roo_fp
17371 \fp_set_eq:NN\l_mix_aac_fp\g_mix_opt_aac_fp
17372 \fp_set_eq:NN\l_mix_oscale_fp\g_mix_opt_oscale_fp
17373 \fp_set_eq:NN\l_mix_roll_fp\g_mix_opt_roll_fp
17374
17375 \bool_set_eq:NN\l_mix_ciiw_bool\g_mix_opt_ciiw_bool
17376 \bool_set_eq:NN\l_mix_iiidortho_bool\g_mix_opt_iiidortho_bool
17377 \tl_clear:N\l_mix_naarray_tl
17378
17379 \bool_if:NF\l_mix_ciiw_bool{
17380   \tl_set:Nx\l_mix_args_tl{\l_mix_coo_tl\space\l_mix_ctoc_tl\space}
17381   \exp_after:wN\mix_calc_ciiw:w\l_mix_args_tl\q_stop
17382 }
17383
17384 \tl_clear:N\l_mix_naarray_tl
17385 \tl_clear:N\l_mix_saarray_tl
17386 \tl_set_eq:NN\l_mix_nr_tl\g_mix_nrdflt_tl
17387
17388 \mix_view:n{Default}
17389 \tl_set:Nx\l_mix_dfltview_tl{\mix_pdflastobj:}
17390
17391 }
17392 \mix_pdfobj:nnn{}{dict}{
17393   /Type/RichMediaInstance
17394   /Subtype/\g_mix_mainassetsub_tl
17395   /Asset~\g_mix_mainasset_tl
17396   \bool_if:NF\g_mix_iiid_bool{
17397     /Params~<<
17398     /Binding\str_if_eq:VnTF\g_mix_transp_tl{true}{
17399       /Foreground
17400     }{
17401       /Background
17402     }
17403     \tl_if_blank:VF\g_mix_flashvars_tl{
17404       /FlashVars~(\g_mix_flashvars_tl)
17405     }
17406     >>
17407   }
17408 }
17409 \tl_if_empty:NF\g_mix_usrlabel_tl{
17410   \mix_keytoaux_now:nn{main@\g_mix_usrlabel_tl}{\mix_pdflastobj:}
17411 }
17412 \mix_pdfobj:nnn{}{dict}{
17413   /Type/RichMediaConfiguration
17414   /Subtype/\g_mix_mainassetsub_tl
17415   /Instances~[\mix_pdflastobj:]
17416 }
17417 \mix_pdfobj:nnn{}{dict}{
17418   /Type/RichMediaContent

```



```

17419 /Assets~<</Names~[\g_mix_assets_tl]>>
17420 /Configurations~[\mix_pdflastobj:]
17421 \bool_if:nT{
17422   \g_mix_iiid_bool && !(\tl_if_empty_p:V\l_mix_iiidviewarray_tl)
17423 }{
17424   /Views~[\l_mix_iiidviewarray_tl]
17425 }
17426 }
17427 \tl_set:Nx\l_mix_content_tl{\mix_pdflastobj:}
17428 \bool_if:nT{
17429   \g_mix_iiid_bool && \str_if_eq_p:Vn\g_mix_playtpe_tl{Oscillating}
17430 }{
17431   \tl_gset:Nx\g_mix_playcnt_tl{\int_eval:n{\g_mix_playcnt_tl*2}}
17432 }
17433 %determine floating window size
17434 \bool_if:NT\g_mix_opt_windowed_bool{
17435   \exp_after:wN\mix_parse_winsizearg:w\g_mix_winsize_tl\q_stop
17436 }
17437 \mix_pdfobj:nnn{}{dict}{
17438   /Activation~<<
17439     /Condition\g_mix_act_tl
17440     \bool_if:nT{
17441       \g_mix_iiid_bool &&
17442       !(\str_if_eq_p:Vn\g_mix_playtpe_tl{None})
17443     }{%seems to work only with 3D content
17444       /Animation~<<
17445         /Subtype/\g_mix_playtpe_tl
17446         /PlayCount~\g_mix_playcnt_tl
17447         /Speed~\g_mix_playspd_tl
17448       >>
17449     }
17450     \bool_if:nT{
17451       \g_mix_iiid_bool && (
17452         \g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl
17453       )
17454     }{/View~\l_mix_dfltview_tl}
17455     /Presentation~<<
17456       /Transparent~\g_mix_transp_tl
17457       \bool_if:NTF\g_mix_opt_windowed_bool{
17458         /Style/Windowed
17459         /Window~<<
17460           /Width~<</Default~\tl_mix_fltd>>
17461           /Height~<</Default~\tl_mix_fltht>>
17462           /Position~<<
17463             /HOffset~0/VOffset~0
17464             \str_case_e:nnF{\g_mix_winpos_tl}{
17465               {tl}{/VAlign/Near/HAlign/Near}
17466               {cl}{/VAlign/Center/HAlign/Near}
17467               {bl}{/VAlign/Far/HAlign/Near}
17468               {bc}{/VAlign/Far/HAlign/Center}
17469               {br}{/VAlign/Far/HAlign/Far}
17470               {cr}{/VAlign/Center/HAlign/Far}
17471               {tr}{/VAlign/Near/HAlign/Far}
17472               {tc}{/VAlign/Near/HAlign/Center}

```



```

17473         }{/HAlign/Center/VAlign/Center}
17474     >>
17475     >>
17476     }{
17477         /Style/Embedded
17478     }
17479     \bool_if:NTF\g_mix_iiid_bool{
17480         /Toolbar~\g_mix_tools_tl
17481         /NavigationPane~\g_mix_nav_tl
17482     }{
17483         /PassContextClick~\g_mix_contextclick_tl
17484     }
17485     >>
17486     \tl_if_blank:VF\l_mix_scripts_tl{/Scripts~[\l_mix_scripts_tl]}
17487     >>
17488     /Deactivation~<</Condition\g_mix_deact_tl>>
17489 }
17490 \tl_set:Nx\l_mix_settings_tl{\mix_pdflastobj:}
17491 \tl_if_empty:NF\g_mix_usrlabel_tl{
17492     \tl_gset_eq:NN\g_mix_label_tl\g_mix_usrlabel_tl
17493 }
17494 % #1:width, #2:height, #3:depth, #4:content (key-value)
17495 \mix_pdfannot:nnnn{\g_mix_wd_tl}{\g_mix_ht_tl}{\g_mix_dp_tl}{
17496     /Subtype/RichMedia
17497     /F~4
17498     /BS~<</W~0/S/S>>
17499     /Contents~(media~embedded~by~media9~[\g_mix_version_tl~(\g_mix_date_tl)])
17500     /NM~(\g_mix_label_tl)
17501     /AP~<</N~\g_mix_appearance_tl>>
17502     /RichMediaSettings~\l_mix_settings_tl
17503     /RichMediaContent~\l_mix_content_tl
17504 }
17505 \tl_if_empty:NF\g_mix_usrlabel_tl{
17506     \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{\mix_pdflastann:}
17507     \mix_keytoaux_shipout:nn{page@\g_mix_usrlabel_tl}{
17508         \noexpand\the\g@mix@page@int}
17509 }
17510 \mix_pdfobj:nnn{}{dict}{
17511     /S/JavaScript/JS~(
17512     try{
17513         if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
17514         if(typeof(annotRM['\g_mix_label_tl'])=='undefined'){
17515             annotRM['\g_mix_label_tl']=
17516                 this.getAnnotRichMedia(this.pageNum,'\g_mix_label_tl');
17517         }
17518         \str_if_eq:eeF{\g_mix_usrpbtn_tl}{none}{
17519             if(typeof(ocgBtn\int_use:N\g_mix_rmcnt_int)=='undefined'){
17520                 var~ocgs=this.getOCGs(this.pageNum);
17521                 for(var~i=0;i<ocgs.length;i++){
17522                     if(ocgs[i].name=='MediaPlayerButton\int_use:N\g_mix_rmcnt_int'){
17523                         var~ocgBtn\int_use:N\g_mix_rmcnt_int=ocgs[i];
17524                     }
17525                 }
17526             }
17527         }
17528     }
17529 )
17530 }

```




```

17527         if(
17528             !annotRM['\g_mix_label_tl'].activated&&(
17529                 app.viewerType=='Reader' ||
17530                 app.viewerType=='Exchange' ||
17531                 app.viewerType=='Exchange-Pro'
17532             )&&app.viewerVersion>=9
17533         ){
17534             ocbBtn\int_use:N\g_mix_rmcnt_int.state=true;
17535         }
17536     }
17537 }catch(e){}
17538 this.dirty=false;
17539 )
17540 }
17541 \mix_pdfannot:nnnn{Opt}{Opt}{Opt}{
17542     /Subtype/Widget
17543     /FT/Btn/Ff~65537/F~2
17544     /BS~<</W~0>>
17545     /T~(fd@\g_mix_label_tl)
17546     /AA~<</PO~\mix_pdflastobj:~/PV~\mix_pdflastobj:>>
17547 }
17548 \mix_appendtofields:n{\mix_pdflastann:}
17549 \hbox_overlap_right:n{\box_use:N\l_mix_poster_box}
17550 \str_if_eq:eeTF{\g_mix_usrpbtn_tl}{none}{
17551     \hbox_to_wd:nn{\g_mix_wd_tl}{
17552         \vrule-width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl\hss
17553     }
17554 }{%insert play button overlay
17555     \mix_insert_btnocg: %create OCG
17556     \cs_gset_eq:Nc\mix_pbtn:NN{g@mix@pbtn@\g_mix_usrpbtn_tl @tl}
17557     \group_begin:
17558     \cs_if_exist:NT\textdir{\textdir TLT}
17559     \sbox\l_mix_pbtn_box{\mix_pbtn:NN\g_mix_wd_tl\g_mix_tt_tl}
17560     \box_move_down:nn{\g_mix_dp_tl}{
17561         \hbox_to_wd:nn{\g_mix_wd_tl}{
17562             \vbox_to_ht:nn{\g_mix_tt_tl}{
17563                 \vss
17564                 \ocgbase_oc_bdc:n{\g_mix_btnocg_tl}
17565                 \box_use:N\l_mix_pbtn_box
17566                 \ocgbase_oc_emc:
17567             }
17568         }
17569     }
17570     \group_end:
17571 }
17572 \int_gincr:N\g_mix_rmcnt_int
17573 }
17574 \mix_endLTR:
17575 \group_end:
17576 }
17577 \tl_set_eq:NN\l_mix_includemedia_tl\includemedia
17578 \tl_set:Nn\includemedia{\mix_uribegin:\l_mix_includemedia_tl}
17579
17580 \RenewDocumentCommand\mediabutton{0{}m}{%#1 options, #2 normal button text

```



```

17581 \mix_uriend:
17582 \group_begin:
17583 \mix_beginLTR:
17584 \mode_leave_vertical:
17585 %reset various variables
17586 \tl_gclear:N\g_mix_overbtn_tl
17587 \tl_gclear:N\g_mix_downbtn_tl
17588 \tl_gclear:N\g_mix_btnactions_tl
17589 \tl_gclear:N\g_mix_tooltip_tl
17590 %process options
17591 \bool_gset_eq:NN\g_mix_btndraft_bool\g_mix_pkgdraft_bool
17592 \mix_uribegin: %treat URI characters correctly
17593 \keys_set:nn{media9/mbtndraft}{#1} %detect draft/final on first pass
17594 \bool_if:NF\g_mix_btndraft_bool{\keys_set:nn{media9/mbtn}{#1}}
17595 \mix_uriend:
17596 %normal button appearance
17597 %\hbox_set:Nn\l_mix_poster_box{#2}
17598 \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
17599 \tl_set:Nx\width {\dim_use:N\box_wd:N\l_mix_poster_box}
17600 \tl_set:Nx\height{\dim_use:N\box_ht:N\l_mix_poster_box}
17601 \tl_set:Nx\depth {\dim_use:N\box_dp:N\l_mix_poster_box}
17602 \bool_if:NTF\g_mix_btndraft_bool{\box_use:N\l_mix_poster_box}{
17603   \sbox\l_mix_poster_box{\bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{
17604     \box_use:N\l_mix_poster_box}}{\box_use:N\l_mix_poster_box}}
17605   \mix_pdfxform:n{\l_mix_poster_box}
17606   \tl_set:Nx\g_mix_normalbtn_tl{\mix_pdflastxform:}
17607   %insert widget annotation
17608   \mix_pdfannot:nnnn{\width}{\height}{\depth}{
17609     /Subtype/Widget
17610     /T~(mbtn@\int_use:N\g_mix_mbtncnt_int)
17611     \tl_if_empty:NF\g_mix_tooltip_tl{/TU~(\g_mix_tooltip_tl)}
17612     /FT/Btn/Ff~65536
17613     \tl_if_empty:NF\g_mix_downbtn_tl{/H/I}{/H/P}
17614     /AP~<<
17615     /N~\g_mix_normalbtn_tl
17616     \tl_if_empty:NF\g_mix_overbtn_tl{/R~\g_mix_overbtn_tl}
17617     \tl_if_empty:NF\g_mix_downbtn_tl{/D~\g_mix_downbtn_tl}
17618     >>
17619     /MK~<<
17620     /TP~1~/IF~<</S/A/FB~true/A~[0.0~0.0]>>
17621     /I~\g_mix_normalbtn_tl
17622     \tl_if_empty:NF\g_mix_overbtn_tl{/RI~\g_mix_overbtn_tl}
17623     \tl_if_empty:NF\g_mix_downbtn_tl{/IX~\g_mix_downbtn_tl}
17624     >>
17625     /A~<<
17626     /S/JavaScript/JS~(app.focusRect=false;)
17627     %sequence of actions to perform
17628     \tl_if_empty:NF\g_mix_btnactions_tl{/Next~[\g_mix_btnactions_tl]}
17629     >>
17630   }
17631   \mix_appendtofields:n{\mix_pdflastann:}
17632   \hbox_to_wd:nn{\width}{
17633     \vrule~width~\c_zero_dim~height~\height~depth~\hss
17634   }

```



```

17635 \int_gincr:N\g_mix_mbtncnt_int
17636 }
17637 \mix_endLTR:
17638 \group_end:
17639 }
17640 \tl_set_eq:NN\l_mix_mediabutton_tl\mediabutton
17641 \tl_set:Nn\mediabutton{\mix_uribegin:\l_mix_mediabutton_tl}
17642

```

117 File memoir-xetex-bidi.def

```

17643 \ProvidesFile{memoir-xetex-bidi.def}[2025/01/03 v0.7 bidi adaptations for memoir class for X
17644 \renewcommand{\keepthetitle}{%
17645 \@bsmtitleempty
17646 \global\let\thanks\relax
17647 \global\let\LTRthanks\relax
17648 \global\let\RTLthanks\relax
17649 \global\let\and\relax
17650 \global\let\andnext\relax
17651 \global\let\@thanks\@empty
17652 \global\let\@title\@empty
17653 \global\let\@author\@empty
17654 \global\let\@date\@empty}
17655 \renewcommand{\maketitle}{\par
17656 \begingroup
17657 \@bsmarkseries
17658 \def\@makefnmark{\@textsuperscript{%
17659 \normalfont\@bsthanksheadpre \tamark \@bsthanksheadpost}}}%
17660 \long\def\@makefntext##1{\makethanksmark ##1}
17661 \if@twocolumn
17662 \ifnum \col@number=\@one
17663 \@maketitle
17664 \else
17665 \twocolumn[\@maketitle]%
17666 \fi
17667 \else
17668 \ifdim\pagetotal>\z@
17669 \newpage
17670 \fi
17671 \global\@topnum\z@
17672 \@maketitle
17673 \fi
17674 \thispagestyle{title}\@thanks
17675 \endgroup
17676 \@bscontmark % \setcounter{footnote}{0}%
17677 }
17678 \renewcommand*{\memRTLleftskip}{\if@RTL\rightskip\else\leftskip\fi}
17679 \renewcommand*{\memRTLrightskip}{\if@RTL\leftskip\else\rightskip\fi}
17680 \renewcommand*{\memRTLleftskip}{\if@RTL\leftskip\else\leftskip\fi}
17681 \renewcommand*{\memRTLrightskip}{\if@RTL\rightskip\else\rightskip\fi}
17682 \renewcommand*{\memRTLleftskip}{\if@RTL\leftskip\else\leftskip\fi}
17683 \renewcommand*{\memRTLrightskip}{\if@RTL\rightskip\else\rightskip\fi}
17684 \renewcommand*{\thesection}{\thechapter\@SepMark\@arabic\c@section}
17685 \renewcommand*{\thesubsection}{%

```



```

17686 \thesection\@SepMark\@arabic\c@section}
17687 \renewcommand*{\thesubsubsection}{%
17688 \thesubsection\@SepMark\@arabic\c@subsubsection}
17689 \renewcommand*{\theparagraph}{%
17690 \thesubsubsection\@SepMark\@arabic\c@paragraph}
17691 \renewcommand*{\thesubparagraph}{%
17692 \theparagraph\@SepMark\@arabic\c@subparagraph}
17693 \renewcommand{\setthesection}{\thechapter\@SepMark\Alph{section}}
17694 \renewcommand{\theequation}{%
17695 \ifnum \c@chapter>z@ \thechapter\@SepMark\fi \@arabic\c@equation}
17696 \renewcommand{\thefigure}{\thechapter\@SepMark\@arabic\c@figure}
17697 \renewcommand{\thetable}{\thechapter\@SepMark\@arabic\c@table}
17698 \ifartopt
17699 \chapterstyle{article}
17700 \counterwithout{figure}{chapter}
17701 \counterwithout{table}{chapter}
17702 \counterwithout{footnote}{chapter}
17703 \counterwithout{equation}{chapter}
17704 \renewcommand{\chaptername}{%
17705 \renewcommand{\maketitlehookb}{%
17706 \vskip -1.5\topsep\vskip -1.5\partopsep}
17707 \renewcommand{\maketitlehookc}{%
17708 \vskip -1.5\topsep\vskip -1.5\partopsep}
17709 \fi
17710 \long\def\@makecaption#1#2{\let\@memtempa\relax
17711 \ifdim\prevdepth>-99\p@ \vskip\abovecaptionskip
17712 \else \def\@memtempa{\vbox to\topskip{}}\fi
17713 \let\@contfnote\footnote \renewcommand{\footnote}[2] [] {}
17714 \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1] [] {}
17715 \sbox\@tempboxa{\@contnfont #1\@contdelim \@conttfont #2\@contfinal}
17716 \let\footnote\@contfnote
17717 \let\footnotemark\@contfmark
17718 \ifdim\wd\@tempboxa<\linewidth \centering \fi
17719 \if@contcw
17720 \centering
17721 \parbox{\@contcwidth}{%
17722 \ifdim\wd\@tempboxa<\@contcwidth \centering \fi
17723 \fi
17724 \ifdim\wd\@tempboxa<\linewidth
17725 \@contpre
17726 {\@contnfont #1\@contdelim}\@memtempa
17727 {\@contcshortstyle \@conttfont #2\@contfinal\par}
17728 \else
17729 \if@conthang
17730 \sbox\@tempboxa{\@contnfont #1\@contdelim}
17731 \@contpre%
17732 {\@contcstyle\hangindent=\wd\@tempboxa
17733 \noindent\box\@tempboxa\@memtempa \@conttfont #2\@contfinal\par}
17734 \else
17735 \if@contindent
17736 \@contpre%
17737 {\@contnfont #1\@contdelim}\@memtempa
17738 {\@contcstyle\hangindent=\@contindw
17739 \hangafter=\@one\@conttfont #2\@contfinal\par}% <- v1.4

```



```

17740     \else
17741         \@contpre%
17742         {\@contnfont #1\@contdelim}\@memtempa
17743         {\@contcstyle \@conttfont #2\@contfinal\par}
17744     \fi
17745 \fi
17746 \fi
17747 \@contpost
17748 \if@contcw
17749     \par
17750 } % end of the \parbox
17751 \fi
17752 \vskip\belowcaptionskip}
17753 \ApplyPatchCodeToPackage{caption}{%
17754 \AtBeginPackage{caption}{
17755 \ClassWarningNoLine{memoir}{%
17756 You are using the caption package with the memoir \MessageBreak
17757 class. This may cause unexpected or inconsistent \MessageBreak
17758 results if you use any of memoir's captioning facilities}
17759
17760 \long\def\@makecaption##1##2{%
17761     \vskip\abovecaptionskip
17762     \sbox\@tempboxa{\if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}%
17763     \ifdim \wd\@tempboxa >\hsize
17764         \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
17765     \else
17766         \global \@minipagefalse
17767         \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
17768     \fi
17769     \vskip\belowcaptionskip}
17770
17771 \def\caption{%
17772     \ifx\@captive\@undefined
17773         \@latex@error{\noexpand\caption outside float}\@ehd
17774         \expandafter\@gobble
17775     \else
17776         \refstepcounter\@captive
17777         \expandafter\@firstofone
17778     \fi
17779     {\@dblarg{\@caption\@captive}}%
17780 }
17781
17782 \long\def\@caption##1[##2]##3{%
17783     \par
17784     \addcontentsline{\csname ext@##1\endcsname}{##1}%
17785         {\protect\numberline{\csname the##1\endcsname}{\ignorespaces ##2}}%
17786     \begingroup
17787         \@parboxrestore
17788         \if@minipage
17789             \setminipage
17790         \fi
17791         \normalsize
17792         \@makecaption{\csname fnum@##1\endcsname}{\ignorespaces ##3}\par
17793     \endgroup

```



```

17794}}
17795\renewenvironment{thebibliography}[1]{%
17796  \bibsection
17797  \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
17798  \bidi@thebibliography@font@hook%
17799  \begin{bibitemlist}{#1}}{\end{bibitemlist}}\postbibhook}

```

118 File midfloat-xetex-bidi.def

```

17800\ProvidesFile{midfloat-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for midfloat package]
17801\def\RTL@outputdblcol{%
17802  \if@firstcolumn
17803    \global\@firstcolumnfalse
17804    \global\setbox\@leftcolumn\copy\@outputbox
17805    \splitmaxdepth\maxdimen
17806    \vbadness\maxdimen
17807    \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
17808    \setbox\@outputbox\vsplit\@outputbox to\maxdimen
17809    \toks@\expandafter{\topmark}%
17810    \xdef\@firstcoltopmark{\the\toks@}%
17811    \toks@\expandafter{\splitfirstmark}%
17812    \xdef\@firstcolfirstmark{\the\toks@}%
17813    \ifx\@firstcolfirstmark\@empty
17814      \global\let\@setmarks\relax
17815    \else
17816      \gdef\@setmarks{%
17817        \let\firstmark\@firstcolfirstmark
17818        \let\topmark\@firstcoltopmark}%
17819    \fi
17820    \global\c@colht\@colht\global\c@advvipersep\z@
17821    \ifnum\jua@sk>0
17822      \remove@strip\jua@sar
17823      \global\@colht\the\jua@pr
17824      \ifdim\right@cor>\z@
17825        \global\advance\@colht by\right@cor
17826      \fi
17827      \global\advance\@colht by\cor@height
17828      \global\cor@height=0pt
17829    \fi
17830    \global\setbox\@rightcolumn\vbox{%
17831  \else
17832    \ifdim\c@colht>\@colht
17833      \@tempdima\@colht
17834      \ifdim\@colht>\z@
17835        \global\setbox\@rightcolumn\vbox{%
17836          \unvbox\@rightcolumn
17837          \vbox to\@tempdima{%
17838            \vskip\c@advvipersep\unvbox\@outputbox}%
17839          \vskip\stripsep
17840          \vrule height\the\jua@ht width 0pt depth 0pt
17841          \vskip\stripsep
17842        }%
17843        \global\c@advvipersep\m@advvipersep
17844      \else

```



```

17845         \global\setbox\@rightcolumn \vbox{%
17846             \unvbox\@rightcolumn
17847             \vrule height\the\jua@ht width Opt depth Opt
17848             \vskip\stripsep
17849         }%
17850     \fi
17851     \ifnum\jua@sk>0
17852         \remove@strip\jua@sar
17853         \global\@colht\the\jua@pr
17854         \global\advance\@colht by -\ht\@rightcolumn
17855         \global\advance\@colht by \cor@height
17856         \global\cor@height=0pt
17857     \else
17858         \global\advance\c@colht by-\ht\@rightcolumn
17859         \global\@colht\c@colht
17860     \fi
17861 \else
17862 \global\@firstcolumntrue
17863 \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
17864     \unvbox\@rightcolumn
17865     \vskip\c@addvipersep
17866     \unvbox\@outputbox
17867 }%
17868 \setbox\@outputbox \vbox {%
17869     \hb@xt@\textwidth {%
17870         \hskip \columnwidth
17871         \hfil
17872         \vrule \@width\columnseprule
17873         \hfil
17874         \hb@xt@\columnwidth {%
17875             \bidi@firstcolumn@status@write%
17876             \box\@leftcolumn \hss}%
17877         \hskip-\textwidth
17878         \hb@xt@\columnwidth {%
17879             \bidi@lastcolumn@status@write%
17880             \box\@outputbox \hss}%
17881         \hskip\columnwidth
17882         \hskip\columnsep}%
17883     }%
17884 \@combinedblfloats
17885 \@setmarks
17886 \@outputpage
17887 \begingroup
17888     \@dblfloatplacement
17889     \@startdblcolumn
17890     \@whilesw\if@fcolmade \fi
17891     {\@outputpage
17892     \@startdblcolumn}%
17893 \endgroup
17894 \global\jua@sk=0\global\jua@sar={}
17895 \global\cor@height\z@\global\c@addvipersep\z@
17896 \fi
17897 \fi
17898 }

```



```

17899
17900
17901 \def\LTR@outputdblcol{%
17902   \if@firstcolumn
17903     \global \@firstcolumnfalse
17904     \global\setbox\@leftcolumn\copy\@outputbox
17905     \splitmaxdepth\maxdimen
17906     \vbadness\maxdimen
17907     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
17908     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
17909     \toks@\expandafter{\topmark}%
17910     \xdef\@firstcoltopmark{\the\toks@}%
17911     \toks@\expandafter{\splitfirstmark}%
17912     \xdef\@firstcolfirstmark{\the\toks@}%
17913     \ifx\@firstcolfirstmark\@empty
17914       \global\let\@setmarks\relax
17915     \else
17916       \gdef\@setmarks{%
17917         \let\firstmark\@firstcolfirstmark
17918         \let\topmark\@firstcoltopmark}%
17919     \fi
17920     \global\c@colht\@colht\global\c@addvipersep\z@
17921     \ifnum\jua@sk>0
17922       \remove@strip\jua@sar
17923       \global\@colht\the\jua@pr
17924       \ifdim\right@cor>\z@
17925         \global\advance\@colht by\right@cor
17926       \fi
17927       \global\advance\@colht by\cor@height
17928       \global\cor@height=0pt
17929     \fi
17930     \global\setbox\@rightcolumn\vbox{%
17931 \else
17932   \ifdim\c@colht>\@colht
17933     \@tempdima\@colht
17934     \ifdim\@colht>\z@
17935       \global\setbox\@rightcolumn\vbox{%
17936         \unvbox\@rightcolumn
17937         \vbox to\@tempdima{%
17938           \vskip\c@addvipersep\unvbox\@outputbox}%
17939         \vskip\stripsep
17940         \vrule height\the\jua@ht width 0pt depth 0pt
17941         \vskip\stripsep
17942       }%
17943       \global\c@addvipersep\m@addvipersep
17944     \else
17945       \global\setbox\@rightcolumn\vbox{%
17946         \unvbox\@rightcolumn
17947         \vrule height\the\jua@ht width 0pt depth 0pt
17948         \vskip\stripsep
17949       }%
17950     \fi
17951     \ifnum\jua@sk>0
17952       \remove@strip\jua@sar

```




```

17953         \global\@colht\the\jua@pr
17954         \global\advance\@colht by -\ht\@rightcolumn
17955         \global\advance\@colht by\cor@height
17956         \global\cor@height=0pt
17957     \else
17958         \global\advance\c@colht by-\ht\@rightcolumn
17959         \global\@colht\c@colht
17960     \fi
17961 \else
17962     \global\@firstcolumntrue
17963     \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
17964         \unvbox\@rightcolumn
17965         \vskip\c@addvipersep
17966         \unvbox\@outputbox
17967     }%
17968     \setbox\@outputbox \vbox {%
17969         \hb@xt@\textwidth {%
17970             \hb@xt@\columnwidth {%
17971                 \bidi@firstcolumn@status@write%
17972                 \box\@leftcolumn \hss}%
17973             \hfil
17974             \vrule \@width\columnseprule
17975             \hfil
17976             \hb@xt@\columnwidth {%
17977                 \bidi@lastcolumn@status@write%
17978                 \box\@outputbox \hss}%
17979             }%
17980         }%
17981     \@combinedblfloats
17982     \@setmarks
17983     \@outputpage
17984     \begingroup
17985         \@dblfloatplacement
17986         \@startdblcolumn
17987         \@whiles\if@fcolmade \fi
17988         {\@outputpage
17989         \@startdblcolumn}%
17990     \endgroup
17991     \global\jua@sk=0\global\jua@sar={}%
17992     \global\cor@height\z@\global\c@addvipersep\z@
17993     \fi
17994 \fi
17995 }
17996
17997
17998 \def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
17999     \global \setbox\@viper\vbox\bgroup\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi
18000         \hsize\textwidth
18001         \@parboxrestore
18002         \col@number \@ne
18003         \vrule height\topskip width0pt depth0pt
18004 }
18005
18006 \def\endstrip{%

```



```

18007      \egroup\egroup
18008      \if@firstcolumn
18009          \ifdim\pagetotal>\z@
18010              \vskip\stripsep
18011              \global\ht@strip\pagegoal
18012              \global\advance\ht@strip by-\pagetotal
18013              \global\advance\ht@strip by-\stripsep
18014              \global\advance\ht@strip by-\ht@viper
18015              \global\advance\ht@strip by-\stripsep
18016              \global\jua@ht=\ht@viper
18017          \else
18018              \global\ht@strip\z@
18019          \fi
18020          \ifdim\ht@strip>\z@
18021              \unvbox\@viper
18022              \vskip\stripsep
18023              \add@strip{\the\pagetotal}{\the\jua@ht}{\the\@tempdima}{\the\@tempdimb}%
18024              \global\advance\jua@sk by1
18025          \else
18026              \@latex@error{Strip needs more place!}\@ehc
18027              \if@vihproof
18028                  \framebox[\columnwidth]{??? Strip ???}%
18029              \fi
18030          \fi
18031      \else
18032          \@latex@error{Strip is used only on left column!}\@ehc
18033          \if@vihproof
18034              \framebox[\columnwidth]{??? Strip ???}%
18035          \fi
18036      \fi
18037 }

```

119 File minitoc-xetex-bidi.def

```

18038 \ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package f
18039 \def\@undottedtocline#1#2#3#4#5{%
18040     \ifnum #1>\c@tocdepth\relax \else
18041         \vskip \z@ plus.2\p@
18042         {\if@RTL\rightright\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightright\fi \@tocrmarg
18043         \parindent #2\relax\@afterindenttrue
18044         \interlinepenalty\@M
18045         \leavevmode
18046         \@tempdima #3\relax \advance\if@RTL\rightright\else\leftskip\fi \@tempdima \hbox{}%
18047         \hskip -\if@RTL\rightright\else\leftskip\fi
18048         #4\nobreak\hfill \nobreak
18049         \null\par}%
18050     \fi}
18051 \def\@Undottedtocline#1#2#3#4#5{%
18052     \ifnum #1>\c@tocdepth\relax \else
18053         \vskip \z@ \@plus.2\p@
18054         {\if@RTL\rightright\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightright\fi \@tocrmarg
18055         \parindent #2\relax\@afterindenttrue
18056         \interlinepenalty\@M
18057         \leavevmode

```



```

18058 \tempdima #3\relax
18059 \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
18060 {\coffefont #4}\nobreak \nobreak\null
18061 \par}%
18062 \fi}
18063 \def\@Undottedtoclinep#1#2#3#4#5{%
18064 \ifnum #1>\c@tocdepth\relax \else
18065 \vskip \z@ \@plus.2\p@
18066 {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@ocrma
18067 \parindent #2\relax\@afterindenttrue
18068 \interlinepenalty\@M
18069 \leavevmode
18070 \tempdima #3\relax
18071 \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
18072 {#4}\nobreak \hfill \nobreak\null
18073 \hb@xt@\@pnumwidth{\hfil\normalfont \normalcolor #5}}%
18074 \par}%
18075 \fi}

```

120 File multicol-xetex-bidi.def

```

18076 \ProvidesFile{multicol-xetex-bidi.def}[2025/09/30 v1.5 bidi adaptations for multicol package]
18077 \def\page@sofar{%
18078 \process@cols\mult@rightbox
18079 {\ifvoid\count@
18080 \setbox\count@\hbox to\hsize{%
18081 \else
18082 \wd\count@\hsize
18083 \fi}%
18084 \count@\col@number \advance\count@\m@ne
18085 \mult@info\z@
18086 {Column spec: \the\full@width\space = indent
18087 + columns + sep =\MessageBreak
18088 \the\multicol@leftmargin\space
18089 + \the\col@number\space
18090 x \the\hsize\space
18091 + \the\count@\space
18092 x \the\columnsep
18093 }%
18094 \ifvmode\else\errmessage{Multicol Error}\fi
18095 \nointerlineskip
18096 \setbox\z@\hbox{p}\global\dimen\tw@\dp\z@
18097 \moveright\multicol@leftmargin
18098 \hbox to\full@width{%
18099 \bidi@multicol@align@columns
18100 \rlap{\phantom p}%
18101 }%
18102 \prevdepth\z@
18103 \kern-\dimen\tw@
18104 \ifdim\dimen\tw@ > \mc@gridwarn
18105 \PackageWarning{multicol}%
18106 {Very deep columns!\MessageBreak
18107 Grid alignment might be broken}%
18108 \fi

```



```

18109 }
18110 \def\LTR@column@boxes{%
18111   \process@cols\mult@firstbox{%
18112     \ifdim\dp\count@>\dimen\tw@
18113       \global\dimen\tw@\dp\count@ \fi
18114     \mc@col@status@write
18115     \box\count@
18116     \hss{\columnseprulecolor\vrule
18117       \@width\columnseprule}\hss}%
18118   \ifdim\dp\mult@rightbox>\dimen\tw@
18119     \global\dimen\tw@\dp\mult@rightbox \fi
18120   \mc@lastcol@status@write
18121   \box\mult@rightbox
18122 }
18123
18124 \def\RTL@column@boxes{%
18125   \process@cols\mult@firstbox{%
18126     \hskip\hsize
18127     \hss{\columnseprulecolor\vrule
18128       \@width\columnseprule}\hss
18129   }%
18130   \hskip\hsize
18131   \process@cols\mult@firstbox{%
18132     \ifdim\dp\count@>\dimen\tw@
18133       \global\dimen\tw@\dp\count@ \fi
18134     \hskip-\hsize
18135     \mc@col@status@write
18136     \box\count@
18137     \hskip-\hsize
18138     \hskip-\columnsep
18139   }%
18140   \ifdim\dp\mult@rightbox>\dimen\tw@
18141     \global\dimen\tw@\dp\mult@rightbox \fi
18142   \hskip-\hsize
18143   \mc@lastcol@status@write
18144   \box\mult@rightbox
18145   \hskip-\hsize
18146   \hskip\full@width
18147 }
18148
18149 \newcommand\RTLmulticolcolumns
18150   {\let\bidimulticol@align@columns
18151     \RTL@column@boxes}
18152 \newcommand\LTRmulticolcolumns
18153   {\let\bidimulticol@align@columns
18154     \LTR@column@boxes}
18155 \newcommand\bidimulticol@align@columns
18156   {\if@RTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}
18157 \bidimulticol@AtEndPreamble{%
18158   \if@bidi@csdef{footinsv@1}{%
18159     \def\footnoterule{\kern-3\p@
18160       \hrule \@width \textwidth \kern 2.6\p@}%
18161   }-}%
18162 }

```



```

18163 \def\multicols#1{\col@number#1\relax
18164 \ifnum\col@number<\tw@
18165   \PackageWarning{multicol}%
18166     {Using `\'number\col@number'
18167       columns doesn't seem a good idea.^^J
18168       I therefore use two columns instead}%
18169   \col@number\tw@ \fi
18170 \ifnum\col@number>20
18171   \PackageError{multicol}%
18172     {Too many columns}%
18173     {Current implementation doesn't
18174       support more than 20 columns.%
18175     \MessageBreak
18176       I therefore use 20 columns instead}%
18177   \col@number20 \fi
18178 \ifx\@footnotetext\mult@footnotetext
18179 \else
18180   \let\orig@footnotetext\@footnotetext
18181   \let\@footnotetext\mult@footnotetext
18182 \fi
18183 \ifx\@LTRfootnotetext\mult@LTRfootnotetext
18184 \else
18185   \let\orig@LTRfootnotetext\@LTRfootnotetext
18186   \let\@LTRfootnotetext\mult@LTRfootnotetext
18187 \fi
18188 \ifx\@RTLfootnotetext\mult@RTLfootnotetext
18189 \else
18190   \let\orig@RTLfootnotetext\@RTLfootnotetext
18191   \let\@RTLfootnotetext\mult@RTLfootnotetext
18192 \fi
18193 \@ifnextchar[\mult@cols{\mult@cols[]}]
18194 \long\def\mult@footnotetext#1{\begingroup
18195   \hsize\textwidth
18196   \columnwidth\textwidth
18197   \orig@footnotetext{#1}\endgroup}
18198 \long\def\mult@LTRfootnotetext#1{\begingroup
18199   \hsize\textwidth
18200   \columnwidth\textwidth
18201   \orig@LTRfootnotetext{#1}\endgroup}
18202 \long\def\mult@RTLfootnotetext#1{\begingroup
18203   \hsize\textwidth
18204   \columnwidth\textwidth
18205   \orig@RTLfootnotetext{#1}\endgroup}
18206 \def\right@footnoterule{%
18207   \kern-3\p@
18208   \nointerlineskip
18209   \hbox to \textwidth{\hskip \dimexpr\textwidth-.4\columnwidth\relax \hrulefill }
18210   \kern2.6\p@}
18211 \def\textwidth@footnoterule{\kern-3\p@
18212   \hrule \@width \textwidth \kern 2.6\p@}
18213 \def\bidileave@mult@copyins{%
18214   \advance\dimen@-\skip\@bidi@copyins@
18215   \advance\dimen@-\ht\@bidi@copyins@
18216 }

```



```

18217
18218 \bidi@AtEndPreamble{%
18219   \if@bidi@csundef{footinsv@1}{%
18220     \bidi@patchcmd{\multi@column@out}{%
18221       \ifvbox \@kludgeins
18222     }{%
18223       \ifvoid\@bidi@copyins@ \else
18224         \bidi@leave@mult@copyins
18225       \fi
18226       \ifvbox \@kludgeins
18227     }{}{}%
18228   }{}%
18229 }
18230
18231

```

121 File multienum-xetex-bidi.def

```

18232 \ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum packa
18233 \renewcommand{\itemx}[1]{\parbox[t]{%
18234   {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
18235   \parbox[t]{\remainx}{\bidi@raggedright #1}\par}%\smallskip
18236 \renewcommand{\itemxx}[2]{\parbox[t]{%
18237   {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18238   \parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
18239     {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18240     \parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip}
18241 \renewcommand{\itemxxx}[3]{\parbox[t]{%
18242   {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
18243   \parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
18244     {\labelwidth}{\hfill {\labelname}}\hskip\labelsep%
18245     \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]{%
18246       {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
18247       \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3}\par}%\smallskip
18248 \renewcommand{\itemxxxx}[4]{\parbox[t]{%
18249   {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18250   \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
18251     {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18252     \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
18253     \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18254     \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill%
18255     \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18256     \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\smallskip}
18257 \renewcommand{\itemxxxxx}[5]{\parbox[t]{%
18258   {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18259   \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #1}\hfill%
18260   \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18261   \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #2}\hfill%
18262   \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18263   \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #3}\hfill%
18264   \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18265   \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #4}\hfill%
18266   \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18267   \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #5}\smallskip}

```



```

18268 \renewcommand{\itemxox}[2]{\parbox[t]{%
18269 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18270 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
18271 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18272 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\smallskip}
18273 \renewcommand{\itemxxo}[2]{\parbox[t]{%
18274 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18275 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #1}\hfill%
18276 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18277 \parbox[t]{\remainxox}{\bidi@raggedright #2}\smallskip}
18278 \renewcommand{\itemxox}[3]{\parbox[t]{%
18279 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18280 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
18281 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18282 \parbox[t]{0.25\remainxxx}{\bidi@raggedright #2}\hfill%
18283 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18284 \parbox[t]{0.25\remainxxx}{\bidi@raggedright #3}\smallskip}
18285 \renewcommand{\itemxxox}[3]{\parbox[t]{%
18286 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18287 \parbox[t]{.25\remainxxx}{\bidi@raggedright #1}\hfill%
18288 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18289 \parbox[t]{\remainxox}{\bidi@raggedright #2}\hfill%
18290 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18291 \parbox[t]{0.25\remainxxx}{\bidi@raggedright #3}\smallskip}
18292 \renewcommand{\itemxxxo}[3]{\parbox[t]{%
18293 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18294 \parbox[t]{.25\remainxxx}{\bidi@raggedright #1}\hfill%
18295 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18296 \parbox[t]{.25\remainxxx}{\bidi@raggedright #2}\hfill%
18297 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18298 \parbox[t]{\remainxox}{\bidi@raggedright #3}\smallskip}

```

122 File natbib-xetex-bidi.def

```

18299 \ProvidesFile{natbib-xetex-bidi.def}[2017/06/09 v0.2 bidi adaptations for natbib package for
18300 \renewenvironment{thebibliography}[1]{%
18301 \bibsection
18302 \parindent\z@
18303 \bibpreamble
18304 \bibfont
18305 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
18306 \bidi@@thebibliography@font@hook%
18307 \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{#1}\global\c@NAT@ctr\z@}%
18308 \ifNAT@openbib
18309 \renewcommand\newblock{\par}%
18310 \else
18311 \renewcommand\newblock{\hskip .11em \@plus.33em \@minus.07em}%
18312 \fi
18313 \sloppy\clubpenalty4000\widowpenalty4000
18314 \sfcode`\.\@m
18315 \let\NAT@bibitem@first@sw\@firstoftwo
18316 \let\citeN\cite \let\shortcite\cite
18317 \let\citeasnoun\cite
18318 }{%

```



```

18319 \bibitem@fin
18320 \bibpostamble
18321 \def\@noitemerr{%
18322   \PackageWarning{natbib}{Empty `thebibliography' environment}%
18323 }%
18324 \endlist
18325 \bibcleanup
18326 }%

```

123 File newfloat-xetex-bidi.def

```

18327 \ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package]
18328 \renewcommand*\newfloat@setwithin[2]{%
18329   \ifcsname c@chapter\endcsname
18330     \@removefromreset{#1}{chapter}%
18331   \fi
18332   \@removefromreset{#1}{section}%
18333   \edef\@tempa{#2}%
18334   \ifx\@tempa\@empty
18335     \def\@tempa{none}%
18336   \fi
18337   \def\@tempb{none}%
18338   \ifx\@tempa\@tempb
18339     \ifcsname c@chapter\endcsname
18340       \@chapterlistsgap@off{#1}%
18341     \fi
18342     \newfloat@@setwithin{#1}{\}{\}%
18343   \else
18344     \def\@tempb{chapter}%
18345     \ifx\@tempa\@tempb
18346       \@addtoreset{#1}{chapter}%
18347       \@chapterlistsgap@on{#1}%
18348       \newfloat@@setwithin{#1}{\ifnum\c@chapter>\z@ \thechapter\@SepMark\fi}{\theHchapter\@S
18349     \else
18350       \def\@tempb{section}%
18351       \ifx\@tempa\@tempb
18352         \@addtoreset{#1}{section}%
18353         \ifcsname c@chapter\endcsname
18354           \@addtoreset{#1}{chapter}%
18355           \@chapterlistsgap@on{#1}%
18356           \newfloat@@setwithin{#1}{\thesection\@SepMark}{\theHsection\@SepMark}%
18357       \else
18358         \newfloat@@setwithin{#1}{\ifnum\c@section>\z@ \thesection\@SepMark\fi}{\theHsection
18359       \fi
18360     \else
18361       \newfloat@Error{Invalid value `#2' for option `within'}%
18362     \fi
18363   \fi
18364 \fi}

```

124 File nicematrix-xetex-bidi.def

```

18365 \ProvidesFile{nicematrix-xetex-bidi.def}[2024/12/15 v0.3 bidi adaptations for nicematrix package]
18366 \ExplSyntaxOn

```




```

18367 \bidi@patchcmd{\__nicematrix_array:n}{\@tabarray}{%
18368   \bool_if:NF \l__nicematrix_tabular_bool \@RTLtabfalse
18369   \@tabarray
18370 }{}{}
18371 \ExplSyntaxOff
18372

```

125 File ntheorem-xetex-bidi.def

```

18373 \ProvidesFile{ntheorem-xetex-bidi.def}[2025/10/28 v0.2 bidi adaptations for ntheorem package]
18374 \gdef\@thm#1#2#3{%
18375   \if@thmmarks
18376     \stepcounter{end\InTheoType ctr}%
18377   \fi
18378   \renewcommand{\InTheoType}{#1}%
18379   \if@thmmarks
18380     \stepcounter{curr#1ctr}%
18381     \setcounter{end#1ctr}{0}%
18382   \fi
18383   \refstepcounter{#2}%
18384   \theorem@prework
18385   \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
18386   \ifvmode \advance\thm@topsepadd\partopsep\fi
18387   \trivlist
18388   \@topsep \theorempreskipamount
18389   \@topsepadd \thm@topsepadd % used by \@endparenv
18390   \advance\linewidth -\theorem@indent
18391   \advance\@totalleftmargin \theorem@indent
18392   \if@RTL\parshape \@ne 0pt \linewidth\else \parshape \@ne \@totalleftmargin \linewidth\fi
18393   \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}
18394
18395 \gdef\xnthm#1#2[#3]{%
18396   \ifthm@tempif
18397     \expandafter\@ifundefined{c@#1}%
18398     {\@definecounter{#1}}{}%
18399     \@newctr{#1}[#3]%
18400     \expandafter\xdef\csname the#1\endcsname{%
18401       \expandafter\noexpand\csname the#3\endcsname \@thmcountersep
18402       {\noexpand\csname the\theoremnumbering\endcsname{#1}}}%
18403       \noexpand\csname the\theoremnumbering\endcsname{#1}}%
18404     \expandafter\gdef\csname mkheader@#1\endcsname
18405     {\csname setparms@#1\endcsname
18406      \@thm{#1}{#1}{#2}}%
18407     \global\@namedef{end#1}{\@endtheorem}\fi}

```

126 File ntheorem-hyper-xetex-bidi.def

```

18408 \ProvidesFile{ntheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem-h]
18409 \gdef\@thm#1#2#3{%
18410   \if@thmmarks
18411     \stepcounter{end\InTheoType ctr}%
18412   \fi
18413   \renewcommand{\InTheoType}{#1}%
18414   \if@thmmarks

```



```

18415     \stepcounter{curr#1ctr}%
18416     \setcounter{end#1ctr}{0}%
18417   \fi
18418   \refstepcounter{#2}%
18419   \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
18420   \ifvmode \advance\thm@topsepadd\partopsep\fi
18421   \trivlist
18422   \@topsep \theorempreskipamount
18423   \@topsepadd \thm@topsepadd % used by \@endparenv
18424   \advance\linewidth -\theoremindent
18425   \advance\@totalleftmargin \theoremindent
18426   \ifRTL\parshape \@ne 0pt \linewidth\else \parshape \@ne \@totalleftmargin \linewidth\fi
18427   \ifnextchar [{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}

```

127 File overpic-xetex-bidi.def

```

18428 \ProvidesFile{overpic-xetex-bidi.def}[2026/01/08 v0.2 bidi adaptations for overpic package f
18429 \bidi@patchcmd\OVP@picture{%
18430   \put(0,0){\makebox(0,0)[bl]{\usebox\OVP@box}}%
18431   \ifOVP@grid
18432     \put(0,0){\normalfont\fontsize\@viipt\@viipt\selectfont
18433       \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
18434   \fi
18435 }{%
18436   \ifRTL
18437   \else
18438     \put(0,0){\makebox(0,0)[bl]{\usebox\OVP@box}}%
18439     \ifOVP@grid
18440       \put(0,0){\normalfont\fontsize\@viipt\@viipt\selectfont
18441         \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
18442     \fi
18443   \fi
18444 }{\bidi@warningnoline{Oops! patching '\string\OVP@picture' failed}}
18445
18446 \newcommand*\bidi@OVP@picture@RTL{%
18447   \ifRTL
18448     \ifOVP@grid
18449       \put(0,0){\normalfont\fontsize\@viipt\@viipt\selectfont
18450         \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
18451     \fi
18452     \put(0,0){\makebox(0,0)[bl]{\usebox\OVP@box}}%
18453   \fi
18454 }
18455
18456 \bidi@AtEndEnvironment{overpic}{\bidi@OVP@picture@RTL}
18457 \bidi@AtEndEnvironment{Overpic}{\bidi@OVP@picture@RTL}

```

128 File pdfbase-xetex-bidi.def

```

18458 \ProvidesFile{pdfbase-xetex-bidi.def}[2022/02/18 v0.4 bidi adaptations for pdfbase package f
18459 \ExplSyntaxOn
18460 \cs_set_eq:NN\pbs_outputpage_orig:\@outputpage
18461 \cs_set_nopar:Npn\@outputpage{
18462   \int_gincr:N\g_pbs_page_int

```



```

18463 \box_if_vertical:cTF{@outputbox}{
18464   \bool_set_true:N\l_pbs_is_vertical_bool
18465 }{
18466   \bool_set_false:N\l_pbs_is_vertical_bool
18467 }
18468 \hbox_set:Nn\@outputbox{
18469   %begin of page
18470   \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_bop_seq{##1}}
18471   \box_use_drop:N\@outputbox
18472   %end of page
18473   \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_eop_seq{##1}}
18474 }
18475 \bool_if:NT\l_pbs_is_vertical_bool{
18476   \vbox_set:Nn\@outputbox{\box_use_drop:N\@outputbox}
18477 }
18478 \pbs_outputpage_orig:
18479 }
18480 \ExplSyntaxOff

```

129 File pdfscape-xetex-bidi.def

```

18481 \ProvidesFile{pdfscape-xetex-bidi.def}[2022/02/18 v0.1 bidi adaptations for pdfscape packa
18482 \bidi@patchcmd{\landscape}{\PLS@Rotate{90}}{%
18483   \if@RTL
18484     \PLS@Rotate{-90}%
18485   \else
18486     \PLS@Rotate{90}%
18487   \fi
18488 }{}{}

```

130 File pgfcorescopes.code-xetex-bidi.def

```

18489 \ProvidesFile{pgfcorescopes.code-xetex-bidi.def}[2015/11/14 v0.1 bidi adaptations for pgf pa
18490 \def\pgfpicture{%
18491   \begingroup%
18492   \ifmmode\else\@RTLfalse\beginL\fi%
18493   \pgfpicturetrue%
18494   \global\advance\pgf@picture@serial@count by1\relax%
18495   \edef\pgfpictureid{pgfid\the\pgf@picture@serial@count}%
18496   \let\pgf@nodecallback=\pgfutil@gobble%
18497   \pgf@picmaxx=-16000pt\relax%
18498   \pgf@picminx=16000pt\relax%
18499   \pgf@picmaxy=-16000pt\relax%
18500   \pgf@picminy=16000pt\relax%
18501   \pgf@relevantforpicturesizetrue%
18502   \pgf@resetpathsizes%
18503   \pgfutil@ifnextchar\bgroup\pgf@oldpicture\pgf@picture}
18504 \def\endpgfpicture{%
18505   \ifpgfrememberpicturepositiononpage%
18506     \hbox to0pt{\pgfsys@markposition{\pgfpictureid}}%
18507   \fi%
18508   % ok, now let's position the box
18509   \ifdim\pgf@picmaxx=-16000pt\relax%
18510     % empty picture. make size 0.

```



```

18511         \global\pgf@picmaxx=0pt\relax%
18512         \global\pgf@picminx=0pt\relax%
18513         \global\pgf@picmaxy=0pt\relax%
18514         \global\pgf@picminy=0pt\relax%
18515     \fi%
18516     % Shift baseline outside:
18517     \pgf@relevantforpicturesizefalse%
18518     \pgf@process{\pgf@baseline}%
18519     \xdef\pgf@shift@baseline{\the\pgf@y}%
18520     %
18521     \pgf@process{\pgf@trimleft}%
18522     \global\advance\pgf@x by-\pgf@picminx
18523     % prepare \hskip\pgf@trimleft@final.
18524     % note that \pgf@trimleft@final is also queried
18525     % by the pgf image externalization.
18526     \xdef\pgf@trimleft@final{-\the\pgf@x}%
18527     %
18528     \pgf@process{\pgf@trimright}%
18529     \global\advance\pgf@x by-\pgf@picmaxx
18530     % prepare \hskip\pgf@trimright@final.
18531     % note that \pgf@trimright@final is also queried
18532     % by the pgf image externalization.
18533     \xdef\pgf@trimright@final{\the\pgf@x}%
18534     %
18535     \pgf@remember@layerlist@globally
18536     \endgroup%
18537     \hss%
18538     \egroup%
18539     \pgf@restore@layerlist@from@global
18540     \pgf@insertlayers%
18541     \endgroup%
18542     \pgfsys@discardpath%
18543     \endgroup%
18544     \pgfsys@endscope%
18545     \pgfsys@endpicture%
18546     \endgroup%
18547     \hss
18548 \egroup%
18549 \pgfsys@typesetpicturebox\pgfpic%
18550 \ifmmode\else\endL\fi%
18551 \endgroup%
18552 }

```

131 File pgfsys-xetex-bidi.def

```

18553 \ProvidesFile{pgfsys-xetex-bidi.def}[2025/01/05 v0.1 bidi adaptations for pgfsys package for
18554 \def\pgfsys@shadingoutsidepgfpicture#1{%
18555     \beginL#1\endL%
18556 }
18557
18558

```

132 File picinpar-xetex-bidi.def



```

18559 \ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package]
18560 \long\def\@makewincaption#1#2{%
18561     \setbox\@tempboxa\hbox{\footnotesize{\bf #1:\enspace}{#2}}%
18562     \ifdim\wd\@tempboxa>\picwd
18563         {\footnotesize{\bf #1:\enspace}{#2\par}}
18564     \else
18565         \hbox to\picwd{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}
18566     \fi}
18567 \def\endwindow{%
18568     \global\tcd=\tcdsav
18569     \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext
18570     \vbadness=10000
18571     \splittopskip=0pt
18572 %
18573 % Typeset the lines above the window
18574 %
18575 \ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
18576 \tcn=\tcd
18577 \loop\advance\tcn -1
18578 \setbox\fslice=\vsplit\holder to\baselineskip
18579 \prune\fslice\linewidth
18580 \topheight=0pt
18581 \ifnum\dp\fslice>\dp\wstrutbox
18582     \advance\topheight-\dp\fslice
18583     \advance\topheight\dp\wstrutbox
18584     \advance\topheight\ilg\fi
18585 \hbox to\linewidth{\box\fslice}
18586 \vskip-\topheight
18587 \ifdim\ht\holder>0pt\repeat
18588 \fi
18589 %
18590 % Now we build the boxes beside the window
18591 %
18592 \global\topheight=\tcl\baselineskip
18593 \ifnum\cumpartcl>0\global\tcl=\cumtcl
18594     \global\topheight=\vpic
18595 \fi
18596 \ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
18597 \ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
18598 \else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
18599 \tcn=\tcl \na=0 \nb=0
18600 \ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
18601 \ifnum\bl>0\na=\tcn\ifnum\br>0\divide\na by 2\fi\fi
18602 \ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
18603 \ifnum\na=0\ifnum\nb=0
18604     \setbox\waslice=\vbox to\vpic{\vss}
18605     \setbox\wslice=\vbox to\vpic{\vss}
18606     \bl=1\br=1
18607     \vskip\ilg
18608 \fi\fi
18609 %
18610 % both sides
18611 %
18612 \ifnum\na>0 \ifnum\nb>0

```



```

18613 \loop\advance\nb -1
18614 \advance\na -1
18615 \if@RTL%
18616 \setbox\bslice=\vsplit\holder to\baselineskip
18617 \prune\bslice\rtside
18618 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
18619 to\rtside{\box\bslice\hfil}}
18620 \setbox\aslice=\vsplit\holder to\baselineskip
18621 \prune\aslice\lftside
18622 \setbox\waslice=\vbox{\unvbox\waslice\hbox
18623 to\lftside{\box\aslice\hfil}}
18624 \else%
18625 \setbox\aslice=\vsplit\holder to\baselineskip
18626 \prune\aslice\lftside
18627 \setbox\waslice=\vbox{\unvbox\waslice\hbox
18628 to\lftside{\box\aslice\hfil}}
18629 \setbox\bslice=\vsplit\holder to\baselineskip
18630 \prune\bslice\rtside
18631 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
18632 to\rtside{\box\bslice\hfil}}
18633 \fi%
18634 \ifnum\nb>0\repeat
18635 \fi\fi
18636 %
18637 % only text on the left side
18638 %
18639 \ifnum\na>0
18640   \loop\advance\na -1
18641   \setbox\aslice=\vsplit\holder to\baselineskip
18642   \prune\aslice\lftside
18643   \setbox\waslice=\vbox{\unvbox\waslice\hbox
18644   to\lftside{\box\aslice\hfil}}
18645   \ifdim\ht\holder>0pt\repeat
18646 \fi
18647 %
18648 % only text on the right side
18649 %
18650 \ifnum\nb>0
18651   \loop\advance\nb -1
18652   \setbox\bslice=\vsplit\holder to\baselineskip
18653   \prune\bslice\rtside
18654   \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
18655   to\rtside{\box\bslice\hfil}}
18656   \ifdim\ht\holder>0pt\repeat
18657 \fi
18658 %
18659 % fixing the dimensions of the window part
18660 %
18661 \ifnum\bl=0\topheight=\ht\wbslice
18662 \else\ifnum\br=0\topheight=\ht\waslice
18663   \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
18664   \else\topheight=\ht\wbslice\fi\fi\fi
18665 %
18666 % ship out the window material to the main vertical list

```



```

18667 %
18668 \ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
18669 \setbox\wbslice=\vbox to\topheight{\box\wbslice\vfill}
18670 \fi\fi\fi
18671 \setbox>windowbox=\vbox{\hbox to\linewidth{%
18672 \ifnum\bl>0\box\waslice\hfill\fi%
18673 \vbox to\topheight{\hrule width\picwd height0pt depth0pt\vskip0pt%
18674 \vfill\unvbox\picbox%
18675 \ifnum\picwd>0\vfill\fi%
18676 \vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}}%
18677 \unvbox>windowbox%
18678 \loop
18679 \setbox\bslice=\vsplit\rawtext to\baselineskip
18680 \prune\bslice\linewidth
18681 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfil}}
18682 \unvbox\wbslice
18683 \ifdim\ht\rawtext>0pt
18684 \repeat
18685 }% FINITO

```

133 File plain-xetex-bidi.def

```

18686 \def\TeXXeTOn{\TeXXeTstate=1 }
18687 \def\TeXXeTOff{\TeXXeTstate=0 }
18688 \TeXXeTOn
18689 \def\usebox#1{\leavevmode\copy #1\relax}
18690 \def\bidi@RTL@everypar{\setbox\z@ \lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox\z@
18691 \let\bidi@o@everypar=\everypar
18692 \newtoks\bidi@n@everypar
18693 \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
18694 \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
18695 \let\everypar=\bidi@n@everypar
18696 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
18697 \def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
18698 \protected\def\hboxR{\hbox\bgroup
18699 \everyhbox{%
18700 \aftergroup\egroup
18701 \everyhbox{}}%
18702 \beginR
18703 \@hboxRconstructtrue
18704 \bgroup
18705 \aftergroup\endR
18706 \aftergroup\egroup
18707 }\hbox}
18708 \protected\def\hboxL{\hbox\bgroup
18709 \everyhbox{%
18710 \aftergroup\egroup
18711 \everyhbox{}}%
18712 \beginL
18713 \@hboxRconstructfalse
18714 \bgroup
18715 \aftergroup\endL
18716 \aftergroup\egroup
18717 }\hbox}

```



```

18718 \protected\def\ vboxR{\ vbox\bgroup
18719 \everyvbox{%
18720 \aftergroup\egroup
18721 \everyvbox{}%
18722 \@RTLtrue
18723 \bgroup
18724 \aftergroup\egroup
18725 }\ vbox}
18726 \protected\def\ vboxL{\ vbox\bgroup
18727 \everyvbox{%
18728 \aftergroup\egroup
18729 \everyvbox{}%
18730 \@RTLfalse
18731 \bgroup
18732 \aftergroup\egroup
18733 }\ vbox}
18734 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\hsize\linewidth\parshape\z@}
18735 \def\endLTR{\par}
18736 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}
18737 \def\endRTL{\par}
18738 \def\setRTL{\@RTLtrue\@RTL@footnotetrue}
18739 \def\setLTR{\@RTLfalse\@RTL@footnotefalse}
18740 \let\unsetRTL=\setLTR
18741 \let\unsetLTR=\setRTL
18742 \let\LR=\LRE
18743 \let\RL=\RLE
18744 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
18745 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
18746 \let\@ensure@RL=\@ensure@RTL
18747 \let\@ensure@LR=\@ensure@LTR
18748 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
18749 \let\@ensure@maindir=\@ensure@dir
18750 \def\@RTL{RTL}
18751 \def\@LTR{LTR}
18752 \def\save@dir{\if@RTL\gdef\saved@dir{RTL}\else\gdef\saved@dir{LTR}\fi}
18753 \def\reset@dir{\ifx\saved@dir\@RTL\setRTL\else\ifx\saved@dir\@LTR\setLTR\else\relax\fi}
18754 \let\@TeX\TeX
18755 \def\TeX{\@ensure@LTR{\@TeX}}
18756 \def\pagecontents{\ifvoid\topins\else\unvbox\topins\fi
18757 \dimen@=\dp\@cclv \unvbox\@cclv % open up \box255
18758 \ifvoid\footins\else % footnote info is present
18759 \vskip\skip\footins
18760 \footnoterule
18761 \unvbox\footins\fi
18762 \ifrggedbottom \kern-\dimen@ \vfil \fi
18763 \ifvoid\@bidi@copyins@
18764 \else
18765 \vskip\skip\@bidi@copyins@
18766 \unvbox\@bidi@copyins@
18767 \fi
18768 }
18769 \long\def\ bidi@reflect@box#1{%
18770 \leavevmode
18771 \setbox\z@\hbox{#1}}%

```




```

18772 \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore
18773 \hbox to \wd\z@{\kern\wd\z@\box\tw@\hss}%
18774 }
18775 \def\XeTeX{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
18776 \hbox{\kern-.125em\bidireflect@box{E}}\kern-.1667em \TeX}}}}
18777 \let\setRL=\setRTL
18778 \let\setLR=\setLTR
18779 \let\unsetRL=\setLTR
18780 \let\bidisaved@eqno=\eqno
18781 \let\bidisaved@leqno=\leqno
18782 \def\eqno{\ifnum\predisplaydirection<\z@ \bidisaved@leqno \else \bidisaved@eqno \fi}
18783 \def\leqno{\ifnum\predisplaydirection<\z@ \bidisaved@eqno \else \bidisaved@leqno \fi}
18784 \def\centerline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
18785 \def\leftline#1{\line{\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
18786 \def\rightline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi}}

```

134 File pstricks-xetex-bidi.def

```

18787 \ProvidesFile{pstricks-xetex-bidi.def}[2025/01/08 v0.7 bidi adaptations for pstricks package]
18788 \bidi@patchcmd\pspicture\beginRgroup{%
18789 \beginRgroup
18790 \ifmmode
18791 \else
18792 \@RTLfalse
18793 \beginL
18794 \fi
18795 }{}{\bidi@warningnoline{0ops! patching '\string\pspicture' failed}}
18796
18797 \bidi@patchcmd\endRpicture{%
18798 \endRgroup
18799 \psset[pstricks]{shift=0}% reset value
18800 }{%
18801 \ifmmode
18802 \else
18803 \endL
18804 \fi
18805 \endRgroup
18806 \psset[pstricks]{shift=0}% reset value
18807 }{}{\bidi@warningnoline{0ops! patching '\string\endRpicture' failed}}
18808
18809 \bidi@patchcmd\@scalebox{%
18810 \special{x: bscale \pst@tempc \pst@tempd}%
18811 \hbox to \z@\box\pst@hbox\hss}%
18812 \special{x: escale}%
18813 }{%
18814 \if@RTL
18815 \special{x: escale}%
18816 \else
18817 \special{x: bscale \pst@tempc \pst@tempd}%
18818 \fi
18819 \hbox to \z@\box\pst@hbox\hss}%
18820 \if@RTL
18821 \special{x: bscale \pst@tempc \pst@tempd}%
18822 \else

```



```

18823 \special{x: escale}%
18824 \fi
18825 }{}{\bidi@warningnoline{Oops! patching `string\@scalebox' failed}}
18826 \let\ps@scalebox\@scalebox
18827

```

135 File quotchap-xetex-bidi.def

```

18828 \ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package]
18829 \renewcommand{\qauthor}[1]{%
18830 \par\smallskip
18831 {\if@RTL\raggedright\else\raggedleft\fi\upshape #1\quad\hbox{}\par}\bigskip}
18832 \renewcommand{\@makechapterhead}[1]{\chapterheadstartvskip%
18833 {\size@chapter{\sectfont\if@RTL\raggedright\else\raggedleft\fi
18834 {\chapnumfont
18835 \ifnum \c@secnumdepth >\m@ne%
18836 \if@mainmatter\thechapter%
18837 \fi\fi
18838 \par\nobreak}%
18839 {\if@RTL\raggedright\else\raggedleft\fi\advance\if@RTL\rightmargin\else\leftmargin\fi
18840 \nobreak\chapterheadendvskip}}
18841 \renewcommand*{\@iprintcites}{%
18842 \vbox to\z@{\leavevmode\copy\@quotebox\vss}
18843 \global\let\@printcites\relax}

```

136 File ragged2e-xetex-bidi.def

```

18844 \ProvidesFile{ragged2e-xetex-bidi.def}[2018/10/17 v0.3 bidi adaptations for ragged2e package]
18845 \renewcommand{\Centering}{%
18846 \ifx\\ \@raggedtwoe@savedcr
18847 \let\\ \@centercr
18848 \fi
18849 \let\@gnewline\@raggedtwoe@gnewline
18850 \if@RTL\rightskip\else\leftskip\fi\CenteringLeftskip
18851 \@rightskip\CenteringRightskip
18852 \if@RTL\leftskip\else\rightskip\fi\@rightskip
18853 \parfillskip\CenteringParfillskip
18854 \parindent\CenteringParindent
18855 \@raggedtwoe@spaceskiptrue
18856 \@raggedtwoe@everyselectfont
18857 }
18858 \renewcommand{\RaggedLeft}{%
18859 \ifx\\ \@raggedtwoe@savedcr
18860 \let\\ \@centercr
18861 \fi
18862 \let\@gnewline\@raggedtwoe@gnewline
18863 \if@RTL\rightskip\else\leftskip\fi\RaggedLeftLeftskip
18864 \@rightskip\RaggedLeftRightskip
18865 \if@RTL\leftskip\else\rightskip\fi\@rightskip
18866 \parfillskip\RaggedLeftParfillskip
18867 \parindent\RaggedLeftParindent
18868 \@raggedtwoe@spaceskiptrue
18869 \@raggedtwoe@everyselectfont
18870 }

```



```

18871 \renewcommand{\RaggedRight}{%
18872   \ifx\\ \@raggedtwo@savedcr
18873     \let\\ \@centercr
18874   \fi
18875   \let\@gnewline\@raggedtwo@gnewline
18876   \if@RTL\rightskip\else\leftskip\fi\RaggedRightLeftskip
18877   \@rightskip\RaggedRightRightskip
18878   \if@RTL\leftskip\else\rightskip\fi\@rightskip
18879   \parfillskip\RaggedRightParfillskip
18880   \parindent\RaggedRightParindent
18881   \@raggedtwo@spaceskiptrue
18882   \@raggedtwo@everyselectfont
18883 }
18884 \renewcommand{\justifying}{%
18885   \let\\ \@raggedtwo@savedcr
18886   \let\@gnewline\@raggedtwo@saved@gnewline
18887   \if@RTL\rightskip\else\leftskip\fi\z@
18888   \@rightskip\z@
18889   \if@RTL\leftskip\else\rightskip\fi\@rightskip
18890   \parfillskip\JustifyingParfillskip
18891   \parindent\JustifyingParindent
18892   \@raggedtwo@spaceskipfalse
18893   \@raggedtwo@everyselectfont
18894 }
18895 \def\@raggedtwo@raggedrightboxes@opt{%
18896   \renewcommand{\@arrayparboxrestore}{%
18897     \let\if@nobreak\iffalse
18898     \let\if@noskipsec\iffalse
18899     \let\par\@par
18900     \let\-\@dischyph
18901     \let\' \@acci\let\` \@accii\let\=\@acciii
18902     \parskip\z@skip
18903     \everypar{}%
18904     \linewidth\hsize
18905     \@totalleftmargin\z@
18906     \if@RTL
18907       \RaggedLeft
18908     \else
18909       \RaggedRight
18910     \fi
18911     \lineskip\normallineskip
18912     \baselineskip\normalbaselineskip
18913     \sloppy}%
18914   \let\@raggedtwo@raggedrightboxes@opt\relax
18915 }
18916 \def\@raggedtwo@document@opt{%
18917   \AtBeginDocument{\@raggedtwo@abdhook}%
18918   \@raggedtwo@raggedrightboxes@opt
18919   \@raggedtwo@footmisctrue
18920   \let\@raggedtwo@document@opt\relax
18921 }
18922 \def\@raggedtwo@abdhook{%
18923   \PackageInfo{ragged2e}{ABD: executing '\string\RaggedLeft' for
18924     right to left documents and '\string\RaggedRight' for left

```



```

18925   to right documents}%
18926   \if@RTL
18927     \RaggedLeft
18928   \else
18929     \RaggedRight
18930   \fi
18931   \@ifundefined{@tocrmarg}{\edef\tocrmarg{\tocrmarg plus 2em}}%
18932   \let\@raggedtwoe@abdhook\relax
18933 }
18934 \@ifpackagewith{ragged2e}{raggedrightboxes}{%
18935   \@raggedtwoe@raggedrightboxes@opt
18936 }{}
18937 \@ifpackagewith{ragged2e}{document}{%
18938   \@raggedtwoe@document@opt
18939 }{}
18940 \let\origin@RaggedLeft=\RaggedLeft
18941 \let\origin@RaggedRight=\RaggedRight
18942 \def\RaggedLeft{\if@RTL\origin@RaggedRight\else\origin@RaggedLeft\fi}
18943 \def\RaggedRight{\if@RTL\origin@RaggedLeft\else\origin@RaggedRight\fi}

```

137 File rapport1-xetex-bidi.def

```

18944 \ProvidesFile{rapport1-xetex-bidi.def}[2025/09/30 v0.5 bidi adaptations for rapport1 class f
18945 \renewenvironment{theindex}{%
18946   \if@twocolumn
18947     \@restonecolfalse
18948   \else
18949     \@restonecoltrue
18950   \fi
18951   \columnseprule \z@
18952   \columnsep 35\p@
18953   \twocolumn[\@makeschapterhead{\indexname}]%
18954   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
18955   \thispagestyle{plain}\parindent\z@
18956   \parskip\z@ \@plus .3\p@\relax
18957   \let\item\@idxitem
18958 }{%
18959   \if@restonecol\onecolumn\else\clearpage\fi}
18960 \renewcommand*\head@style{%
18961   \interlinepenalty \@M
18962   \hyphenpenalty=\@M \exhyphenpenalty=\@M
18963   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
18964 \if@titlepage
18965   \renewenvironment{abstract}{%
18966     \titlepage
18967     \null\vfil
18968     \section*{\SectFont\abstractname}%
18969     \noindent\ignorespaces}
18970   {\par\vfil\null\endtitlepage}
18971 \else
18972   \renewenvironment{abstract}{%
18973     \if@twocolumn
18974       \section*{\abstractname}%
18975     \else

```



```

18976      \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
18977      \section*{\small\SectFont\abstractname}%
18978      \noindent\ignorespaces
18979      \fi}
18980      {\if@twocolumn\else\par\egroup\fi}
18981 \fi
18982 \renewcommand*\@regtocline[3]{%
18983   \ifnum #1>\c@tocdepth
18984   \else
18985     \vskip\z@ \@plus.2\p@
18986     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
18987      \if@RTL\rightskip\else\leftskip\fi\unitindent
18988      \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
18989      \parfillskip\z@
18990      \@tempdima\unitindent
18991      \parindent\z@
18992      \leavevmode
18993      \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
18994      \hskip 1em \nobreak{\slshape #3}\par
18995     }%
18996   \fi}
18997 \if@oldtoc
18998 \renewcommand*\l@part[2]{%
18999   \ifnum \c@tocdepth >-2\relax
19000     \addpenalty{-\@highpenalty}%
19001     \addvspace{2.25em \@plus\p@}%
19002     \begingroup
19003       \setlength\@tempdima{3em}%
19004       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
19005       \parfillskip -\@pnumwidth
19006       {\leavevmode
19007         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
19008         \nobreak
19009         \global\@nobreaktrue
19010         \everypar{\global\@nobreakfalse\everypar{}}%
19011       \endgroup
19012     \fi}
19013 \else
19014   \renewcommand*\l@part{%
19015     \ifnum \c@tocdepth >-2\relax
19016       \addpenalty{-\@highpenalty}%
19017       \addvspace{2.25em \@plus \p@}%
19018       \@regtocline{0}%
19019     \fi}
19020 \fi
19021 \if@oldtoc
19022 \renewcommand*\l@chapter[2]{%
19023   \addpenalty{-\@highpenalty}%
19024   \vskip 1.0em \@plus\p@
19025   \setlength\@tempdima{1.5em}%
19026   \begingroup
19027     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
19028     \parfillskip -\@pnumwidth
19029     \leavevmode \bfseries

```



```

19030 \advance\if@RTL\righskip\else\leftskip\fi\@tempdima
19031 \hskip -\if@RTL\righskip\else\leftskip\fi
19032 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
19033 \penalty\@highpenalty
19034 \endgroup}
19035 \else
19036 \renewcommand*\l@chapter{\@regtocline{0}}
19037 \fi
19038 \renewcommand*\left@footnoterule{%
19039 \kern-3\p@
19040 \kern.5\baselineskip
19041 \hrule\@width\unitindent
19042 \kern.4\baselineskip
19043 }
19044 \renewcommand*\right@footnoterule{%
19045 \kern-3\p@
19046 \kern.5\baselineskip
19047 \nointerlineskip
19048 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
19049 \kern.4\baselineskip}
19050 \renewenvironment{thebibliography}[1]
19051 {\chapter*\bibname}%
19052 \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
19053 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
19054 \bidi@thebibliography@font@hook%
19055 \list{\@biblabel{\@arabic\c@enumiv}}%
19056 {\settowidth\labelwidth{\@biblabel{#1}}%
19057 \leftmargin\labelwidth
19058 \advance\leftmargin\labelsep
19059 \@openbib@code
19060 \usecounter{enumiv}%
19061 \let\p@enumiv\@empty
19062 \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
19063 \sloppy\clubpenalty4000\widowpenalty4000%
19064 \sfcode\.\@m}
19065 {\def\@noitemerr
19066 {\@latex@warning{Empty `thebibliography' environment}}}%
19067 \endlist}
19068 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
19069 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
19070 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
19071 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
19072 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
19073 \renewcommand*\theequation{%
19074 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
19075 \renewcommand*\thefigure{%
19076 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
19077 \renewcommand*\thetable{%
19078 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
19079 \if@titlepage
19080 \renewcommand*\TitleFont{\rmfamily}
19081 \renewcommand*\maketitle{%
19082 \begin{titlepage}%
19083 \let\footnotesize\small

```



```

19084 \let\right@footnoterule\relax
19085 \let\left@footnoterule\relax
19086 \let\textwidth@footnoterule\relax
19087 \let \footnote \thanks
19088 \long\def\@makefntext##1{\parindent\z@
19089 \def\labelitemi{\textendash}\@revlabeltrue
19090 \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
19091 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
19092 \if@compatibility\setcounter{page}{0}\fi
19093 \null\vfil
19094 \vskip 60\p@
19095 \begin{center}%
19096 \TitleFont
19097 {\LARGE \def\\{\penalty -\@M}
19098 \if@allcaps
19099 \expandafter\uc@nothanks\@title\thanks\relax
19100 \else
19101 \@title
19102 \fi\par}%
19103 \vskip 3em%
19104 {\large
19105 \lineskip .75em \parindent\z@
19106 \begin{tabular}[t]{c}%
19107 \if@allcaps
19108 \expandafter\uc@authornothanks\@author\and\relax
19109 \else
19110 \@author
19111 \fi
19112 \end{tabular}\par}%
19113 \vskip 1.5em%
19114 {\large
19115 \if@allcaps
19116 \uppercase\expandafter{\@date}%
19117 \else
19118 \@date
19119 \fi\par}%
19120 \end{center}\par
19121 \@thanks
19122 \vfil\null
19123 \end{titlepage}%
19124 \setcounter{footnote}{0}%
19125 \global\let\thanks\relax
19126 \global\let\maketitle\relax
19127 \global\let\@thanks\@empty
19128 \global\let\@author\@empty
19129 \global\let\@title\@empty
19130 \global\let\@date\@empty
19131 \global\let\title\relax
19132 \global\let\author\relax
19133 \global\let\date\relax
19134 \global\let\and\relax
19135 }
19136 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
19137 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax

```



```

19138 \futurelet\@tempa\uc@ax}
19139 \def\uc@ax{%
19140 \ifx\@tempa\relax
19141 \else
19142 \\\andname \\\expandafter\uc@authornothanks
19143 \fi}
19144 \def\uc@tx{\ifx\@tempa\relax
19145 \else \expandafter\uc@ty \fi}
19146 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
19147 \else
19148 \renewcommand*\maketitle{\par
19149 \begingroup
19150 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
19151 \def\@makefnmark{\rlap{%
19152 \@textsuperscript{\normalfont\@thefnmark}}}%
19153 \long\def\@makefntext{\@xmakefntext{%
19154 \@textsuperscript{\normalfont\@thefnmark}}}%
19155 \if@twocolumn
19156 \ifnum \col@number=\@one
19157 \@maketitle
19158 \else
19159 \twocolumn[\@maketitle]%
19160 \fi
19161 \else
19162 \newpage
19163 \global\@topnum\z@
19164 \@maketitle
19165 \fi
19166 \thispagestyle{plain}\@thanks
19167 \endgroup
19168 \setcounter{footnote}{0}%
19169 \global\let\thanks\relax
19170 \global\let\maketitle\relax
19171 \global\let\@maketitle\relax
19172 \global\let\@thanks\@empty
19173 \global\let\@author\@empty
19174 \global\let\@title\@empty
19175 \global\let\@date\@empty
19176 \global\let\title\relax
19177 \global\let\author\relax
19178 \global\let\date\relax
19179 \global\let\and\relax
19180 }
19181 \def\@maketitle{%
19182 \newpage
19183 \null
19184 \vskip 2em%
19185 \begin{center}%
19186 \let \footnote \thanks
19187 {\LARGE \TitleFont \@title \par}%
19188 \vskip 1.5em%
19189 {\large \TitleFont
19190 \lineskip .5em%
19191 \begin{tabular}[t]{c}%

```




```

19192         \@author
19193     \end{tabular}\par}%
19194     \vskip 1em%
19195     {\large \TitleFont \@date}%
19196 \end{center}%
19197 \par
19198 \vskip 1.5em}
19199 \fi

```

138 File rapport3-xetex-bidi.def

```

19200 \ProvidesFile{rapport3-xetex-bidi.def}[2025/09/30 v0.7 bidi adaptations for rapport3 class f
19201 \renewenvironment{theindex}{%
19202     \if@twocolumn
19203         \@restonecolfalse
19204     \else
19205         \@restonecoltrue
19206     \fi
19207     \columnseprule \z@
19208     \columnsep 35\p@
19209     \twocolumn[{\makeschapterhead{\indexname}}%
19210     \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}}%
19211     \thispagestyle{plain}\parindent\z@
19212     \parskip\z@ \@plus .3\p@\relax
19213     \let\item\@idxitem
19214     }{%
19215     \if@restonecol\onecolumn\else\clearpage\fi}
19216 \if@titlepage
19217 \renewcommand*\TitleFont{\rmfamily}
19218 \renewcommand*\maketitle{%
19219     \begin{titlepage}%
19220         \let\footnotesize\small
19221         \let\right@footnoterule\relax
19222         \let\left@footnoterule\relax
19223         \let\textwidth\footnoterule\relax
19224         \let \footnote \thanks
19225         \let \LTRfootnote \LTRthanks
19226         \let \RTLfootnote \RTLthanks
19227         \long\def\@makefntext##1{\parindent\z@
19228             \def\labelitemi{\textendash}\@revlabeltrue
19229             \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
19230         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
19231         \if@compatibility\setcounter{page}{0}\fi
19232         \null\vfil
19233         \vskip 60\p@
19234         \begin{center}%
19235             \TitleFont
19236             {\LARGE \def\\{\penalty -\@M}
19237             \if@allcaps
19238                 \expandafter\uc@nothanks\@title\thanks\relax
19239             \else
19240                 \@title
19241             \fi\par}%
19242         \vskip 3em%

```



```

19243     {\large
19244       \lineskip .75em \parindent\z@
19245       \begin{tabular}[t]{c}%
19246         \if@allcaps
19247           \expandafter\uc@authornothanks\@author\and\relax
19248         \else
19249           \@author
19250         \fi
19251       \end{tabular}\par}%
19252     \vskip 1.5em%
19253     {\large
19254       \if@allcaps
19255         \uppercase\expandafter{\@date}%
19256       \else
19257         \@date
19258       \fi\par}%
19259     \end{center}\par
19260     \@thanks
19261     \vfil\null
19262 \end{titlepage}%
19263 \setcounter{footnote}{0}%
19264 \global\let\thanks\relax
19265 \global\let\LTRthanks\relax
19266 \global\let\RTLthanks\relax
19267 \global\let\maketitle\relax
19268 \global\let\@thanks\@empty
19269 \global\let\@author\@empty
19270 \global\let\@title\@empty
19271 \global\let\@date\@empty
19272 \global\let\title\relax
19273 \global\let\author\relax
19274 \global\let\date\relax
19275 \global\let\and\relax
19276 }
19277 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
19278 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
19279   \futurelet\@tempa\uc@ax}
19280 \def\uc@ax{%
19281   \ifx\@tempa\relax
19282   \else
19283     \\\andname \\\expandafter\uc@authornothanks
19284   \fi}
19285 \def\uc@tx{\ifx\@tempa\relax
19286   \else \expandafter\uc@ty \fi}
19287 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
19288 \else
19289 \renewcommand*\maketitle{\par
19290   \begingroup
19291     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
19292     \def\@makefnmark{\rlap{%
19293       \@textsuperscript{\normalfont\@thefnmark}}}%
19294     \long\def\@makefntext{\@xmakefntext{%
19295       \@textsuperscript{\normalfont\@thefnmark}}}%
19296     \if@twocolumn

```



```

19297     \ifnum \col@number=\@ne
19298         \@maketitle
19299     \else
19300         \twocolumn[\@maketitle]%
19301     \fi
19302 \else
19303     \newpage
19304     \global\@topnum\z@
19305     \@maketitle
19306 \fi
19307 \thispagestyle{plain}\@thanks
19308 \endgroup
19309 \setcounter{footnote}{0}%
19310 \global\let\thanks\relax
19311 \global\let\LTRthanks\relax
19312 \global\let\RTLthanks\relax
19313 \global\let\maketitle\relax
19314 \global\let\@maketitle\relax
19315 \global\let\@thanks\@empty
19316 \global\let\@author\@empty
19317 \global\let\@title\@empty
19318 \global\let\@date\@empty
19319 \global\let\title\relax
19320 \global\let\author\relax
19321 \global\let\date\relax
19322 \global\let\and\relax
19323 }
19324 \def\@maketitle{%
19325     \newpage
19326     \null
19327     \vskip 2em%
19328     \if@titlecentered
19329         \begin{center}%
19330             \let \footnote \thanks
19331             \let \LTRfootnote \LTRthanks
19332             \let \RTLfootnote \RTLthanks
19333             {\LARGE \TitleFont \@title \par}%
19334             \vskip 1.5em%
19335             {\large \TitleFont
19336               \lineskip .5em%
19337               \begin{tabular}[t]{c}%
19338                 \@author
19339               \end{tabular}\par}%
19340             \vskip 1em%
19341             {\large \TitleFont \@date}%
19342         \end{center}%
19343     \else
19344         {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
19345         {\large \TitleFont \lineskip .5em \tabcolsep\z@
19346           \def\and{%%} \begin{tabular} has already started
19347             \end{tabular}\hskip 1em plus .17fil
19348             \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}% \end{tabu
19349             \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\v
19350         \vskip 1em {\large \TitleFont \@date}

```



```

19351 \fi
19352 \par
19353 \vskip 1.5em}
19354 \fi
19355 \renewcommand*\@regtocline[3]{%
19356 \ifnum #1>\c@tocdepth
19357 \else
19358 \vskip\z@\@plus.2\p@
19359 {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
19360 \if@RTL\righskip\else\leftskip\fi\unitindent
19361 \if@RTL\leftskip\else\righskip\fi\unitindent\@plus 1fil
19362 \parfillskip\z@
19363 \@tempdima\unitindent
19364 \parindent\z@
19365 \leavevmode
19366 \hbox{}\hskip -\if@RTL\righskip\else\leftskip\fi\relax#2\nobreak
19367 \hskip 1em \nobreak{\slshape #3}\par
19368 }%
19369 \fi}
19370 \if@oldtoc
19371 \renewcommand*\l@part[2]{%
19372 \ifnum \c@tocdepth >-2\relax
19373 \addpenalty{-\@highpenalty}%
19374 \addvspace{2.25em \@plus\p@}%
19375 \begingroup
19376 \setlength\@tempdima{3em}%
19377 \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
19378 \parfillskip -\@pnumwidth
19379 {\leavevmode
19380 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
19381 \nobreak
19382 \global\@nobreaktrue
19383 \everypar{\global\@nobreakfalse\everypar{}}%
19384 \endgroup
19385 \fi}
19386 \else
19387 \renewcommand*\l@part{%
19388 \ifnum \c@tocdepth >-2\relax
19389 \addpenalty{-\@highpenalty}%
19390 \addvspace{2.25em \@plus \p@}%
19391 \@regtocline{0}%
19392 \fi}
19393 \fi
19394 \if@oldtoc
19395 \renewcommand*\l@chapter[2]{%
19396 \addpenalty{-\@highpenalty}%
19397 \vskip 1.0em \@plus\p@
19398 \setlength\@tempdima{1.5em}%
19399 \begingroup
19400 \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
19401 \parfillskip -\@pnumwidth
19402 \leavevmode \bfseries
19403 \advance\if@RTL\righskip\else\leftskip\fi\@tempdima
19404 \hskip -\if@RTL\righskip\else\leftskip\fi

```



```

19405      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
19406      \penalty\@highpenalty
19407      \endgroup}
19408 \else
19409   \renewcommand*\l@chapter{\@regtocline{0}}
19410 \fi
19411 \renewcommand*\head@style{%
19412   \interlinepenalty \@M
19413   \hyphenpenalty=\@M \exhyphenpenalty=\@M
19414   \ifRTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
19415 \if@titlepage
19416   \renewenvironment{abstract}{%
19417     \titlepage
19418     \null\vfil
19419     \section*\SectFont\abstractname}%
19420     \noindent\ignorespaces}
19421     {\par\vfil\null\endtitlepage}
19422 \else
19423   \renewenvironment{abstract}{%
19424     \if@twocolumn
19425       \section*\abstractname}%
19426     \else
19427       \bgroup\ifRTL\leftskip\else\rightskip\fi=\unitindent
19428       \section*\small\SectFont\abstractname}%
19429       \noindent\ignorespaces
19430     \fi}
19431     {\if@twocolumn\else\par\egroup\fi}
19432 \fi
19433 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
19434 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
19435 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
19436 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
19437 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
19438 \renewcommand*\thefigure{%
19439   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
19440 \renewcommand*\thetable{%
19441   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
19442 \renewcommand*\theequation{%
19443   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
19444 \renewenvironment{thebibliography}[1]
19445   {\chapter*\bibname}%
19446   \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
19447   \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
19448   \bidi@thebibliography@font@hook%
19449   \list{\@biblabel{\@arabic\c@enumiv}}%
19450     {\settowidth\labelwidth{\@biblabel{#1}}%
19451     \leftmargin\labelwidth
19452     \advance\leftmargin\labelsep
19453     \@openbib@code
19454     \usecounter{enumiv}%
19455     \let\p@enumiv\@empty
19456     \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
19457   \sloppy\clubpenalty4000\widowpenalty4000%
19458   \sfcode`\.\@m}

```



```

19459      {\def\@noitemerr
19460        {\@latex@warning{Empty `thebibliography' environment}}}%
19461        \endlist}
19462 \renewcommand*\left@footnoterule{%
19463   \kern-3\p@
19464   \kern.5\baselineskip
19465   \hrule\@width\unitindent
19466   \kern.4\baselineskip
19467 }
19468 \renewcommand*\right@footnoterule{%
19469   \kern-3\p@
19470   \kern.5\baselineskip
19471   \nointerlineskip
19472   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
19473   \kern.4\baselineskip}
19474 \renewcommand*\head@style{%
19475   \interlinepenalty \@M
19476   \hyphenpenalty=\@M \exhyphenpenalty=\@M
19477   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}

```

139 File refrep-xetex-bidi.def

```

19478 \ProvidesFile{refrep-xetex-bidi.def}[2025/09/30 v0.6 bidi adaptations for refrep class for X
19479 \if@titlepage
19480   \renewcommand\maketitle{\begin{titlepage}%
19481     \let\footnotesize\small
19482     \let\right@footnoterule\relax
19483     \let\left@footnoterule\relax
19484     \let\textwidth@footnoterule\relax
19485     \let\footnote\thanks
19486     \let\LTRfootnote\LTRthanks
19487     \let\RTLfootnote\RTLthanks
19488     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
19489     \def\@makefnmark%
19490       {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
19491     \long\def\@makefntext##1{%
19492       \@setpar{\@par
19493         \@tempdima = \hsize
19494         \advance\@tempdima -1em
19495         \parshape \@ne 1em \@tempdima}%
19496       \par\parindent 1em \noindent
19497       \hb@xt@\z@\{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
19498     \null\vfil
19499     \vskip 60\p@
19500     \begin{center}%
19501       {\LARGE \@title \par}%
19502       \vskip 3em%
19503       {\large
19504         \lineskip .75em%
19505         \begin{tabular}[t]{c}%
19506           \@author
19507         \end{tabular}\par}%
19508       \vskip 1.5em%
19509       {\large \@date \par}%           % Set date in \large size.

```



```

19510 \end{center}\par
19511 \@thanks
19512 \vfil\null
19513 \end{titlepage}%
19514 \setcounter{footnote}{0}%
19515 \global\let\thanks\relax
19516 \global\let\LTRthanks\relax
19517 \global\let\RTLthanks\relax
19518 \global\let\maketitle\relax
19519 \global\let\@thanks\@empty
19520 \global\let\@author\@empty
19521 \global\let\@date\@empty
19522 \global\let\@title\@empty
19523 \global\let\title\relax
19524 \global\let\author\relax
19525 \global\let\date\relax
19526 \global\let\and\relax
19527 }
19528 \else
19529 \renewcommand\maketitle{\par
19530   \begingroup
19531     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
19532     \def\@makefnmark%
19533       {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
19534     \long\def\@makefntext##1{%
19535       \@setpar{\@par
19536         \@tempdima = \hsize
19537         \advance\@tempdima -1em
19538         \parshape \@one 1em \@tempdima}%
19539       \par\parindent 1em \noindent
19540       \hb@xt@\z@\{\hss\@textsuperscript{\normalfont\@thefnmark}\},\,##1}
19541     \if@twocolumn
19542       \ifnum \col@number=\@one
19543         \@maketitle
19544       \else
19545         \twocolumn[\@maketitle]%
19546       \fi
19547     \else
19548       \newpage
19549       \global\@topnum\z@ % Prevents figures from going at top of page.
19550       \@maketitle
19551     \fi
19552     \thispagestyle{empty}\@thanks
19553   \endgroup
19554   \setcounter{footnote}{0}%
19555   \global\let\thanks\relax
19556   \global\let\LTRthanks\relax
19557   \global\let\RTLthanks\relax
19558   \global\let\maketitle\relax
19559   \global\let\@maketitle\relax
19560   \global\let\@thanks\@empty
19561   \global\let\@author\@empty
19562   \global\let\@date\@empty
19563   \global\let\@title\@empty

```



```

19564 \global\let\title\relax
19565 \global\let\author\relax
19566 \global\let\date\relax
19567 \global\let\and\relax
19568 }
19569 \def\@maketitle{%
19570   \newpage
19571   \null
19572   \longthickrule\vskip1.5em%
19573   \let \footnote \thanks
19574   \let \LTRfootnote \LTRthanks
19575   \let \RTLfootnote \RTLthanks
19576   {\secshape \parskip\z@ \parindent\z@
19577   \Large\bfseries \@title \par}%
19578   \vskip1.5em\longthickrule\vskip1.5em%
19579   {\normalsize
19580     \lineskip .5em%
19581     \begin{flushright}%
19582       {\slshape\@author\par}
19583       \vskip 1em%
19584       {\@date}%
19585     \end{flushright}\par}%
19586   \vskip 1.5em}
19587 \fi
19588 \renewcommand*\l@part[2]{%
19589   \ifnum \c@tocdepth >-2\relax
19590     \addpenalty{-\@highpenalty}%
19591     \addvspace{2.25em \@plus\p@}%
19592     \begingroup
19593       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
19594       \parfillskip -\@pnumwidth
19595       {\leavevmode
19596         \large \bfseries #1\hfil \hbox to\@pnumwidth{\hss #2}}\par
19597       \nobreak
19598       \global\@nobreaktrue
19599       \everypar{\global\@nobreakfalse\everypar{}}%
19600     \endgroup
19601   \fi}
19602 \renewcommand*\l@chapter[2]{%
19603   \ifnum \c@tocdepth >\m@ne
19604     \addpenalty{-\@highpenalty}%
19605     \vskip 1.0em \@plus\p@
19606     \setlength\@tempdima{1.5em}%
19607     \begingroup
19608       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
19609       \parfillskip -\@pnumwidth
19610       \leavevmode \bfseries
19611       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
19612       \hskip -\if@RTL\rightskip\else\leftskip\fi
19613       #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
19614       \penalty\@highpenalty
19615     \endgroup
19616   \fi}
19617 \renewcommand\secshape{\if@RTL\rightskip\else\leftskip\fi=-\leftmarginwidth%

```




```

19618             \if@RTL\leftskip\else\rightskip\fi=\@flushglue%
19619             \hyphenpenalty=2000}
19620 \renewcommand\left@footnoterule{%
19621     \kern-3\p@
19622     \hrule\@width.4\columnwidth
19623     \kern 2.6\p@}
19624 \renewcommand\right@footnoterule{%
19625     \kern-3\p@
19626     \nointerlineskip
19627     \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
19628     \kern2.6\p@}
19629 \renewcommand\theequation
19630 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
19631 \renewcommand\thefigure
19632     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
19633 \renewcommand\thetable%
19634     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
19635 \renewcommand\thesection     {\thechapter\@SepMark\@arabic\c@section}
19636 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
19637 \renewcommand\thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
19638 \renewcommand\theparagraph  {\thesubsubsection\@SepMark\@arabic\c@paragraph}
19639 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
19640 \renewenvironment{thebibliography}[1]
19641     {\chapter*{\bibname
19642         \mkboth{\bibname}{\bibname}}%
19643         \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
19644         \bidi@thebibliography@font@hook%
19645         \list{\@biblabel{\@arabic\c@enumiv}}%
19646             {\settowidth\labelwidth{\@biblabel{#1}}%
19647             \leftmargin\labelwidth
19648             \advance\leftmargin\labelsep
19649             \@openbib@code
19650             \usecounter{enumiv}%
19651             \let\p@enumiv\@empty
19652             \renewcommand\theenumiv{\@arabic\c@enumiv}}%
19653             \sloppy
19654             \clubpenalty4000
19655             \@clubpenalty \clubpenalty
19656             \widowpenalty4000%
19657         \sfcode`\.=\@m}
19658     {\def\@noitemerr
19659         {\@latex@warning{Empty `thebibliography' environment}}}%
19660     \endlist}

```

140 File report-xetex-bidi.def

```

19661 \ProvidesFile{report-xetex-bidi.def}[2025/12/19 v1.3 bidi adaptations for standard report cl
19662 \renewenvironment{theindex}
19663     {\if@twocolumn
19664         \@restonecolfalse
19665         \else
19666         \@restonecoltrue
19667         \fi
19668         \columnseprule \z@

```



```

19669             \columnsep 35\p@
19670             \twocolumn[\@makeschapterhead{\indexname}]%
19671             \@mkboth{\MakeUppercase\indexname}%
19672                 {\MakeUppercase\indexname}%
19673             \thispagestyle{plain}\parindent\z@
19674             \parskip\z@ \@plus .3\p@\relax
19675             \let\item\@idxitem}
19676         {\if@restonecol\onecolumn\else\clearpage\fi}
19677 \if@titlepage
19678 \renewcommand\maketitle{\begin{titlepage}%
19679 \let\footnotesize\small
19680 \let\right@footnoterule\relax
19681 \let\left@footnoterule\relax
19682 \let\textwidth@footnoterule\relax
19683 \let \footnote \thanks
19684 \let \LTRfootnote \LTRthanks
19685 \let \RTLfootnote \RTLthanks
19686 \null\vfil
19687 \vskip 60\p@
19688 \begin{center}%
19689     {\LARGE \@title \par}%
19690     \vskip 3em%
19691     {\large
19692       \lineskip .75em%
19693       \begin{tabular}[t]{c}%
19694         \@author
19695         \end{tabular}\par}%
19696       \vskip 1.5em%
19697       {\large \@date \par}%           % Set date in \large size.
19698 \end{center}\par
19699 \@thanks
19700 \vfil\null
19701 \end{titlepage}%
19702 \setcounter{footnote}{0}%
19703 \global\let\thanks\relax
19704 \global\let\LTRthanks\relax
19705 \global\let\RTLthanks\relax
19706 \global\let\maketitle\relax
19707 \global\let\@thanks\@empty
19708 \global\let\@author\@empty
19709 \global\let\@date\@empty
19710 \global\let\@title\@empty
19711 \global\let\title\relax
19712 \global\let\author\relax
19713 \global\let\date\relax
19714 \global\let\and\relax
19715 }
19716 \else
19717 \renewcommand\maketitle{\par
19718 \begingroup
19719   \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
19720   \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
19721   \long\def\@makefntext##1{\parindent 1em\noindent
19722     \hb@xt@1.8em{\%

```



```

19723         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
19724     \if@twocolumn
19725         \ifnum \col@number=\@ne
19726             \@maketitle
19727         \else
19728             \twocolumn[\@maketitle]%
19729         \fi
19730     \else
19731         \newpage
19732         \global\@topnum\z@    % Prevents figures from going at top of page.
19733         \@maketitle
19734         \fi
19735         \thispagestyle{plain}\@thanks
19736     \endgroup
19737     \setcounter{footnote}{0}%
19738     \global\let\thanks\relax
19739     \global\let\LTRthanks\relax
19740     \global\let\RTLthanks\relax
19741     \global\let\maketitle\relax
19742     \global\let\@maketitle\relax
19743     \global\let\@thanks\@empty
19744     \global\let\@author\@empty
19745     \global\let\@date\@empty
19746     \global\let\@title\@empty
19747     \global\let\title\relax
19748     \global\let\author\relax
19749     \global\let\date\relax
19750     \global\let\and\relax
19751 }
19752 \def\@maketitle{%
19753     \newpage
19754     \null
19755     \vskip 2em%
19756     \begin{center}%
19757         \let \footnote \thanks
19758         \let \LTRfootnote \LTRthanks
19759         \let \RTLfootnote \RTLthanks
19760         {\LARGE \@title \par}%
19761         \vskip 1.5em%
19762         {\large
19763             \lineskip .5em%
19764             \begin{tabular}[t]{c}%
19765                 \@author
19766             \end{tabular}\par}%
19767         \vskip 1em%
19768         {\large \@date}%
19769     \end{center}%
19770     \par
19771     \vskip 1.5em}
19772 \fi
19773 \IfPackageLoadedF{tocloft}{%
19774 \renewcommand*\l@part[2]{%
19775     \ifnum \c@tocdepth >-2\relax
19776         \addpenalty{-\@highpenalty}%

```



```

19777 \addvspace{2.25em \@plus\p@}%
19778 \setlength\@tempdima{3em}%
19779 \beginingroup
19780 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
19781 \parfillskip -\@pnumwidth
19782 {\leavevmode
19783 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
19784 \nobreak
19785 \global\@nobreaktrue
19786 \everypar{\global\@nobreakfalse\everypar{}}%
19787 \endgroup
19788 \fi}
19789 \renewcommand*\l@chapter[2]{%
19790 \ifnum \c@tocdepth >\m@ne
19791 \addpenalty{-\@highpenalty}%
19792 \vskip 1.0em \@plus\p@
19793 \setlength\@tempdima{1.5em}%
19794 \beginingroup
19795 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
19796 \parfillskip -\@pnumwidth
19797 \leavevmode \bfseries
19798 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
19799 \hskip -\if@RTL\rightskip\else\leftskip\fi
19800 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
19801 \penalty\@highpenalty
19802 \endgroup
19803 \fi}
19804 }
19805 \renewcommand\left@footnoterule{%
19806 \kern-3\p@
19807 \hrule\@width.4\columnwidth
19808 \kern2.6\p@}
19809 \renewcommand\right@footnoterule{%
19810 \kern-3\p@
19811 \nointerlineskip
19812 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
19813 \kern2.6\p@}
19814 \renewcommand\theequation
19815 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
19816 \renewcommand \thefigure
19817 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
19818 \renewcommand \thetable
19819 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
19820 \renewcommand \thechapter {\@arabic\c@chapter}
19821 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
19822 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
19823 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
19824 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
19825 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
19826 \def\@makechapterhead#1{%
19827 \vspace*{50\p@}%
19828 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
19829 \ifnum \c@secnumdepth >\m@ne
19830 \huge\bfseries \@chapapp\space \thechapter

```



```

19831         \par\nobreak
19832         \vskip 20\p@
19833     \fi
19834     \interlinepenalty\@M
19835     \Huge \bfseries #1\par\nobreak
19836     \vskip 40\p@
19837 }}
19838 \def\@makeschapterhead#1{%
19839     \vspace*{50\p@}%
19840     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
19841     \normalfont
19842     \interlinepenalty\@M
19843     \Huge \bfseries #1\par\nobreak
19844     \vskip 40\p@
19845 }}
19846 \IfPackageLoadedF{natbib}{%
19847 \renewenvironment{thebibliography}[1]
19848     {\chapter*{\bibname}%
19849     \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
19850     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
19851     \bidi@thebibliography@font@hook%
19852     \list{\@biblabel{\@arabic{c@enumiv}}}%
19853         {\settowidth\labelwidth{\@biblabel{#1}}%
19854         \leftmargin\labelwidth
19855         \advance\leftmargin\labelsep
19856         \openbib@code
19857         \usecounter{enumiv}%
19858         \let\p@enumiv\@empty
19859         \renewcommand\theenumiv{\@arabic{c@enumiv}}}%
19860     \sloppy
19861     \clubpenalty4000
19862     \@clubpenalty \clubpenalty
19863     \widowpenalty4000%
19864     \sfcode~\.\@m}
19865 {\def\@noitemerr
19866     {\@latex@warning{Empty `thebibliography' environment}}}%
19867     \endlist}
19868 }

```

141 File rotating-xetex-bidi.def

```

19869 \ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package]
19870 \def\end@rotfloat{%
19871     \end{minipage}\end{lrbox}%
19872     \stepcounter{r@tfl@t}%
19873     \rot@label{RF\ther@tfl@t}%
19874     \rot@pageref{RF\ther@tfl@t}{\R@page}%
19875     \edef\@tempa{Adding sideways \@capytype\space on page \R@page\space}
19876     \rot@mess@toks\expandafter{\@tempa}
19877     \wd\rot@float@box\z@
19878     \ht\rot@float@box\z@
19879     \dp\rot@float@box\z@
19880     \vboxL to \textheight{%
19881         \setkeys{Grot}{units=360}%

```



```

19882 \if@rot@twoside
19883 \else
19884 \let\R@@page\rot@LR
19885 \fi
19886 \ifthenelse{\isodd{\R@@page}}{%
19887 \if@rot@twoside
19888 \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
19889 \fi
19890 \vfill
19891 @@line{%
19892 \hskip\rotFPtop
19893 \rotatebox{90}{\box\rot@float@box}%
19894 \hskip\rotFPbot
19895 }%
19896 }{%
19897 \if@rot@twoside
19898 \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
19899 \fi
19900 @@line{%
19901 \hskip\rotFPbot
19902 \rotatebox{-90}{\box\rot@float@box}%
19903 \hskip\rotFPtop
19904 }%
19905 \vfill
19906 }%
19907 \rot@message{\the\rot@mess@toks}
19908 }%
19909 \end@float
19910 }
19911 \let\endsidewaysfigure\end@rotfloat
19912 \let\endsidewaystable\end@rotfloat
19913 \def\end@rotdblfloat{%
19914 \end{minipage}\end{lrbox}%
19915 \stepcounter{r@tfl@t}%
19916 \rot@label{RF\ther@tfl@t}%
19917 \rot@pageref{RF\ther@tfl@t}{\R@@page}%
19918 \edef\@tempa{Adding sideways \capttype\space on page \R@@page\space}
19919 \rot@mess@toks\expandafter{\@tempa}
19920 \@tempdima\ht\rot@float@box
19921 \advance\@tempdima by \dp\rot@float@box
19922 \wd\rot@float@box\z@
19923 \ht\rot@float@box\z@
19924 \dp\rot@float@box\z@
19925 \vboxL to \textheight{%
19926 \setkeys{Grot}{units=360}%
19927 \if@rot@twoside
19928 \else
19929 \let\R@@page\rot@LR
19930 \fi
19931 \ifthenelse{\isodd{\R@@page}}{%
19932 \ifrot@messages
19933 \if@rot@twoside
19934 \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
19935 \fi

```



```

19936 \fi
19937 \vfill
19938 \@@line{%
19939 \hskip\rotFPtop
19940 \rotatebox{90}{\box\rot@float@box}%
19941 \hskip\rotFPbot
19942 }%
19943 }{%
19944 \ifrot@messages
19945 \if@rot@twoside
19946 \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}}%
19947 \fi
19948 \fi%
19949 \@@line{%
19950 \hskip\rotFPbot
19951 \rotatebox{-90}{\box\rot@float@box}%
19952 \hskip\rotFPtop
19953 }%
19954 \vfill
19955 }%
19956 \rot@message{\the\rot@mess@toks}%
19957 }%
19958 \end@dblfloat
19959 }
19960 \def\turn#1{%
19961 \Grot@setangle{#1}%
19962 \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
19963 \def\endturn{%
19964 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
19965 \unskip\color@endbox
19966 \Grot@x\z@
19967 \Grot@y\z@
19968 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
19969 }
19970 \def\rotate#1{%
19971 \Grot@setangle{#1}%
19972 \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
19973 \def\endrotate{%
19974 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
19975 \unskip\color@endbox
19976 \Grot@x\z@
19977 \Grot@y\z@
19978 \wd0\z@\dp0\z@\ht0\z@
19979 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
19980 }
19981 \def\turnbox#1#2{%
19982 \Grot@setangle{#1}%
19983 \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi#2\ifmmode\if@RTL\endR\fi\fi}
19984 \Grot@x\z@\Grot@y\z@
19985 \wd0\z@\dp0\z@\ht0\z@
19986 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
19987 }
19988 \def\sideways{%
19989 \Grot@setangle{90}%

```



```

19990 \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
19991 \def\endsideways{%
19992 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
19993 \unskip\color@endbox
19994 \Grot@x\z@
19995 \Grot@y\z@
19996 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
19997 }

```

142 File scrartcl-xetex-bidi.def

```

19998 \ProvidesFile{scrartcl-xetex-bidi.def}[2025/09/30 v1.5 bidi adaptations for scrartcl class f
19999 \newcommand{\scr@saved@LTRfootnotetext}{}
20000 \newcommand{\scr@saved@RTLfootnotetext}{}
20001 \let\scr@saved@footnotetext\@footnotetext
20002 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
20003 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
20004 \renewcommand{\@footnotetext}[1]{%
20005 \scr@saved@footnotetext{#1}%
20006 \csname FN@mfb@prepare\endcsname
20007 }
20008 \renewcommand{\@LTRfootnotetext}[1]{%
20009 \scr@saved@LTRfootnotetext{#1}%
20010 \csname FN@mfb@prepare\endcsname
20011 }
20012 \renewcommand{\@RTLfootnotetext}[1]{%
20013 \scr@saved@RTLfootnotetext{#1}%
20014 \csname FN@mfb@prepare\endcsname
20015 }
20016 \renewcommand\deffootnote[4][1]{%
20017 \expandafter\ifnum\scr@v@is@ge{3.22}\relax
20018 \long\def\@makefnmark##1{%
20019 \ExecuteDoHook{footnote/text/begin}%
20020 \raggedfootnote
20021 \if@RTL
20022 \rightskip
20023 \else
20024 \leftskip
20025 \fi
20026 #2
20027 \l@addto@macro\@trivlist{%
20028 \ifnum\@listdepth=\@ne
20029 \if@RTL
20030 \advance\rightmargin #2\relax
20031 \else
20032 \advance\leftmargin #2\relax
20033 \fi
20034 \fi
20035 }%
20036 \parindent #3\noindent
20037 \IfArgIsEmpty{#1}{}{%
20038 \hskip \dimexpr #1-#2\relax
20039 }%
20040 \ftn@font\hbox to \z@{\hss\@makefnmark}##1%

```




```

20041 \ExecuteDoHook{footnote/text/end}%
20042 }%
20043 \else
20044 \ClassInfo{\KOMAClassName}{%
20045 Using old \string\@makefntext\space due to compatibility
20046 level\MessageBreak
20047 less than 3.22}%
20048 \long\def\@makefntext##1{%
20049 \setlength{\@tempdimc}{#3}%
20050 \def\@tempa{#1}\ifx\@tempa\@empty
20051 \setpar{\@par
20052 \@tempdima = \hsize
20053 \addtolength{\@tempdima}{-#2}%
20054 \if@RTL
20055 \parshape \@ne \z@ \@tempdima
20056 \else
20057 \parshape \@ne #2 \@tempdima
20058 \fi}%
20059 \else
20060 \addtolength{\@tempdimc}{#2}%
20061 \addtolength{\@tempdimc}{-#1}%
20062 \setpar{\@par
20063 \@tempdima = \hsize
20064 \addtolength{\@tempdima}{-#1}%
20065 \@tempdimb = \hsize
20066 \addtolength{\@tempdimb}{-#2}%
20067 \if@RTL
20068 \parshape \tw@ \z@ \@tempdima \z@ \@tempdimb
20069 \else
20070 \parshape \tw@ #1 \@tempdima #2 \@tempdimb
20071 \fi
20072 }%
20073 \fi
20074 \par
20075 \parindent\@tempdimc\noindent
20076 \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
20077 }%
20078 \fi
20079 \def\@makefnmark{\hbox{\ftn@font{#4}}}%
20080 }
20081 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
20082 \renewcommand*\left@footnoterule{%
20083 \normalsize\ftn@rule@test@values
20084 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
20085 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
20086 {\usekomafont{footnoterule}{%
20087 \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
20088 \kern 2.6\p@}
20089 \renewcommand*\right@footnoterule{%
20090 \normalsize\ftn@rule@test@values
20091 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
20092 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
20093 \nointerlineskip
20094 {\usekomafont{footnoterule}{%

```



```

20095     \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\l
20096     \kern 2.6\p@}
20097 \renewcommand*\maketitle[1][1]{%
20098   \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
20099   \else
20100     \def\and{%
20101       \end{tabular}%
20102       \hskip 1em \@plus.17fil%
20103       \begin{tabular}[t]{c}%
20104     }%
20105   \fi
20106   \if@titlepage
20107     \begin{titlepage}
20108       \setcounter{page}{%
20109         #1%
20110       }%
20111     \if@titlepageiscoverpage
20112       \edef\tITLEPAGE@restore{%
20113         \noexpand\endgroup
20114         \noexpand\global\noexpand\@colht\the\@colht
20115         \noexpand\global\noexpand\@colroom\the\@colroom
20116         \noexpand\global\vsizethe\vsizethe
20117         \noexpand\global\noexpand\@titlepageiscoverpagefalse
20118         \noexpand\let\noexpand\tITLEPAGE@restore\noexpand\relax
20119       }%
20120       \begingroup
20121       \topmargin=\dimexpr \coverpagetopmargin-1in\relax
20122       \oddsidemargin=\dimexpr \coverpageleftmargin-1in\relax
20123       \evensidemargin=\dimexpr \coverpageleftmargin-1in\relax
20124       \textwidth=\dimexpr
20125       \paperwidth-\coverpageleftmargin-\coverpagerightmargin\relax
20126       \textheight=\dimexpr
20127       \paperheight-\coverpagetopmargin-\coverpagebottommargin\relax
20128       \headheight=0pt
20129       \headsep=0pt
20130       \footskip=\baselineskip
20131       \@colht=\textheight
20132       \@colroom=\textheight
20133       \vsizethe\textheight
20134       \columnwidth=\textwidth
20135       \hsize=\columnwidth
20136       \linewidth=\hsize
20137     \else
20138       \let\tITLEPAGE@restore\relax
20139     \fi
20140     \let\footnotesize\small
20141     \let\right@footnoterule\relax
20142     \let\left@footnoterule\relax
20143     \let\textwidth@footnoterule\relax
20144     \let\footnote\thanks
20145     \let\LTRfootnote\LTRthanks
20146     \let\RTLfootnote\RTLthanks
20147     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
20148     \let\@oldmakefnmark\@makefnmark

```



```

20149 \renewcommand*{\@makefnmark}{\rlap{\@oldmakefnmark}}%
20150 \ifx\@extratitle\@empty
20151 \ifx\@frontispiece\@empty
20152 \else
20153 \if@twoside\mbox{}\next@tpage\fi
20154 \noindent\@frontispiece\next@tdpage
20155 \fi
20156 \else
20157 \noindent\@extratitle
20158 \ifx\@frontispiece\@empty
20159 \else
20160 \next@tpage
20161 \noindent\@frontispiece
20162 \fi
20163 \next@tdpage
20164 \fi
20165 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updateerelative
20166 \ifx\@titlehead\@empty \else
20167 \begin{minipage}[t]{\textwidth}%
20168 \usekomafont{titlehead}{\@titlehead\par}%
20169 \end{minipage}\par
20170 \fi
20171 \null\vfill
20172 \begin{center}
20173 \ifx\@subject\@empty \else
20174 {\usekomafont{subject}{\@subject\par}}%
20175 \vskip 3em
20176 \fi
20177 {\usekomafont{title}{\huge \@title\par}}%
20178 \vskip 1em
20179 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}{\@subtitle\par}\fi}%
20180 \vskip 2em
20181 {%
20182 \usekomafont{author}{%
20183 \lineskip 0.75em
20184 \begin{tabular}[t]{c}
20185 \@author
20186 \end{tabular}\par
20187 }%
20188 }%
20189 \vskip 1.5em
20190 {\usekomafont{date}{\@date \par}}%
20191 \vskip \z@ \@plus3fill
20192 {\usekomafont{publishers}{\@publishers \par}}%
20193 \vskip 3em
20194 \end{center}\par
20195 \@thanks\global\let\@thanks\@empty
20196 \vfill\null
20197 \if@twoside
20198 \@tempswatrue
20199 \expandafter\ifnum \@nameuse{scr@v@3.12}>\scr@compatibility\relax
20200 \else
20201 \ifx\@uppertitleback\@empty\ifx\@lowertitleback\@empty
20202 \@tempswafalse

```



```

20203         \fi\fi
20204     \fi
20205     \if@tempswa
20206         \next@tpage
20207         \begin{minipage}[t]{\textwidth}
20208             \@uppertitleback
20209         \end{minipage}\par
20210         \vfill
20211         \begin{minipage}[b]{\textwidth}
20212             \@lowertitleback
20213         \end{minipage}\par
20214         \@thanks\global\let\@thanks\@empty
20215     \fi
20216 \else
20217     \ifx\@uppertitleback\@empty\else
20218         \ClassWarning{\KOMAClassName}{%
20219             non empty \string\uppertitleback\space ignored
20220             by \string\maketitle\MessageBreak
20221             in `twoside=false' mode%
20222         }%
20223     \fi
20224     \ifx\@lowertitleback\@empty\else
20225         \ClassWarning{\KOMAClassName}{%
20226             non empty \string\lowertitleback\space ignored
20227             by \string\maketitle\MessageBreak
20228             in `twoside=false' mode%
20229         }%
20230     \fi
20231 \fi
20232 \ifx\@dedication\@empty
20233 \else
20234     \next@tdpage\null\vfill
20235     {\centering\usekomafont{dedication}{\@dedication \par}}%
20236     \vskip \z@ \@plus3fill
20237     \@thanks\global\let\@thanks\@empty
20238     \cleardoubleemptypage
20239 \fi
20240 \ifx\titlepage@restore\relax\else\clearpage\titlepage@restore\fi
20241 \end{titlepage}
20242 \else
20243     \par
20244     \@tempcnta=%
20245     #1%
20246     \relax\ifnum\@tempcnta=1\else
20247         \ClassWarning{\KOMAClassName}{%
20248             Optional argument of \string\maketitle\space ignored\MessageBreak
20249             in `titlepage=false' mode%
20250         }%
20251     \fi
20252     \ifx\@uppertitleback\@empty\else
20253         \ClassWarning{\KOMAClassName}{%
20254             non empty \string\uppertitleback\space ignored
20255             by \string\maketitle\MessageBreak
20256             in `titlepage=false' mode%

```



```

20257     }%
20258 \fi
20259 \ifx\@lowertitleback\@empty\else
20260   \ClassWarning{\KOMAClassName}{%
20261     non empty \string\lowertitleback\space ignored
20262     by \string\maketitle\MessageBreak
20263     in `titlepage=false' mode%
20264   }%
20265 \fi
20266 \beginngroup
20267   \let\titlepage@restore\relax
20268   \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
20269   \let\@oldmakefnmark\@makefnmark
20270   \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
20271   \next@tdpage
20272 \if@twocolumn
20273   \ifnum \col@number=\@one
20274     \ifx\@extratitle\@empty
20275       \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
20276     \else
20277       \@makeextratitle
20278     \fi
20279     \ifx\@frontispiece\@empty
20280       \ifx\@extratitle\@empty\else\next@tdpage\fi
20281     \else
20282       \next@tpage
20283       \@makefrontispiece
20284       \next@tdpage
20285     \fi
20286     \@maketitle
20287   \else
20288     \ifx\@extratitle\@empty
20289       \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
20290     \else
20291       \twocolumn[\@makeextratitle]%
20292     \fi
20293     \ifx\@frontispiece\@empty
20294       \ifx\@extratitle\@empty\else\next@tdpage\fi
20295     \else
20296       \next@tpage
20297       \twocolumn[\@makefrontispiece]%
20298       \next@tdpage
20299     \fi
20300     \twocolumn[\@maketitle]%
20301   \fi
20302 \else
20303   \ifx\@extratitle\@empty
20304     \ifx\@frontispiece\@empty\else \mbox{}\fi
20305   \else
20306     \@makeextratitle
20307   \fi
20308   \ifx\@frontispiece\@empty
20309     \ifx\@extratitle\@empty\else\next@tdpage\fi
20310   \else

```



```

20311         \next@tpage
20312         \@makefrontispiece
20313         \next@tdpage
20314     \fi
20315     \@maketitle
20316 \fi
20317     \ifx\titlepagestyle\@empty\else\thispagestyle{\titlepagestyle}\fi
20318     \@thanks\global\let\@thanks\@empty
20319 \endgroup
20320 \fi
20321 \setcounter{footnote}{0}%
20322 \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
20323     \let\thanks\relax
20324     \let\LTRthanks\relax
20325     \let\RTLthanks\relax
20326     \let\maketitle\relax
20327     \let\@maketitle\relax
20328     \global\let\@thanks\@empty
20329     \global\let\@author\@empty
20330     \global\let\@date\@empty
20331     \global\let\@title\@empty
20332     \global\let\@subtitle\@empty
20333     \global\let\@extratitle\@empty
20334     \global\let\@frontispiece\@empty
20335     \global\let\@titlehead\@empty
20336     \global\let\@subject\@empty
20337     \global\let\@publishers\@empty
20338     \global\let\@uppertitleback\@empty
20339     \global\let\@lowertitleback\@empty
20340     \global\let\@dedication\@empty
20341     \global\let\author\relax
20342     \global\let\title\relax
20343     \global\let\extratitle\relax
20344     \global\let\titlehead\relax
20345     \global\let\subject\relax
20346     \global\let\publishers\relax
20347     \global\let\uppertitleback\relax
20348     \global\let\lowertitleback\relax
20349     \global\let\dedication\relax
20350     \global\let\date\relax
20351 \fi
20352 \global\let\and\relax
20353 }%
20354 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
20355 \def\raggedpart{\if@RTL\raggedleft\else\raggedright\fi}
20356 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
20357 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
20358 \renewcommand*{\thesubsubsection}{%
20359     \thesubsection\@SepMark\@arabic\c@subsubsection
20360 }
20361 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
20362 \renewcommand*{\thesubparagraph}{%
20363     \theparagraph\@SepMark\@arabic\c@subparagraph
20364 }

```



```

20365 \renewenvironment{thebibliography}[1]{%
20366   \if@bib@break@
20367     \bib@beginhook
20368   \else
20369     \bib@heading
20370     \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
20371       \noindent\bibpreamble\par\nobreak
20372     \fi\fi
20373     \bib@beginhook
20374     \bib@before@hook
20375   \fi
20376 \renewcommand{\BreakBibliography}[1]{%
20377   \@bib@break
20378   \end{thebibliography}%
20379   \begingroup ##1\endgroup
20380   \begin{thebibliography}{#1}
20381 }%
20382 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
20383 \bidi@thebibliography@font@hook%
20384 \list{%
20385   \@biblabel{\@arabic\c@enumiv}%
20386 }{%
20387   \settowidth\labelwidth{\@biblabel{#1}}%
20388   \leftmargin\labelwidth
20389   \advance\leftmargin\labelsep
20390   \@openbib@code
20391   \if@bib@break@
20392     \edef\@tempa{%
20393       \noexpand\usecounter{enumiv}%
20394       \noexpand\setcounter{enumiv}{\the\c@enumiv}%
20395     }\@tempa
20396     \no@bib@break
20397   \else
20398     \usecounter{enumiv}%
20399   \fi
20400   \let\p@enumiv\@empty
20401   \renewcommand*\theenumiv{\@arabic\c@enumiv}%
20402 }%
20403 \sloppy\clubpenalty4000 \widowpenalty4000
20404 \sfcode`\.=\@m
20405 }{%
20406 \if@bib@break@
20407   \def\@noitemerr{%
20408     \@latex@warning{%
20409       \string\BreakBibliography\space at begin of `thebibliography'
20410       environment\MessageBreak
20411       or following \string\BreakBibliography}%
20412   }%
20413 \else
20414   \def\@noitemerr{%
20415     \@latex@warning{%
20416       Empty `thebibliography' environment or
20417       \string\BreakBibliography\MessageBreak
20418       before end of `thebibliography' environment}%

```



```

20419     }%
20420 \fi
20421 \endlist
20422 \if@bib@break@
20423 \else
20424     \bib@after@hook
20425     \let\bib@before@hook\@empty
20426     \let\bib@after@hook\@empty
20427 \fi
20428 \bib@endhook
20429 }
20430 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
20431 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
20432 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
20433 \renewcommand\marginline[1]{%
20434     \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi{#1}}
20435 }
20436 \renewcommand{\@makecaption}[3]{%
20437     \cap@margin
20438     \begingroup
20439         \ifonelinecaptions
20440             \def\stepcounter##1{\advance\value{##1}\@ne}%
20441             \let\refstepcounter\stepcounter
20442             \let\label\@gobble
20443             \let\@footnotetext=\@gobble
20444             \let\@LTRfootnotetext=\@gobble
20445             \let\@RTLfootnotetext=\@gobble
20446             \let\hypertarget\@gobbletwo
20447             \edef\@xnewline{%
20448                 \unexpanded{\ClassInfo{\KOMAClassName}}{%
20449                     Workaround for not recommended usage of \string\\ or\MessageBreak
20450                     \string\newline in caption text
20451                 }%
20452                 \hspace*{\linewidth}\hspace{1sp}%
20453             }%
20454             \unexpanded\expandafter{\@xnewline}%
20455         }%
20456         \edef\@xcentercr{%
20457             \unexpanded{\ClassInfo{\KOMAClassName}}{%
20458                 Workaround for not recommended usage of \string\\ or\MessageBreak
20459                 \string\newline in caption text
20460             }%
20461             \hspace*{\linewidth}\hspace{1sp}%
20462         }%
20463         \unexpanded\expandafter{\@xcentercr}%
20464     }%
20465     \settowidth{\@tempdima}{\scr@makesinglelinecaption{#1}{#2}{#3}}%
20466     \ifdim\@tempdima>\cap@width
20467         \aftergroup\scr@makemultilinecaption
20468     \else
20469         \aftergroup\scr@makesinglelinecaption
20470     \fi
20471 \else
20472     \aftergroup\scr@makemultilinecaption

```




```

20473     \fi
20474 \endgroup
20475 {#1}{#2}{#3}%
20476 }
20477 \renewcommand{\scr@makesinglelinecaption}[3]{%
20478   {%
20479     \usefontofkomafont{caption}{%
20480       \hb@xt@{\hsize{%
20481         \cap@left
20482         \if@RTL
20483           \beginR
20484           \fi
20485           \scr@makesinglelinecaption{#1}{#2}{#3}%
20486           \if@RTL
20487           \endR
20488           \fi
20489           \cap@right
20490       }}\par\kern\dp\strutbox%
20491     }%
20492   }\kern-\dp\strutbox
20493 }
20494 \renewcommand{\@makecaption}[2]{%
20495   \if@captionabove
20496     \vskip\belowcaptionskip
20497   \else
20498     \vskip\abovecaptionskip
20499   \fi
20500   \@makecaption\@firstofone{#1}{#2}%
20501   \if@captionabove
20502     \vskip\abovecaptionskip
20503   \else
20504     \vskip\belowcaptionskip
20505   \fi
20506 }
20507
20508 \renewcommand{\scr@makesinglelinecaption}[3]{%
20509   {\usekomafont{caption}{\strut\ignorespaces
20510     #1{\usekomafont{captionlabel}{#2\captionformat}}}%
20511     \ignorespaces #3\unskip}}%
20512 }
20513
20514 \renewcommand{\scr@makemultilinecaption}[3]{%
20515   {%
20516     \usefontofkomafont{caption}{%
20517       \hb@xt@{\hsize{%
20518         \cap@left
20519         \vbox{\hsize\cap@width\linewidth\hsize
20520           \scr@ifundefinedorrelax{@capttype}{%
20521             \ClassWarning{\KOMAClassName}{%
20522               `\'string\'caption' outside float.\MessageBreak
20523               Seems you are using `\'string\'caption' outside a
20524               float.\MessageBreak
20525               Maybe you are using a package that uses
20526               `\'string\'@makecaption'\MessageBreak

```



```

20527         without setting '\string\@captype' before.\MessageBreak
20528         Because I cannot detect the caption type, I'm using\MessageBreak
20529         the empty one.%
20530     }%
20531     \let\@captype\@empty
20532 }{}%
20533 \scr@ifundefinedorrelax{ragged\@captype caption}{\raggedcaption}{%
20534     \@nameuse{ragged\@captype caption}%
20535 }%
20536 \ifdofullc@p
20537     \@hangfrom{%
20538         \strut
20539         \scr@smashdp{%
20540             #1{%
20541                 \usekomafont{caption}{%
20542                     \usekomafont{captionlabel}{#2\captionformat}%
20543                 }%
20544             }%
20545         }%
20546     }%
20547     {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
20548 \else
20549     \ifdim\cap@indent<\z@
20550         \strut
20551         #1{%
20552             {\usekomafont{caption}{%
20553                 \usekomafont{captionlabel}{#2\captionformat}%
20554             }%
20555         }\par}%
20556         \noindent{{\usekomafont{caption}{%
20557             \hspace*{-\cap@indent}#3\scr@endstrut
20558         }}\par}%
20559     \else
20560         \if@capbreak
20561             \strut
20562             #1{%
20563                 {\usekomafont{caption}{%
20564                     \usekomafont{captionlabel}{#2\captionformat}%
20565                 }%
20566             }\par}%
20567             \noindent\@hangfrom{\hspace*{\cap@indent}}%
20568             {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
20569         \else
20570             \@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
20571             {%
20572                 \hspace{-\cap@indent}%
20573                 \scr@smashdp{%
20574                     #1{\usekomafont{caption}{%
20575                         \usekomafont{captionlabel}{#2\captionformat}%
20576                     }%
20577                 }%
20578             }%
20579             {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
20580         }%

```



```

20581         \fi
20582     \fi
20583 \fi
20584 }%
20585 \cap@right
20586 }\par\kern\dp\strutbox
20587 }%
20588 }\kern-\dp\strutbox
20589 }
20590
20591 \bidi@AfterFile{longtable-xetex-bidi.def}{%
20592 \if@komalongtable
20593 \renewcommand{\LT@makecaption}[3]{%
20594 \LT@mcol\LT@cols c{%
20595 \hbox to\z@{\hss\parbox[t]{linewidth{%
20596 \if@captionabove\else\vskip\belowcaptionskip\fi
20597 \@@makecaption{#1}{#2}{#3}%
20598 \endgraf
20599 \if@captionabove\vskip\abovecaptionskip\fi
20600 }%
20601 \hss
20602 }%
20603 }%
20604 }%
20605 \renewcommand*{\scr@LT@array}{}%
20606 \let\scr@LT@array=\LT@array
20607 \renewcommand*{\LT@array}{%
20608 \def\@capytype{table}%
20609 \@ifundefined{LTcapytype}{}{%
20610 \Ifstr{\LTcapytype}{}{}{\let\@capytype\LTcapytype}%
20611 }%
20612 \csname tocbasic_if_caption_above:TF\endcsname
20613 {\@captionabovetrue}{\@captionabovetrue}%
20614 \def\captionabove{\noalign{\global\@captionabovetrue}%
20615 \LT@caption}%
20616 \def\captionbelow{\noalign{\global\@captionabovetrue}%
20617 \LT@caption}%
20618 \scr@LT@array
20619 }%
20620 \ClassInfo{\KOMAClassName}{%
20621 longtable captions redefined%
20622 }%
20623 \fi
20624 }
20625
20626 \CloneTOCEntryStyle{tocline}{part}
20627 \TOCEntryStyleStartInitCode{part}{%
20628 \expandafter\renewcommand%
20629 \csname scr@tso@#1@linefill\endcsname{\hfill}%
20630 \expandafter\renewcommand%
20631 \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{#1}}%
20632 \expandafter\renewcommand%
20633 \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
20634 {\usekomafont{partentry}{\usekomafont{partentrypagenumber}{#1}}}%

```



```

20635 \expandafter\renewcommand\expandafter*%
20636 \csname scr@tso@#1@before\endcsname{2.25em \@plus\p@}%
20637 }
20638
20639 \CloneTOCEntryStyle{tocline}{section}
20640 \TOCEntryStyleStartInitCode{section}{%
20641 \expandafter\renewcommand%
20642 \csname scr@tso@#1@linefill\endcsname{%
20643 \if@sectionentrywithdots
20644 {\usekomafont{sectionentrydots}{\TOCLineLeaderFill}}\relax
20645 \else
20646 \hfill
20647 \fi
20648 }%
20649 \expandafter\renewcommand%
20650 \csname scr@tso@#1@entryformat\endcsname{\usekomafont{sectionentry}}%
20651 \expandafter\renewcommand%
20652 \csname scr@tso@#1@pagenumberformat\endcsname[1]{\usekomafont{sectionentry}{\usekomafont{
20653 \expandafter\renewcommand\expandafter*%
20654 \csname scr@tso@#1@before\endcsname{1.0em \@plus\p@}%
20655 }
20656
20657 \CloneTOCEntryStyle{tocline}{subsection}
20658 \TOCEntryStyleStartInitCode{subsection}{%
20659 \expandafter\renewcommand%
20660 \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
20661 \expandafter\renewcommand%
20662 \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
20663 {\normalfont\normalcolor ##1}}%
20664 }
20665
20666 \CloneTOCEntryStyle{subsection}{default}
20667
20668 \DeclareSectionCommand[%
20669 style=section,%
20670 level=1,%
20671 indent=\z@,%
20672 before\skip=-3.5ex \@plus -1ex \@minus -.2ex,%
20673 afterskip=2.3ex \@plus.2ex,%
20674 tocstyle=section,%
20675 tocindent=0pt,%
20676 tocnumwidth=1.5em%
20677 ]{section}
20678 \DeclareSectionCommand[%
20679 style=part,%
20680 level=\z@,%
20681 tocstyle=part,%
20682 toclevel=m@ne,%
20683 tocindent=\z@,%
20684 tocnumwidth=2em%
20685 ]{part}
20686 \DeclareSectionCommand[%
20687 style=section,%
20688 level=2,%

```



```

20689 indent=\z@,%
20690 beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
20691 afterskip=1.5ex \@plus .2ex,%
20692 tostyle=subsection,%
20693 tocindent=1.5em,%
20694 tocnumwidth=2.3em%
20695 ]{subsection}
20696 \DeclareSectionCommand[%
20697 style=section,%
20698 level=3,%
20699 indent=\z@,%
20700 beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
20701 afterskip=1.5ex \@plus .2ex,%
20702 tostyle=subsection,%
20703 tocindent=3.8em,%
20704 tocnumwidth=3.2em%
20705 ]{subsubsection}
20706 \DeclareSectionCommand[%
20707 style=section,%
20708 level=4,%
20709 indent=\z@,%
20710 beforeskip=3.25ex \@plus 1ex \@minus .2ex,%
20711 afterskip=-1em,%
20712 tostyle=subsection,%
20713 tocindentfollows=subsubsection,%
20714 tocindent=7.0em,%
20715 tocnumwidth=4.1em%
20716 ]{paragraph}
20717 \DeclareSectionCommand[%
20718 style=section,%
20719 level=5,%
20720 indent=\scr@parindent,%
20721 beforeskip=3.25ex \@plus 1ex \@minus .2ex,%
20722 afterskip=-1em,%
20723 tostyle=subsection,%
20724 tocindent=10em,%
20725 tocnumwidth=5em%
20726 ]{subparagraph}

```

143 File scrbook-xetex-bidi.def

```

20727 \ProvidesFile{scrbook-xetex-bidi.def}[2025/09/30 v1.5 bidi adaptations for scrbook class for
20728 \newcommand{\scr@saved@LTRfootnotetext}{}
20729 \newcommand{\scr@saved@RTLfootnotetext}{}
20730 \let\scr@saved@footnotetext\@footnotetext
20731 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
20732 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
20733 \renewcommand{\@footnotetext}[1]{%
20734 \scr@saved@footnotetext{#1}%
20735 \csname FN@mfb@prepare\endcsname
20736 }
20737 \renewcommand{\@LTRfootnotetext}[1]{%
20738 \scr@saved@LTRfootnotetext{#1}%
20739 \csname FN@mfb@prepare\endcsname

```



```

20740 }
20741 \renewcommand{\@RTLfootnotetext}[1]{%
20742   \scr@saved@RTLfootnotetext{#1}%
20743   \csname FN@mfb@prepare\endcsname
20744 }
20745 \renewcommand\deffootnote[4][1]{%
20746   \expandafter\ifnum\scr@v@is@ge{3.22}\relax
20747     \long\def\@makefntext##1{%
20748       \ExecuteDoHook{footnote/text/begin}%
20749       \raggedfootnote
20750       \if@RTL
20751         \rightskip
20752       \else
20753         \leftskip
20754       \fi
20755       #2
20756       \l@addto@macro\@trivlist{%
20757         \ifnum\@listdepth=\@one\advance
20758           \if@RTL
20759             \rightmargin #2\relax
20760           \else
20761             \leftmargin #2\relax
20762           \fi
20763         \fi
20764       }%
20765       \parindent #3\noindent
20766       \IfArgIsEmpty{#1}{-}{%
20767         \hskip \dimexpr #1-#2\relax
20768       }%
20769       \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
20770       \ExecuteDoHook{footnote/text/end}%
20771     }%
20772   \else
20773     \ClassInfo{\KOMAClassName}{%
20774       Using old \string\@makefntext\space due to compatibility
20775       level\MessageBreak
20776       less than 3.22}%
20777     \long\def\@makefntext##1{%
20778       \setlength{\@tempdimc}{#3}%
20779       \def\@tempa{#1}\ifx\@tempa\@empty
20780         \@setpar{\@par
20781           \@tempdima = \hsize
20782           \addtolength{\@tempdima}{-#2}%
20783           \if@RTL
20784             \parshape \@one \z@ \@tempdima
20785           \else
20786             \parshape \@one #2 \@tempdima
20787           \fi
20788         }%
20789       \else
20790         \addtolength{\@tempdimc}{#2}%
20791         \addtolength{\@tempdimc}{-#1}%
20792         \@setpar{\@par
20793           \@tempdima = \hsize

```



```

20794         \addtolength{\@tempdima}{-#1}%
20795         \@tempdimb = \hsize
20796         \addtolength{\@tempdimb}{-#2}%
20797         \if@RTL
20798             \parshape \tw@ \z@ \@tempdima \z@ \@tempdimb
20799         \else
20800             \parshape \tw@ #1 \@tempdima #2 \@tempdimb
20801         \fi
20802     }%
20803 \fi
20804 \par
20805 \parindent\@tempdimc\noindent
20806 \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
20807 }%
20808 \fi
20809 \def\@makefnmark{\hbox{\ftn@font{#4}}}%
20810 }
20811 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
20812 \renewcommand*\left@footnoterule{%
20813     \normalsize\ftn@rule@test@values
20814     \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
20815     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
20816     {\usekomafont{footnoterule}{%
20817         \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
20818     \kern 2.6\p@}
20819 \renewcommand*\right@footnoterule{%
20820     \normalsize\ftn@rule@test@values
20821     \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
20822     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
20823     \nointerlineskip
20824     {\usekomafont{footnoterule}{%
20825         \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\
20826         \kern 2.6\p@}
20827 \renewcommand*\maketitle[1][1]{%
20828     \expandafter\ifnum \c@name scr@v@3.12\endcsname>\scr@compatibility\relax
20829     \else
20830         \def\and{%
20831             \end{tabular}%
20832             \hskip 1em \@plus.17fil%
20833             \begin{tabular}[t]{c}%
20834         }%
20835     \fi
20836     \if@titlepage
20837         \begin{titlepage}
20838             \setcounter{page}{%
20839                 #1%
20840             }%
20841             \if@titlepageiscoverpage
20842                 \edef\t@titlepage@restore{%
20843                     \noexpand\endgroup
20844                     \noexpand\global\noexpand\@colht\the\@colht
20845                     \noexpand\global\noexpand\@colroom\the\@colroom
20846                     \noexpand\global\vs@the\the\vs@the
20847                     \noexpand\global\noexpand\@titlepageiscoverpagefalse

```



```

20848         \noexpand\let\noexpand\titlename@restore\noexpand\relax
20849     }%
20850     \begingroup
20851     \topmargin=\dimexpr \coverpagetopmargin-1in\relax
20852     \oddsidemargin=\dimexpr \coverpageleftmargin-1in\relax
20853     \evensidemargin=\dimexpr \coverpageleftmargin-1in\relax
20854     \textwidth=\dimexpr
20855     \paperwidth-\coverpageleftmargin-\coverpagerightmargin\relax
20856     \textheight=\dimexpr
20857     \paperheight-\coverpagetopmargin-\coverpagebottommargin\relax
20858     \headheight=0pt
20859     \headsep=0pt
20860     \footskip=\baselineskip
20861     \@colht=\textheight
20862     \@colroom=\textheight
20863     \vsize=\textheight
20864     \columnwidth=\textwidth
20865     \hsize=\columnwidth
20866     \linewidth=\hsize
20867 \else
20868     \let\titlename@restore\relax
20869 \fi
20870 \let\footnotesize\small
20871 \let\right@footnoterule\relax
20872 \let\left@footnoterule\relax
20873 \let\textwidth@footnoterule\relax
20874 \let\footnote\thanks
20875 \let\LTRfootnote\LTRthanks
20876 \let\RTLfootnote\RTLthanks
20877 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
20878 \let\@oldmakefnmark\@makefnmark
20879 \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}%
20880 \ifx\@extratitle\@empty
20881     \ifx\@frontispiece\@empty
20882     \else
20883         \if@twoside\mbox{}\next@tpage\fi
20884         \noindent\@frontispiece\next@tdpage
20885     \fi
20886 \else
20887     \noindent\@extratitle
20888     \ifx\@frontispiece\@empty
20889     \else
20890         \next@tpage
20891         \noindent\@frontispiece
20892     \fi
20893     \next@tdpage
20894 \fi
20895 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
20896 \ifx\@titlehead\@empty \else
20897     \begin{minipage}[t]{\textwidth}%
20898         \usekomafont{titlehead}{\@titlehead\par}%
20899     \end{minipage}\par
20900 \fi
20901 \null\vfill

```




```

20902 \begin{center}
20903 \ifx\@subject\@empty \else
20904   {\usekomafont{subject}{\@subject\par}}%
20905   \vskip 3em
20906 \fi
20907 {\usekomafont{title}{\huge \@title\par}}%
20908 \vskip 1em
20909 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}{\@subtitle\par}\fi}%
20910 \vskip 2em
20911 {%
20912   \usekomafont{author}{%
20913     \lineskip 0.75em
20914     \begin{tabular}[t]{c}
20915       \@author
20916     \end{tabular}\par
20917   }%
20918 }%
20919 \vskip 1.5em
20920 {\usekomafont{date}{\@date \par}}%
20921 \vskip \z@ \@plus3fill
20922 {\usekomafont{publishers}{\@publishers \par}}%
20923 \vskip 3em
20924 \end{center}\par
20925 \@thanks\global\let\@thanks\@empty
20926 \vfill\null
20927 \if@twoside
20928   \@tempswatrue
20929   \expandafter\ifnum \@nameuse{scr@v@3.12}>\scr@compatibility\relax
20930   \else
20931     \ifx\@uppertitleback\@empty\ifx\@lowertitleback\@empty
20932       \@tempswafalse
20933     \fi\fi
20934   \fi
20935   \if@tempswa
20936     \next@tpage
20937     \begin{minipage}[t]{\textwidth}
20938       \@uppertitleback
20939     \end{minipage}\par
20940     \vfill
20941     \begin{minipage}[b]{\textwidth}
20942       \@lowertitleback
20943     \end{minipage}\par
20944     \@thanks\global\let\@thanks\@empty
20945   \fi
20946 \else
20947   \ifx\@uppertitleback\@empty\else
20948     \ClassWarning{\KOMAClassName}{%
20949       non empty \string\uppertitleback\space ignored
20950       by \string\maketitle\MessageBreak
20951       in `twoside=false' mode%
20952     }%
20953   \fi
20954   \ifx\@lowertitleback\@empty\else
20955     \ClassWarning{\KOMAClassName}{%

```



```

20956         non empty \string\lowertitleback\space ignored
20957         by \string\maketitle\MessageBreak
20958         in `twoside=false' mode%
20959     }%
20960 \fi
20961 \fi
20962 \ifx\@dedication\@empty
20963 \else
20964     \next@tdpage\null\vfill
20965     {\centering\usekomafont{dedication}{\@dedication \par}}%
20966     \vskip \z@ \@plus3fill
20967     \@thanks\global\let\@thanks\@empty
20968     \cleardoubleemptypage
20969 \fi
20970 \ifx\titlepage@restore\relax\else\clearpage\titlepage@restore\fi
20971 \end{titlepage}
20972 \else
20973 \par
20974 \@tempcnta=%
20975 #1%
20976 \relax\ifnum\@tempcnta=1\else
20977 \ClassWarning{\KOMAClassName}{%
20978     Optional argument of \string\maketitle\space ignored\MessageBreak
20979     in `titlepage=false' mode%
20980 }%
20981 \fi
20982 \ifx\@uppertitleback\@empty\else
20983 \ClassWarning{\KOMAClassName}{%
20984     non empty \string\uppertitleback\space ignored
20985     by \string\maketitle\MessageBreak
20986     in `titlepage=false' mode%
20987 }%
20988 \fi
20989 \ifx\@lowertitleback\@empty\else
20990 \ClassWarning{\KOMAClassName}{%
20991     non empty \string\lowertitleback\space ignored
20992     by \string\maketitle\MessageBreak
20993     in `titlepage=false' mode%
20994 }%
20995 \fi
20996 \begingroup
20997 \let\titlepage@restore\relax
20998 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
20999 \let\@oldmakefnmark\@makefnmark
21000 \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
21001 \next@tdpage
21002 \if@twocolumn
21003 \ifnum \col@number=\@one
21004 \ifx\@extratitle\@empty
21005 \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
21006 \else
21007 \@makeextratitle
21008 \fi
21009 \ifx\@frontispiece\@empty

```



```

21010         \ifx\@extratitle\@empty\else\next@tdpage\fi
21011     \else
21012         \next@tpage
21013         \@makefrontispiece
21014         \next@tdpage
21015     \fi
21016     \@maketitle
21017 \else
21018     \ifx\@extratitle\@empty
21019         \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
21020     \else
21021         \twocolumn[\@makeextratitle]%
21022     \fi
21023     \ifx\@frontispiece\@empty
21024         \ifx\@extratitle\@empty\else\next@tdpage\fi
21025     \else
21026         \next@tpage
21027         \twocolumn[\@makefrontispiece]%
21028         \next@tdpage
21029     \fi
21030     \twocolumn[\@maketitle]%
21031 \fi
21032 \else
21033     \ifx\@extratitle\@empty
21034         \ifx\@frontispiece\@empty\else \mbox{}\fi
21035     \else
21036         \@makeextratitle
21037     \fi
21038     \ifx\@frontispiece\@empty
21039         \ifx\@extratitle\@empty\else\next@tdpage\fi
21040     \else
21041         \next@tpage
21042         \@makefrontispiece
21043         \next@tdpage
21044     \fi
21045     \@maketitle
21046 \fi
21047     \ifx\titlepagestyle\@empty\else\thispagestyle{\titlepagestyle}\fi
21048     \@thanks\global\let\@thanks\@empty
21049 \endgroup
21050 \fi
21051 \setcounter{footnote}{0}%
21052 \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
21053     \let\thanks\relax
21054     \let\LTRthanks\relax
21055     \let\RTLthanks\relax
21056     \let\maketitle\relax
21057     \let\@maketitle\relax
21058     \global\let\@thanks\@empty
21059     \global\let\@author\@empty
21060     \global\let\@date\@empty
21061     \global\let\@title\@empty
21062     \global\let\@subtitle\@empty
21063     \global\let\@extratitle\@empty

```



```

21064 \global\let\@frontispiece\@empty
21065 \global\let\@titlehead\@empty
21066 \global\let\@subject\@empty
21067 \global\let\@publishers\@empty
21068 \global\let\@uppertitleback\@empty
21069 \global\let\@lowertitleback\@empty
21070 \global\let\@dedication\@empty
21071 \global\let\author\relax
21072 \global\let\title\relax
21073 \global\let\extratitle\relax
21074 \global\let\titlehead\relax
21075 \global\let\subject\relax
21076 \global\let\publishers\relax
21077 \global\let\uppertitleback\relax
21078 \global\let\lowertitleback\relax
21079 \global\let\dedication\relax
21080 \global\let\date\relax
21081 \fi
21082 \global\let\and\relax
21083 }%
21084 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
21085 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
21086 \renewcommand*\thesection{%
21087 \expandafter\ifnum\scr@v@is@gt{2.97d}%
21088 \if@mainmatter\thechapter\@SepMark\fi
21089 \else
21090 \thechapter\@SepMark%
21091 \fi
21092 \@arabic\c@section
21093 }
21094 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
21095 \renewcommand*{\thesubsubsection}{%
21096 \thesubsection\@SepMark\@arabic\c@subsubsection
21097 }
21098 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
21099 \renewcommand*{\thesubparagraph}{%
21100 \theparagraph\@SepMark\@arabic\c@subparagraph
21101 }
21102 \expandafter\ifnum\scr@v@is@le{2.97d}%
21103 \renewcommand*\thefigure{\thechapter\@SepMark\@arabic\c@figure}
21104 \fi
21105 \expandafter\ifnum\scr@v@is@le{2.97d}%
21106 \renewcommand*\thetable{\thechapter\@SepMark\@arabic\c@table}
21107 \fi
21108 \renewcommand*{\theequation}{%
21109 \expandafter\ifnum\scr@v@is@gt{2.97d}%
21110 \if@mainmatter\thechapter\@SepMark\fi
21111 \else
21112 \thechapter\@SepMark%
21113 \fi
21114 \@arabic\c@equation
21115 }
21116 \renewenvironment{thebibliography}[1]{%
21117 \if@bib@break@

```



```

21118 \bib@beginhook
21119 \else
21120 \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
21121 \setchapterpreamble{\bibpreamble}%
21122 \fi\fi
21123 \bib@heading
21124 \bib@beginhook
21125 \bib@before@hook
21126 \fi
21127 \renewcommand{\BreakBibliography}[1]{%
21128 \@bib@break
21129 \end{thebibliography}%
21130 \begingroup ##1\endgroup
21131 \begin{thebibliography}{#1}
21132 }%
21133 \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
21134 \bidi@thebibliography@font@hook%
21135 \list{%
21136 \@biblabel{\@arabic\c@enumiv}%
21137 }{%
21138 \settowidth\labelwidth{\@biblabel{#1}}%
21139 \leftmargin\labelwidth
21140 \advance\leftmargin\labelsep
21141 \@openbib@code
21142 \if@bib@break@
21143 \edef\@tempa{%
21144 \noexpand\usecounter{enumiv}%
21145 \noexpand\setcounter{enumiv}{\the\c@enumiv}%
21146 }\@tempa
21147 \no@bib@break
21148 \else
21149 \usecounter{enumiv}%
21150 \fi
21151 \let\p@enumiv\@empty
21152 \renewcommand*\theenumiv{\@arabic\c@enumiv}%
21153 }%
21154 \sloppy\clubpenalty4000 \widowpenalty4000
21155 \sfcode`\.\=\@m
21156 }{%
21157 \if@bib@break@
21158 \def\@noitemerr{%
21159 \@latex@warning{%
21160 \string\BreakBibliography\space at begin of `thebibliography'
21161 environment\MessageBreak
21162 or following \string\BreakBibliography}%
21163 }%
21164 \else
21165 \def\@noitemerr{%
21166 \@latex@warning{%
21167 Empty `thebibliography' environment or
21168 \string\BreakBibliography\MessageBreak
21169 before end of `thebibliography' environment}%
21170 }%
21171 \fi

```



```

21172 \endlist
21173 \if@bib@break@
21174 \else
21175   \bib@after@hook
21176   \let\bib@before@hook\@empty
21177   \let\bib@after@hook\@empty
21178 \fi
21179 \bib@endhook
21180 }
21181 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
21182 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
21183 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
21184 \renewcommand\marginline[1]{%
21185   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi}
21186 }
21187 \renewcommand{\@@makecaption}[3]{%
21188   \cap@margin
21189   \begingroup
21190     \ifonelinecaptions
21191       \def\stepcounter##1{\advance\value{##1}\@one}%
21192       \let\refstepcounter\stepcounter
21193       \let\label\@gobble
21194       \let\@footnotetext=\@gobble
21195       \let\@LTRfootnotetext=\@gobble
21196       \let\@RTLfootnotetext=\@gobble
21197       \let\hypertarget\@gobbletwo
21198       \edef\xnewline{%
21199         \unexpanded{\ClassInfo{\KOMAClassName}{%
21200           Workaround for not recommended usage of \string\\ or\MessageBreak
21201           \string\newline in caption text
21202         }}%
21203         \hspace*{\linewidth}\hspace{1sp}%
21204       }%
21205       \unexpanded\expandafter{\xnewline}%
21206     }%
21207     \edef\xcentercr{%
21208       \unexpanded{\ClassInfo{\KOMAClassName}{%
21209         Workaround for not recommended usage of \string\\ or\MessageBreak
21210         \string\newline in caption text
21211       }}%
21212       \hspace*{\linewidth}\hspace{1sp}%
21213     }%
21214     \unexpanded\expandafter{\xcentercr}%
21215   }%
21216   \settowidth{\@tempdima}{\scr@makesinglelinecaption{#1}{#2}{#3}}%
21217   \ifdim\@tempdima>\cap@width
21218     \aftergroup\scr@makemultilinecaption
21219   \else
21220     \aftergroup\scr@makesinglelinecaption
21221   \fi
21222 \else
21223   \aftergroup\scr@makemultilinecaption
21224 \fi
21225 \endgroup

```



```

21226   {#1}{#2}{#3}%
21227 }
21228 \renewcommand{\scr@makesinglelinecaption}[3]{%
21229   {%
21230     \usefontofkomafont{caption}{%
21231       \hb@xt@{\hsize{%
21232         \cap@left
21233         \if@RTL
21234           \beginR
21235           \fi
21236         \scr@@makesinglelinecaption{#1}{#2}{#3}%
21237         \if@RTL
21238         \endR
21239         \fi
21240         \cap@right
21241       }\par\kern\dp\strutbox%
21242     }%
21243   }\kern-\dp\strutbox
21244 }
21245 \renewcommand{\@makecaption}[2]{%
21246   \if@captionabove
21247     \vskip\belowcaptionskip
21248   \else
21249     \vskip\abovecaptionskip
21250   \fi
21251   \@makecaption\@firstofone{#1}{#2}%
21252   \if@captionabove
21253     \vskip\abovecaptionskip
21254   \else
21255     \vskip\belowcaptionskip
21256   \fi
21257 }
21258
21259 \renewcommand{\scr@makesinglelinecaption}[3]{%
21260   {\usekomafont{caption}{\strut\ignorespaces
21261     #1{\usekomafont{captionlabel}{#2\captionformat}}}%
21262   \ignorespaces #3\unskip}}%
21263 }
21264
21265 \renewcommand{\scr@makemultilinecaption}[3]{%
21266   {%
21267     \usefontofkomafont{caption}{%
21268       \hb@xt@{\hsize{%
21269         \cap@left
21270         \vbox{\hsize\cap@width\linewidth\hsize
21271           \scr@ifundefinedorrelax{@capttype}{%
21272             \ClassWarning{\KOMAClassName}{%
21273               `\'string\caption' outside float.\MessageBreak
21274               Seems you are using `\'string\caption' outside a
21275               float.\MessageBreak
21276               Maybe you are using a package that uses
21277               `\'string\@makecaption'\MessageBreak
21278               without setting `\'string\@capttype' before.\MessageBreak
21279               Because I cannot detect the caption type, I'm using\MessageBreak

```



```

21280         the empty one.%
21281     }%
21282     \let\@captype\@empty
21283 }{}%
21284 \scr@ifundefinedorrelax{ragged\@captype caption}{\raggedcaption}{%
21285     \@nameuse{ragged\@captype caption}%
21286 }%
21287 \ifdofullc@p
21288     \@hangfrom{%
21289         \strut
21290         \scr@smashdp{%
21291             #1{%
21292                 \usekomafont{caption}{%
21293                     \usekomafont{captionlabel}{#2\captionformat}%
21294                 }%
21295             }%
21296         }%
21297     }%
21298     {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
21299 \else
21300     \ifdim\cap@indent<\z@
21301         \strut
21302         #1{%
21303             {\usekomafont{caption}{%
21304                 \usekomafont{captionlabel}{#2\captionformat}%
21305             }%
21306         }\par}%
21307         \noindent{{\usekomafont{caption}{%
21308             \hspace*{-\cap@indent}#3\scr@endstrut
21309         }}\par}%
21310     \else
21311         \if@capbreak
21312             \strut
21313             #1{%
21314                 {\usekomafont{caption}{%
21315                     \usekomafont{captionlabel}{#2\captionformat}%
21316                 }
21317             }\par}%
21318             \noindent\@hangfrom{\hspace*{\cap@indent}}%
21319             {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
21320         \else
21321             \@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
21322             {%
21323                 \hspace{-\cap@indent}%
21324                 \scr@smashdp{%
21325                     #1{\usekomafont{caption}{%
21326                         \usekomafont{captionlabel}{#2\captionformat}%
21327                     }%
21328                 }%
21329             }%
21330             {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
21331         }%
21332     \fi
21333 \fi

```




```

21334         \fi
21335     }%
21336     \cap@right
21337   }\par\kern\dp\strutbox
21338 }%
21339 }\kern-\dp\strutbox
21340 }
21341
21342
21343 \bidi@AfterFile{longtable-xetex-bidi.def}{%
21344   \if@komalongtable
21345     \renewcommand{\LT@makecaption}[3]{%
21346       \LT@mc@col\LT@cols c{%
21347         \hbox to\z@{\hss\parbox[t]{\linewidth{%
21348           \if@captionabove\else\vskip\belowcaptionskip\fi
21349           \@makecaption{#1}{#2}{#3}%
21350           \endgraf
21351           \if@captionabove\vskip\abovecaptionskip\fi
21352         }}%
21353         \hss
21354       }%
21355     }%
21356   }%
21357   \renewcommand*{\scr@LT@array}{}%
21358   \let\scr@LT@array=\LT@array
21359   \renewcommand*{\LT@array}{%
21360     \def\@capttype{table}%
21361     \@ifundefined{LTcapttype}{%}{%
21362       \Ifstr{\LTcapttype}{%}{\let\@capttype\LTcapttype}%
21363     }%
21364     \csname tocbasic_if_caption_above:TF\endcsname
21365     {\@captionabovetrue}{\@captionabovefalse}%
21366     \def\captionabove{\noalign{\global\@captionabovetrue}%
21367       \LT@caption}%
21368     \def\captionbelow{\noalign{\global\@captionabovefalse}%
21369       \LT@caption}%
21370     \scr@LT@array
21371   }%
21372   \ClassInfo{\KOMAClassName}{%
21373     longtable captions redefined%
21374   }%
21375   \fi
21376 }
21377
21378 \CloneTOCEntryStyle{tocline}{part}
21379 \TOCEntryStyleStartInitCode{part}{%
21380   \expandafter\renewcommand%
21381   \csname scr@tso@#1@linefill\endcsname{\hfill}%
21382   \expandafter\renewcommand%
21383   \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
21384   \expandafter\renewcommand%
21385   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
21386     {\usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
21387   \expandafter\renewcommand\expandafter*%

```



```

21388 \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
21389 }
21390
21391 \CloneTOCEntryStyle{tocline}{chapter}
21392 \TOCEntryStyleStartInitCode{chapter}{%
21393 \expandafter\renewcommand%
21394 \csname scr@tso@#1@linefill\endcsname{%
21395 \if@chapterentrywithdots
21396 {\usekomafont{chapterentrydots}{\TOCLineLeaderFill}}\relax
21397 \else
21398 \hfill
21399 \fi
21400 }%
21401 \expandafter\renewcommand%
21402 \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
21403 \expandafter\renewcommand%
21404 \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
21405 {\usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
21406 \expandafter\renewcommand\expandafter*%
21407 \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
21408 }
21409
21410 \CloneTOCEntryStyle{tocline}{section}
21411 \TOCEntryStyleStartInitCode{section}{%
21412 \expandafter\renewcommand%
21413 \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
21414 \expandafter\renewcommand%
21415 \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
21416 {\normalfont\normalcolor ##1}}%
21417 }
21418
21419 \CloneTOCEntryStyle{section}{default}
21420
21421 \DeclareSectionCommand[%
21422 style=chapter,%
21423 level=\z@,%
21424 pagestyle=plain,%
21425 tocstyle=chapter,%
21426 tocindent=\z@,%
21427 tocnumwidth=1.5em%
21428 ]{chapter}
21429 \DeclareSectionCommand[%
21430 style=section,%
21431 level=1,%
21432 indent=\z@,%
21433 beforekip=-3.5ex \@plus -1ex \@minus -.2ex,%
21434 afterskip=2.3ex \@plus.2ex,%
21435 tocstyle=section,%
21436 tocindentfollows=chapter,%
21437 tocindent=1.5em,%
21438 tocnumwidth=2.3em%
21439 ]{section}
21440 \DeclareSectionCommand[%
21441 style=part,%

```



```

21442 level=\m@ne,%
21443 pagestyle=plain,%
21444 tocstyle=part,%
21445 toplevel=\m@ne,%
21446 tocindent=\z@,%
21447 tocnumwidth=2em%
21448 ]{part}
21449 \DeclareSectionCommand[%
21450 style=section,%
21451 level=2,%
21452 indent=\z@,%
21453 beforekip=-3.25ex\@plus -1ex \@minus -.2ex,%
21454 afterskip=1.5ex \@plus .2ex,%
21455 tocstyle=section,%
21456 tocindent=3.8em,%
21457 tocnumwidth=3.2em%
21458 ]{subsection}
21459 \DeclareSectionCommand[%
21460 style=section,%
21461 level=3,%
21462 indent=\z@,%
21463 beforekip=-3.25ex\@plus -1ex \@minus -.2ex,%
21464 afterskip=1.5ex \@plus .2ex,%
21465 tocstyle=section,%
21466 tocindent=7.0em,%
21467 tocnumwidth=4.1em%
21468 ]{subsubsection}
21469 \DeclareSectionCommand[%
21470 style=section,%
21471 level=4,%
21472 indent=\z@,%
21473 beforekip=3.25ex \@plus 1ex \@minus .2ex,%
21474 afterskip=-1em,%
21475 tocindentfollows=subsubsection,%
21476 tocstyle=section,%
21477 tocindent=10em,%
21478 tocnumwidth=5em%
21479 ]{paragraph}
21480 \DeclareSectionCommand[%
21481 style=section,%
21482 level=5,%
21483 indent=\scr@parindent,%
21484 beforekip=3.25ex \@plus 1ex \@minus .2ex,%
21485 afterskip=-1em,%
21486 tocstyle=section,%
21487 tocindent=12em,%
21488 tocnumwidth=6em%
21489 ]{subparagraph}

```

144 File `scrreprt-xetex-bidi.def`

```

21490 \ProvidesFile{scrreprt-xetex-bidi.def}[2025/09/30 v1.5 bidi adaptations for scrreprt class f
21491 \newcommand{\scr@saved@LTRfootnotetext}{}
21492 \newcommand{\scr@saved@RTLfootnotetext}{}

```



```

21493 \let\scr@saved@footnotetext\@footnotetext
21494 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
21495 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
21496 \renewcommand{\@footnotetext}[1]{%
21497   \scr@saved@footnotetext{#1}%
21498   \csname FN@mfb@prepare\endcsname
21499 }
21500 \renewcommand{\@LTRfootnotetext}[1]{%
21501   \scr@saved@LTRfootnotetext{#1}%
21502   \csname FN@mfb@prepare\endcsname
21503 }
21504 \renewcommand{\@RTLfootnotetext}[1]{%
21505   \scr@saved@RTLfootnotetext{#1}%
21506   \csname FN@mfb@prepare\endcsname
21507 }
21508 \renewcommand\deffootnote[4][1]{%
21509   \expandafter\ifnum\scr@v@is@ge{3.22}\relax
21510     \long\def\@makefnmark##1{%
21511       \ExecuteDoHook{footnote/text/begin}%
21512       \raggedfootnote
21513       \if@RTL
21514         \rightskip
21515       \else
21516         \leftskip
21517       \fi
21518       #2
21519       \l@addto@macro\@trivlist{%
21520         \ifnum\@listdepth=\@ne
21521           \if@RTL
21522             \advance\rightmargin #2\relax
21523           \else
21524             \advance\leftmargin #2\relax
21525           \fi
21526         \fi
21527       }%
21528       \parindent #3\noindent
21529       \IfArgIsEmpty{#1}{-}{%
21530         \hskip \dimexpr #1-#2\relax
21531       }%
21532       \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
21533       \ExecuteDoHook{footnote/text/end}%
21534     }%
21535   \else
21536     \ClassInfo{\KOMAClassName}{%
21537       Using old \string\@makefnmark\space due to compatibility
21538       level\MessageBreak
21539       less than 3.22}%
21540     \long\def\@makefnmark##1{%
21541       \setlength{\@tempdimc}{#3}%
21542       \def\@tempa{#1}\ifx\@tempa\@empty
21543         \@setpar{\@@par
21544           \@tempdima = \hsize
21545           \addtolength{\@tempdima}{-#2}%
21546           \if@RTL

```



```

21547         \parshape \@ne \z@ \@tempdima
21548     \else
21549         \parshape \@ne #2 \@tempdima
21550     \fi
21551 }%
21552 \else
21553     \addtolength{\@tempdimc}{#2}%
21554     \addtolength{\@tempdimc}{-#1}%
21555     \@setpar{\@par
21556         \@tempdima = \hsize
21557         \addtolength{\@tempdima}{-#1}%
21558         \@tempdimb = \hsize
21559         \addtolength{\@tempdimb}{-#2}%
21560         \ifRTL
21561             \parshape \tw@ \z@ \@tempdima \z@ \@tempdimb
21562         \else
21563             \parshape \tw@ #1 \@tempdima #2 \@tempdimb
21564         \fi
21565     }%
21566 \fi
21567 \par
21568 \parindent\@tempdimc\noindent
21569 \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
21570 }%
21571 \fi
21572 \def\@makefnmark{\hbox{\ftn@font{#4}}}%
21573 }
21574 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
21575 \renewcommand*\left@footnoterule{%
21576     \normalsize\ftn@rule@test@values
21577     \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
21578     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
21579     {\usekomafont{footnoterule}{%
21580         \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
21581     \kern 2.6\p@}
21582 \renewcommand*\right@footnoterule{%
21583     \normalsize\ftn@rule@test@values
21584     \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
21585     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
21586     \nointerlineskip
21587     {\usekomafont{footnoterule}{%
21588         \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\
21589         \kern 2.6\p@}
21590     \renewcommand*\maketitle[1][1]{%
21591         \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
21592     \else
21593         \def\and{%
21594             \end{tabular}%
21595             \hskip 1em \@plus.17fil%
21596             \begin{tabular}[t]{c}%
21597         }%
21598     \fi
21599     \if@titlepage
21600         \begin{titlepage}

```



```

21601 \setcounter{page}{%
21602 #1%
21603 }%
21604 \if@titlepageiscoverpage
21605 \edef\titlepage@restore{%
21606 \noexpand\endgroup
21607 \noexpand\global\noexpand\@colht\the\@colht
21608 \noexpand\global\noexpand\@colroom\the\@colroom
21609 \noexpand\global\size\the\size
21610 \noexpand\global\noexpand\@titlepageiscoverpagefalse
21611 \noexpand\let\noexpand\titlepage@restore\noexpand\relax
21612 }%
21613 \begingroup
21614 \topmargin=\dimexpr \coverpagetopmargin-1in\relax
21615 \oddsidemargin=\dimexpr \coverpageleftmargin-1in\relax
21616 \evensidemargin=\dimexpr \coverpageleftmargin-1in\relax
21617 \textwidth=\dimexpr
21618 \paperwidth-\coverpageleftmargin-\coverpagerightmargin\relax
21619 \textheight=\dimexpr
21620 \paperheight-\coverpagetopmargin-\coverpagebottommargin\relax
21621 \headheight=0pt
21622 \headsep=0pt
21623 \footskip=\baselineskip
21624 \@colht=\textheight
21625 \@colroom=\textheight
21626 \size=\textheight
21627 \columnwidth=\textwidth
21628 \hsize=\columnwidth
21629 \linewidth=\hsize
21630 \else
21631 \let\titlepage@restore\relax
21632 \fi
21633 \let\footnotesize\small
21634 \let\right@footnoterule\relax
21635 \let\left@footnoterule\relax
21636 \let\textwidth@footnoterule\relax
21637 \let\footnote\thanks
21638 \let\LTRfootnote\LTRthanks
21639 \let\RTLfootnote\RTLthanks
21640 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
21641 \let\@oldmakefnmark\@makefnmark
21642 \renewcommand*{\@makefnmark}{\rlap{\@oldmakefnmark}}%
21643 \ifx\@extratitle\@empty
21644 \ifx\@frontispiece\@empty
21645 \else
21646 \if@twoside\mbox{}\next@tpage\fi
21647 \noindent\@frontispiece\next@tdpage
21648 \fi
21649 \else
21650 \noindent\@extratitle
21651 \ifx\@frontispiece\@empty
21652 \else
21653 \next@tpage
21654 \noindent\@frontispiece

```



```

21655     \fi
21656     \next@tdpage
21657 \fi
21658 \setparsizes{\z@}{\z@}{\z@ \@plus 1fil}\par@updateerelative
21659 \ifx\@titlehead\@empty \else
21660     \begin{minipage}[t]{\textwidth}%
21661         \usekomafont{titlehead}{\@titlehead\par}%
21662     \end{minipage}\par
21663 \fi
21664 \null\vfill
21665 \begin{center}
21666     \ifx\@subject\@empty \else
21667         {\usekomafont{subject}{\@subject\par}}%
21668         \vskip 3em
21669     \fi
21670     {\usekomafont{title}{\huge \@title\par}}%
21671     \vskip 1em
21672     {\ifx\@subtitle\@empty\else\usekomafont{subtitle}{\@subtitle\par}\fi}%
21673     \vskip 2em
21674     {%
21675         \usekomafont{author}{%
21676             \lineskip 0.75em
21677             \begin{tabular}[t]{c}
21678                 \@author
21679             \end{tabular}\par
21680         }%
21681     }%
21682     \vskip 1.5em
21683     {\usekomafont{date}{\@date \par}}%
21684     \vskip \z@ \@plus3fill
21685     {\usekomafont{publishers}{\@publishers \par}}%
21686     \vskip 3em
21687 \end{center}\par
21688 \@thanks\global\let\@thanks\@empty
21689 \vfill\null
21690 \if@twoside
21691     \@tempswatrue
21692     \expandafter\ifnum \@nameuse{scr@v03.12}>\scr@compatibility\relax
21693 \else
21694     \ifx\@uppertitleback\@empty\ifx\@lowertitleback\@empty
21695         \@tempswafalse
21696     \fi\fi
21697 \fi
21698 \if@tempswa
21699     \next@tpage
21700     \begin{minipage}[t]{\textwidth}
21701         \@uppertitleback
21702     \end{minipage}\par
21703     \vfill
21704     \begin{minipage}[b]{\textwidth}
21705         \@lowertitleback
21706     \end{minipage}\par
21707     \@thanks\global\let\@thanks\@empty
21708 \fi

```



```

21709 \else
21710 \ifx\@uppertitleback\@empty\else
21711 \ClassWarning{\KOMAClassName}{%
21712 non empty \string\uppertitleback\space ignored
21713 by \string\maketitle\MessageBreak
21714 in `twoside=false' mode%
21715 }%
21716 \fi
21717 \ifx\@lowertitleback\@empty\else
21718 \ClassWarning{\KOMAClassName}{%
21719 non empty \string\lowertitleback\space ignored
21720 by \string\maketitle\MessageBreak
21721 in `twoside=false' mode%
21722 }%
21723 \fi
21724 \fi
21725 \ifx\@dedication\@empty
21726 \else
21727 \next@tdpage\null\vfill
21728 {\centering\usekomafont{dedication}{\@dedication \par}}%
21729 \vskip \z@ \@plus3fill
21730 \@thanks\global\let\@thanks\@empty
21731 \cleardoubleemptypage
21732 \fi
21733 \ifx\titlepage@restore\relax\else\clearpage\titlepage@restore\fi
21734 \end{titlepage}
21735 \else
21736 \par
21737 \@tempcnta=%
21738 #1%
21739 \relax\ifnum\@tempcnta=1\else
21740 \ClassWarning{\KOMAClassName}{%
21741 Optional argument of \string\maketitle\space ignored\MessageBreak
21742 in `titlepage=false' mode%
21743 }%
21744 \fi
21745 \ifx\@uppertitleback\@empty\else
21746 \ClassWarning{\KOMAClassName}{%
21747 non empty \string\uppertitleback\space ignored
21748 by \string\maketitle\MessageBreak
21749 in `titlepage=false' mode%
21750 }%
21751 \fi
21752 \ifx\@lowertitleback\@empty\else
21753 \ClassWarning{\KOMAClassName}{%
21754 non empty \string\lowertitleback\space ignored
21755 by \string\maketitle\MessageBreak
21756 in `titlepage=false' mode%
21757 }%
21758 \fi
21759 \begingroup
21760 \let\titlepage@restore\relax
21761 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
21762 \let\@oldmakefnmark\@makefnmark

```




```

21763 \renewcommand*{\@makefnmark}{\rlap{\@oldmakefnmark}}%
21764 \next@tdpage
21765 \if@twocolumn
21766 \ifnum \col@number=\@ne
21767 \ifx\@extratitle\@empty
21768 \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
21769 \else
21770 \@makeextratitle
21771 \fi
21772 \ifx\@frontispiece\@empty
21773 \ifx\@extratitle\@empty\else\next@tdpage\fi
21774 \else
21775 \next@tpage
21776 \@makefrontispiece
21777 \next@tdpage
21778 \fi
21779 \@maketitle
21780 \else
21781 \ifx\@extratitle\@empty
21782 \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
21783 \else
21784 \twocolumn[\@makeextratitle]%
21785 \fi
21786 \ifx\@frontispiece\@empty
21787 \ifx\@extratitle\@empty\else\next@tdpage\fi
21788 \else
21789 \next@tpage
21790 \twocolumn[\@makefrontispiece]%
21791 \next@tdpage
21792 \fi
21793 \twocolumn[\@maketitle]%
21794 \fi
21795 \else
21796 \ifx\@extratitle\@empty
21797 \ifx\@frontispiece\@empty\else \mbox{}\fi
21798 \else
21799 \@makeextratitle
21800 \fi
21801 \ifx\@frontispiece\@empty
21802 \ifx\@extratitle\@empty\else\next@tdpage\fi
21803 \else
21804 \next@tpage
21805 \@makefrontispiece
21806 \next@tdpage
21807 \fi
21808 \@maketitle
21809 \fi
21810 \ifx\titlepagestyle\@empty\else\thispagestyle{\titlepagestyle}\fi
21811 \@thanks\global\let\@thanks\@empty
21812 \endgroup
21813 \fi
21814 \setcounter{footnote}{0}%
21815 \expandafter\ifnum \c@name scr@v3.12\endcsname>\scr@compatibility\relax
21816 \let\thanks\relax

```



```

21817 \let\LTRthanks\relax
21818 \let\RTLthanks\relax
21819 \let\maketitle\relax
21820 \let\@maketitle\relax
21821 \global\let\@thanks\@empty
21822 \global\let\@author\@empty
21823 \global\let\@date\@empty
21824 \global\let\@title\@empty
21825 \global\let\@subtitle\@empty
21826 \global\let\@extratitle\@empty
21827 \global\let\@frontispiece\@empty
21828 \global\let\@titlehead\@empty
21829 \global\let\@subject\@empty
21830 \global\let\@publishers\@empty
21831 \global\let\@uppertitleback\@empty
21832 \global\let\@lowertitleback\@empty
21833 \global\let\@dedication\@empty
21834 \global\let\author\relax
21835 \global\let\title\relax
21836 \global\let\extratitle\relax
21837 \global\let\titlehead\relax
21838 \global\let\subject\relax
21839 \global\let\publishers\relax
21840 \global\let\uppertitleback\relax
21841 \global\let\lowertitleback\relax
21842 \global\let\dedication\relax
21843 \global\let\date\relax
21844 \fi
21845 \global\let\and\relax
21846 }%
21847 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
21848 \renewcommand*{\autodot}{\if@altsecnumformat\@SepMark\fi}
21849 \renewcommand*{\thesection}{%
21850 \thechapter\@SepMark%
21851 \@arabic\c@section
21852 }
21853 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
21854 \renewcommand*{\thesubsubsection}{%
21855 \thesubsection\@SepMark\@arabic\c@subsubsection
21856 }
21857 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
21858 \renewcommand*{\thesubparagraph}{%
21859 \theparagraph\@SepMark\@arabic\c@subparagraph
21860 }
21861 \expandafter\ifnum\scr@v@is@le{2.97d}%
21862 \renewcommand*{\thefigure}{\thechapter\@SepMark\@arabic\c@figure}
21863 \fi
21864 \expandafter\ifnum\scr@v@is@le{2.97d}%
21865 \renewcommand*{\thetable}{\thechapter\@SepMark\@arabic\c@table}
21866 \fi
21867 \renewcommand*{\theequation}{%
21868 \thechapter\@SepMark%
21869 \@arabic\c@equation
21870 }

```



```

21871 \renewenvironment{thebibliography}[1]{%
21872   \if@bib@break@
21873     \bib@beginhook
21874   \else
21875     \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
21876       \setchapterpreamble{\bibpreamble}%
21877     \fi\fi
21878     \bib@heading
21879     \bib@beginhook
21880     \bib@before@hook
21881   \fi
21882 \renewcommand{\BreakBibliography}[1]{%
21883   \@bib@break
21884   \end{thebibliography}%
21885   \begingroup ##1\endgroup
21886   \begin{thebibliography}{#1}
21887 }%
21888 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
21889 \bidi@thebibliography@font@hook%
21890 \list{%
21891   \@biblabel{\@arabic\c@enumiv}%
21892 }{%
21893   \settowidth\labelwidth{\@biblabel{#1}}%
21894   \leftmargin\labelwidth
21895   \advance\leftmargin\labelsep
21896   \@openbib@code
21897   \if@bib@break@
21898     \edef\@tempa{%
21899       \noexpand\usecounter{enumiv}%
21900       \noexpand\setcounter{enumiv}{\the\c@enumiv}%
21901     }\@tempa
21902     \no@bib@break
21903   \else
21904     \usecounter{enumiv}%
21905   \fi
21906   \let\p@enumiv\@empty
21907   \renewcommand*\theenumiv{\@arabic\c@enumiv}%
21908 }%
21909 \sloppy\clubpenalty4000 \widowpenalty4000
21910 \sfcode`\.=\@m
21911 }{%
21912 \if@bib@break@
21913   \def\@noitemerr{%
21914     \@latex@warning{%
21915       \string\BreakBibliography\space at begin of `thebibliography'
21916       environment\MessageBreak
21917       or following \string\BreakBibliography}%
21918   }%
21919 \else
21920   \def\@noitemerr{%
21921     \@latex@warning{%
21922       Empty `thebibliography' environment or
21923       \string\BreakBibliography\MessageBreak
21924       before end of `thebibliography' environment}%

```



```

21925     }%
21926 \fi
21927 \endlist
21928 \if@bib@break@
21929 \else
21930     \bib@after@hook
21931     \let\bib@before@hook\@empty
21932     \let\bib@after@hook\@empty
21933 \fi
21934 \bib@endhook
21935 }
21936 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
21937 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
21938 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
21939 \renewcommand\marginline[1]{%
21940     \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi{#1}}
21941 }
21942 \renewcommand{\@makecaption}[3]{%
21943     \cap@margin
21944     \begingroup
21945         \ifonelinecaptions
21946             \def\stepcounter##1{\advance\value{##1}\@ne}%
21947             \let\refstepcounter\stepcounter
21948             \let\label\@gobble
21949             \let\@footnotetext=\@gobble
21950             \let\@LTRfootnotetext=\@gobble
21951             \let\@RTLfootnotetext=\@gobble
21952             \let\hypertarget\@gobbletwo
21953             \edef\@xnewline{%
21954                 \unexpanded{\ClassInfo{\KOMAClassName}}{%
21955                     Workaround for not recommended usage of \string\\ or\MessageBreak
21956                     \string\newline in caption text
21957                 }%
21958                 \hspace*{\linewidth}\hspace{1sp}%
21959             }%
21960             \unexpanded\expandafter{\@xnewline}%
21961         }%
21962         \edef\@xcentercr{%
21963             \unexpanded{\ClassInfo{\KOMAClassName}}{%
21964                 Workaround for not recommended usage of \string\\ or\MessageBreak
21965                 \string\newline in caption text
21966             }%
21967             \hspace*{\linewidth}\hspace{1sp}%
21968         }%
21969         \unexpanded\expandafter{\@xcentercr}%
21970     }%
21971     \settowidth{\@tempdima}{\scr@makesinglelinecaption{#1}{#2}{#3}}%
21972     \ifdim\@tempdima>\cap@width
21973         \aftergroup\scr@makemultilinecaption
21974     \else
21975         \aftergroup\scr@makesinglelinecaption
21976     \fi
21977 \else
21978     \aftergroup\scr@makemultilinecaption

```



```

21979 \fi
21980 \endgroup
21981 {#1}{#2}{#3}%
21982 }
21983 \renewcommand{\scr@makesinglelinecaption}[3]{%
21984 {%
21985 \usefontofkomafont{caption}{%
21986 \hb@xt@{hsize}{%
21987 \cap@left
21988 \if@RTL
21989 \beginR
21990 \fi
21991 \scr@makesinglelinecaption{#1}{#2}{#3}%
21992 \if@RTL
21993 \endR
21994 \fi
21995 \cap@right
21996 } \par \kern \dp \strutbox%
21997 }%
21998 } \kern - \dp \strutbox
21999 }
22000 \renewcommand{\@makecaption}[2]{%
22001 \if@captionabove
22002 \vskip\belowcaptionskip
22003 \else
22004 \vskip\abovecaptionskip
22005 \fi
22006 \@makecaption\@firstofone{#1}{#2}%
22007 \if@captionabove
22008 \vskip\abovecaptionskip
22009 \else
22010 \vskip\belowcaptionskip
22011 \fi
22012 }
22013
22014 \renewcommand{\scr@makesinglelinecaption}[3]{%
22015 {\usekomafont{caption}{\strut\ignorespaces
22016 #1{\usekomafont{captionlabel}{#2\captionformat}}}%
22017 \ignorespaces #3\unskip}}%
22018 }
22019
22020 \renewcommand{\scr@makemultilinecaption}[3]{%
22021 {%
22022 \usefontofkomafont{caption}{%
22023 \hb@xt@{hsize}{%
22024 \cap@left
22025 \vbox{\hsize\cap@width\linewidth\hsize
22026 \scr@ifundefinedorrelax{@capttype}{%
22027 \ClassWarning{\KOMAClassName}{%
22028 \string\caption' outside float.\MessageBreak
22029 Seems you are using \string\caption' outside a
22030 float.\MessageBreak
22031 Maybe you are using a package that uses
22032 \string\@makecaption'\MessageBreak

```



```

22033         without setting '\string\@captype' before.\MessageBreak
22034         Because I cannot detect the caption type, I'm using\MessageBreak
22035         the empty one.%
22036     }%
22037     \let\@captype\@empty
22038 }{}%
22039 \scr@ifundefinedorrelax{ragged\@captype caption}{\raggedcaption}{%
22040     \@nameuse{ragged\@captype caption}%
22041 }%
22042 \ifdofullc@p
22043     \@hangfrom{%
22044         \strut
22045         \scr@smashdp{%
22046             #1{%
22047                 \usekomafont{caption}{%
22048                     \usekomafont{captionlabel}{#2\captionformat}%
22049                 }%
22050             }%
22051         }%
22052     }%
22053     {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
22054 \else
22055     \ifdim\cap@indent<\z@
22056         \strut
22057         #1{%
22058             {\usekomafont{caption}{%
22059                 \usekomafont{captionlabel}{#2\captionformat}%
22060             }%
22061         }\par}%
22062         \noindent{{\usekomafont{caption}{%
22063             \hspace*{-\cap@indent}#3\scr@endstrut
22064         }}\par}%
22065     \else
22066         \if@capbreak
22067             \strut
22068             #1{%
22069                 {\usekomafont{caption}{%
22070                     \usekomafont{captionlabel}{#2\captionformat}%
22071                 }%
22072             }\par}%
22073             \noindent\@hangfrom{\hspace*{\cap@indent}}%
22074             {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
22075         \else
22076             \@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
22077             {%
22078                 \hspace{-\cap@indent}%
22079                 \scr@smashdp{%
22080                     #1{\usekomafont{caption}{%
22081                         \usekomafont{captionlabel}{#2\captionformat}%
22082                     }%
22083                 }%
22084             }%
22085             {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
22086         }%

```



```

22087         \fi
22088     \fi
22089 \fi
22090 }%
22091 \cap@right
22092 }\par\kern\dp\strutbox
22093 }%
22094 }\kern-\dp\strutbox
22095 }
22096
22097
22098 \bidi@AfterFile{longtable-xetex-bidi.def}{%
22099 \if@komalongtable
22100 \renewcommand{\LT@makecaption}[3]{%
22101 \LT@mc@col\LT@cols c{%
22102 \hbox to\z@{\hss\parbox[t]{\linewidth{%
22103 \if@captionabove\else\vskip\belowcaptionskip\fi
22104 \@makecaption{#1}{#2}{#3}%
22105 \endgraf
22106 \if@captionabove\vskip\abovecaptionskip\fi
22107 }%
22108 \hss
22109 }%
22110 }%
22111 }%
22112 \renewcommand*\scr@LT@array{}{}%
22113 \let\scr@LT@array=\LT@array
22114 \renewcommand*\LT@array{%
22115 \def\@capttype{table}%
22116 \@ifundefined{LTcapttype}{}{}%
22117 \Ifstr{\LTcapttype}{}{}{\let\@capttype\LTcapttype}%
22118 }%
22119 \csname tocbasic_if_caption_above:TF\endcsname
22120 {\@captionabovetrue}{\@captionabovetrue}%
22121 \def\captionabove{\noalign{\global\@captionabovetrue}%
22122 \LT@caption}%
22123 \def\captionbelow{\noalign{\global\@captionabovetrue}%
22124 \LT@caption}%
22125 \scr@LT@array
22126 }%
22127 \ClassInfo{\KOMAClassName}{%
22128 longtable captions redefined%
22129 }%
22130 \fi
22131 }
22132
22133 \CloneTOCEntryStyle{tocline}{part}
22134 \TOCEntryStyleStartInitCode{part}{%
22135 \expandafter\renewcommand%
22136 \csname scr@tso@#1@linefill\endcsname{\hfill}%
22137 \expandafter\renewcommand%
22138 \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
22139 \expandafter\renewcommand%
22140 \csname scr@tso@#1@pagenumberformat\endcsname[1]{%

```



```

22141     {\usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
22142 \expandafter\renewcommand\expandafter*%
22143 \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
22144 }
22145
22146 \CloneTOCEntryStyle{tocline}{chapter}
22147 \TOCEntryStyleStartInitCode{chapter}{%
22148 \expandafter\renewcommand%
22149 \csname scr@tso@#1@linefill\endcsname{%
22150 \if@chapterentrywithdots
22151 {\usekomafont{chapterentrydots}{\TOCLineLeaderFill}}\relax
22152 \else
22153 \hfill
22154 \fi
22155 }%
22156 \expandafter\renewcommand%
22157 \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
22158 \expandafter\renewcommand%
22159 \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
22160 {\usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
22161 \expandafter\renewcommand\expandafter*%
22162 \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
22163 }
22164
22165 \CloneTOCEntryStyle{tocline}{section}
22166 \TOCEntryStyleStartInitCode{section}{%
22167 \expandafter\renewcommand%
22168 \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
22169 \expandafter\renewcommand%
22170 \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
22171 {\normalfont\normalcolor ##1}}%
22172 }
22173
22174 \CloneTOCEntryStyle{section}{default}
22175
22176 \DeclareSectionCommand[%
22177 style=chapter,%
22178 level=\z@,%
22179 pagestyle=plain,%
22180 tocstyle=chapter,%
22181 tocindent=\z@,%
22182 tocnumwidth=1.5em%
22183 ]{chapter}
22184 \DeclareSectionCommand[%
22185 style=section,%
22186 level=1,%
22187 indent=\z@,%
22188 beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
22189 afterskip=2.3ex \@plus .2ex,%
22190 tocstyle=section,%
22191 tocindentfollows=chapter,%
22192 tocindent=1.5em,%
22193 tocnumwidth=2.3em%
22194 ]{section}

```




```

22195 \DeclareSectionCommand[%
22196   style=part,%
22197   level=\m@ne,%
22198   pagestyle=plain,%
22199   tocstyle=part,%
22200   toplevel=\m@ne,%
22201   tocindent=\z@,%
22202   tocnumwidth=2em%
22203 ]{part}
22204 \DeclareSectionCommand[%
22205   style=section,%
22206   level=2,%
22207   indent=\z@,%
22208   beforekip=-3.25ex\@plus -1ex \@minus -.2ex,%
22209   afterskip=1.5ex \@plus .2ex,%
22210   tocstyle=section,%
22211   tocindent=3.8em,%
22212   tocnumwidth=3.2em%
22213 ]{subsection}
22214 \DeclareSectionCommand[%
22215   style=section,%
22216   level=3,%
22217   indent=\z@,%
22218   beforekip=-3.25ex\@plus -1ex \@minus -.2ex,%
22219   afterskip=1.5ex \@plus .2ex,%
22220   tocstyle=section,%
22221   tocindent=7.0em,%
22222   tocnumwidth=4.1em%
22223 ]{subsubsection}
22224 \DeclareSectionCommand[%
22225   style=section,%
22226   level=4,%
22227   indent=\z@,%
22228   beforekip=3.25ex \@plus 1ex \@minus .2ex,%
22229   afterskip=-1em,%
22230   tocindentfollows=subsubsection,%
22231   tocstyle=section,%
22232   tocindent=10em,%
22233   tocnumwidth=5em%
22234 ]{paragraph}
22235 \DeclareSectionCommand[%
22236   style=section,%
22237   level=5,%
22238   indent=\scr@parindent,%
22239   beforekip=3.25ex \@plus 1ex \@minus .2ex,%
22240   afterskip=-1em,%
22241   tocstyle=section,%
22242   tocindent=12em,%
22243   tocnumwidth=6em%
22244 ]{subparagraph}

```

145 File sidecap-xetex-bidi.def

```

22245 \ProvidesFile{sidecap-xetex-bidi.def}[2025/01/03 v0.2 bidi adaptations for sidecap package f

```



```

22246 \RequirePackage{ragged2e}
22247 \renewcommand*{\SC@FLOAT}[2]{\if@RTL%
22248     \isSC@ODD{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}\else%
22249 \isSC@ODD{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}\fi}
22250 \renewcommand*{\SC@justify@caption}{\if@RTL%
22251 \isSC@ODD{\RaggedLeft}{\RaggedRight}\else%
22252     \isSC@ODD{\RaggedRight}{\RaggedLeft}\fi}
22253
22254 \@ifpackagewith{sidecap}{innercaption}{%
22255 \if@RTL \renewcommand*{\SC@FLOAT}[2]{%
22256     \isSC@ODD{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}}
22257 \renewcommand*{\SC@justify@caption}{%
22258     \isSC@ODD{\RaggedRight}{\RaggedLeft}}\else
22259 \renewcommand*{\SC@FLOAT}[2]{%
22260     \isSC@ODD{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}}
22261 \renewcommand*{\SC@justify@caption}{%
22262     \isSC@ODD{\RaggedLeft}{\RaggedRight}}\fi
22263 }{}
22264
22265 \@ifpackagewith{sidecap}{rightcaption}{%
22266 \if@RTL\renewcommand*{\SC@FLOAT}[2]{#1}\hspace{\sidecaptionsep}{#2}}
22267 \def\SC@justify@caption{\RaggedLeft}\else%
22268 \renewcommand*{\SC@FLOAT}[2]{#2}\hspace{\sidecaptionsep}{#1}}
22269 \def\SC@justify@caption{\RaggedRight}\fi%
22270 }{}
22271
22272 \@ifpackagewith{sidecap}{leftcaption}{%
22273 \if@RTL \renewcommand*{\SC@FLOAT}[2]{#2}\hspace{\sidecaptionsep}{#1}}
22274 \def\SC@justify@caption{\RaggedRight}\else%
22275 \renewcommand*{\SC@FLOAT}[2]{#1}\hspace{\sidecaptionsep}{#2}}
22276 \def\SC@justify@caption{\RaggedLeft}\fi%
22277 }{}

```

146 File soul-xetex-bidi.def

```

22278 \ProvidesFile{soul-xetex-bidi.def}[2015/10/16 v0.1 bidi adaptations for soul package for XeT
22279 \long\def\SOUL@start#1{%
22280     \let\bidir@RTL@everypar@empty
22281     \let\<\SOUL@lowerthan
22282     \let\>\empty
22283     \def\soulomit{\noexpand\soulomit}%
22284     \gdef\SOUL@eventuallyexhyphen##1{%
22285     \let\SOUL@soeventuallyskip\relax
22286     \SOUL@spaceskip=\fontdimen\tw@\font\@plus\fontdimen\thr@@\font
22287         \@minus\fontdimen4\font
22288     \SOUL@ignorespacesfalse
22289     \leavevmode
22290     \SOUL@preamble
22291     \SOUL@lasttoken={}%
22292     \SOUL@word={}%
22293     \SOUL@minus\z@
22294     \SOUL@comma\z@
22295     \SOUL@apo\z@
22296     \SOUL@grave\z@

```



```

22297 \SOUL@do{#1}%
22298 \SOUL@postamble
22299 }}
22300 \def\SOUL@ulunderline#1{%
22301 \setbox\z@\hbox{#1}%
22302 \dimen@=\wd\z@
22303 \dimen@i=\SOUL@uloverlap
22304 \advance\dimen@2\dimen@i
22305 \if@RTL
22306 \unhcopy\z@
22307 \llap{%
22308 \null
22309 \kern-\dimen@i
22310 \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
22311 }%
22312 \else
22313 \rlap{%
22314 \null
22315 \kern-\dimen@i
22316 \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
22317 }%
22318 \unhcopy\z@
22319 \fi
22320 }}
22321 \def\bidi@SOUL@ulleaders{%
22322 \leaders\hb@xt@0.1pt{\hss\SOUL@ulcolor{\vrule\@depth\SOUL@uldp\@height\SOUL@ulht}\hss}\n
22323 }
22324 \def\SOUL@uleveryspace#1{%
22325 \if@RTL
22326 #1%
22327 \bidi@SOUL@ulleaders
22328 \hskip\spaceskip
22329 \else
22330 \SOUL@ulcolor{%
22331 #1%
22332 \SOUL@ulleaders
22333 \hskip\spaceskip
22334 }%
22335 \fi
22336 \null
22337 }

```

147 File stabular-xetex-bidi.def

```

22338 \ProvidesFile{stabular-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for stabular package]
22339 \def\@stabular{%
22340 \leavevmode \bgroup \if@RTLtab\beginR \fi
22341 \let\@acol\@tabacol
22342 \let\@classz\@tabclassz
22343 \let\@classiv\@tabclassiv \let\\\@tabularcr\@stabarray}
22344 \def\endstabular{\crr\egroup\if@RTLtab\egroup\endR\egroup\fi
22345 \egroup \if@RTLtab\endR\fi\egroup}
22346 \expandafter \let \csname endstabular*\endcsname = \endstabular
22347 \def\@sarray[#1]#2{%

```



```

22348 \bgroup
22349 \setbox\@arstrutbox\hbox{%
22350 \vrule \@height\arraystretch\ht\strutbox
22351 \@depth\arraystretch \dp\strutbox
22352 \@width\z@}%
22353 \mkpream{#2}%
22354 \edef\@preamble{%
22355 \ialign \noexpand\@halignto
22356 \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
22357 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
22358 \let\tabularnewline\%
22359 \let\@sharp##%
22360 \set@typeset@protect
22361 \lineskip\z@skip\baselineskip\z@skip
22362 \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1t\top \else \vbox \fi\bgroup\fi
22363 \@preamble}

```

148 File subfigure-xetex-bidi.def

```

22364 \ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure packa
22365 \AtBeginDocument{%
22366 \let\p@subfigure=\thefigure
22367 \let\p@subtable=\thetable%
22368 }

```

149 File tabs-xetex-bidi.def

```

22369 \ProvidesFile{tabs-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for tabs package for X
22370 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
22371
22372 \expandafter\let\csname endtabular*\endcsname=\endtabular
22373
22374 \def\endarray{\ifvmode\csname crcr\endcsname % just do \crr if \ given
22375 \else \[\z@ \global\advance\@arstdepth-\@otarlinesep]%
22376 \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\@unrecurse\egroup}
22377
22378 \def\@array[#1]#2{% remember global variables to allow recursion:
22379 \edef\@unrecurse{\global\@skip@bove\the\@skip@bove
22380 \global\@arstheight\the\@arstheight\global\@arstdepth\the\@arstdepth}%
22381 \let\@otarlinesep\@tarlinesep \global\@skip@bove-\@otarlinesep
22382 \ifx\@classz\@arrayclassz \let\@tarlinesep\arraylinesep
22383 \else \let\@tarlinesep\tablinesep \fi
22384 \divide\@tarlinesep\tw@ % half sep is applied to height & depth
22385 \let\@seesize\relax \let\@rememsize\relax \mkpream{#2}%
22386 \@tempdima\arraystretch\ht\strutbox \@tempdimb\arraystretch\dp\strutbox
22387 \ifdim\@tarlinesep>\z@ % (need \protect for \multicolumn)
22388 \def\@rememsize{\protect\@r@m@size}\let\@seesize\@s@@size
22389 \advance\@tempdima-\@tarlinesep \advance\@tempdimb-\@tarlinesep
22390 \fi \setbox\@arstrutbox\hbox{% set up smaller strut
22391 \vrule \@height\@tempdima \@depth\@tempdimb \@width\z@}%
22392 \let\protect\noexpand
22393 \edef\@preamble{\ialign \noexpand\@halignto \bgroup
22394 \unhcopy\@arstrutbox \@preamble \tabskip\z@skip &\@sharp \cr}%
22395 \let\@startpbox\@startpbox \let\@endpbox\@endpbox

```



```

22396 \if#1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
22397 \bgroup \let\par\@empty
22398 \global\@arstheight\ht\@arstrutbox \global\@arstdepth\dp\@arstrutbox
22399 \advance\extrarulesep.5\arrayrulewidth
22400 \let\@sharp##\let\protect\relax \lineskip\z@skip \baselineskip\z@skip
22401 \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if#1t\vtop \else \vbox \fi\bgroup\fi
22402 \@preamble}

```

150 File tabularx-xetex-bidi.def

```

22403 \ProvidesFile{tabularx-xetex-bidi.def}[2014/11/08 v0.1 bidi adaptations for tabularx package]
22404 \def\TX@endtabularx{%
22405   \expandafter\expandafter\expandafter
22406     \TX@find@endtabularxa\csname end\TX@\endcsname
22407     \endtabularx\TX@\endtabularx\TX@find@endtabularxa
22408   \expandafter\TX@newcol\expandafter{\tabularxcolumn{\TX@col@width}}%
22409   \let\verb\TX@verb
22410   \def\@elt##1{\global\value{##1}\the\value{##1}\relax}%
22411   \edef\TX@ckpt{\cl@ckpt}%
22412   \let\@elt\relax
22413   \TX@old@table\maxdimen
22414   \TX@col@width\TX@target
22415   \global\TX@cols\@ne
22416   \TX@typeout@
22417     {\@spaces Table Width\@spaces Column Width\@spaces X Columns}%
22418   \TX@trial{\def\NC@rewriteX{%
22419     \global\advance\TX@cols\@ne\NC@find p{\TX@col@width}}}%
22420   \loop
22421     \TX@arith
22422     \ifTX@
22423     \TX@trial{}%
22424   \repeat
22425   {\let\@footnotetext\TX@ftntext\let\@xfootnotenext\TX@xftntext
22426     \let\@LTrfootnotetext\TX@LTrftntext\let\@xLTrfootnotenext\TX@xLTrftntext
22427     \let\@RTLfootnotetext\TX@RTLftntext\let\@xRTLfootnotenext\TX@xRTLftntext
22428     \csname tabular*\expandafter\endcsname\expandafter\TX@target
22429       \the\toks@
22430     \csname endtabular*\endcsname}%
22431   \global\TX@ftn\expandafter{\expandafter}\the\TX@ftn
22432   \ifnum0=`{\fi}%
22433   \expandafter\expandafter\expandafter
22434     \TX@find@endtabularxbb
22435     \expandafter\end\expandafter{\TX@}%
22436   \endtabularx\TX@\endtabularx\TX@find@endtabularxb
22437 }
22438
22439 \def\TX@trial#1{%
22440   \setbox\@tempboxa\hbox{%
22441     #1\relax
22442     \let\@footnotetext\TX@trial@ftn
22443     \let\@LTrfootnotetext\TX@trial@ftn
22444     \let\@RTLfootnotetext\TX@trial@ftn
22445     \let\TX@vwarn\@empty
22446     \expandafter\let\expandafter\tabularx\csname tabular*\endcsname

```



```

22447 \expandafter\let\expandafter\endtabularx\csname endtabular*\endcsname
22448 \def\write{\begingroup
22449   \def\let{\afterassignment\endgroup\toks@}%
22450   \afterassignment\let\count@}%
22451   \hbadness\@M
22452   \hfuzz\maxdimen
22453   \let\hbadness\@tempcnta
22454   \let\hfuzz\@tempdima
22455   \expandafter\tabular\the\toks@
22456   \endtabular}%
22457 \TX@ckpt
22458 \TX@typeout@{\@spaces
22459   \expandafter\TX@align
22460   \the\wd\@tempboxa\space\space\space\space\space\@
22461   \expandafter\TX@align
22462   \the\TX@col@width\space\space\space\space\space\@
22463   \@spaces\the\TX@cols}}
22464
22465 \long\def\TX@LTRftntext#1{%
22466   \edef\@tempa{\the\TX@ftn\noexpand\LTRfootnotetext
22467     [\the\csname c@\@mpfn\endcsname]}%
22468   \global\TX@ftn\expandafter{\@tempa{#1}}}%
22469 \long\def\TX@xLTRftntext[#1]#2{%
22470   \global\TX@ftn\expandafter{\the\TX@ftn\LTRfootnotetext[#1]{#2}}}
22471
22472 \long\def\TX@RTLftntext#1{%
22473   \edef\@tempa{\the\TX@ftn\noexpand\RTLfootnotetext
22474     [\the\csname c@\@mpfn\endcsname]}%
22475   \global\TX@ftn\expandafter{\@tempa{#1}}}%
22476 \long\def\TX@xRTLftntext[#1]#2{%
22477   \global\TX@ftn\expandafter{\the\TX@ftn\RTLfootnotetext[#1]{#2}}}

```

151 File tabulary-xetex-bidi.def

```

22478 \ProvidesFile{tabulary-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tabulary package]
22479 \def\@testpach{\@chclass
22480   \ifnum \@lastchclass=6 \@ne \@cnum \@ne \else
22481     \ifnum \@lastchclass=7 5 \else
22482       \ifnum \@lastchclass=8 \tw@ \else
22483         \ifnum \@lastchclass=9 \thr@@
22484         \else \z@
22485         \ifnum \@lastchclass = 10 \else
22486         \edef\@nextchar{\expandafter\string\@nextchar}%
22487         \@cnum
22488         \if \@nextchar c\z@ \else
22489           \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
22490             \if \@nextchar \if@RTLtab l\else r\fi\@tw@ \else
22491             \if \@nextchar C7 \else
22492               \if \@nextchar L8 \else
22493                 \if \@nextchar R9 \else
22494                   \if \@nextchar J10 \else
22495                   \z@ \@chclass
22496                   \if\@nextchar |\@ne \else
22497                   \if \@nextchar !6 \else

```



```

22498     \if \@nextchar @7 \else
22499     \if \@nextchar <8 \else
22500     \if \@nextchar >9 \else
22501     10
22502     \@chnum
22503     \if \@nextchar m\thr@@\else
22504     \if \@nextchar p4 \else
22505     \if \@nextchar b5 \else
22506     \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi \fi \fi
22507     \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi

```

152 File tc-xetex-xetex-bidi.def

```

22508 \ProvidesFile{tc-xetex-xetex-bidi.def}[2014/07/08 v0.1 bidi adaptations for Clipping driver
22509 \def\@cliptoboxdim#1{%
22510     \setbox#1=\hbox{%
22511         \Gin@defaultbp\WIDTH{\wd#1}%
22512         \Gin@defaultbp\DEPTH{\dp#1}%
22513         \@tempdima\ht#1%
22514         \advance\@tempdima\dp#1%
22515         \Gin@defaultbp\TOTALHEIGHT{\@tempdima}%
22516         \beginL\special{pdf:bcontent }%
22517         \special{%
22518             pdf:literal direct
22519             0 -\DEPTH\space \WIDTH\space \TOTALHEIGHT\space re
22520         }%
22521         \special{pdf:literal direct W }%
22522         \special{pdf:literal direct n }%
22523         \if@RTL\beginR\fi\box#1\if@RTL\endR\fi%
22524         \special{pdf:econtent }\endL%
22525     }%
22526 }

```

153 File tcolorbox-xetex-bidi.def

```

22527 \ProvidesFile{tcolorbox-xetex-bidi.def}[2018/11/11 v0.2 bidi adaptations for tcolorbox packa
22528 \let\endtcbox@lrbox=\endminipage
22529 \let\endtcbox@savebox=\endtcbox@lrbox
22530
22531 \bidi@patchcmd{\tcb@vbox}{%
22532     \let\@footnotetext\@mpfootnotetext%
22533 }{%
22534     \let\@footnotetext\@mpfootnotetext%
22535     \let\@LTRfootnotetext\@mpLTRfootnotetext%
22536     \let\@RTLfootnotetext\@mpRTLfootnotetext%
22537 }{}{}
22538
22539 \bidi@patchcmd{\endtcbox@vbox}{%
22540     \footnoterule%
22541 }{%
22542     \bidi@mpfootnoterule%
22543 }{}{}
22544 \bidi@apptocmd\tcb@icolorbox{%
22545     \@bidi@list@minipage@parboxfalse

```



22546 }{}{}

154 File thmbox-xetex-bidi.def

```

22547 \ProvidesFile{thmbox-xetex-bidi.def}[2025/09/04 v0.1 bidi adaptations for thmbox package for
22548 \renewenvironment{thmbox}[2][]{%
22549   \parskip\z@%
22550   \setkeys{thmbox}{#1}%
22551   \ifx\thmbox@style S\else\ifx\thmbox@style M\else\ifx\thmbox@style L\else%
22552     \PackageWarning{thmbox}{\thmbox@style\ is not a valid style for
22553       \string\thmbox, using M}%
22554     \let\thmbox@style=M%
22555   \fi\fi\fi%
22556   \thmbox@head{#2}}\nobreak\relax%
22557   \thmbox@dim=\hsize%
22558   \advance\thmbox@dim-\leftskip%
22559   \advance\thmbox@dim-\rightskip%
22560   \setbox\thmbox@box=\vbox\bgroup%
22561     \if@RTL
22562       \@hboxRconstructtrue
22563     \fi
22564     \hsize=\thmbox@dim%
22565     \advance\hsize -\thmbox@leftmargin%
22566     \advance\hsize -\thmbox@rightmargin%
22567     \textwidth=\hsize%
22568     \linewidth=\hsize%
22569     \vskip\thmbox@vskip%
22570     \begingroup}{\endgroup%
22571     \vskip\thmbox@vskip%
22572   \egroup%
22573   \thmbox@start%
22574   \ifx\thmbox@style S\else\thmbox@tail\fi%
22575   \@endparenv}

```

155 File titlesec-xetex-bidi.def

```

22576 \ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package
22577 \renewcommand\filright{%
22578   \gdef\ttl@filleft##1{\hskip##1}%
22579   \gdef\ttl@filright##1{\hfill}%
22580   \let\\\@centercr
22581   \advance\rightskip\z@ \@plus 1fil
22582   \parfillskip\z@}
22583 \def\ttlh@hang#1#2#3#4#5#6#7#8{%
22584   \gdef\ttl@makeline##1{\ttl@calc\hspace{#6}##1\ttl@calc\hspace{#7}}%
22585   \setlength\leftskip{#6}%
22586   \setlength\rightskip{#7}%
22587   \interlinepenalty\@M
22588   \ttl@change@centercr
22589   \ttl@begin@longest
22590   #1{\ifhmode\ttl@hmode@error\fi
22591     \ttl@glcmds
22592     \parindent\z@
22593     \leavevmode

```




```

22594 \begingroup
22595 \ifttl@label
22596 \sbox\z@{#2\strut\ttl@calc\hspace{#3}}%
22597 \if@RTL\advance\rightskip\wd\z@else\advance\leftskip\wd\z@fi
22598 \llap{\box\z@}%
22599 \fi
22600 #4{#8}%
22601 \kern\z@\strut\@par
22602 \endgroup
22603 \nobreak\ttl@midlongest#5\@par}%
22604 \ttl@endlongest}

```

156 File titletoc-xetex-bidi.def

```

22605 \ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package]
22606 \renewcommand\filright{%
22607 \gdef\ttl@filleft##1{\hskip##1}%
22608 \gdef\ttl@filright##1{\hfill}%
22609 \let\\\@centercr
22610 \advance\rightskip\z@ \@plus 1fil
22611 \parfillskip\z@}
22612 \renewcommand\contentspush[1]{%
22613 \sbox\z@{#1}%
22614 \xdef\ttl@b{\advance\if@RTL\rightskip\else\leftskip\fi\the\wd\z@}%
22615 \aftergroup\ttl@b
22616 \leavevmode\llap{\box\z@}}
22617 \def\ttl@outnoblock#1#2#3{%
22618 \begingroup
22619 \ifnum\ttl@b>\ttl@a
22620 \nobreak
22621 \else\ifnum\ttl@b<\ttl@a
22622 \addpenalty{\@secpenalty}%
22623 \else
22624 \addpenalty{\z@}%
22625 \fi\fi
22626 \ttl@contentsstretch
22627 \nobreak
22628 \ifcase#1\relax\else\interlinepenalty\@M\fi
22629 \parindent\z@
22630 \ifx\@nil#2%
22631 \PackageError{titletoc}{Unimplemented}%
22632 {The optional argument is currently mandatory}%
22633 \else
22634 \if@RTL\setlength\rightskip{#2}\else
22635 \setlength\leftskip{#2}\fi%
22636 \fi
22637 \if@RTL\setlength\leftskip{\@pnumwidth}\else\setlength\rightskip{\@pnumwidth}\fi%
22638 \let\contentsmargin\ttl@margin
22639 \def\ttl@makeline##1{##1}%
22640 #3%
22641 \addtolength{\parfillskip}{-\ttl@corr}%
22642 \if@RTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength{\rightskip}{\ttl@corr}\fi%
22643 \let\ttl@leaders\leaders}
22644 \renewcommand\ttl@margin[2][\z@]{%

```



```

22645 \def\ttl@corr{#1}%
22646 \advance\if@RTL\leftskip\else\rightskip\fi-\@pnumwidth\relax
22647 \advance\if@RTL\leftskip\else\rightskip\fi#2\relax
22648 \def\@pnumwidth{#2}%
22649 \let\ttl@savel@part\l@part
22650 \def\l@part{\ttl@lselect{part}}
22651
22652 \let\ttl@savel@chapter\l@chapter
22653 \def\l@chapter{\ttl@lselect{chapter}}

```

157 File tocbibind-xetex-bidi.def

```

22654 \ProvidesFile{tocbibind-xetex-bidi.def}[2025/01/03 v0.5 bidi adaptations for tocbibind packa
22655 \IfClassLoadedT{memoir}{\endinput}
22656 \if@dotocbib
22657 \ApplyPatchIfPackageLoadedF{natbib}{% natbib not loaded
22658 \renewcommand{\bibsection}{\t@cb@bchapsec}
22659 \renewenvironment{thebibliography}[1]{%
22660 \bibsection
22661 \begin{thebibitemlist}{#1}}{\end{thebibitemlist}}
22662 \renewenvironment{thebibitemlist}[1]{
22663 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
22664 \bidi@thebibliography@font@hook%
22665 \list{\@biblabel{\@arabic{c@enumiv}}}%
22666 {\settowidth\labelwidth{\@biblabel{#1}}%
22667 \leftmargin\labelwidth
22668 \advance\leftmargin\labelsep
22669 \@openbib@code
22670 \usecounter{enumiv}%
22671 \let\p@enumiv\@empty
22672 \renewcommand\theenumiv{\@arabic{c@enumiv}}}%
22673 \sloppy
22674 \clubpenalty4000
22675 \@clubpenalty \clubpenalty
22676 \widowpenalty4000%
22677 \sfcode`\.\@m}
22678 {\def\@noitemerr
22679 {\@latex@warning{Empty `thebibliography' environment}}}%
22680 \endlist}
22681
22682 \ApplyPatchCodeToPackage{chapterbib}{%
22683 \@ifpackagewith{chapterbib}{sectionbib}%
22684 {\renewcommand{\sectionbib}[2]{}%
22685 {}%
22686 }
22687
22688 \fi
22689 \if@inltxdoc\else
22690 \renewenvironment{theindex}%
22691 {\if@twocolumn
22692 \@restonecolfalse
22693 \else
22694 \@restonecoltrue
22695 \fi

```



```

22696 \if@bibchapter
22697 \if@donumindex
22698 \refstepcounter{chapter}
22699 \twocolumn[\vspace*{2\topskip}%
22700 \@makechapterhead{\indexname}]]%
22701 \addcontentsline{toc}{chapter}{\protect\numberline{\thechapter}\indexname}
22702 \chaptermark{\indexname}
22703 \else
22704 \if@dotocind
22705 \twocolumn[\vspace*{2\topskip}%
22706 \@makeschapterhead{\indexname}]]%
22707 \prw@mkboth{\indexname}
22708 \addcontentsline{toc}{chapter}{\indexname}
22709 \else
22710 \twocolumn[\vspace*{2\topskip}%
22711 \@makeschapterhead{\indexname}]]%
22712 \prw@mkboth{\indexname}
22713 \fi
22714 \fi
22715 \else
22716 \if@donumindex
22717 \twocolumn[\vspace*{-1.5\topskip}%
22718 \@nameuse{\@tocextra}{\indexname}]]%
22719 \csname \@tocextra mark\endcsname{\indexname}
22720 \else
22721 \if@dotocind
22722 \twocolumn[\vspace*{-1.5\topskip}%
22723 \toc@headstar{\@tocextra}{\indexname}]]%
22724 \prw@mkboth{\indexname}
22725 \addcontentsline{toc}{\@tocextra}{\indexname}
22726 \else
22727 \twocolumn[\vspace*{-1.5\topskip}%
22728 \toc@headstar{\@tocextra}{\indexname}]]%
22729 \prw@mkboth{\indexname}
22730 \fi
22731 \fi
22732 \fi
22733 \thispagestyle{plain}\parindent\z@
22734 \parskip\z@ \@plus .3\p@\relax
22735 \let\item\@idxitem}
22736 {\if@restonecol\onecolumn\else\clearpage\fi}
22737 \fi

```

158 File tocloft-xetex-bidi.def

```

22738 \ProvidesFile{tocloft-xetex-bidi.def}[2025/01/03 v0.4 bidi adaptations for tocloft package f
22739 \IfClassLoadedT{memoir}{\endinput}
22740 \renewcommand{\cftpnumalign}{\if@RTL l\else r\fi}
22741 \let\cftdot\@SepMark
22742 \if@cfthaspart
22743 \renewcommand*{\l@part}[2]{
22744 \@cftdopartfalse
22745 \ifnum \c@tocdepth >-2\relax
22746 \if@cfthaschapter

```



```

22747     \@cftdoparttrue
22748   \fi
22749   \ifnum \c@tocdepth >\m@ne
22750     \if@cfthaschapter\else
22751       \@cftdoparttrue
22752     \fi
22753   \fi
22754 \fi
22755 \if@cftdopart
22756   \if@cfthaschapter
22757     \addpenalty{-\@highpenalty}
22758   \else
22759     \addpenalty\@secpenalty
22760   \fi
22761   \addvspace{\cftbeforepartskip}
22762   \begingroup
22763     {\if@RTL\righskip\else\leftskip\fi \cftpartindent\relax
22764     \if@RTL\leftskip\else\righskip\fi \@tocrmarg
22765     \parfillskip -\if@RTL\leftskip\else\righskip\fi
22766     \parindent \cftpartindent\relax\@afterindenttrue
22767     \interlinepenalty\@M
22768     \leavevmode
22769     \@tempdima \cftpartnumwidth\relax
22770     \let\@cftbsnum \cftpartpresnum
22771     \let\@cftasnum \cftpartaftersnum
22772     \let\@cftasnumb \cftpartaftersnumb
22773     \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righskip\else\leftskip\fi
22774     {\cftpartfont \cftpartpresnum #1}
22775     \cftpartfillnum{#2}}
22776   \nobreak
22777   \if@cfthaschapter
22778     \global\@nbreaktrue
22779     \everypar{\global\@nbreakfalse\everypar{}}
22780   \else
22781     \if@compatibility
22782       \global\@nbreaktrue
22783       \everypar{\global\@nbreakfalse\everypar{}}
22784     \fi
22785   \fi
22786 \endgroup
22787 \fi}
22788 \fi
22789 \if@cfthaschapter
22790 \renewcommand*{\l@chapter}[2]{
22791   \ifnum \c@tocdepth >\m@ne
22792     \addpenalty{-\@highpenalty}
22793     \vskip \cftbeforechapskip
22794     {\if@RTL\righskip\else\leftskip\fi \cftchapindent\relax
22795     \if@RTL\leftskip\else\righskip\fi \@tocrmarg
22796     \parfillskip -\if@RTL\leftskip\else\righskip\fi
22797     \parindent \cftchapindent\relax\@afterindenttrue
22798     \interlinepenalty\@M
22799     \leavevmode
22800     \@tempdima \cftchapnumwidth\relax

```



```

22801 \let\@cftbsnum \cftchappresnum
22802 \let\@cftasnum \cftchapaftersnum
22803 \let\@cftasnumb \cftchapaftersnumb
22804 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
22805 {\cftchapfont #1}\nobreak
22806 \cftchapfillnum{#2}}
22807 \fi}
22808 \fi
22809 \renewcommand*{\l@section}[2]{%
22810 \ifnum \c@tocdepth >\z@
22811 \if@cfthaschapter
22812 \vskip \cftbeforesecskip
22813 \else
22814 \addpenalty\@secpenalty
22815 \addvspace{\cftbeforesecskip}
22816 \fi
22817 {\if@RTL\rightskip\else\leftskip\fi \cftsecindent\relax
22818 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
22819 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22820 \parindent \cftsecindent\relax\@afterindenttrue
22821 \interlinepenalty\@M
22822 \leavevmode
22823 \@tempdima \cftsecnumwidth\relax
22824 \let\@cftbsnum \cftsecpresnum
22825 \let\@cftasnum \cftsecaftersnum
22826 \let\@cftasnumb \cftsecaftersnumb
22827 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
22828 {\cftsecfont #1}\nobreak
22829 \cftsecfillnum{#2}}
22830 \fi}
22831 \renewcommand*{\l@subsection}[2]{%
22832 \ifnum \c@tocdepth >\@ne
22833 \vskip \cftbeforesubsecskip
22834 {\if@RTL\rightskip\else\leftskip\fi \cftsubsecindent\relax
22835 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
22836 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22837 \parindent \cftsubsecindent\relax\@afterindenttrue
22838 \interlinepenalty\@M
22839 \leavevmode
22840 \@tempdima \cftsubsecnumwidth\relax
22841 \let\@cftbsnum \cftsubsecpresnum
22842 \let\@cftasnum \cftsubsecaftersnum
22843 \let\@cftasnumb \cftsubsecaftersnumb
22844 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
22845 {\cftsubsecfont #1}\nobreak
22846 \cftsubsecfillnum{#2}}
22847 \fi}
22848 \renewcommand*{\l@subsubsection}[2]{%
22849 \ifnum \c@tocdepth >\tw@
22850 \vskip \cftbeforesubsubsecskip
22851 {\if@RTL\rightskip\else\leftskip\fi \cftsubsubsecindent\relax
22852 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
22853 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22854 \parindent \cftsubsubsecindent\relax\@afterindenttrue

```



```

22855 \interlinepenalty\@M
22856 \leavevmode
22857 \@tempdima \cftsubsubsecnumwidth\relax
22858 \let\@cftbsnum \cftsubsubsecpresnum
22859 \let\@cftasnum \cftsubsubsecaftersnum
22860 \let\@cftasnumb \cftsubsubsecaftersnumb
22861 \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
22862 {\cftsubsubsecfont #1}\nobreak
22863 \cftsubsubsecfillnum{#2}}
22864 \fi}
22865 \renewcommand*{\l@paragraph}[2]{%
22866 \ifnum \c@tocdepth >3\relax
22867 \vskip \cftbeforeparaskip
22868 {\if@RTL\righskip\else\leftskip\fi \cftparaindent\relax
22869 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
22870 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22871 \parindent \cftparaindent\relax\@afterindenttrue
22872 \interlinepenalty\@M
22873 \leavevmode
22874 \@tempdima \cftparanumwidth\relax
22875 \let\@cftbsnum \cftparapresnum
22876 \let\@cftasnum \cftparaaftersnum
22877 \let\@cftasnumb \cftparaaftersnumb
22878 \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
22879 {\cftparafont #1}\nobreak
22880 \cftparafillnum{#2}}
22881 \fi}
22882 \renewcommand*{\l@subparagraph}[2]{%
22883 \ifnum \c@tocdepth >4\relax
22884 \vskip \cftbeforesubparaskip
22885 {\if@RTL\righskip\else\leftskip\fi \cftsubparaindent\relax
22886 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
22887 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22888 \parindent \cftsubparaindent\relax\@afterindenttrue
22889 \interlinepenalty\@M
22890 \leavevmode
22891 \@tempdima \cftsubparanumwidth\relax
22892 \let\@cftbsnum \cftsubparapresnum
22893 \let\@cftasnum \cftsubparaaftersnum
22894 \let\@cftasnumb \cftsubparaaftersnumb
22895 \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
22896 {\cftsubparafont #1}\nobreak
22897 \cftsubparafillnum{#2}}
22898 \fi}
22899 \renewcommand*{\l@figure}[2]{%
22900 \ifnum \c@lofdepth >\z@
22901 \vskip \cftbeforefigskip
22902 {\if@RTL\righskip\else\leftskip\fi \cftfigindent\relax
22903 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
22904 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22905 \parindent \cftfigindent\relax\@afterindenttrue
22906 \interlinepenalty\@M
22907 \leavevmode
22908 \@tempdima \cftfignumwidth\relax

```



```

22909 \let\@cftbsnum \cftfigpresnum
22910 \let\@cftasnum \cftfigaftersnum
22911 \let\@cftasnumb \cftfigaftersnumb
22912 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
22913 {\cftfigfont #1}\nobreak
22914 \cftfigfillnum{#2}}
22915 \fi
22916 }
22917 \renewcommand*\l@table}[2]{%
22918 \ifnum\c@lotdepth >\z@
22919 \vskip \cftbeforetabskip
22920 {\if@RTL\rightskip\else\leftskip\fi \cfttabindent\relax
22921 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
22922 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22923 \parindent \cfttabindent\relax\@afterindenttrue
22924 \interlinepenalty\@M
22925 \leavevmode
22926 \@tempdima \cfttabnumwidth\relax
22927 \let\@cftbsnum \cfttabpresnum
22928 \let\@cftasnum \cfttabaftersnum
22929 \let\@cftasnumb \cfttabaftersnumb
22930 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
22931 {\cfttabfont #1}\nobreak
22932 \cfttabfillnum{#2}}
22933 \fi
22934 }
22935 \renewcommand{\@cftl@subfig}{
22936 \renewcommand*\l@subfigure}[2]{%
22937 \ifnum \c@lofdepth > \toclevel@subfigure
22938 \vskip \cftbeforesubfigskip
22939 {\if@RTL\rightskip\else\leftskip\fi \cftsubfigindent\relax
22940 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
22941 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22942 \parindent \cftsubfigindent\relax\@afterindenttrue
22943 \interlinepenalty\@M
22944 \leavevmode
22945 \@tempdima \cftsubfignumwidth\relax
22946 \let\@cftbsnum \cftsubfigpresnum
22947 \let\@cftasnum \cftsubfigaftersnum
22948 \let\@cftasnumb \cftsubfigaftersnumb
22949 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
22950 {\cftsubfigfont ##1}\nobreak
22951 \cftsubfigfillnum{##2}}
22952 \fi
22953 }
22954 }
22955 \renewcommand{\@cftl@subtab}{
22956 \renewcommand*\l@subtable}[2]{%
22957 \ifnum \c@lotdepth > \toclevel@subtable
22958 \vskip \cftbeforesubtabskip
22959 {\if@RTL\rightskip\else\leftskip\fi \cftsubtabindent\relax
22960 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
22961 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22962 \parindent \cftsubtabindent\relax\@afterindenttrue

```



```

22963 \interlinepenalty\@M
22964 \leavevmode
22965 \@tempdima \cftsubtabnumwidth\relax
22966 \let\@cftbsnum \cftsubtabpresnum
22967 \let\@cftasnum \cftsubtabaftersnum
22968 \let\@cftasnumb \cftsubtabaftersnumb
22969 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
22970 {\cftsubtabfont ##1}\nobreak
22971 \cftsubtabfillnum{##2}}
22972 \fi
22973 }
22974 }
22975 \renewcommand{\newlistentry}[4][\@empty]{%
22976 \ifundefined{c@#2}{% check & set the counter
22977 \ifx \@empty#1\relax
22978 \newcounter{#2}
22979 \else
22980 \ifundefined{c@#1}{\PackageWarning{tocloft}%
22981 {#1 has no counter for use as a `within'}
22982 \newcounter{#2}}%
22983 {\newcounter{#2}[#1}%
22984 \expandafter\edef\csname the#2\endcsname{%
22985 \expandafter\noexpand\csname the#1\endcsname\@SepMark\noexpand\arabic{#2}}}%
22986 \fi
22987 \setcounter{#2}{0}
22988 }
22989 {\PackageError{tocloft}{#2 has been previously defined}{\@eha}}
22990
22991 \@namedef{l@#2}##1##2{%
22992 \ifnum \@nameuse{c@#3depth} > #4\relax
22993 \vskip \@nameuse{cftbefore#2skip}
22994 {\if@RTL\rightskip\else\leftskip\fi \@nameuse{cft#2indent}\relax
22995 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
22996 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22997 \parindent \@nameuse{cft#2indent}\relax\@afterindenttrue
22998 \interlinepenalty\@M
22999 \leavevmode
23000 \@tempdima \@nameuse{cft#2numwidth}\relax
23001 \expandafter\let\expandafter\@cftbsnum\csname cft#2presnum\endcsname
23002 \expandafter\let\expandafter\@cftasnum\csname cft#2aftersnum\endcsname
23003 \expandafter\let\expandafter\@cftasnumb\csname cft#2aftersnumb\endcsname
23004 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima \null\nobreak\hskip -\if@RTL\right
23005 {\@nameuse{cft#2font}##1}\nobreak
23006 \@nameuse{cft#2fillnum}{##2}}
23007 \fi
23008 } % end of l@#2
23009
23010 \expandafter\newlength\csname cftbefore#2skip\endcsname
23011 \setlength{\@nameuse{cftbefore#2skip}}{\z@ \@plus .2p@}
23012 \expandafter\newlength\csname cft#2indent\endcsname
23013 \expandafter\newlength\csname cft#2numwidth\endcsname
23014 \ifcase #4\relax % 0
23015 \setlength{\@nameuse{cft#2indent}}{0em}
23016 \setlength{\@nameuse{cft#2numwidth}}{1.5em}

```




```

23017 \or % 1
23018 \setlength{\@nameuse{cft#2indent}}{1.5em}
23019 \setlength{\@nameuse{cft#2numwidth}}{2.3em}
23020 \or % 2
23021 \setlength{\@nameuse{cft#2indent}}{3.8em}
23022 \setlength{\@nameuse{cft#2numwidth}}{3.2em}
23023 \or % 3
23024 \setlength{\@nameuse{cft#2indent}}{7.0em}
23025 \setlength{\@nameuse{cft#2numwidth}}{4.1em}
23026 \else % anything else
23027 \setlength{\@nameuse{cft#2indent}}{10.0em}
23028 \setlength{\@nameuse{cft#2numwidth}}{5.0em}
23029 \fi
23030 \@namedef{cft#2font}{\normalfont}
23031 \@namedef{cft#2presnum}{\}
23032 \@namedef{cft#2aftersnum}{\}
23033 \@namedef{cft#2aftersnumb}{\}
23034 \@namedef{cft#2dotsep}{\cftdotsep}
23035 \@namedef{cft#2leader}{\normalfont\cftdotfill{\@nameuse{cft#2dotsep}}}
23036 \@namedef{cft#2pagefont}{\normalfont}
23037 \@namedef{cft#2afterpnum}{\}
23038 \@namedef{toclevel@#2}{#4}
23039 \@namedef{cft#2fillnum}##1{%
23040 {\@nameuse{cft#2leader}}\nobreak
23041 \hb@xt@{\@pnumwidth}{\hfil\@nameuse{cft#2pagefont}##1}\@nameuse{cft#2afterpnum}\par}
23042 } % end \newlistentry
23043 \renewcommand{\cftchapterprecistoc}[1]{\addtocontents{toc}{%
23044 {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
23045 \advance\if@RTL\rightskip\else\leftskip\fi \cftchapnumwidth\relax
23046 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg\relax
23047 \textit{#1}\protect\par}}}}

```

159 File tocbasic-xetex-bidi.def

```

23048 \ProvidesFile{tocbasic-xetex-bidi.def}[2022/06/15 v0.5 bidi adaptations for tocbasic package]
23049 \bidi@undef\scr@dte@def@l@undottedtocline
23050 \bidi@undef\scr@dte@undottedtocline@init
23051 \DeclareTOCEntryStyle{undottedtocline}[{%
23052 \DefineTOCEntryLengthOption{indent}%
23053 {\scr@tso@}{@indent}{entry indent}%
23054 \DefineTOCEntryLengthOption{numwidth}%
23055 {\scr@tso@}{@numwidth}{entry number width}%
23056 \@ifundefined{#1tocdepth}{%
23057 \Ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
23058 \Ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
23059 \Ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
23060 \Ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
23061 \Ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
23062 \Ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
23063 \Ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
23064 \Ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
23065 \Ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
23066 \expandafter\let\csname #1tocdepth\expandafter\endcsname
23067 \csname #1numdepth\endcsname

```



```

23068         }%
23069     }%
23070 }%
23071 }%
23072 }%
23073 }%
23074 }%
23075 }%
23076 }%
23077 }-%
23078 \@ifundefined{scr@tso@#1@indent}{%
23079     \@ifundefined{scr@#1@tocindent}{%
23080         \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23081             \Ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23082                 \Ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
23083                     \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
23084                         \scr@ifundefinedorrelax{1@chapter}{%
23085                             \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
23086                                 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23087                                     \Ifstr{#1}{subsubsection}{%
23088                                         \@namedef{scr@tso@#1@indent}{3.8em}%
23089                                     }-%
23090                                     \Ifstr{#1}{paragraph}{%
23091                                         \@namedef{scr@tso@#1@indent}{7em}%
23092                                     }-%
23093                                     \Ifstr{#1}{subparagraph}{%
23094                                         \@namedef{scr@tso@#1@indent}{10em}%
23095                                     }-%
23096                                     }%
23097                                 }%
23098                             }%
23099                         }%
23100                     }%
23101                 }-%
23102                 \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23103                     \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
23104                         \Ifstr{#1}{subsubsection}{%
23105                             \@namedef{scr@tso@#1@indent}{7.0em}%
23106                         }-%
23107                         \Ifstr{#1}{paragraph}{%
23108                             \@namedef{scr@tso@#1@indent}{10em}%
23109                         }-%
23110                         \Ifstr{#1}{subparagraph}{%
23111                             \@namedef{scr@tso@#1@indent}{12em}%
23112                         }-%
23113                         }%
23114                     }%
23115                 }%
23116             }%
23117         }%
23118     }%
23119 }%
23120 }%
23121 }%

```



```

23122     }%
23123   }{%
23124     \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
23125   }%
23126 }{%}%
23127 \@ifundefined{scr@tso@#1@numwidth}{%
23128   \@ifundefined{scr@#1@tocnumwidth}{%
23129     \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
23130       \Ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
23131         \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
23132           \scr@ifundefinedorrelax{chapter}{%
23133             \Ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
23134               \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
23135                 \Ifstr{#1}{subsubsection}{%
23136                   \@namedef{scr@tso@#1@numwidth}{3.2em}%
23137                 }{%
23138                   \Ifstr{#1}{paragraph}{%
23139                     \@namedef{scr@tso@#1@numwidth}{4.1em}%
23140                   }{%
23141                     \Ifstr{#1}{subparagraph}{%
23142                       \@namedef{scr@tso@#1@numwidth}{5em}%
23143                     }{%
23144                       }%
23145                     }%
23146                   }%
23147                 }%
23148               }%
23149             }{%
23150               \Ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
23151                 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
23152                   \Ifstr{#1}{subsubsection}{%
23153                     \@namedef{scr@tso@#1@numwidth}{3.1em}%
23154                   }{%
23155                     \Ifstr{#1}{paragraph}{%
23156                       \@namedef{scr@tso@#1@numwidth}{5em}%
23157                     }{%
23158                       \Ifstr{#1}{subparagraph}{%
23159                         \@namedef{scr@tso@#1@numwidth}{6em}%
23160                       }{%
23161                         }%
23162                       }%
23163                     }%
23164                   }%
23165                 }%
23166               }%
23167             }%
23168           }%
23169         }%
23170       }{%
23171         \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
23172       }%
23173     }{%}%
23174   }]{%
23175   \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax

```



```

23176 \ifnum \@nameuse{#1tocdepth}<\@ne
23177 \scr@ifundefinedorrelax{chapter}{%
23178 \addpenalty\@secpenalty
23179 \addvspace{1.0em \@plus\p@}%
23180 }{%
23181 \addpenalty{-\@highpenalty}%
23182 \vskip 1.0em \@plus\p@
23183 }%
23184 \else
23185 \addpenalty\@secpenalty
23186 \addvspace{1.0em \@plus\p@}%
23187 \fi
23188 \setlength\@tempdima{\@nameuse{scr@tso@#1numwidth}}%
23189 \beginngroup
23190 \parindent \z@ \bidi@rightskip \@pnumwidth
23191 \parfillskip -\@pnumwidth
23192 \leavevmode
23193 \bfseries
23194 \advance\bidi@leftskip\@tempdima
23195 \If TocFeature{\@currentx}{noindent}{%
23196 \hskip -\bidi@leftskip
23197 }{%
23198 \advance\bidi@leftskip\@nameuse{scr@tso@#1indent}%
23199 \hskip -\dimexpr \bidi@leftskip-\@nameuse{scr@tso@#1indent}\relax
23200 }%
23201 ##1%
23202 \nobreak
23203 \hfil \nobreak\hb@ext@\@pnumwidth{\hss ##2}%
23204 \par
23205 \penalty\@highpenalty
23206 \endgroup
23207 \fi
23208 }
23209
23210 \bidi@undef\scr@dte@def@l@largetocline
23211 \bidi@undef\scr@dte@largetocline@init
23212 \DeclareTOCEntryStyle{largetocline}[{%
23213 \DefineTOCEntryLengthOption{indent}%
23214 {scr@tso@}{@indent}{entry indent}%
23215 \@ifundefined{#1tocdepth}{%
23216 \Ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
23217 \Ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
23218 \Ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
23219 \Ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
23220 \Ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
23221 \Ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
23222 \Ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
23223 \Ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
23224 \Ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
23225 \expandafter\let\csname #1tocdepth\expandafter\endcsname
23226 \csname #1numdepth\endcsname
23227 }%
23228 }%
23229 }%

```



```

23230         }%
23231     }%
23232 }%
23233 }%
23234 }%
23235 }%
23236 }{}%
23237 \@ifundefined{scr@tso@#1@indent}{%
23238     \@ifundefined{scr@#1@tocindent}{%
23239         \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23240             \Ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23241                 \Ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
23242                     \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
23243                         \scr@ifundefinedorrelax{1@chapter}{%
23244                             \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
23245                                 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23246                                     \Ifstr{#1}{subsubsection}{%
23247                                         \@namedef{scr@tso@#1@indent}{3.8em}%
23248                                     }{%
23249                                         \Ifstr{#1}{paragraph}{%
23250                                             \@namedef{scr@tso@#1@indent}{7em}%
23251                                         }{%
23252                                             \Ifstr{#1}{subparagraph}{%
23253                                                 \@namedef{scr@tso@#1@indent}{10em}%
23254                                             }{%
23255                                                 }%
23256                                             }%
23257                                         }%
23258                                     }%
23259                                 }%
23260                             }{}%
23261                             \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23262                                 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
23263                                     \Ifstr{#1}{subsubsection}{%
23264                                         \@namedef{scr@tso@#1@indent}{7.0em}%
23265                                     }{%
23266                                         \Ifstr{#1}{paragraph}{%
23267                                             \@namedef{scr@tso@#1@indent}{10em}%
23268                                         }{%
23269                                             \Ifstr{#1}{subparagraph}{%
23270                                                 \@namedef{scr@tso@#1@indent}{12em}%
23271                                             }{%
23272                                                 }%
23273                                             }%
23274                                         }%
23275                                     }%
23276                                 }%
23277                             }%
23278                         }%
23279                     }%
23280                 }%
23281             }%
23282         }{}%
23283         \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%

```



```

23284 }%
23285 }{}%
23286 }]{%
23287 \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax
23288 \ifnum \@nameuse{#1tocdepth}<\@ne
23289 \scr@ifundefinedorrelax{chapter}{%
23290 \addpenalty\@secpenalty
23291 \addvspace{2.25em \@plus\p@}%
23292 }{%
23293 \addpenalty{-\@highpenalty}%
23294 \addvspace{2.25em \@plus\p@}%
23295 }%
23296 \else
23297 \addpenalty\@secpenalty
23298 \addvspace{2.25em \@plus\p@}%
23299 \fi
23300 \setlength\@tempdima{3em}%
23301 \begingroup
23302 \parindent \z@ \bidi@rightskip \@pnumwidth
23303 \parfillskip -\@pnumwidth
23304 \leavevmode
23305 \large
23306 \bfseries
23307 \IfTocFeature{\@currentx}{noindent}{%
23308 }{%
23309 \advance\bidi@leftskip\@nameuse{scr@tso@#1indent}%
23310 }%
23311 ##1%
23312 \hfil \nobreak\hb@xt@\@pnumwidth{\hss ##2}%
23313 \par
23314 \nobreak
23315 \ifnum 0=
23316 \scr@ifundefinedorrelax{chapter}{\if@compatibility 1\else 0\fi}{1}\relax
23317 \global\@nobraektrue
23318 \everypar{\global\@nobraekfalse\everypar{}}%
23319 \fi
23320 \endgroup
23321 \fi
23322 }
23323
23324 \renewcommand*{\scr@dte@tocline}[3]{%
23325 \ifnum \@nameuse{#1tocdepth}>\c@tocdepth
23326 \else
23327 \tocbasic@DependOnPenaltyAndTOCLevel{#1}%
23328 \addvspace{\@nameuse{scr@tso@#1beforeskip}}\relax
23329 \@nameuse{Ifscr@tso@#1dynindent}{%
23330 \expandafter\ifx\csname scr@tso@#1indentfollows\endcsname\@empty
23331 \PackageWarning{tocbasic}{`dynindent' for `#1' not available}%
23332 \else
23333 \edef\reserved@a{\@nameuse{scr@tso@#1indentfollows}}%
23334 \@for \reserved@a:=\reserved@a\do {%
23335 \scr@trim@spaces\reserved@a
23336 \ifx\reserved@a\@empty\else
23337 \scr@ifundefinedorrelax{\reserved@a tocdepth}{%

```



```

23338         }{%
23339         \ifnum \@nameuse{\reserved@a tocdepth}<\@nameuse{#1tocdepth}%
23340         \@tempdima\@nameuse{scr@tso@\reserved@a @indent}\relax
23341         \@nameuse{Ifscr@tso@\reserved@a @dynnumwidth}{%
23342         \scr@ifundefinedorrelax
23343         {scr@dte@\reserved@a @lastmaxnumwidth}{%
23344         \advance\@tempdima
23345         \@nameuse{scr@tso@\reserved@a @numwidth}\relax
23346         }{%
23347         \advance\@tempdima
23348         \@nameuse{scr@dte@\reserved@a @lastmaxnumwidth}\relax
23349         }%
23350         }{%
23351         \advance\@tempdima
23352         \@nameuse{scr@tso@\reserved@a @numwidth}\relax
23353         }%
23354         \ifdim \@tempdima>\@nameuse{scr@tso@#1@indent}\relax
23355         \expandafter\edef\csname scr@tso@#1@indent\endcsname
23356         {\the\@tempdima}%
23357         \fi
23358         \fi
23359         }%
23360         \fi
23361         }%
23362         \fi
23363     }{}%
23364     {%
23365     \Iftocfeature{\@currentt}{noindent}{%
23366     \bidi@leftskip \z@
23367     }{%
23368     \bidi@leftskip \@nameuse{scr@tso@#1@indent}\relax
23369     }%
23370     \bidi@rightskip \@nameuse{scr@tso@#1@rightindent}\relax
23371     \parfillskip -\bidi@rightskip
23372     \@nameuse{Ifscr@tso@#1@raggedpage}{%
23373     \addtolength{\parfillskip}{\z@ \@plus 1fil}%
23374     }{}%
23375     \Iftocfeature{\@currentt}{noindent}{%
23376     \parindent \z@
23377     }{%
23378     \parindent \@nameuse{scr@tso@#1@indent}\relax
23379     }%
23380     \@afterindenttrue
23381     \interlinepenalty\@M
23382     \expandafter\ifx\csname ragged#1entry\endcsname\raggedright
23383     \addtolength\bidi@rightskip\@flushglue
23384     \else
23385     \def\reserved@a{\raggedright}%
23386     \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
23387     \addtolength\bidi@rightskip\@flushglue
23388     \else
23389     \renewcommand\reserved@a{\raggedright}%
23390     \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
23391     \addtolength\bidi@rightskip\@flushglue

```



```

23392         \fi
23393     \fi
23394 \fi
23395 \leavevmode
23396 \@tempdima \@nameuse{scr@tso@#1@numwidth}\relax
23397 \@nameuse{Ifscr@tso@#1@dynnumwidth}{%
23398     \scr@ifundefinedorrelax{scr@dte@#1@lastmaxnumwidth}{}%
23399     \ifdim \@nameuse{scr@dte@#1@lastmaxnumwidth}>\@tempdima
23400         \@tempdima\@nameuse{scr@dte@#1@lastmaxnumwidth}\relax
23401     \fi
23402 }%
23403 }{}%
23404 \advance\bidil@leftskip \@tempdima
23405 \null\nobreak\hskip -\bidil@leftskip
23406 {%
23407     \usetocbasicnumberline
23408     \let\scr@dte@numberline@box\numberline@box
23409     \def\numberline@box##1{%
23410         \sbox\scr@dte@tocline@numbox{\@nameuse{scr@tso@#1@numberformat}{##1}}%
23411         \global\scr@dte@tocline@numberwidth
23412         \dimexpr\wd\scr@dte@tocline@numbox+\@nameuse{scr@tso@#1@numsep}\relax
23413         \relax
23414         \ifdim \scr@dte@tocline@numberwidth
23415             >\@nameuse{scr@dte@#1@maxnumwidth}\relax
23416             \global\@nameuse{scr@dte@#1@maxnumwidth}\scr@dte@tocline@numberwidth
23417         \fi
23418         \@nameuse{Ifscr@tso@#1@dynnumwidth}{}%
23419         \ifdim \scr@dte@tocline@numberwidth
23420             >\dimexpr \@nameuse{scr@tso@#1@numwidth}%
23421             +\@nameuse{scr@tso@#1@numsep}\relax\relax
23422         \PackageWarning{tocbasic}{%
23423             number width of #1 toc entries should be
23424             increased!\MessageBreak
23425             Currently used number width =
23426             \the\wd\scr@dte@tocline@numbox,\MessageBreak
23427             Wanted number separation
23428             \space\space\space =
23429             \the\dimexpr\@nameuse{scr@tso@#1@numsep}\relax,\MessageBreak
23430             Reserved number width \space\space\space\space\space\space =
23431             \the\dimexpr\@nameuse{scr@tso@#1@numwidth}\relax%
23432         }%
23433     \fi
23434 }%
23435 \scr@dte@numberline@box{\@nameuse{scr@tso@#1@numberformat}{##1}}%
23436 \@nameuse{Ifscr@tso@#1@breakafternumber}{%
23437     {\parfillskip\@flushglue\par}\nobreak\hskip-\bidil@leftskip
23438 }{}%
23439 }%
23440 {\@nameuse{scr@tso@#1@entryformat}{%
23441     #2%
23442     \nobreak
23443     {%
23444         \normalfont\normalsize\@nameuse{scr@tso@#1@linefill}%
23445         \nobreak

```




```

23446         \expandafter\let\expandafter\scr@dte@pagenumberwidth
23447         \csname scr@tso@#1@pagenumberwidth\endcsname
23448         \@nameuse{scr@tso@#1@pagenumberbox}{%
23449         \@nameuse{scr@tso@#1@pagenumberformat}{#3}%
23450         }%
23451     }%
23452 }%\@par
23453 }%
23454 }%
23455 \tocbasic@SetPenaltyByTOCLevel{#1}%
23456 \fi
23457 }
23458
23459
23460 \bidi@undef\scr@dte@def@l@tocline
23461 \bidi@undef\scr@dte@tocline@init
23462 \DeclareTOCEntryStyle{tocline}[{%
23463   \DefineTOCEntryLengthOption{beforeskip}%
23464   {scr@tso@}{@beforeskip}{vertical skip before the entry}%
23465   \DefineTOCEntryIfOption{breakafternumber}%
23466   {scr@tso@}{@breakafternumber}{line break after number flag}%
23467   \DefineTOCEntryIfOption{dynnumwidth}%
23468   {scr@tso@}{@dynnumwidth}{dynamic number width flag}%
23469   \DefineTOCEntryListOption{indentfollows}%
23470   {scr@tso@}{@indentfollows}{list of levels that define the indent}%
23471   \DefineTOCEntryIfOption{dynindent}%
23472   {scr@tso@}{@dynindent}{dynamic indent width flag}%
23473   \DefineTOCEntryCommandOption{entryformat}%
23474   {scr@tso@}{@entryformat}[1]{entry format}%
23475   \DefineTOCEntryCommandOption{entrynumberformat}%
23476   {scr@tso@}{@numberformat}[1]{entry number format}%
23477   \DefineTOCEntryCommandOption{linefill}[{\TOCLineLeaderFill}]%
23478   {scr@tso@}{@linefill}{filling between text and page number}%
23479   \DefineTOCEntryLengthOption{numsep}%
23480   {scr@tso@}{@numsep}{entry number separation}%
23481   \DefineTOCEntryCommandOption{onstarthigherlevel}%
23482   {scr@tso@}{@LastTOCLevelWasLower}{start higher level entry hook}%
23483   \DefineTOCEntryCommandOption{onstartlowerlevel}%
23484   {scr@tso@}{@LastTOCLevelWasHigher}{start lower level entry hook}%
23485   \DefineTOCEntryCommandOption{onstartsamelevel}%
23486   {scr@tso@}{@LastTOCLevelWasSame}{start same level entry hook}%
23487   \DefineTOCEntryCommandOption{pagenumberbox}%
23488   {scr@tso@}{@pagenumberbox}[1]{page number box}%
23489   \DefineTOCEntryCommandOption{pagenumberformat}%
23490   {scr@tso@}{@pagenumberformat}[1]{page number format}%
23491   \DefineTOCEntryLengthOption{pagenumberwidth}%
23492   {scr@tso@}{@pagenumberwidth}{width of page number box}%
23493   \DefineTOCEntryLengthOption{rightindent}%
23494   {scr@tso@}{@rightindent}{entry's text right indent}%
23495   \DefineTOCEntryOption{raggedentrytext}[true]{%
23496     \FamilySetBool{KOMAarg}{raggedentrytext}{@tempswa}{##1}%
23497     \ifx\FamilyKeyState\FamilyKeyStateProcessed
23498       \if@tempswa
23499         \expandafter\let\csname ragged\scr@dte@current entry\endcsname

```



```

23500         \raggedright
23501     \else
23502         \expandafter\let\csname ragged\scr@dte@current entry\endcsname
23503         \relax
23504     \fi
23505 \fi
23506 }%
23507 \DefineTOCEntryIfOption{raggedpagenumber}%
23508     {scr@tso@}{@raggedpage}{page number ragged flag}%
23509 \DefineTOCEntryLengthOption{indent}%
23510     {scr@tso@}{@indent}{entry indent}%
23511 \DefineTOCEntryLengthOption{numwidth}%
23512     {scr@tso@}{@numwidth}{entry number width}%
23513 \scr@ifundefinedorrelax{#1tocdepth}{%
23514     \Ifstrstart{#1}{sub}{%
23515         \scr@ifundefinedorrelax{\scr@dte@nosub{#1}tocdepth}{%
23516             \expandafter\edef\csname #1tocdepth\endcsname{%
23517                 \the\numexpr \noexpand\@nameuse{\scr@dte@nosub{#1}tocdepth}+\@ne\relax
23518             }%
23519         }%
23520     }{}%
23521 }{}%
23522 \@ifundefined{#1tocdepth}{%
23523     \Ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
23524         \Ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
23525             \Ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
23526                 \Ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
23527                     \Ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
23528                         \Ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
23529                             \Ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
23530                                 \Ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
23531                                     \Ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
23532                                         \expandafter\let\csname #1tocdepth\expandafter\endcsname
23533                                         \csname #1numdepth\endcsname
23534                                     }%
23535                                 }%
23536                             }%
23537                         }%
23538                     }%
23539                 }%
23540             }%
23541         }%
23542     }{}%
23543 }{}%
23544 \scr@ifundefinedorrelax{scr@tso@#1@indent}{%
23545     \@ifundefined{scr@#1@tocindent}{%
23546         \Ifstrstart{#1}{sub}{%
23547             \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@indent}{%
23548                 \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{%
23549                     \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
23550                         \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}}%
23551                     \relax
23552                 }%
23553             }%

```



```

23554 }{%
23555 \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{%
23556 \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
23557 \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
23558 \relax
23559 }%
23560 }{%
23561 \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
23562 \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
23563 +\noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
23564 \relax
23565 }%
23566 }%
23567 }%
23568 }{}%
23569 }{%
23570 \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
23571 }%
23572 }{}%
23573 \scr@ifundefinedorrelax{scr@tso@#1@pagenumberwidth}{%
23574 \Ifstrstart{#1}{sub}{%
23575 \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@pagenumberwidth}{%
23576 \@namedef{scr@tso@#1@pagenumberwidth}{\@pnumwidth}%
23577 }{%
23578 \expandafter\let
23579 \csname scr@tso@#1@pagenumberwidth\expandafter\endcsname
23580 \csname scr@tso@\scr@dte@nosub{#1}@pagenumberwidth\endcsname
23581 }%
23582 }{%
23583 \@namedef{scr@tso@#1@pagenumberwidth}{\@pnumwidth}%
23584 }%
23585 }{}%
23586 \scr@ifundefinedorrelax{scr@tso@#1@rightindent}{%
23587 \Ifstrstart{#1}{sub}{%
23588 \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@rightindent}{%
23589 \@namedef{scr@tso@#1@rightindent}{\@tocrmarg}%
23590 }{%
23591 \expandafter\let
23592 \csname scr@tso@#1@rightindent\expandafter\endcsname
23593 \csname scr@tso@\scr@dte@nosub{#1}@rightindent\endcsname
23594 }%
23595 }{%
23596 \@namedef{scr@tso@#1@rightindent}{\@tocrmarg}%
23597 }%
23598 }{}%
23599 \@ifundefined{scr@tso@#1@indent}{%
23600 \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23601 \Ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23602 \Ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
23603 \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
23604 \scr@ifundefinedorrelax{l@chapter}{%
23605 \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
23606 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23607 \Ifstr{#1}{subsubsection}{%

```



```

23608         \@namedef{scr@tso@#1@indent}{3.8em}%
23609     }{%
23610         \Ifstr{#1}{paragraph}{%
23611             \@namedef{scr@tso@#1@indent}{7em}%
23612         }{%
23613             \Ifstr{#1}{subparagraph}{%
23614                 \@namedef{scr@tso@#1@indent}{10em}%
23615             }{%
23616                 }%
23617             }%
23618         }%
23619     }%
23620 }{%
23621 \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23622     \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
23623         \Ifstr{#1}{subsubsection}{%
23624             \@namedef{scr@tso@#1@indent}{7.0em}%
23625         }{%
23626             \Ifstr{#1}{paragraph}{%
23627                 \@namedef{scr@tso@#1@indent}{10em}%
23628             }{%
23629                 \Ifstr{#1}{subparagraph}{%
23630                     \@namedef{scr@tso@#1@indent}{12em}%
23631                 }{%
23632                     }%
23633                 }%
23634             }%
23635         }%
23636     }%
23637 }%
23638 }%
23639 }%
23640 }%
23641 }%
23642 }%
23643 }{%
23644 \scr@ifundefinedorrelax{scr@tso@#1@numwidth}{%
23645     \scr@ifundefinedorrelax{scr@#1@tocnumwidth}{%
23646         \Ifstrstart{#1}{sub}{%
23647             \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{%
23648                 \expandafter\edef\csname scr@tso@#1@numwidth\endcsname{%
23649                     \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
23650                     +.9em%
23651                 }%
23652             }%
23653         }%
23654     }{%
23655         \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
23656     }%
23657 }{%
23658 }{%
23659 \ifundefined{scr@tso@#1@numwidth}{%
23660     \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
23661         \Ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%

```



```

23662 \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
23663 \scr@ifundefinedorrelax{chapter}{%
23664 \Ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
23665 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
23666 \Ifstr{#1}{subsubsection}{%
23667 \@namedef{scr@tso@#1@numwidth}{3.2em}%
23668 }{%
23669 \Ifstr{#1}{paragraph}{%
23670 \@namedef{scr@tso@#1@numwidth}{4.1em}%
23671 }{%
23672 \Ifstr{#1}{subparagraph}{%
23673 \@namedef{scr@tso@#1@numwidth}{5em}%
23674 }{%
23675 }%
23676 }%
23677 }%
23678 }%
23679 }%
23680 }{%
23681 \Ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
23682 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
23683 \Ifstr{#1}{subsubsection}{%
23684 \@namedef{scr@tso@#1@numwidth}{3.1em}%
23685 }{%
23686 \Ifstr{#1}{paragraph}{%
23687 \@namedef{scr@tso@#1@numwidth}{5em}%
23688 }{%
23689 \Ifstr{#1}{subparagraph}{%
23690 \@namedef{scr@tso@#1@numwidth}{6em}%
23691 }{%
23692 }%
23693 }%
23694 }%
23695 }%
23696 }%
23697 }%
23698 }%
23699 }%
23700 }%
23701 }{}%
23702 \expandafter\renewcommand%
23703 \csname scr@tso@#1@LastTOCLevelWasLower\endcsname{\LastTOCLevelWasLower}%
23704 \expandafter\renewcommand%
23705 \csname scr@tso@#1@LastTOCLevelWasSame\endcsname{\LastTOCLevelWasSame}%
23706 \expandafter\renewcommand%
23707 \csname scr@tso@#1@LastTOCLevelWasHigher\endcsname{\LastTOCLevelWasHigher}%
23708 \@ifundefined{scr@tso@#1@beforeskip}{%
23709 \Ifstr{#1}{part}{%
23710 \@namedef{scr@tso@#1@beforeskip}{\glueexpr 2.25em \@plus\p@\relax}%
23711 }{%
23712 \Ifstr{#1}{chapter}{%
23713 \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
23714 }{%
23715 \Ifstr{#1}{section}{%

```



```

23716         \scr@ifundefinedorrelax{1@chapter}{%
23717             \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
23718             }{}%
23719         }{}%
23720     }%
23721 }%
23722 \expandafter\renewcommand\expandafter*%
23723 \csname scr@tso@#1@beforeskip\endcsname{\glueexpr \z@ plus .2\p@\relax}%
23724 }{}%
23725 \@ifundefined{scr@dte@#1@maxnumwidth}{%
23726     \expandafter\newlength\csname scr@dte@#1@maxnumwidth\endcsname
23727     \setlength{\@nameuse{scr@dte@#1@maxnumwidth}}{\z@}%
23728 }{}%
23729 \renewcommand*{\scr@dte@donumwidth}{}%
23730 \g@addto@macro{\scr@dte@donumwidth}{\do{#1}}%
23731 \expandafter\renewcommand\expandafter*%
23732 \csname scr@tso@#1@numsep\endcsname{.4em}%
23733 \expandafter\renewcommand%
23734 \csname scr@tso@#1@numberformat\endcsname[1]{##1}%
23735 \Ifstr{#1}{part}{%
23736     \expandafter\providecommand%
23737     \csname scr@tso@#1@entryformat\endcsname[1]{\large\bfseries ##1}%
23738 }{}%
23739 \Ifstr{#1}{chapter}{%
23740     \expandafter\providecommand%
23741     \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
23742 }{}%
23743 \scr@ifundefinedorrelax{1@chapter}{%
23744     \Ifstr{#1}{section}{%
23745         \expandafter\providecommand%
23746         \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
23747     }{}%
23748 }{}%
23749 \expandafter\providecommand%
23750 \csname scr@tso@#1@entryformat\endcsname[1]{##1}%
23751 }%
23752 }%
23753 \expandafter\renewcommand
23754 \csname Ifscr@tso@#1@breakafternumber\endcsname[2]{##2}%
23755 \@ifundefined{scr@tso@#1@linefill}{%
23756     \Ifstr{#1}{part}{%
23757         \@namedef{scr@tso@#1@linefill}{\hfill}%
23758     }{}%
23759     \Ifstr{#1}{chapter}{%
23760         \@namedef{scr@tso@#1@linefill}{\hfill}%
23761     }{}%
23762     \scr@ifundefinedorrelax{1@chapter}{%
23763         \Ifstr{#1}{section}{%
23764             \@namedef{scr@tso@#1@linefill}{\hfill}%
23765         }{}%
23766     }{}%
23767     \expandafter\renewcommand%
23768     \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
23769 }%

```



```

23770 }%
23771 }{}%
23772 \expandafter\renewcommand\csname Ifscr@tso@#1@raggedpage\endcsname[2]{##2}%
23773 \Ifstr{#1}{part}{%
23774   \expandafter\providecommand%
23775   \csname scr@tso@#1@pagenumberformat\endcsname[1]{\large\bfseries ##1}%
23776 }{%
23777   \Ifstr{#1}{chapter}{%
23778     \expandafter\providecommand%
23779     \csname scr@tso@#1@pagenumberformat\endcsname[1]{\bfseries ##1}%
23780 }{%
23781   \scr@ifundefinedorrelax{1@chapter}{%
23782     \Ifstr{#1}{section}{%
23783       \expandafter\providecommand%
23784       \csname scr@tso@#1@pagenumberformat\endcsname[1]{\bfseries ##1}%
23785     }{}%
23786   }{}%
23787   \expandafter\providecommand%
23788   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
23789     {\normalfont\normalcolor ##1}}%
23790 }%
23791 }%
23792 \expandafter\renewcommand%
23793 \csname scr@tso@#1@pagenumberbox\endcsname[1]{%
23794   \hb@xt@{\nameuse{scr@dte@pagenumberwidth}}{\hfil ##1}}%
23795 \expandafter\renewcommand\csname Ifscr@tso@#1@dynnumwidth\endcsname[2]{##2}%
23796 \expandafter\renewcommand\csname Ifscr@tso@#1@dynindent\endcsname[2]{##2}%
23797 \scr@ifundefinedorrelax{scr@tso@#1@indentfollows}{%
23798   \Ifstrstart{#1}{sub}{%
23799     \expandafter\edef\csname scr@tso@#1@indentfollows\endcsname{%
23800       \scr@dte@nosub{#1}%
23801     }%
23802   }{}%
23803   \expandafter\let\csname scr@tso@#1@indentfollows\endcsname\@empty
23804 }%
23805 }{}%
23806 }]{%
23807   \scr@dte@tocline{#1}{##1}{##2}%
23808 }
23809
23810 \if@bidi@csdef{scr@tso@figure@pagenumberformat}{%
23811   \renewcommand*{\scr@tso@figure@pagenumberformat}[1]{%
23812     {\normalfont\normalcolor #1}%
23813   }%
23814 }{}
23815
23816 \if@bidi@csdef{scr@tso@table@pagenumberformat}{%
23817   \renewcommand*{\scr@tso@table@pagenumberformat}[1]{%
23818     {\normalfont\normalcolor #1}%
23819   }%
23820 }{}
23821

```



160 File tocstyle-xetex-bidi.def

```

23822 \ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package]
23823 \renewcommand*{\tocstyle@dottedtocline}[5]{%
23824   \let\numberline\tocstyle@numberline
23825   \ifnum #1>\c@tocdepth \else
23826     \if@tocstyle@penalties
23827       \begingroup
23828         \@tempcnta 20010
23829         \advance \@tempcnta by -#1
23830         \ifnum \@tempcnta>\lastpenalty
23831           \aftergroup\penalty\aftergroup\@lowpenalty
23832         \fi
23833       \endgroup
23834     \fi
23835     \edef\tocstyledepth{#1}%
23836     \tocstyle@activate@features
23837     \ifx\tocstyle@feature@entryvskip\relax
23838       \vskip \z@ \@plus.2\p@
23839     \else
23840       \addvspace{\tocstyle@feature@entryvskip}%
23841     \fi
23842     {%
23843       \parskip \z@ \parindent \z@ \if@RTL\rightskip\else\leftskip\fi \z@ \if@RTL\leftskip\else\rightskip\fi
23844       \tocstyle@feature@raggedhook
23845       \@tempdima #3\relax
23846       \@tempdimb #2\relax
23847       \typeout{m (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
23848       \ifnum #1>\z@\relax
23849         \@tempcnta #1\relax \advance\@tempcnta \m@ne
23850         \ifcsname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
23851           \ifcsname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
23852             \@tempdimb
23853             \csname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
23854             \advance\@tempdimb
23855             \csname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
23856           \fi
23857         \fi
23858       \typeout{C (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
23859       \ifcsname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname
23860         \ifdim \@tempdimb>
23861           \csname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname\relax
23862           \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
23863             @#1\endcsname{\the\@tempdimb}%
23864         \fi
23865       \else
23866         \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
23867           @#1\endcsname{\the\@tempdimb}%
23868       \fi
23869       \iftocstyle@autolength
23870         \ifcsname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
23871           \@tempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
23872         \relax
23873       \fi

```




```

23874 \fi
23875 \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
23876 \@tempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
23877 \relax
23878 \fi
23879 \typeout{a (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
23880 \typeout{A (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
23881 \else
23882 \@tempdimb #2\relax
23883 \typeout{M (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
23884 \fi
23885 \ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
23886 \ifdim \@tempdima>
23887 \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
23888 \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
23889 @\endcsname{\the\@tempdima}%
23890 \fi
23891 \else
23892 \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
23893 @\endcsname{\the\@tempdima}%
23894 \fi
23895 \ifcase\tocstyle@indentstyle\relax\else
23896 \@tempdimb \z@
23897 \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
23898 \@tempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
23899 \relax
23900 \fi
23901 \typeout{s (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
23902 \typeout{S (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
23903 \fi
23904 \advance\parindent \@tempdimb\@afterindenttrue
23905 \advance\if@RTL\rightskip\else\leftskip\fi \parindent
23906 \advance\if@RTL\leftskip\else\rightskip\fi \tocrmarg
23907 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
23908 \ifx\tocstyle@feature@parfillskip\relax\else
23909 \advance\parfillskip \tocstyle@feature@parfillskip\relax
23910 \fi
23911 \interlinepenalty\@M
23912 \leavevmode
23913 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
23914 \null\nobreak
23915 \iftocstyle@indentnotnumbered\else
23916 \hskip -\if@RTL\rightskip\else\leftskip\fi
23917 \fi
23918 \tocstyle@feature@entryhook
23919 {#4}\nobreak
23920 \ifx\tocstyle@feature@leaders\relax
23921 \leaders\hbox{$\m@th
23922 \mkern \dotsep mu\hbox{\tocstyle@feature@dothook .}%
23923 \mkern \dotsep mu$}\hfill
23924 \else
23925 \tocstyle@feature@leaders
23926 \fi
23927 \nobreak

```



```

23928 \ifx\tocstyle@feature@pagenumberbox\relax
23929 \hb@xt@\@pnumwidth{\hfil\tocstyle@feature@pagenumberhook #5}%
23930 \else
23931 \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook #5}%
23932 \fi
23933 \par
23934 }%
23935 \if@tocstyle@penalties
23936 \bgroup
23937 \@tempcnta 20009
23938 \advance\@tempcnta by -#1
23939 \edef\reserved@a{\egroup\penalty\the\@tempcnta\relax}%
23940 \reserved@a
23941 \fi
23942 \fi}
23943 \renewcommand*{\tocstyle@numberline}[1]{%
23944 \begingroup
23945 \ifx\tocstyle@feature@spaceafternumber\relax
23946 \settowidth\@tempdima{\tocstyle@@numberline{#1}\enskip}%
23947 \else
23948 \settowidth\@tempdima{\tocstyle@@numberline{#1}}%
23949 \advance \@tempdima \tocstyle@feature@spaceafternumber\relax
23950 \fi
23951 \ifcsname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname
23952 \ifdim \@tempdima >
23953 \csname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname\relax
23954 \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
23955 @\tocstyledepth\endcsname{\the\@tempdima}%
23956 \fi
23957 \else
23958 \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
23959 @\tocstyledepth\endcsname{\the\@tempdima}%
23960 \fi
23961 \endgroup
23962 \iftocstyle@indentnotnumbered
23963 \hskip -\if@RTL\rightskip\else\leftskip\fi
23964 \fi
23965 \ifcase \tocstyle@indentstyle
23966 \hb@xt@\@tempdima{\tocstyle@@numberline{#1}\hfil}%
23967 \or
23968 \hb@xt@\@tempdima{\tocstyle@@numberline{#1}\hfil}%
23969 \else
23970 \ifx\tocstyle@feature@spaceafternumber\relax
23971 \hbox{\tocstyle@@numberline{#1}\enskip}%
23972 \else
23973 \hbox{\tocstyle@@numberline{#1}\hskip
23974 \tocstyle@feature@spaceafternumber\relax}%
23975 \fi
23976 \fi
23977 }
23978 \AtBeginDocument{%
23979 \ifcsname l@part\endcsname
23980 \ifcsname l@chapter\endcsname
23981 \setbox\@tempboxa\vbox{\hsize\maxdimen

```



```

23982         \l@part{\tocstyle@l@define{part}{-1}}{}}%
23983     \else
23984         \setbox\@tempboxa\vbox{\hsize\maxdimen
23985             \l@part{\tocstyle@l@define{part}{0}}{}}%
23986     \fi
23987 \fi
23988 \ifcsname l@chapter\endcsname
23989     \setbox\@tempboxa\vbox{\hsize\maxdimen
23990         \l@chapter{\tocstyle@l@define{chapter}{0}}{}}%
23991 \fi
23992 \ifcsname l@section\endcsname
23993     \setbox\@tempboxa\vbox{\hsize\maxdimen
23994         \l@section{\tocstyle@l@define{section}{1}}{}}%
23995 \fi
23996 \ifcsname l@subsection\endcsname
23997     \setbox\@tempboxa\vbox{\hsize\maxdimen
23998         \l@subsection{\tocstyle@l@define{subsection}{2}}{}}%
23999 \fi
24000 \ifcsname l@subsubsection\endcsname
24001     \setbox\@tempboxa\vbox{\hsize\maxdimen
24002         \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}}%
24003 \fi
24004 \ifcsname l@paragraph\endcsname
24005     \setbox\@tempboxa\vbox{\hsize\maxdimen
24006         \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}}%
24007 \fi
24008 \ifcsname l@subparagraph\endcsname
24009     \setbox\@tempboxa\vbox{\hsize\maxdimen
24010         \l@subparagraph{\tocstyle@l@define{subparagraph}{5}}{}}%
24011 \fi
24012 \ifcsname l@table\endcsname
24013     \setbox\@tempboxa\vbox{\hsize\maxdimen
24014         \l@table{\tocstyle@l@define{table}{1}}{}}%
24015 \fi
24016 \ifcsname l@figure\endcsname
24017     \setbox\@tempboxa\vbox{\hsize\maxdimen
24018         \l@figure{\tocstyle@l@define{figure}{1}}{}}%
24019 \fi
24020 \def\@tempa#1#2#3#4#5{%
24021     \ifnum #1>\c@tocdepth \else
24022         \vskip \z@ \@plus.2\p@
24023         {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@toc
24024         \parindent #2\relax\@afterindenttrue
24025         \interlinepenalty\@M
24026         \leavevmode
24027         \@tempdima #3\relax
24028         \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\ri
24029         {#4}\nobreak
24030         \leaders\hbox{$\m@th
24031             \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
24032             mu$}\hfill
24033         \nobreak
24034         \hb@xt@\@pnumwidth{{\hfil \normalfont \normalcolor #5}}%
24035         \par}%

```



```

24036 \fi}%
24037 \ifx\@dottedtocline\@tempa\else
24038 \tocstyle@macrochangewarning\@dottedtocline
24039 \fi
24040 \let\tocstyle@saved@dottedtocline\@dottedtocline
24041 \def\@tempa#1{\hb@xt@\@tempdima{#1\autodot\hfil}}%
24042 \ifx\numberline\@tempa\else
24043 \def\@tempa#1{\hb@xt@\@tempdima{#1\hfil}}%
24044 \ifx\numberline\@tempa\else
24045 \tocstyle@macrochangewarning\numberline
24046 \fi
24047 \fi
24048 \let\tocstyle@saved@numberline\numberline
24049 }
24050 \renewcommand*{\tocstyle@l@define}[2]{%
24051 \advance\if@RTL\rightskip\else\leftskip\fi-\@tempdima
24052 \edef\@tempa{%
24053 \noexpand\global\noexpand\let
24054 \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname
24055 \expandafter\noexpand\csname l@#1\endcsname
24056 \noexpand\gdef
24057 \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
24058 \noexpand\@dottedtocline{#2}{\the\if@RTL\rightskip\else\leftskip\fi}{\the\@tempdima}}%
24059 \noexpand\g@addto@macro\noexpand\tocstyle@activate@all@l{%
24060 \noexpand\let\expandafter\noexpand\csname l@#1\endcsname
24061 \expandafter\noexpand\csname tocstyle@l@#1\endcsname
24062 }%
24063 }%
24064 \PackageInfo{tocstyle}{prepare \expandafter\string
24065 \csname l@#1\endcsname\space for redefinition}%
24066 \@tempa
24067 }

```

161 File todonotes-xetex-bidi.def

```

24068 \ProvidesFile{todonotes-xetex-bidi.def}[2016/11/08 v0.4 bidi adaptations for todonotes packa
24069 \newif\if@bidi@todonotes@textdirection@RTL
24070 \newif\if@bidi@todonotes@figposition@right
24071 \newcommand{\@bidi@todonotes@align}{}%
24072 \define@key{todonotes}{align}{\renewcommand{\@bidi@todonotes@align}{#1}}%
24073 \newcommand{\@bidi@todonotes@textdirection}{}%
24074 \define@choicekey{todonotes}{textdirection}[\@bidi@todonotes@tempa\@bidi@todonotes@tempb]{right,
24075 \ifcase\@bidi@todonotes@tempb\relax
24076 \@bidi@todonotes@textdirection@RTLtrue
24077 \let\@bidi@todonotes@textdirection\RLE
24078 \or
24079 \@bidi@todonotes@textdirection@RTLfalse
24080 \let\@bidi@todonotes@textdirection\LRE
24081 \fi}
24082 \define@choicekey{todonotes}{figposition}[\@bidi@todonotes@tempa\@bidi@todonotes@tempb]{right,
24083 \ifcase\@bidi@todonotes@tempb\relax
24084 \@bidi@todonotes@figposition@righttrue
24085 \or
24086 \@bidi@todonotes@figposition@rightfalse

```



```

24087 \fi}
24088 \if@todonotes@disabled%
24089 \else % \if@todonotes@disabled
24090 \renewcommand{\@todonotes@drawInlineNote}{%
24091   \if@todonotes@dviStyle%
24092     {\par\noindent\begin{tikzpicture}[remember picture]%
24093       \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
24094     \if@todonotes@authorgiven%
24095       {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
24096     \else%
24097       {\noindent \@todonotes@sizecommand \@todonotes@text}%
24098     \fi
24099     {\par\noindent\begin{tikzpicture}[remember picture]%
24100       \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
24101   \else%
24102     {\par\noindent\begin{tikzpicture}[remember picture]%
24103       \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
24104       \draw node[inlinenotestyle,font=\@todonotes@sizecommand,align=\@bidi@todonotes@
24105         \if@todonotes@authorgiven%
24106           {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text
24107         \else%
24108           {\noindent \@todonotes@sizecommand \@todonotes@text}%
24109         \fi};%
24110       \end{tikzpicture}\par}%
24111   \fi}%
24112 \renewcommand{\@todonotes@drawMarginNoteWithLine}{%
24113 \begin{tikzpicture}[remember picture, overlay, baseline=-0.75ex]%
24114   \node [coordinate] (inText) {};%
24115 \end{tikzpicture}%
24116 \marginpar[{\% Draw note in left margin
24117   \@todonotes@drawMarginNote%
24118   \if@RTL@todonotes@drawLineToRightMargin\else\@todonotes@drawLineToLeftMargin\fi%
24119 }]{\% Draw note in right margin
24120   \@todonotes@drawMarginNote%
24121   \if@RTL@todonotes@drawLineToLeftMargin\else\@todonotes@drawLineToRightMargin\fi%
24122 }%
24123 }%
24124 \renewcommand{\@todonotes@drawMarginNote}{%
24125 \if@todonotes@dviStyle%
24126   \begin{tikzpicture}[remember picture]%
24127     \draw node[notestyle] {};%
24128   \end{tikzpicture}\\%
24129   \begin{minipage}{\@todonotes@textwidth}%
24130     \if@todonotes@authorgiven%
24131       \@todonotes@sizecommand \@todonotes@author \@todonotes@text%
24132     \else%
24133       \@todonotes@sizecommand \@todonotes@text%
24134     \fi%
24135   \end{minipage}\\%
24136   \begin{tikzpicture}[remember picture]%
24137     \draw node[notestyle] (inNote) {};%
24138   \end{tikzpicture}%
24139 \else%
24140   \let\originalHbadness\hbadness%

```



```

24141 \hbadness 100000%
24142 \begin{tikzpicture}[remember picture,baseline=(X.base)]%
24143 \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
24144 \node(X){\vphantom{X}};%
24145 \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@align]{\@todonotes@text};%
24146 \if@todonotes@authorgiven%
24147 \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@align]{\@todonotes@sizecommand\@todonotes@author};%
24148 \node(Y)[below=of X]{};%
24149 \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@align]{\@todonotes@text};%
24150 \else%
24151 \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@align]{\@todonotes@text};%
24152 \fi%
24153 \end{tikzpicture}%
24154 \hbadness \originalHbadness%
24155 \fi}%
24156 \renewcommand{\missingfigure}[2][]{%
24157 \setkeys{todonotes}{#1}%
24158 \addcontentsline{tdo}{todo}{\@todonotes@MissingFigureText: #2}%
24159 \par
24160 \noindent
24161 \begin{tikzpicture}
24162 \draw[fill=\@todonotes@currentfigcolor, draw = black!40, line width=2pt]
24163 (-2, -2.5) rectangle +(\@todonotes@currentfigwidth, \@todonotes@currentfigheight);
24164 \if@bidi@todonotes@figposition@right%
24165 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
24166 \draw[red, fill=white, rounded corners = 5pt, line width=10pt]
24167 (30:2cm) -- (150:2cm) -- (270:2cm) -- cycle;
24168 \if@bidi@todonotes@figposition@right%
24169 \end{scope}
24170 \begin{scope}[xshift=-3.8cm]
24171 \draw (2, -0.3) node[right, text
24172 width=\@todonotes@currentfigwidth-4.5cm,align=\@bidi@todonotes@align] {#2};
24173 \if@bidi@todonotes@figposition@right%
24174 \end{scope}
24175 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
24176 \draw (0, 0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@text}};
24177 \draw (0, -0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@text}};
24178 \if@bidi@todonotes@figposition@right%
24179 \end{scope}
24180 \fi%
24181 \end{tikzpicture}\hfill
24182}% Ending \missingfigure command
24183\fi % Ending \@todonotes@ifdisabled
24184\presetkeys%
24185{todonotes}%
24186{align=left,%

```



```

24195   textdirection=lefttoright,%
24196   figposition=left}{}%

```

162 File wrapfig-xetex-bidi.def

```

24197 \ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package f
24198 \let\WF@@everypar\@everypar
24199 \def\WF@putfigmaybef{%
24200 \ifinner
24201   \vskip-\parskip \global\WF@floatfalse
24202   \let\pagetotal\maxdimen % kludge flag for "not top of page"
24203 \else % outer page
24204   \@tempdima\pagedepth % save page depth
24205   {\advance\parskip\@tempdima\if@RTL\advance\parskip\baselineskip\fi\vskip-\parskip}% back
24206   \penalty\interlinepenalty % update pg. parameters
24207   \@tempdimb\pagegoal \advance\@tempdimb-\pagetotal % room left on page
24208   \ifdim\@tempdimb<\z@ % \WF@info{Page overfull already;}%
24209     \global\WF@floatfalse
24210     \ifdim-\@tempdimb>\pageshrink \else \pagebreak \fi
24211   \else
24212     \ifdim\WF@size>\@tempdimb
24213       \ifWF@float \dimen@.5\baselineskip \else \dimen@ 2\baselineskip\fi
24214       \ifdim\pagestretch>\dimen@ \dimen@\pagestretch \fi
24215       \ifdim\pagefilstretch>\z@ \dimen@\@tempdimb \fi
24216       \ifdim\pagefillstretch>\z@ \dimen@\@tempdimb \fi
24217       \advance\dimen@.5\baselineskip
24218       \ifdim\dimen@>\@tempdimb % \WF@info{Page nearly full; can stretch;}%
24219         \global\WF@floatfalse \pagebreak
24220       \fi
24221     \else % \WF@info{Fits in \the\@tempdimb;}%
24222       \global\WF@floatfalse
24223     \fi\fi
24224     \vskip\@tempdima\relax % (return erased page depth)
24225 \fi
24226 \noindent
24227 \ifWF@float
24228   \WF@fltnes
24229 \else % putting here;
24230   \WF@info{Put \WF@wfname here;}%
24231   {\ifodd\if@twoside\c@page\else\@ne\fi % assign l/r to i/o placement
24232     \lccode`i`l\lccode`o`r\else \lccode`i`r\lccode`o`l\fi
24233     \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
24234   \hbox to\z@{% llap or rlap depending on {l} or {r}; calc effective width
24235     \@tempdima\wd\WF@box \@tempdimb\WF@ovh
24236     \advance\@tempdima-\@tempdimb \advance\@tempdima\columnsep
24237     \@tempdimb\hsize \advance\@tempdimb-\@tempdima
24238     \xdef\WF@adjlw{\the\@tempdima}%
24239     \ifnum `l=\WF@place % fig on left
24240       \if@RTL%
24241         \kern\@tempdimb \kern\columnsep
24242         \def\@tempa{\hss}% position to left of the gap
24243       \else%
24244         \hss % figure overlaps space to the left
24245         \def\@tempa{\kern\columnsep}% position to left of the gap

```



```

24246 \fi%
24247 \else % fig on right
24248 \if@RTL%
24249 \hss
24250 \@tempdima\z@
24251 \def\@tempa{\kern\columnsep}
24252 \else%
24253 \@tempdima\z@ % no left indentation
24254 \kern\@tempdimb \kern\columnsep
24255 \def\@tempa{\hss}% figure overlaps space to the right
24256 \fi%
24257 \fi
24258 \ifdim\@tempdimb<\hsize
24259 \xdef\WF@wrapil{\the\@tempdima \the\@tempdimb}% indentation and length
24260 \xdef\WF@adjtlm{\the\@tempdima}%
24261 \else
24262 \xdef\WF@wrapil{\z@ \the\hsize}%
24263 \xdef\WF@adjlw{\z@}\xdef\WF@adjtlm{\z@}%
24264 \fi
24265 \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
24266 \global\advance\WF@size-\intextsep
24267 \else % \WF@info{Putting \WF@wfname in middle of page}%
24268 \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
24269 \fi \dp\WF@box\z@ \box\WF@box \@tempa
24270 }% end \hbox to Opt
24271 \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
24272 \fi}

```

163 File xcolor-xetex-bidi.def

```

24273 \ProvidesFile{xcolor-xetex-bidi.def}[2022/06/13 v0.3 bidi adaptations for xcolor package for
24274 \long\def\color@b@x#1#2#3%
24275 {\leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
24276 \setbox\z@\hbox{\kern\fbboxsep\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fbboxsep}%
24277 \dimen@ht\z@\advance\dimen@\fbboxsep\ht\z@\dimen@
24278 \dimen@dp\z@\advance\dimen@\fbboxsep\dp\z@\dimen@
24279 {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}\box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
24280 \protected\def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup
24281 \DeclareRobustCommand\color
24282 {\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi@ifnextchar[\@undeclaredcolor\@declaredcolor]}
24283 \def\@undeclaredcolor[#1]#2%
24284 {\begingroup
24285 \let\@cls\@empty
24286 \XC@getmodclr12{#1}{#2}{}%
24287 {\ifblendcolors
24288 \ifx\colorblend\@empty\else
24289 \edef\@mix{\expandafter\gobble\colorblend}\@tempswafalse
24290 \XC@coremodel\@mod\@clr\@xcolor@{ }\@mod\@clr
24291 \fi
24292 \fi
24293 \ifconvertcolorsU
24294 \edef\@tmp{\XC@tgt@mod{\@mod}}%
24295 \convertcolorspec\@mod\@clr\@tmp\@clr \let\@mod\@tmp
24296 \fi

```




```

24297 \ifmaskcolors
24298 \convertcolorspec\@mod\@clr\XC@mmod\@clr
24299 \let\@mod\XC@mmod
24300 \XC@inflate\@mod\XC@mclr\@clr\@tmp
24301 \expandafter\XC@mul\@tmp,\@clr
24302 \fi
24303 \edef\@tmp{\noexpand\XC@undeclaredcolor{\@mod}{\@clr}}%
24304 \expandafter\endgroup\@tmp}}
24305 \def\@declaredcolor#1%
24306 {\XC@edef\XC@tmp{#1}\XC@tstfalse
24307 \ifcase\XC@type\XC@tmp\relax \XC@tsttrue\or \relax\else
24308 \ifblendcolors\XC@tsttrue\fi \ifmaskcolors\XC@tsttrue\fi
24309 \ifconvertcolorsU\XC@tsttrue\fi
24310 \fi
24311 \ifXC@tst
24312 \expandafter\XC@declaredcolor\else
24313 \expandafter\XC@declaredcolor\fi}
24314 \def\XC@undeclaredcolor#1#2%
24315 {\@ifundefinedmodel{#1}%
24316 {\c@lor@error{model `#1'}}%
24317 {\@nameuse{color@#1}\current@color{#2}%
24318 \edef\XC@current@color{\noexpand\xcolor@}{\current@color}{#1}{#2}}%
24319 \XC@display}\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
24320 \def\XC@declaredcolor
24321 {\XC@let\Nc\XC@current@color{\string\color@\XC@tmp}%
24322 \edef\current@color{\XC@current@color}%
24323 \XC@display\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
24324 \DeclareRobustCommand\bidicolor
24325 {\@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
24326 \def\@bidiundeclaredcolor[#1]#2%
24327 {\begingroup
24328 \let\@cls\@empty
24329 \XC@getmodclr12{#1}{#2}{}%
24330 {\ifblendcolors
24331 \ifx\colorblend\@empty\else
24332 \edef\@mix{\expandafter@gobble\colorblend}\@tempwafalse
24333 \XC@coremodel\@mod\@clr\xcolor@}{\@mod\@clr
24334 \fi
24335 \fi
24336 \ifconvertcolorsU
24337 \edef\@tmp{\XC@tgtmod{\@mod}}%
24338 \convertcolorspec\@mod\@clr\@tmp\@clr \let\@mod\@tmp
24339 \fi
24340 \ifmaskcolors
24341 \convertcolorspec\@mod\@clr\XC@mmod\@clr
24342 \let\@mod\XC@mmod
24343 \XC@inflate\@mod\XC@mclr\@clr\@tmp
24344 \expandafter\XC@mul\@tmp,\@clr
24345 \fi
24346 \edef\@tmp{\noexpand\XC@bidiundeclaredcolor{\@mod}{\@clr}}%
24347 \expandafter\endgroup\@tmp}}
24348 \def\XC@bidiundeclaredcolor#1#2%
24349 {\@ifundefinedmodel{#1}%
24350 {\c@lor@error{model `#1'}}%

```



```

24351 {\@nameuse{color@#1}\current@color{#2}}%
24352 \edef\XC@current@color{\noexpand\xcolor@{}{\current@color}{#1}{#2}}%
24353 \XC@display}}
24354 \def\@bidideclaredcolor#1%
24355 {\XC@edef\XC@@tmp{#1}\XC@@tstfalse
24356 \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
24357 \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
24358 \ifconvertcolorsU\XC@@tsttrue\fi
24359 \fi
24360 \ifXC@@tst
24361 \expandafter\XC@bidideclaredcolor\else
24362 \expandafter\XC@bidideclaredcolor\fi}
24363 \def\XC@bidideclaredcolor
24364 {\XC@split\XC@@tmp
24365 \edef\@@tmp{\noexpand\@bidiundeclaredcolor[\@@mod]{\@@clr}}%
24366 \expandafter\endgroup\@@tmp}
24367 \def\XC@bidideclaredcolor
24368 {\XC@let\Nc\XC@current@color{\string\color@\XC@@tmp}%
24369 \edef\current@color{\XC@current@color}%
24370 \XC@display}
24371 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
24372 \def\color@fbbox#1#2#3{\protect\color@fb@x{#1}{#2}{#3}}
24373 \def\color@fb@x#1#2#3#4%
24374 {\color@b@x{\fbboxsep\z@\bidicolor#1{#2}\XC@fbbox}%
24375 {\@ifxempty{#3}{\bidicolor#1}{\bidicolor#3}{#4}}}
24376 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmod

```

164 File latex-xetex-bidi.def

```

24377 \ProvidesFile{latex-xetex-bidi.def}[2025/12/19 v1.5.6 bidi adaptations for `latex.ltx' for
24378 \newcommand{\TeXXeTOn}{\TeXXeTstate\@ne}
24379 \newcommand{\TeXXeTOff}{\TeXXeTstate\@z}
24380 \TeXXeTOn
24381 \def\@bidi@RTL@everypar{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebo
24382 \let\@bidi@o@everypar=\everypar
24383 \newtoks\@bidi@n@everypar
24384 \bidi@n@everypar\expandafter{\the\@bidi@o@everypar}
24385 \bidi@o@everypar{\bidi@RTL@everypar\the\@bidi@n@everypar}
24386 \let\everypar=\@bidi@n@everypar
24387 \def\@moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
24388 \def\@moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
24389 \protected\def\hboxR{\hbox\bgroup
24390 \everyhbox{%
24391 \aftergroup\egroup
24392 \everyhbox{}}%
24393 \beginR
24394 \@hboxRconstructtrue
24395 \bgroup
24396 \aftergroup\endR
24397 \aftergroup\egroup
24398 }\hbox}
24399 \protected\def\hboxL{\hbox\bgroup
24400 \everyhbox{%
24401 \aftergroup\egroup

```



```

24402 \everyhbox{%
24403 \beginL
24404 \@hboxRconstructfalse
24405 \bgroup
24406 \aftergroup\endL
24407 \aftergroup\egroup
24408 }\hbox}
24409 \protected\def\vboxR{\vbox\bgroup
24410 \everyvbox{%
24411 \aftergroup\egroup
24412 \everyvbox}%
24413 \@RTLtrue
24414 \@RTLtabtrue
24415 \bgroup
24416 \aftergroup\egroup
24417 }\vbox}
24418 \protected\def\vboxL{\vbox\bgroup
24419 \everyvbox{%
24420 \aftergroup\egroup
24421 \everyvbox}%
24422 \@RTLfalse
24423 \@RTLtabfalse
24424 \bgroup
24425 \aftergroup\egroup
24426 }\vbox}
24427 \newcommand*{\bidi@leftskip}{\if@RTL\rightskip\else\leftskip\fi}
24428 \newcommand*{\bidi@rightskip}{\if@RTL\leftskip\else\rightskip\fi}
24429 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse\hsize\linewidth\parshape\z@\bidi@beamer}
24430 \def\endLTR{\par}
24431 \newenvironment{LTR*}{\LTR
24432 \everypar{%
24433 {\setbox\z@\lastbox
24434 \ifvoid\z@
24435 \kern-\parindent
24436 \fi}%
24437 }%
24438 }{\endLTR\@endpetrue}
24439 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue\hsize\linewidth\parshape\z@\bidi@beamer}
24440 \def\endRTL{\par}
24441 \newenvironment{RTL*}{\RTL
24442 \everypar{%
24443 {\setbox\z@\lastbox
24444 \ifvoid\z@
24445 \kern-\parindent
24446 \fi}%
24447 }%
24448 }{\endRTL\@endpetrue}
24449 \def\setRTL{\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue\bidi@beamer@ragged}
24450 \def\setLTR{\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse\bidi@beamer@ragged}
24451 \let\unsetRTL=\setLTR
24452 \let\unsetLTR=\setRTL
24453 \let\LR=\LRE
24454 \let\RL=\RLE
24455 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}

```



```

24456 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
24457 \let\@ensure@RL=\@ensure@RTL
24458 \let\@ensure@LR=\@ensure@LTR
24459 \def\@ensure@dir#1{\if@RTL\RL{#1}\else{#1}\fi}
24460 \let\@ensure@maindir=\@ensure@dir
24461 \def\@RTL{RTL}
24462 \def\@LTR{LTR}
24463 \def\save@dir{\if@RTL\gdef\save@@dir{RTL}\else\gdef\save@@dir{LTR}\fi}
24464 \def\reset@dir{\ifx\save@@dir\@RTL\setRTL\else\ifx\save@@dir\@LTR\setLTR\else\relax\fi}
24465 \let\@TeX\TeX
24466 \def\TeX{\@ensure@LTR{\@TeX}}
24467 \let\@LaTeX\LaTeX
24468 \def\LaTeX{\@ensure@LTR{\@LaTeX}}
24469 \let\@LaTeXe\LaTeXe
24470 \def\LaTeXe{\@ensure@LTR{\@LaTeXe}}
24471 \long\def\bidireflect@box#1{%
24472   \leavevmode
24473   \setbox\z@\hbox{#1}%
24474   \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}
24475   \hb@xt@\wd\z@{\kern\wd\z@\box\tw@\hss}%
24476 }
24477 \if@bidi@csundef{XeTeX}{%
24478 \bidi@newrobustcmd*{\XeTeX}{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex
24479   \hbox{\kern-.125em\bidireflect@box{E}}\kern-.1667em \TeX}}}%
24480 }{%
24481 \let\@bidi@orig@XeTeX\XeTeX
24482 \bidi@renewrobustcmd*{\XeTeX}{\LR{\@bidi@orig@XeTeX}}%
24483 }
24484 \if@bidi@csundef{XeLaTeX}{%
24485 \bidi@newrobustcmd*{\XeLaTeX}{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex
24486   \hbox{\kern-.125em\bidireflect@box{E}}\kern-.1667em \LaTeX}}}%
24487 }{%
24488 \let\@bidi@orig@XeLaTeX\XeLaTeX
24489 \bidi@renewrobustcmd*{\XeLaTeX}{\LR{\@bidi@orig@XeLaTeX}}%
24490 }
24491 \let\setRL=\setRTL
24492 \let\setLR=\setLTR
24493 \let\unsetRL=\setLTR
24494 \def\biditabular@RTLcases{\let\@halignto\@empty\@bidi@tabular@RTLcases}
24495 \ApplyPatchIfPackageLoaded{array}{%
24496 \def\@bidi@tabular@RTLcases{\@RTLtabtrue%
24497   \leavevmode
24498   \hbox \bgroup $\left.\col@sep\tabcolsep \let\dollarbegin\begin\group
24499     \let\dollarend\endgroup
24500   \@tabarray}
24501 \def\endbidi@tabular@RTLcases{\endarray \right\rbrace$\egroup}
24502 }{%
24503 \def\@bidi@tabular@RTLcases{\@RTLtabtrue%
24504   \leavevmode \hbox \bgroup
24505   $\left.\let\@acol\@tabacol
24506   \let\@classz\@tabclassz
24507   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
24508 }
24509 \def\endbidi@tabular@RTLcases{\crr\egroup\if@RTLtab\egroup\endR\egroup\fi}

```



```

24510          \egroup\right\rbrace $\egroup}}
24511 \def\RTLcases#1{\left.\vcenter{\normalbaselines\m@th
24512   \ialign{##\hfil$\&\quad{##}\hfil\crrc#1\crrc}}\,\right\}}
24513 \renewenvironment{RTLcases}{%
24514   \bidi@matrix@check\RTLcases\env@RTLcases
24515 }{%
24516   \endbidi@tabular@RTLcases%
24517 }
24518 \def\env@RTLcases{%
24519   \let\@ifnextchar\bidi@new@ifnextchar
24520   \def\arraystretch{1.2}%
24521   \bidi@tabular@RTLcases{@{}r@{\quad}r@{}}%
24522 }
24523 \def\SepMark#1{\gdef\@SepMark{#1}}
24524 \SepMark{.}
24525 \def\@thmcountersep{\@SepMark}
24526 \def\setRTLbibitems{\@RTLbibitemstrue\@LTRbibitemsfalse}
24527 \def\setLTRbibitems{\@LTRbibitemstrue\@RTLbibitemsfalse}
24528 \def\setdefaultbibitems{\@RTLbibitemsfalse\@LTRbibitemsfalse}
24529 \newcommand*{\bidi@thebibliography@font@hook}{}
24530 \def\list#1#2{%
24531   \ifnum \@listdepth >5\relax
24532     \@toodeep
24533   \else
24534     \global\advance\@listdepth\@ne
24535   \fi
24536   \rightmargin\z@
24537   \listparindent\z@
24538   \itemindent\z@
24539   \csname @list\romannumeral\the\@listdepth\endcsname
24540   \def\@itemlabel{#1}%
24541   \let\makelabel\@mklab
24542   \@nmbrlistfalse
24543   #2\relax
24544   \@trivlist
24545   \parskip\parsep
24546   \parindent\listparindent
24547   \advance\linewidth -\rightmargin
24548   \advance\linewidth -\leftmargin
24549   \if@bidi@list@minipage@parbox
24550     \if@RTL
24551       \advance\@totalleftmargin \leftmargin
24552     \else
24553       \advance\@totalleftmargin \rightmargin
24554     \fi
24555   \else
24556     \if@hboxRconstruct
24557       \if@bidi@list@minipage@parbox@not@nob
24558         \if@RTL
24559           \advance\@totalleftmargin \rightmargin
24560         \else
24561           \advance\@totalleftmargin \leftmargin
24562         \fi
24563       \else

```



```

24564 \if@RTL
24565 \advance\@totalleftmargin \leftmargin
24566 \else
24567 \advance\@totalleftmargin \rightmargin
24568 \fi\fi
24569 \else
24570 \if@RTL
24571 \advance\@totalleftmargin \rightmargin
24572 \else
24573 \advance\@totalleftmargin \leftmargin
24574 \fi\fi\fi
24575 \parshape \@ne \@totalleftmargin \linewidth
24576 \ignorespaces}
24577 \long\def\@iiparbox#1#2[#3]#4#5{%
24578 \leavevmode
24579 \@pboxswfalse
24580 \if@hboxRconstruct
24581 \@bidi@list@minipage@parbox@not@nobtrue
24582 \fi
24583 \if@RTL
24584 \ifx#1t%
24585 \@bidi@list@minipage@parboxtrue
24586 \else
24587 \ifx#1b%
24588 \@bidi@list@minipage@parboxtrue
24589 \fi
24590 \fi
24591 \fi
24592 \setlength\@tempdima{#4}%
24593 \@begin@tempboxa\vbox{\hsize\@tempdima\@parboxrestore#5\@par}%
24594 \ifx\relax#2\else
24595 \setlength\@tempdimb{#2}%
24596 \edef\@parboxto{to\the\@tempdimb}%
24597 \fi
24598 \if#1b\vbox
24599 \else\if #1t\vtop
24600 \else\ifmmode\vcenter
24601 \else\@pboxswtrue $\vcenter
24602 \fi\fi\fi
24603 \@parboxto{\let\hss\vss\let\unhbox\unvbox
24604 \csname bm@#3\endcsname}%
24605 \if@pboxsw \m@th$\fi
24606 \end@tempboxa}
24607 \newenvironment{LTRitems}
24608 {\par\@RTLfalse\@RTLtabfalse\@bidi@beamer@ragged
24609 \if@bidi@list@minipage@parbox
24610 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
24611 \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
24612 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
24613 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
24614 \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
24615 \ignorespaces}{\vskip\z@}
24616 \newenvironment{RTLitems}
24617 {\par\@RTLtrue\@RTLtabtrue\@bidi@beamer@ragged

```



```

24618         \if@bidi@list@minipage@parbox
24619         \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
24620         \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
24621         \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
24622         \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
24623         \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
24624         \ignorespaces}{\vskip\z@}
24625 \newenvironment{LTRbibitems}
24626 {
24627     \par\@RTLfalse\@RTLtabfalse\@bidi@beamer@ragged
24628     \if@bidi@list@minipage@parbox
24629     \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
24630     \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
24631     \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
24632     \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
24633     \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
24634     \ignorespaces}{\vskip\z@}
24635 \newenvironment{RTLbibitems}
24636 {
24637     \par\@RTLtrue\@RTLtabtrue\@bidi@beamer@ragged
24638     \if@bidi@list@minipage@parbox
24639     \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
24640     \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
24641     \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
24642     \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
24643     \ignorespaces}{\vskip\z@}
24644 \def\raggedright{%
24645     \let\\\@centercr\@rightskip\@flushglue \rightskip\@rightskip
24646     \leftskip\z@skip
24647     \parindent\z@\parfillskip\z@skip}
24648 \let\@bidi@orig@raggedleft\raggedleft
24649 \let\@bidi@orig@raggedright\raggedright
24650 \renewcommand\raggedleft{\if@bidi@list@minipage@parbox\@bidi@orig@raggedright\else\if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob\@bidi@orig@raggedleft\else\if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob\@bidi@orig@raggedright\fi}
24651 \renewcommand\raggedright{\if@bidi@list@minipage@parbox\@bidi@orig@raggedleft\else\if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob\@bidi@orig@raggedright\fi}
24652 \newcommand{\@bidi@raggedright}{\if@RTL\raggedleft\else\raggedright\fi}
24653 \newcommand{\@bidi@raggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
24654 \DeclareRobustCommand\centerline[1]{%
24655     \if@RTL\@@line{\hss\beginR#1\endR\hss}
24656     \else\@@line{\hss#1\hss}\fi}
24657 \def\@bidi@orig@leftline#1{%
24658     \if@RTL\@@line{\beginR#1\endR\hss}
24659     \else\@@line{#1\hss}\fi}
24660 \def\@bidi@orig@rightline#1{%
24661     \if@RTL\@@line{\hss\beginR#1\endR}
24662     \else\@@line{\hss#1}\fi}
24663 \DeclareRobustCommand\leftline[1]{\ifhmode\if@RTL\@bidi@orig@rightline{#1}\else\@bidi@orig@leftline{#1}\fi}
24664 \DeclareRobustCommand\rightline[1]{\ifhmode\if@RTL\@bidi@orig@leftline{#1}\else\@bidi@orig@rightline{#1}\fi}
24665 \DeclareRobustCommand\bidirlap[1]{\hb@xt@0\z@{\if@RTL\hss\fi#1\if@RTL\else\hss\fi}}
24666 \DeclareRobustCommand\bidillap[1]{\hb@xt@0\z@{\if@RTL\else\hss\fi#1\if@RTL\hss\fi}}
24667 \def\@hangfrom#1{\setbox\@tempboxa\hbox{#1}}
24668 \def\hangindent \if@RTL-\else\fi\wd\@tempboxa\noindent\box\@tempboxa}
24669 \def\narrower{%
24670     \advance\if@RTL\rightskip\else\leftskip\fi\parindent
24671     \advance\if@RTL\leftskip\else\rightskip\fi\parindent}
24672 \DeclareRobustCommand\underline[1]{%

```



```

24672 \relax
24673 \ifmode\@@underline{#1}%
24674 \else
24675 \ifRTL $\@@underline{\hbox{\beginR#1\endR}}\m@th$\relax
24676 \else
24677 $\@@underline{\hbox{#1}}\m@th$\relax\fi\fi}
24678 \ifcompatibility
24679 \let\undertext=\underline
24680 \fi
24681 \def\@tabular{%
24682 \leavevmode \hbox \bgroup \ifRTLT\beginR \fi
24683 $\let\@acol\@tabacol
24684 \let\@classz\@tabclassz
24685 \let\@classiv\@tabclassiv \let\\\@tabulacr\@tabarray}
24686 \def\endtabular{\crr\egroup\ifRTLT\endR\egroup\endR\egroup\fi
24687 \egroup $\ifRTLT\endR\fi\egroup}
24688 \expandafter \let \csname endtabular*\endcsname = \endtabular
24689 \def\@array[#1]#2{%
24690 \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
24691 \bgroup
24692 \setbox\@arstrutbox\hbox{%
24693 \vrule \@height\arraystretch\ht\strutbox
24694 \@depth\arraystretch\dp\strutbox
24695 \@width\z@}%
24696 \mkpream{#2}%
24697 \edef\@preamble{%
24698 \ialign \noexpand\@halignto
24699 \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
24700 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
24701 \let\@tabularnewline\\
24702 \let\par\@empty
24703 \let\@sharp##
24704 \set@typeset@protect
24705 \lineskip\z@skip\baselineskip\z@skip
24706 \ifmode \@preamerr\z@ \@par\fi
24707 \ifRTLT\hbox\bgroup\beginR\@hboxRconstructtrue\if #1t\vtop \else \vbox \fi\bgroup\fi
24708 \@preamble}
24709 \def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
24710 \let\@classiv\@arrayclassiv
24711 \let\\\@arraycr\let\@halignto\@empty\RTLT\false\@tabarray}
24712 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4 \else
24713 \ifnum \@lastchclass=3 5 \else
24714 \z@ \if #1c\@chnum \z@ \else
24715 \if \ifRTLT\#1r\else#1l\fi\@chnum \@ne \else
24716 \if \ifRTLT\#1l\else#1r\fi\@chnum \tw@ \else
24717 \@chclass \if #1|\@ne \else
24718 \if #1\@tw@ \else
24719 \if #1p3 \else \z@ \@preamerr 0\fi
24720 \fi \fi \fi \fi \fi \fi
24721 \fi}
24722 \def\bm@l{\ifRTL\hss\unhbox\@tempboxa\else\unhbox\@tempboxa\hss\fi}
24723 \def\bm@r{\ifRTL\unhbox\@tempboxa\hss\else\hss\unhbox\@tempboxa\fi}
24724 \def\bm@t{\unhbox\@tempboxa\hss}
24725 \def\bm@b{\hss\unhbox\@tempboxa}

```




```

24726 \def\@dottedtocline#1#2#3#4#5{%
24727   \ifnum #1>\c@tocdepth \else
24728     \vskip \z@ \@plus.2\p@
24729     {\if@RTL\righskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\righskip\fi \@tocma
24730     \parindent #2\relax\@afterindenttrue
24731     \interlinepenalty\@M
24732     \leavevmode
24733     \@tempdima #3\relax
24734     \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
24735     {#4}\nobreak
24736     \leaders\hbox{$\m@th
24737       \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
24738       mu$}\hfill
24739     \nobreak
24740     \hb@xt@\@pnumwidth{{\hfil\normalfont \normalcolor #5}}%
24741     \par}%
24742   \fi}
24743
24744 \newcount\@bidi@column@check@number
24745
24746 \def\@bidi@column@status#1{\gdef\@bidi@current@column@status{#1}}
24747
24748 \def\@bidi@set@column@status#1#2{%
24749   \global\expandafter\let\csname #1\endcsname\@bidi@current@column@status}
24750
24751 \if@twocolumn
24752 \newcommand\DetectColumn[3][1]{%
24753   \ifx\@bidi@firstcolumn@status\write\relax
24754     \PackageError{bidi}%
24755       {Option 'DetectColumn' not selected}%
24756       {\string\DetectColumn\space
24757        requires the use of the 'DetectColumn'
24758        option on the package}%
24759   \fi
24760   \global\advance\@bidi@column@check@number\@ne
24761   \edef\@bidi@column@type{\expandafter\ifx
24762     \csname bidi@column-\the\@bidi@column@check@number\endcsname\relax
24763     0\else
24764     \csname bidi@column-\the\@bidi@column@check@number\endcsname
24765     \fi}%
24766   \ifcase \@bidi@column@type\relax
24767     \ifcase #1\or #2\or#3\fi % 0 not known use first column as default
24768   \or
24769     #2% % 1 First column
24770   \or
24771     #3% % 2 Second (Last column)
24772   \else
24773     \ERROR
24774   \fi
24775   \edef\next{\write\@auxout
24776     {\string\@bidi@set@column@status{\@bidi@column-\the\@bidi@column@check@number}%
24777       {\@bidi@column@type}}}%
24778   \next
24779 }

```



```

24780
24781 \AtEndDocument{\def\bidi@set@column@status#1#2{%
24782     \ifnum #2=\bidi@current@column@status\else
24783         \@tempwatrue
24784     \fi}%
24785 }
24786 \fi
24787
24788 \def\RTL@outputdblcol{%
24789     \if@firstcolumn
24790         \global\@firstcolumnfalse
24791         \global\setbox\@leftcolumn\copy\@outputbox
24792         \splitmaxdepth\maxdimen
24793         \vbadness\maxdimen
24794         \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
24795         \setbox\@outputbox\vsplit\@outputbox to\maxdimen
24796         \toks@\expandafter{\topmark}%
24797         \xdef\@firstcoltopmark{\the\toks@}%
24798         \toks@\expandafter{\splitfirstmark}%
24799         \xdef\@firstcolfirstmark{\the\toks@}%
24800         \ifx\@firstcolfirstmark\@empty
24801             \global\let\@setmarks\relax
24802         \else
24803             \gdef\@setmarks{%
24804                 \let\firstmark\@firstcolfirstmark
24805                 \let\topmark\@firstcoltopmark}%
24806         \fi
24807     \else
24808         \global\@firstcolumntrue
24809         \setbox\@outputbox\vbox{%
24810             \hb@xt@\textwidth{%
24811                 \hskip \columnwidth
24812                 \hfil
24813                 {\normalcolor\vrule \@width\columnseprule}%
24814                 \hfil
24815                 \hb@xt@\columnwidth{%
24816                     \bidi@firstcolumn@status@write%
24817                     \box\@leftcolumn \hss}%
24818                 \hskip -\textwidth
24819                 \hb@xt@\columnwidth{%
24820                     \bidi@lastcolumn@status@write%
24821                     \box\@outputbox \hss}%
24822                 \hskip \columnsep
24823                 \hskip \columnwidth }}%
24824         \@combinedblfloats
24825         \@setmarks
24826         \@outputpage
24827         \begingroup
24828             \@dblfloatplacement
24829             \@startdblcolumn
24830             \@whilesw\if@fcolmade \fi{\@outputpage
24831                 \@startdblcolumn}%
24832         \endgroup
24833     \fi}%

```



```

24834
24835 \def\LTR@outputdblcol{%
24836   \if@firstcolumn
24837     \global\@firstcolumnfalse
24838     \global\setbox\@leftcolumn\copy\@outputbox
24839     \splitmaxdepth\maxdimen
24840     \vbadness\maxdimen
24841     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
24842     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
24843     \toks@\expandafter{\topmark}%
24844     \xdef\@firstcoltopmark{\the\toks@}%
24845     \toks@\expandafter{\splitfirstmark}%
24846     \xdef\@firstcolfirstmark{\the\toks@}%
24847     \ifx\@firstcolfirstmark\@empty
24848       \global\let\@setmarks\relax
24849     \else
24850       \gdef\@setmarks{%
24851         \let\firstmark\@firstcolfirstmark
24852         \let\topmark\@firstcoltopmark}%
24853     \fi
24854   \else
24855     \global\@firstcolumntrue
24856     \setbox\@outputbox\vbox{%
24857       \hb@xt@\textwidth{%
24858         \hb@xt@\columnwidth{%
24859           \bidi@firstcolumn@status@write%
24860           \box\@leftcolumn \hss}%
24861       \hfil
24862       {\normalcolor\vrule \@width\columnseprule}%
24863       \hfil
24864       \hb@xt@\columnwidth{%
24865         \bidi@lastcolumn@status@write%
24866         \box\@outputbox \hss}}}%
24867   \@combinedblfloats
24868   \@setmarks
24869   \@outputpage
24870   \begingroup
24871     \@dblfloatplacement
24872     \@startdblcolumn
24873     \@whilesw\if@fcolmade \fi{\@outputpage
24874       \@startdblcolumn}%
24875   \endgroup
24876 \fi}%
24877
24878
24879 \renewcommand{\@outputdblcol}{\if@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}
24880 \newcommand{\RTLdblcol}{\renewcommand{\@outputdblcol}{\RTL@outputdblcol}}
24881 \newcommand{\LTRdblcol}{\renewcommand{\@outputdblcol}{\LTR@outputdblcol}}
24882
24883 \bidi@appto\@outputbox@appendfootnotes{%
24884   \ifvoid\@bidi@copyins@
24885   \else
24886     \@outputbox@append{%
24887       \vskip \skip\@bidi@copyins@

```



```

24888     \color@begingroup
24889     \normalcolor
24890     \unvbox \@bidi@copyins@
24891     \color@endgroup
24892 }%
24893 \fi
24894 }
24895
24896 \def\LTRmarginpar{%
24897   \ifhmode
24898     \@bsphack
24899     \@floatpenalty -\@Mii
24900   \else
24901     \@floatpenalty-\@Miii
24902   \fi
24903   \ifinner
24904     \@parmoderr
24905     \@floatpenalty\z@
24906   \else
24907     \@next\@currbox\@freelist{}\{}%
24908     \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
24909     {\@floatpenalty\z@
24910      \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}}%
24911   \fi
24912   \@ifnextchar [\@LTRxmpar\@LTRympar}
24913 \long\def\@LTRxmpar[#1]#2{%
24914   \@LTRsavemarbox\@marbox{#1}%
24915   \@LTRsavemarbox\@currbox{#2}%
24916   \@xympar}
24917 \long\def\@LTRympar#1{%
24918   \@LTRsavemarbox\@marbox{#1}%
24919   \global\setbox\@currbox\copy\@marbox
24920   \@xympar}
24921 \long\def \@LTRsavemarbox #1#2{%
24922   \global\setbox #1%
24923     \color@vbox
24924     \vtop{%
24925       \hsize\marginparwidth
24926       \@parboxrestore
24927       \@LTRmarginparreset
24928       #2%
24929       \@minipagefalse
24930       \outer@nobreak
24931     }%
24932   \color@endbox
24933 }
24934 \def \@LTRmarginparreset {%
24935   \reset@font
24936   \normalsize
24937   \@minipagetrue
24938   \everypar{\@minipagefalse\everypar{}\beginL}%
24939 }
24940 \def\RTLmarginpar{%
24941   \ifhmode

```



```

24942 \@bsphack
24943 \@floatpenalty -\@Mii
24944 \else
24945 \@floatpenalty-\@Miii
24946 \fi
24947 \ifinner
24948 \@parmoderr
24949 \@floatpenalty\z@
24950 \else
24951 \@next\@currbox\@freelist{}\{}%
24952 \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
24953 {\@floatpenalty\z@
24954 \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
24955 \fi
24956 \@ifnextchar [\@RTLxmpar\@RTLympar}
24957 \long\def\@RTLxmpar[#1]#2{%
24958 \@RTLSavemarbox\@marbox{#1}%
24959 \@RTLSavemarbox\@currbox{#2}%
24960 \@xympar}
24961 \long\def\@RTLympar#1{%
24962 \@RTLSavemarbox\@marbox{#1}%
24963 \global\setbox\@currbox\copy\@marbox
24964 \@xympar}
24965 \long\def \@RTLSavemarbox #1#2{%
24966 \global\setbox #1%
24967 \color@vbox
24968 \vtop{%
24969 \hsize\marginparwidth
24970 \@parboxrestore
24971 \@RTLmarginparreset
24972 #2%
24973 \@minipagefalse
24974 \outer@nobreak
24975 }%
24976 \color@endbox
24977 }
24978 \def \@RTLmarginparreset {%
24979 \reset@font
24980 \normalsize
24981 \@minipagetrue
24982 \everypar{\@minipagefalse\everypar{}\beginR}%
24983 }
24984 \def \@addmarginpar{\@next\@marbox\@currlist{\@cons\@freelist\@marbox
24985 \@cons\@freelist\@currbox}\@latexbug\@tempcnta\@one
24986 \if@twocolumn
24987 \if@firstcolumn \@tempcnta\m@ne \fi
24988 \else
24989 \if@mparswitch
24990 \ifodd\c@page \else\@tempcnta\m@ne \fi
24991 \fi
24992 \if@reversemargin \@tempcnta -\@tempcnta \fi
24993 \fi
24994 \ifnum\@tempcnta <\z@ \global\setbox\@marbox\box\@currbox \fi
24995 \@tempdima\@mparbottom

```



```

24996 \advance\@tempdima -\@pageht
24997 \advance\@tempdima\ht\@marbox
24998 \ifdim\@tempdima >\z@
24999 \latex@warning@no@line {Marginpar on page \thepage\space moved}%
25000 \else
25001 \@tempdima\z@
25002 \fi
25003 \global\@mparbottom\@pageht
25004 \global\advance\@mparbottom\@tempdima
25005 \global\advance\@mparbottom\dp\@marbox
25006 \global\advance\@mparbottom\marginparpush
25007 \advance\@tempdima -\ht\@marbox
25008 \global\setbox \@marbox
25009 \vbox {\vskip \@tempdima
25010 \box \@marbox}%
25011 \global \ht\@marbox \z@
25012 \global \dp\@marbox \z@
25013 \kern -\@pagedp
25014 \nointerlineskip
25015 \hb@xt@\columnwidth
25016 {\if@RTL\if@LTRmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL
25017 \hskip\columnwidth \hskip\marginparsep
25018 \else
25019 \hskip -\marginparsep \hskip -\marginparwidth
25020 \fi
25021 \box\@marbox \hss\if@RTL\if@LTRmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR
25022 \nointerlineskip
25023 \hbox{\vrule \@height\z@ \@width\z@ \@depth\@pagedp}}
25024 \long\def\@ympar#1{%
25025 \@savemarbox\@marbox{\if@RTL\if@LTRmarginpar\@RTLfalse\else\@RTLtrue\fi\else\if@RTLmarginpar
25026 \global\setbox\@currbox\copy\@marbox
25027 \@xympar}
25028 \def\setRTLmarginpar{\@RTLmarginpartrue\@LTRmarginparfalse}
25029 \def\setLTRmarginpar{\@LTRmarginpartrue\@RTLmarginparfalse}
25030 \def\setdefaultmarginpar{\@RTLmarginparfalse\@LTRmarginparfalse}
25031 \def\@stopline{\unskip\@stopfield\if@rjfield \global\@rjfieldfalse
25032 \@tempdima\@totalleftmargin \advance\@tempdima\linewidth
25033 \hbox to\@tempdima{\if@RTL\beginR\fi\@itemfudge\hskip\dimen\@curtabmar
25034 \box\@curline\hfil\box\@curfield\if@RTL\endR\fi}\else\@addfield
25035 \hbox to\linewidth{\if@RTL\beginR\fi\@itemfudge
25036 \hskip\dimen\@curtabmar\box\@curline\hfil\if@RTL\endR\fi}%
25037 \fi}
25038
25039 \newcommand*{\bidi@font@outputpage}{%
25040
25041 \def\@outputpage{%
25042 \begingroup % the \endgroup is put in by \aftergroup
25043 \let \protect \noexpand
25044 \@resetactivechars
25045 \global\let\@if@newlist\if@newlist
25046 \global\@newlistfalse
25047 \@parboxrestore
25048 \global\let\bidi@BeforeOutputPageShipOut\@firstofone
25049 \bidi@beforeoutputpageshipouthook

```



```

25050 \shipout \vbox{%
25051   \set@typeset@protect
25052   \aftergroup \endgroup
25053   \aftergroup \set@typeset@protect
25054                                     % correct? or just restore by ending
25055                                     % the group?
25056 \if@specialpage
25057   \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
25058 \fi
25059 \if@twoside
25060   \ifodd\count\z@ \let\@thehead\@oddhead \let\@thefoot\@oddfoot
25061   \if@RTLmain
25062     \let\@themargin\evensidemargin
25063   \else
25064     \let\@themargin\oddsidemargin
25065   \fi
25066 \else \let\@thehead\@evenhead \let\@thefoot\@evenfoot
25067   \if@RTLmain
25068     \let\@themargin\oddsidemargin
25069   \else
25070     \let\@themargin\evensidemargin
25071   \fi
25072 \fi
25073 \ifx\@thehead\@empty \let\@thehead\hfil \fi
25074 \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
25075 \else %% not @twoside
25076 \ifx\@oddhead\@empty \let\@thehead\hfil \fi
25077 \ifx\@oddfoot\@empty \let\@thefoot\hfil \fi
25078 \fi
25079 \reset@font
25080 \normalsize
25081 \bidi@font@@@outputpage
25082 \normalsfcodes
25083 \let\label\@gobble
25084 \let\index\@gobble
25085 \let\glossary\@gobble
25086 \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
25087 \begin@indvi
25088 \vskip \topmargin
25089 \moveright\@themargin \vbox {%
25090   \global\let\bidi@BeforeHeader\@firstofone
25091   \bidi@beforeheaderhook
25092   \setbox\@tempboxa \vbox to\headheight{%
25093     \vfil
25094     \color@hbox
25095     \normalcolor
25096     \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if
25097     \color@endbox
25098   }%
25099   \dp\@tempboxa \z@
25100   \box\@tempboxa
25101   \vskip \headsep
25102   \global\let\bidi@BeforeOutputBoxOutputPage\@firstofone
25103   \bidi@beforeoutputboxoutputpagehook

```



```

25104 \box\@outputbox
25105 \global\let\@bidi@AfterOutputBoxOutputPage\@firstofone
25106 \bidi@afteroutputboxoutputpagehook
25107 \global\let\@bidi@BeforeFooter\@firstofone
25108 \bidi@beforefooterhook
25109 \baselineskip \footskip
25110 \color@hbox
25111 \normalcolor
25112 \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@RTL
25113 \color@endbox
25114 \global\let\@bidi@AfterFooter\@firstofone
25115 \bidi@afterfooterhook
25116 }%
25117 }%
25118 \global\let\@bidi@AfterOutputPageShipOut\@firstofone
25119 \bidi@afteroutputpageshipouthook
25120 \global\let\if@newlist\@if@newlist
25121 \global \colht \textheight
25122 \stepcounter{page}%
25123 \let\firstmark\botmark
25124 \global\let\@bidi@AtEndOutputPage\@firstofone
25125 \bidi@atendoutputpagehook
25126 }
25127 \long\def\@makecaption#1#2{%
25128 \vskip\abovecaptionskip
25129 \sbox\@tempboxa{#1: #2}%
25130 \ifdim \wd\@tempboxa >\hsize
25131 \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par
25132 \else
25133 \global \@minipagefalse
25134 \hb@xt@\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}%
25135 \fi
25136 \vskip\belowcaptionskip}
25137 \let\@bidi@sav@eqno=\eqno
25138 \let\@bidi@sav@leqno=\leqno
25139 \def\eqno{\ifnum\predisplaydirection<\z@ \@bidi@sav@leqno \else \@bidi@sav@eqno \fi}
25140 \def\leqno{\ifnum\predisplaydirection<\z@ \@bidi@sav@eqno \else \@bidi@sav@leqno \fi}
25141 \ApplyPatchIfPackageLoadedF{amsmath}{
25142 \def\@eqnnum{\normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}
25143 }
25144 \input{footnote-xetex-bidi.def}
25145 \if@twocolumn
25146 \let\autofooterule\relax
25147 \let\leftfootnoterule\relax
25148 \let\rightfootnoterule\relax
25149 \textwidthfootnoterule
25150 \fi
25151 \if@bidi@csundef{\@idxitem}{-}{%
25152 \renewcommand\@idxitem{\par\hangindent \if@RTL-\fi40\p@}%
25153 }
25154
25155 \ApplyPatchToPackageIfPackageLoadedF{float}{floatrow}
25156
25157 \ApplyPatchToFilesIfPackageLoadedF{amsmath}{%

```




```

25158 fleqn, %
25159 leqno%
25160 }[clo]
25161
25162 \ApplyPatchToClasses{%
25163   amsart, %
25164   amsbook, %
25165   article, %
25166   artikel1, %
25167   artikel2, %
25168   artikel3, %
25169   beamer, %
25170   boek, %
25171   boek3, %
25172   book, %
25173   bookest, %
25174   combine, %
25175   extbook, %
25176   extletter, %
25177   extarticle, %
25178   extreport, %
25179   imspdoc, %
25180   letter, %
25181   memoir, %
25182   rapport1, %
25183   rapport3, %
25184   refrep, %
25185   report, %
25186   scrartcl, %
25187   scrbook, %
25188   screprt %
25189 }
25190
25191 \ApplyPatchCodeBeforePackage{hyperref}{%
25192   \let\HyOrg@maketitle\maketitle
25193 }
25194
25195 \ApplyPatchToPackages{%
25196   algorithm2e, %
25197   amsmath, %
25198   amstext, %
25199   amsthm, %
25200   array, %
25201   arydshln, %
25202   beamerbaseauxtemplates, %
25203   beamerbaseboxes, %
25204   beamerbasecolor, %
25205   beamerbasecompatibility, %
25206   beamerbaseframecomponents, %
25207   beamerbaseframesize, %
25208   beamerbaselocalstructure, %
25209   beamerbasemisc, %
25210   beamerbasenavigation, %
25211   beamerbaseoverlay, %

```



```

25212 beamerinnerthemecircles, %
25213 beamerinnerthemedefault, %
25214 beamerinnerthemefocus, %
25215 beamerinnerthemeinmargin, %
25216 beamerinnerthememetropolis, %
25217 beamerinnerthemerectangles, %
25218 beamerinnerthemrounded, %
25219 beamerouterthemedefault, %
25220 beamerouterthemefocus, %
25221 beamerouterthemeinfolines, %
25222 beamerouterthememetropolis, %
25223 beamerouterthememiniframes, %
25224 beamerouterthemesidebar, %
25225 beamerouterthemesplit, %
25226 beamerouterthemeshadow, %
25227 beamerouterthesmoothbars, %
25228 beamerouterthesmoothtree, %
25229 beamerouterthemetree, %
25230 beamerthemeHannover, %
25231 beamerthemeSingapore, %
25232 breqn, %
25233 cals, %
25234 caption, %
25235 caption3, %
25236 color, %
25237 colortbl, %
25238 crop, %
25239 cuted, %
25240 cutwin, %
25241 dblfnote, %
25242 diagbox, %
25243 draftwatermark, %
25244 eso-pic, %
25245 empheq, %
25246 fancybox, %
25247 fancyhdr, %
25248 fix2col, %
25249 float, %
25250 floatrow, %
25251 flowfram, %
25252 fnpct, %
25253 footnotebackref, %
25254 framed, %
25255 ftnright, %
25256 geometry, %
25257 graphicx, %
25258 hvfloat, %
25259 hyperref, %
25260 lettrine, %
25261 lineno, %
25262 listings, %
25263 longtable, %
25264 lscape, %
25265 mathtools, %

```



```

25266 mdframed, %
25267 media9, %
25268 midfloat, %
25269 minitoc, %
25270 multicol, %
25271 adjmulticol, %
25272 multienum, %
25273 natbib, %
25274 newfloat, %
25275 nicematrix, %
25276 ntheorem, %
25277 ntheorem-hyper, %
25278 overpic, %
25279 pdfbase, %
25280 pdfscape, %
25281 pgfsys, %
25282 picinpar, %
25283 quotchap, %
25284 ragged2e, %
25285 rotating, %
25286 sidecap, %
25287 soul, %
25288 stabular, %
25289 subfigure, %
25290 tabs, %
25291 tabularx, %
25292 tabulary, %
25293 tcolorbox, %
25294 thmbox, %
25295 titlesec, %
25296 titletoc, %
25297 tocbasic, %
25298 tocbibind, %
25299 tocloft, %
25300 tocstyle, %
25301 todonotes, %
25302 wrapfig, %
25303 xcolor, %
25304 xltextra %
25305 }
25306
25307 \ApplyPatchToFiles{%
25308   pgfcorescopes.code, %
25309   pstricks %
25310 }[tex]
25311
25312 \ApplyPatchToFiles{%
25313   hgeneric-testphase, %
25314   tc-xetex %
25315 }
25316

```

165 File xltextra-xetex-bidi.def



```

25317 \ProvidesFile{xltextra-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltextra package f
25318 \let\@XeTeX\XeTeX
25319 \def\XeTeX{\@ensure@LTR{\@XeTeX}}
25320 \let\@XeLaTeX\XeLaTeX
25321 \def\XeLaTeX{\@ensure@LTR{\@XeLaTeX}}

```

166 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols		
\# 6065, 6111, 6215, 6223, 15490	\@HRTL@mpRTLfootnotetext 11763, 11783	\@makecaption 20436, 20500, 20597, 21187,
\% 14778, 15491	\@LTR 18751, 18753, 24462, 24464	21251, 21349,
\' . . . 14898, 17000, 18901	\@LaTeX . . . 24467, 24468	21942, 22006, 22104
\(. 17103	\@LaTeXe . . . 24469, 24470	\@makefnmark
\) 17104	\@RTL 18750, 18753, 24461, 24464	. . . 20040, 20076, 20079, 20769,
\, 8192, 15161, 19497, 19540, 24095, 24106, 24512	\@Radio . . . 16441, 16449	20806, 20809,
\- 4382, 14897, 16999, 18900	\@TeX 18754, 18755, 24465, 24466	21532, 21569, 21572
\. 94, 308, 635, 767, 1032, 1283, 2686, 4381, 9379, 9569, 9886, 11436, 11711, 13895, 16502, 18314, 19064, 19458, 19657, 19864, 20404, 21155, 21910, 22677	\@XeLaTeX . . 25320, 25321	\@math 9922
\/ 4733	\@XeTeX . . . 25318, 25319	\@mix 24289, 24332
\: 17145, 17204	\@array 437, 1428	\@mod . . . 24290, 24294, 24295, 24298,
\< 22281	\@author 8808, 8811, 8814	24299, 24300,
\= . . . 14898, 17000, 18901	\@bidi@pop . . 6707, 6710, 6711, 6714, 6716	24303, 24333, 24337, 24338,
\> 22282	\@bidi@popinto 6707, 6710, 6711	24341, 24342, 24343, 24346, 24365
\@ . . . 6135, 7189, 7192, 7195, 7218, 7223, 7228, 7239, 7242, 7245, 7255, 7258, 7261	\@clr . . . 24290, 24295, 24298, 24300, 24301, 24303, 24333, 24338, 24341, 24343, 24344, 24346, 24365	\@par . . . 432, 16998, 18899, 19492, 19535, 20051, 20062, 20780, 20792, 21543, 21555, 22601, 22603, 24593, 24706
\@@ 22460, 22462	\@cls 24285, 24328	\@protect 5996
\@H@footnotetext 11758, 11773	\@date . . 8809, 8812, 8815	\@scalebox 18809, 18825, 18826
\@H@mpfootnotetext 11761, 11779	\@description . . . 2652	\@startpbox . . 16814, 22357, 22395, 24700
\@HL@LTR@LTRfootnotetext 11759, 11775	\@endpbox . . . 16815, 22357, 22395, 24700	\@title . . 8807, 8810, 8813
\@HL@LTR@mpLTRfootnotetext 11762, 11781	\@if@newlist . 14209, 14241, 25045, 25120	\@tmp 24294, 24295, 24300, 24301, 24303, 24304, 24337, 24338, 24343, 24344, 24346, 24347, 24365, 24366
\@HRTL@RTLfootnotetext 11760, 11777	\@italiccorr 348, 9931, 16980	\@underline 24673, 24675, 24677
	\@line 12081, 12084, 19891, 19900, 19938, 19949, 24654, 24655, 24657, 24658, 24660, 24661	



\@DEBUGfalse 5013	22426, 22443, 22535	10611, 24899, 24943
\@False 9910, 9912	\@LTRmarginparfalse	\@Miii 4946, 7873, 7917,
\@LTRbibitemfalse 25028, 25030	7961, 24901, 24945
. 24526, 24528	\@LTRmarginparreset	\@RTL@footnotefalse
\@LTRbibitemstrue 24527 24927, 24934	. . . 4130, 14337,
\@LTRbidityftesidenote@sidenote	\@LTRmarginpartrue 25029	14504, 18734,
. . . 8308, 8367, 8371	\@LTRsavemarbox . . .	18739, 24429, 24450
\@LTRbidityftesidenotemarginparreset. . . 24914, 24915, 24918, 24921	\@RTL@footnotetrue
. 7943, 7950	\@LTRboxpar . 24912, 24913	. . . 4129, 14337,
\@LTRbidityftesidenotesavemarbox	\@LTRypar . 24912, 24917	14503, 18736,
. 7930,	\@M 6, 93, 106,	18738, 24439, 24449
7931, 7934, 7937	\@LTRbidityftesidenotexmpar	\@RTLbibitemfalse
. 7928, 7929 212, 236, 307, 671, 24527, 24528
\@LTRbidityftesidenoteypar 672, 696, 801, 924,	\@RTLbibitemstrue 24526
. 7928, 7933 979, 980, 1054,	\@RTLbidityftesidenote@sidenote
\@LTRfootgroupv@l 1174, 1175, 1181,	. . . 8337, 8368, 8372
. 11976, 1305, 4796, 4801,	\@RTLbidityftesidenotemarginparreset
12106, 12253, 5337, 5338, 8539, 7987, 7994
12394, 12541, 9300, 9301, 9307,	\@RTLbidityftesidenotesavemarbox
12688, 12835, 9422, 9478, 9479, 7974,
12982, 13129, 9485, 9600, 9650,	7975, 7978, 7981
13276, 13465, 13515 9849, 9857, 9926,	\@RTLbidityftesidenotexmpar
\@LTRfootnotetext 65, 11674, 11683, 7972, 7973
82, 156, 157, 12081, 12084,	\@RTLbidityftesidenoteypar
158, 278, 296, 13860, 13868, 7972, 7977
2398, 2402, 2457, 14182, 16501,	\@RTLfalse 37,
4869, 4991, 8237, 16515, 16540,	67, 88, 251, 280,
8320, 8327, 9043, 18044, 18056,	302, 621, 756,
9054, 9260, 9274, 18068, 18839,	1021, 1272, 1984,
10898, 10899, 18961, 18962,	2299, 2333, 2352,
11759, 11774, 18986, 19097,	2384, 2669, 4104,
11775, 11845, 19236, 19359,	4111, 4118, 5239,
11896, 11904, 19412, 19413,	9368, 9558, 9872,
12097, 12244, 19475, 19476,	9892, 9904, 9917,
12385, 12532, 19834, 19842,	11425, 11697,
12679, 12826, 22451, 22587,	11819, 11847,
12973, 13120, 22628, 22767,	11862, 11874,
13267, 13452, 22798, 22821,	12123, 12133,
13508, 14494, 22838, 22855,	12181, 12194,
14500, 14544, 22872, 22889,	12270, 12279,
14570, 14631, 22906, 22924,	12325, 12337,
14656, 14662, 22943, 22963,	12411, 12421,
15906, 15934, 22998, 23381,	12469, 12482,
16013, 16032, 23911, 24025, 24731	12558, 12568,
16226, 16230,	\@MM . . . 42, 56, 72, 256,	12616, 12629,
16250, 16251, 270, 285, 10896,	12705, 12715,
16895, 17056, 10917, 10964,	12763, 12776,
18183, 18185, 10971, 11016,	12852, 12862,
18186, 20002, 11023, 11987,	12910, 12923,
20008, 20444, 14517, 14534, 14550	12999, 13009,
20731, 20737,	\@Mi 9922, 16910	13057, 13070,
21195, 21494,	\@Mii 4944,	13146, 13156,
21500, 21950, 7871, 7915, 7959,	13204, 13217,
 10586, 10598,	13293, 13303,



13351, 13364,	\@RTLmaintrue . 4270, 4499	17797, 18305,
13672, 13697,	\@RTLmarginparfalse	18697, 18722,
13884, 14512, 25029, 25030	18736, 18738,
14545, 14591,	\@RTLmarginparreset	19053, 19447,
14606, 16496, 24971, 24978	19643, 19850,
16711, 16734,	\@RTLmarginpartrue 25028	20382, 21133,
16738, 16745,	\@RTLSavemarbox ...	21888, 22663,
16754, 16989, 24958,	24388, 24413,
17797, 18305,	24959, 24962, 24965	24439, 24449,
18492, 18696,	\@RTLtabfalse	24617, 24635,
18730, 18734,	. 458, 4124, 4248,	25025, 25096, 25112
18739, 18792,	18368, 24423,	\@RTLxmpar . 24956, 24957
19053, 19447,	24429, 24450,	\@RTLympar . 24956, 24961
19643, 19850,	24608, 24626, 24711	\@Reset 16474, 16483
20382, 21133,	\@RTLtabtrue	\@SepMark 19, 20, 21, 22,
21888, 22663, 4123, 4247,	169, 199, 225, 226,
24387, 24422,	24414, 24439,	227, 228, 346, 362,
24429, 24450,	24449, 24496,	599, 600, 601, 602,
24608, 24626,	24503, 24617, 24635	749, 750, 751, 752,
25025, 25096, 25112	\@RTLtrue . 37, 51, 88,	1004, 1005, 1006,
\@RTLfootnotetext 49,	251, 265, 302, 621,	1007, 1265, 1266,
81, 160, 161,	756, 1021, 1272,	1267, 1268, 9395,
162, 263, 295,	2299, 2316, 2352,	9396, 9397, 9398,
2397, 2401, 2431,	2368, 2669, 4103,	9399, 9401, 9403,
4870, 4992, 8255,	4110, 4117, 5239,	9405, 9573, 9574,
8349, 8356, 9044,	9368, 9558, 9872,	9575, 9576, 9577,
9055, 9261, 9275,	9931, 9933, 11425,	9579, 9581, 9583,
10919, 10920,	11697, 11819,	9828, 9830, 9832,
11760, 11776,	11833, 11862,	9834, 9835, 9836,
11777, 11831,	11886, 12123,	9837, 9838, 11537,
11897, 11905,	12143, 12181,	11538, 11539,
12098, 12245,	12207, 12270,	11540, 11653,
12386, 12533,	12288, 12325,	11655, 11657,
12680, 12827,	12349, 12411,	11659, 11660,
12974, 13121,	12431, 12469,	11661, 11662,
13268, 13453,	12495, 12558,	11663, 13987,
13509, 14485,	12578, 12616,	13988, 13989,
14491, 14528,	12642, 12705,	13990, 13991,
14569, 14632,	12725, 12763,	13993, 13995,
14671, 14677,	12789, 12852,	13997, 14148,
15905, 15923,	12872, 12910,	14155, 14277,
15998, 16033,	12936, 12999,	14279, 14281,
16225, 16229,	13019, 13057,	14283, 14284,
16247, 16248,	13083, 13146,	14285, 14286,
16896, 17057,	13166, 13204,	14287, 14290,
18188, 18190,	13230, 13293,	14292, 14294,
18191, 20003,	13313, 13351,	14296, 14297,
20012, 20445,	13377, 13661,	14298, 14299,
20732, 20741,	13688, 13884,	14300, 16553,
21196, 21495,	14512, 14529,	16554, 16555,
21504, 21951,	14576, 14606,	16556, 16771,
22427, 22444, 22536	16496, 16711,	17684, 17686,
\@RTLmainfalse 4267,	16734, 16745,	17688, 17690,
4271, 4496, 4500	16754, 16992,	17692, 17693,



17695,	17696,	\@addresscolour	5100,	11662,	11663,
17697,	18348,		5117, 10752, 10850	11699,	11706,
18356,	18358,	\@addtopreamble	...	13886,	13893,
19068,	19069,		... 1461, 1524, 10004	13987,	13988,
19070,	19071,	\@addtoreset	13989,	13990,
19072,	19074,	 344, 14152,	13991,	13993,
19076,	19078,		18346, 18352, 18354	13995,	13997,
19433,	19434,	\@addviper 10349	14277,	14279,
19435,	19436,	\@afterheading	14281,	14282,
19437,	19439,		... 4779, 4789, 17012	14283,	14284,
19441,	19443,	\@afterindentfalse		14285,	14286,
19630,	19632,		... 4779, 4789, 17011	14287,	14290,
19634,	19635,	\@afterindenttrue	.	14292,	14294,
19636,	19637,		. 696, 924, 1181,	14295,	14296,
19638,	19639,		8538, 9307, 9485,	14297,	14298,
19815,	19817,		18043, 18055,	14299,	14300,
19819,	19821,		18067, 18986,	16771,	16773,
19822,	19823,		19359, 22766,	17684,	17686,
19824,	19825,		22797, 22820,	17688,	17690,
20356,	20357,		22837, 22854,	17692,	17695,
20359,	20361,		22871, 22888,	17696,	17697,
20363,	21085,		22905, 22923,	19055,	19062,
21088,	21090,		22942, 22962,	19068,	19069,
21094,	21096,		22997, 23380,	19070,	19071,
21098,	21100,		23904, 24024, 24730	19072,	19074,
21103,	21106,	\@algocf@finish	... 180	19076,	19078,
21110,	21112,	\@algocf@start 172	19433,	19434,
21848,	21850,	\@ampacol 1488, 1496	19435,	19436,
21853,	21855,	\@arabic 169,	19437,	19439,
21857,	21859,		599, 600, 601, 602,	19441,	19443,
21862,	21865,		623, 630, 749, 750,	19449,	19456,
21868,	22741,		751, 752, 758,	19630,	19632,
22985,	24523, 24525		765, 1004, 1005,	19634,	19635,
\@Submit	... 16457, 16466		1006, 1007, 1023,	19636,	19637,
\@TextField	.. 15560,		1030, 1265, 1266,	19638,	19639,
	15568, 16425, 16433		1267, 1268, 1274,	19645,	19652,
\@True	... 9905, 9911, 9943		1281, 2671, 2680,	19815,	19817,
\@Undottedtocline	18051		5251, 9370, 9377,	19819,	19820,
\@Undottedtoclinep	18063		9395, 9396, 9397,	19821,	19822,
\@acci	14898, 17000, 18901		9398, 9399, 9401,	19823,	19824,
\@accii	14898, 17000, 18901		9403, 9405, 9560,	19825,	19852,
\@acciii		9567, 9573, 9574,	19859,	20357,
	. 14898, 17000, 18901		9575, 9576, 9577,	20359,	20361,
\@acol	1490, 1498, 4878,		9579, 9581, 9583,	20363,	20385,
	16811, 22341,		9828, 9830, 9832,	20401,	21092,
	24505, 24683, 24709		9833, 9834, 9835,	21094,	21096,
\@acolampacol	. 1488,		9836, 9837, 9838,	21098,	21100,
	1490, 1496, 1498		9874, 9881, 11427,	21103,	21106,
\@addamp 1489, 1497		11434, 11537,	21114,	21136,
\@addfield 25034		11538, 11539,	21152,	21851,
\@addmarginpar	... 24984		11540, 11653,	21853,	21855,
\@address	5131, 10753,		11655, 11657,	21857,	21859,
	10754, 10851, 10853		11658, 11659,	21862,	21865,
			11660, 11661,	21869,	21891,



21907, 22665, 22672	20329, 20915,	\@bidi@bannerfalse 4090
\@argdef 5956	21059, 21678, 21822	\@bidi@bannertrue . 4089
\@array 404,	\@auxout 4167,	\@bidi@before@Hy@hyperfootnotes
437, 1422, 1423,	4171, 5321, 5732,	.. 11754, 11902,
1428, 22378, 24689	5760, 5786, 5814,	12095, 12242,
\@arrayacol 24709	5840, 5843, 5877,	12383, 12530,
\@arrayclassiv ... 24710	5880, 9207, 24775	12677, 12824,
\@arrayclassz 1488, 22382, 24709	\@badmath .. 14113, 14127	12971, 13118,
\@arrayacr 431, 16820, 24711	\@begin@tempboxa .. 15174,	13265, 13450, 13502
\@arrayleft 424	15270, 15277, 24593	\@bidi@copy@stacktop
\@arrayparboxrestore	\@begin@dvipoint .. 14180, 25087 6713, 6716
. 2015, 16898, 18896	\@begin@parpenalty . 4792,	\@bidi@copyins@ 4282,
\@arrayright 447	4801, 14116, 14130	4283, 4284, 4285,
\@arrayrule 1443, 1444,	\@bib@break 20377, 21128, 21883	4286, 4511, 4512,
1445, 1481, 1482, 1483	\@biblabel 90,	4513, 4514, 4515,
\@arstdepth 22375, 22380, 22398	304, 623, 624,	11977, 14926,
\@arstheight 22380, 22398	758, 759, 1023,	14927, 14928,
\@arstrut 418,	1024, 1274, 1275,	14929, 14939,
16836, 22356, 24699	2671, 2672, 9370,	14940, 14988,
\@arstrutbox ... 407,	9371, 9560, 9561,	14989, 15045,
16822, 16900,	9874, 9875, 11427,	15046, 15047,
22349, 22390,	11428, 11699,	15048, 15065,
22394, 22398, 24692	11700, 13886,	15066, 15084,
\@author 480,	13887, 16498,	15093, 15105,
494, 530, 551, 812,	18307, 19055,	15111, 15115,
814, 832, 877,	19056, 19449,	15127, 15129,
896, 1065, 1067,	19450, 19645,	15132, 15163,
1085, 1130, 1149,	19646, 19852,	18214, 18215,
1316, 1318, 1336,	19853, 20385,	18223, 18763,
1381, 1401, 1412,	20387, 21136,	18765, 18766,
4632, 8740, 8742,	21138, 21891,	24884, 24887, 24890
8811, 9433, 9435,	21893, 22665, 22666	\@bidi@emptytoks ..
9453, 9611, 9613,	\@bibsetup 18307	... 5387, 5392, 5416
9631, 9706, 9720,	\@bibtitlestyle ... 85, 299, 16493	\@bidi@envbody
9756, 9777, 11464,	\@bidi@stpelte 6429, 6435, 6439 5386, 5388,
11476, 11510,	\@bidi@EqualStringX ... 6494, 6495, 6496	5390, 5391, 5392,
11529, 11559,	\@bidi@after@Hy@hyperfootnotes	5412, 5414, 5415, 5416
11573, 11609,	.. 11768, 11909,	\@bidi@fi 6575,
11630, 13914,	12110, 12257,	6576, 6577, 6578,
13926, 13960,	12398, 12545,	6582, 6583, 6587,
13979, 17653,	12692, 12839,	6588, 6592, 6593,
19108, 19110,	12986, 13133,	6598, 6599, 6603, 6604
19128, 19173,	13280, 13470, 13524	\@bidi@ifnxtc 6542, 6545, 6546
19192, 19247,	\@bidi@append@to@cslist	\@bidi@info 4205, 4232,
19249, 19269,	... 6641, 6645, 6655	4233, 4452, 4478, 4479
19316, 19338,	\@bidi@append@to@list	\@bidi@inslogo@ ...
19349, 19506, 6645, 4181, 4182,
19520, 19561,	6648, 6651, 6658, 6666	4286, 4515, 4555, 4556
19582, 19694,		\@bidi@list@minipage@parbox@not@nobtrue
19708, 19744,	 14620, 24581
19765, 20185,		\@bidi@list@minipage@parboxfalse
	 1979, 22545



\@bidi@list@minipage@parbox@true	\@bidi@tabular@RTLcases	\@bidi@tuftefloat@float@contents@width
. 14621, 24585, 24588	. 24494, 24496, 24503 7488,
\@bidi@logo .. 4302,	\@bidi@todonotes@align	7524, 7525, 7527
4331, 4523, 4554 24071,	\@bidi@tuftefloat@float@debug
\@bidi@logo@	24072, 24104, 7457, 7463,
.... 4182, 4286,	24145, 24148,	7465, 7466, 7498,
4328, 4515, 4554, 4556	24151, 24154,	7499, 7502, 7504,
\@bidi@logo@hb@xt@	24179, 24184, 24185	7505, 7582, 7589,
..... 4516, 4554	\@bidi@todonotes@fig@position@right@false	7567, 7600, 7601
\@bidi@logo@hb@xt@columnwidth 24086	\@bidi@tuftefloat@float@debug@info
..... 4287, 4329	\@bidi@todonotes@fig@position@right@true	7456, 7458,
\@bidi@lst@makecaption 24084	7459, 7460, 7557, 7564
..... 16708,	\@bidi@todonotes@text@direction@l	\@bidi@tuftefloat@float@fullwidth
16724, 16725,	.. 24073, 24077, 7544, 7592
16756, 16757,	24080, 24184, 24185	\@bidi@tuftefloat@float@textwidth
16758, 16762, 16764	\@bidi@todonotes@text@direction@RTL@false	7545, 7574
\@bidi@mdf@RTL@true 16988 24079	\@bidi@tuftefloat@float@fps
\@bidi@orig@XeLaTeX	\@bidi@todonotes@text@direction@RTL@true	.. 7486, 7501
..... 24488, 24489 24076	\@bidi@tuftefloat@float@fullwidth
\@bidi@orig@XeTeX .	\@bidi@ww 7416,
..... 24481, 24482	\@bidi@ww	7422, 7423, 7424, 7524
\@bidi@pdf@banner@false	\@bidi@declared@color	\@bidi@tuftefloat@float@justification
..... 4097 10056, 7384
\@bidi@pdf@banner@true	10063, 24325, 24354	\@bidi@tuftefloat@float@justification@autodetect
..... 4096	\@bidi@tuftefloat@L@R@sidenote@normal@cite 7324, 7454
\@bidi@pdf@creator 8103,	\@bidi@tuftefloat@float@label
..... 4256,	8182, 8302, 8331, 7483, 7510
4412, 4438, 4557, 4571	8360, 8382, 8391, 8400	\@bidi@tuftefloat@float@margin@float@box
\@bidi@pdf@custom@properties	\@bidi@tuftefloat@L@R@sidenote@normal@cite	. 7432, 7435, 7446
..... 4262, 8122,	\@bidi@tuftefloat@float@margin@par
4414, 4425, 4563, 4574	8183, 8303, 8332, 7354, 7441
\@bidi@pdf@encrypt@false	8361, 8383, 8392, 8401	\@bidi@tuftefloat@float@margin@font
..... 4391	\@bidi@tuftefloat@float@caption 7381, 7382
\@bidi@pdf@encrypt@true 7476, 7509	\@bidi@tuftefloat@float@orig@caption
..... 4393, 4396	\@bidi@tuftefloat@float@caption@box	... 7507, 7535, 7565
\@bidi@pdf@mark@false	7468, 7533, 7544,	\@bidi@tuftefloat@float@orig@endfloat
..... 4189, 4579	7545, 7568, 7803, 7808	... 7470, 7548, 7799
\@bidi@pdf@mark@true	\@bidi@tuftefloat@float@caption@font	\@bidi@tuftefloat@float@orig@float
..... 4188, 4578 7417,	... 7469, 7522, 7798
\@bidi@pdf@producer	7426, 7427, 7808	\@bidi@tuftefloat@float@orig@label
..... 4259,	\@bidi@tuftefloat@float@caption@font 7508,
4413, 4439, 4560, 4572	7382, 7383, 7437,	7516, 7536, 7566
\@bidi@prepend@to@cslist	7634, 7805, 7811, 7824	\@bidi@tuftefloat@float@overhang
..... 6643,	\@bidi@tuftefloat@float@caption@justification	... 7419, 7420,
6646, 6657, 6699, 6701	... 7324, 7440, 7634	7618, 7619, 7658, 7659
\@bidi@prepend@to@list	\@bidi@tuftefloat@float@caption@vertical@offset@float@pk@name	... 7299, 7300, 7302
..... 6646,	... 7471, 7472,	\@bidi@tuftefloat@float@stored@caption
6649, 6653, 6659, 6667	7480, 7544, 7545, 7572 7474,
\@bidi@remove@from@reset	\@bidi@tuftefloat@float@check@od@page	7481, 7535, 7570
... 5530, 5531, 5533 7399, 7496	\@bidi@tuftefloat@float@stored@label
\@bidi@save@primitive	\@bidi@tuftefloat@float@figure@box	... 7475, 7484,
..... 5374 7467,	7536, 7552, 7554, 7571
\@bidi@step@counter	7526, 7544, 7545, 7567	



\@biditytfloat@stored@sho	\@biditytfloat@stored@sho	\@biditytfloat@stored@sho	\@biditytfloat@stored@sho
..... 7473, 8000, 8000, 8000,
7478, 7479, 7535, 7569	8003, 8006, 8009	8003, 8006, 8009	8003, 8006, 8009
\@biditytgeneralstructure@	\@biditytgeneralstructure@	\@biditytgeneralstructure@	\@biditytgeneralstructure@
..... 8584, 8590 8006, 8015, 8379 8006, 8015, 8379 8006, 8015, 8379
\@bidityttheheading@newline@	\@bidityttheheading@newline@	\@bidityttheheading@newline@	\@bidityttheheading@newline@
..... 7640, 7649 8022, 8022, 8022,
\@bidityttheheading@newline@	\@bidityttheheading@newline@	\@bidityttheheading@newline@	\@bidityttheheading@newline@
..... 7641, 7643	\@bidityttheheading@newline@	\@bidityttheheading@newline@	\@bidityttheheading@newline@
\@bidityttheheading@orig@cr	\@bidityttheheading@orig@cr	\@bidityttheheading@orig@cr	\@bidityttheheading@orig@cr
..... 7648, 7652	8084,	8084,	8084,
\@biditytthesidenote@LTR@	\@biditytthesidenote@LTR@	\@biditytthesidenote@LTR@	\@biditytthesidenote@LTR@
..... 8010, 8019, 8109	8181, 8301, 8330,	8181, 8301, 8330,	8181, 8301, 8330,
\@biditytthesidenote@LTR@	\@biditytthesidenote@LTR@	\@biditytthesidenote@LTR@	\@biditytthesidenote@LTR@
..... 8001,	8150, 8300, 8329,	8150, 8300, 8329,	8150, 8300, 8329,
8004, 8007, 8010	8358, 8380, 8389, 8398	8358, 8380, 8389, 8398	8358, 8380, 8389, 8398
\@biditytthesidenote@LTR@	\@biditytthesidenote@LTR@	\@biditytthesidenote@LTR@	\@biditytthesidenote@LTR@
..... 8007, 8016, 8388	8279, 8366, 8370	8279, 8366, 8370	8279, 8366, 8370
\@biditytthesidenote@LTR@	\@biditytthesidenote@LTR@	\@biditytthesidenote@LTR@	\@biditytthesidenote@LTR@
..... 8004, 8013	8175	8175	8175
\@biditytthesidenote@RTL@	\@biditytthesidenote@RTL@	\@biditytthesidenote@RTL@	\@biditytthesidenote@RTL@
..... 8011, 8020	8003,	8003,	8003,
\@biditytthesidenote@RTL@	\@biditytthesidenote@RTL@	\@biditytthesidenote@RTL@	\@biditytthesidenote@RTL@
..... 8002,	8012, 8188, 8189, 8192	8012, 8188, 8189, 8192	8012, 8188, 8189, 8192
8005, 8008, 8011	\@biditytthesidenote@RTL@	\@biditytthesidenote@RTL@	\@biditytthesidenote@RTL@
\@biditytthesidenote@RTL@	\@biditytthesidenote@RTL@	\@biditytthesidenote@RTL@	\@biditytthesidenote@RTL@
..... 8008, 8017, 8397	8277, 8283, 8285,	8277, 8283, 8285,	8277, 8283, 8285,
\@biditytthesidenote@RTL@	\@biditytthesidenote@RTL@	\@biditytthesidenote@RTL@	\@biditytthesidenote@RTL@
..... 8005, 8014	8291, 8298, 8312,	8291, 8298, 8312,	8291, 8298, 8312,
\@biditytthesidenote@add@	\@biditytthesidenote@add@	\@biditytthesidenote@add@	\@biditytthesidenote@add@
..... 8144, 8177	8314, 8320, 8327,	8314, 8320, 8327,	8314, 8320, 8327,
\@biditytthesidenote@check@	\@biditytthesidenote@check@	\@biditytthesidenote@check@	\@biditytthesidenote@check@
..... 8202, 8210	8341, 8343, 8349, 8356	8341, 8343, 8349, 8356	8341, 8343, 8349, 8356
\@biditytthesidenote@citation@	\@biditytthesidenote@citation@	\@biditytthesidenote@citation@	\@biditytthesidenote@citation@
..... 8009,	8043, 8046, 8095,	8043, 8046, 8095,	8043, 8046, 8095,
8018, 8090, 8128, 8156	8097, 8114, 8116,	8097, 8114, 8116,	8097, 8114, 8116,
\@biditytthesidenote@citation@	\@biditytthesidenote@citation@	\@biditytthesidenote@citation@	\@biditytthesidenote@citation@
..... 8023, 8157	8133, 8135, 8165, 8167	8133, 8135, 8165, 8167	8133, 8135, 8165, 8167
\@biditytthesidenote@citations	\@biditytthesidenote@citations	\@biditytthesidenote@citations	\@biditytthesidenote@citations
..... 8143, 8145,	7899, 7906	7899, 7906	7899, 7906
8146, 8148, 8153,	\@biditytthesidenotes@	\@biditytthesidenotes@	\@biditytthesidenotes@
8162, 8281, 8310, 7886, 7886, 7886,
8339, 8378, 8387, 8396	7887, 7890, 7893	7887, 7890, 7893	7887, 7890, 7893
\@biditytthesidenote@info@	\@biditytthesidenote@info@	\@biditytthesidenote@info@	\@biditytthesidenote@info@
..... 8176, 8280, 8309,	7884, 7885	7884, 7885	7884, 7885
8338, 8377, 8386, 8395	\@biditytthesidenote@info@	\@biditytthesidenote@info@	\@biditytthesidenote@info@
\@biditytthesidenote@justif@	\@biditytthesidenote@justif@	\@biditytthesidenote@justif@	\@biditytthesidenote@justif@
..... 8021,	8531, 8547	8531, 8547	8531, 8547
8022, 8023, 8024	\@biditytthesidenote@justif@	\@biditytthesidenote@justif@	\@biditytthesidenote@justif@
\@biditytthesidenote@margin@	\@biditytthesidenote@margin@	\@biditytthesidenote@margin@	\@biditytthesidenote@margin@
..... 8025,	8407, 8408	8407, 8408	8407, 8408
8158, 8225, 8243,	\@biditytthesidenote@margin@	\@biditytthesidenote@margin@	\@biditytthesidenote@margin@
8261, 8379, 8388, 8397	10056, 10057,	10056, 10057,	10056, 10057,
	24325, 24326, 24365	24325, 24326, 24365	24325, 24326, 24365



22877, 22894,	\@colht 10359,	. . 10271, 10330,
22911, 22929,	10386, 10387,	14066, 14102,
22948, 22968, 23003	10471, 10472,	14184, 14971,
\@cftbsnum . . . 22770,	10488, 10604,	15024, 17884,
22801, 22824,	10619, 10620,	17981, 24824, 24867
22841, 22858,	10630, 10631,	\@combinefloats . . .
22875, 22892,	10638, 10654, 13713, 15140
22909, 22927,	10658, 13718,	\@compactenum@ 8594
22946, 22966, 23001	14203, 15038,	\@cons 24984, 24985
\@cftdopartfalse . 22744	15050, 15051,	\@contcshortstyle 17727
\@cftdoparttrue . . .	15052, 15054,	\@contcstyle
. 22747, 22751	15056, 15144,	. 17732, 17738, 17743
\@cftl@subfig 22935	17820, 17823,	\@contcwidth 17721, 17722
\@cftl@subtab 22955	17825, 17827,	\@contdelim
\@chapapp 9645, 9844,	17832, 17833,	. . 17715, 17726,
11669, 13856, 19830	17834, 17853,	17730, 17737, 17742
\@chapterlistsgap@off	17854, 17855,	\@contfield
. 18340	17859, 17920, 9224, 9239, 9271
\@chapterlistsgap@on	17923, 17925,	\@contfinal
. 18347, 18355	17927, 17932,	. . 17715, 17727,
\@chclass . . 364, 376,	17933, 17934,	17733, 17739, 17743
387, 1430, 1442,	17953, 17954,	\@contfmark 17714, 17717
1455, 1475, 1480,	17955, 17959,	\@contfnote 17713, 17716
22479, 22495,	20114, 20131,	\@contindw 17738
22506, 24712, 24717	20844, 20861,	\@contnfont
\@checkend . . . 5405, 5429	21607, 21624, 25121	. . 17715, 17726,
\@chnum 365, 372,	\@colourfalse 5043	17730, 17737, 17742
383, 455, 1431,	\@colourgreenfalse	\@contpost 17747
1438, 1451, 1461, 10671, 10769	\@contpre 17725,
1477, 1478, 1479,	\@colourgreentrue .	17731, 17736, 17741
1492, 1500, 1526, 10672, 10770	\@conttfont
10006, 22480,	\@colourgreyfalse .	. . 17715, 17727,
22487, 22502, 10675, 10773	17733, 17739, 17743
24714, 24715, 24716	\@colourgreytrue . .	\@curfield
\@circlefnt 14016 10676, 10774	9223, 9238, 9258,
\@classiv 4880,	\@colouorangefalse	9272, 9282, 25034
16812, 22343, 10669, 10767	\@curline 9221,
24507, 24685, 24710	\@colouorangetrue	9236, 25034, 25036
\@classx 1458, 1517, 10000 10670, 10768	\@currbox 4951,
\@classz . 1458, 1517,	\@colourredfalse . .	4982, 4986, 7835,
1551, 1552, 4879, 10673, 10771	7838, 7879, 7882,
10000, 16812,	\@colourredtrue . . .	7887, 7891, 7923,
22342, 22382, 10674, 10772	7926, 7931, 7935,
24506, 24684, 24709	\@colourtrue 5042	7967, 7970, 7975,
\@cleartopmattertags	\@colroom 10631,	7979, 13782,
. 130, 16576	10634, 10636,	24907, 24910,
\@cliptoboxdim . . . 22509	10637, 10931,	24915, 24919,
\@clsextension	10988, 15038,	24951, 24954,
. . . . 6904, 6910,	15052, 15055,	24959, 24963,
6928, 7134, 7137, 7146	15057, 16923,	24985, 24994, 25026
\@clubpenalty . . 633,	16941, 20115,	\@currentHlabel . . .
2684, 9884, 11709,	20132, 20845,	. 15991, 16006, 16021
19655, 19862, 22675	20862, 21608, 21625	\@currentHref . 15992,
	\@combinedblfloats	16007, 16022,



16081, 16119,	\@currlist 24984	\@depth . . 409, 16824,
16152, 16183,	\@curtabmar 25033, 25036	22322, 22351,
16214, 16781, 16785	\@cvtheme 5123, 5126	22391, 24694, 25023
\@currentlabel . . 44,	\@cvthemeoptions . .	\@dgroup 9904
58, 74, 258, 272, 5124, 5126	\@dischyph
287, 2307, 2324,	\@date . . 483, 495, 531,	. 14897, 16999, 18900
2341, 2357, 2373,	554, 820, 822, 834,	\@displaypagenumbersfalse
2389, 8227, 8245,	879, 899, 1073, 5222
8263, 11825,	1075, 1087, 1132,	\@displaypagenumberstrue
11839, 11853,	1152, 1324, 1326, 5221
11866, 11878,	1338, 1383, 1404,	\@dmath 9892, 9921
11890, 12127,	1413, 4633, 8758,	\@doclearpage 13797
12137, 12147,	8812, 9441, 9443,	\@docolbox 14257
12185, 12198,	9455, 9619, 9621,	\@dodynamictheft 14181
12211, 12274,	9633, 9709, 9721,	\@dodynamicthehead 14181
12283, 12292,	9757, 9780, 11467,	\@dotsep 23922,
12329, 12341,	11477, 11511,	23923, 24031, 24737
12353, 12415,	11532, 11562,	\@dottedtocline . .
12425, 12435,	11574, 11610,	. . 24037, 24038,
12473, 12486,	11633, 11718,	24040, 24058, 24726
12499, 12562,	11723, 13917,	\@dseries 9917
12572, 12582,	13927, 13961,	\@eha 5382, 22989
12620, 12633,	13982, 16585,	\@ehc 5502,
12646, 12709,	16590, 17654,	5504, 5510, 5512,
12719, 12729,	19116, 19118,	5518, 5520, 5526,
12767, 12780,	19130, 19175,	5528, 5972, 6838,
12793, 12856,	19195, 19255,	16677, 16684,
12866, 12876,	19257, 19271,	16912, 18026, 18032
12914, 12927,	19318, 19341,	\@ehd 17773
12940, 13003,	19350, 19509,	\@eightcol@LTRfootgroupv@l
13013, 13023,	19521, 19562, 12982
13061, 13074,	19584, 19697,	\@eightcol@footgroupv@r
13087, 13150,	19709, 19745, 12978
13160, 13170,	19768, 20190,	\@eightcolLTRfootfmt
13208, 13221,	20330, 20920,	. 13016, 13037, 13077
13234, 13297,	21060, 21683, 21823	\@eightcolLTRfootnotetext
13307, 13317,	\@dblarg 17779 12973, 13009
13355, 13368,	\@dblfloatplacement	\@eightcolRTLfootfmt
13381, 13562,	. . 10275, 10334,	. 13026, 13040, 13090
13574, 13586,	14067, 14106,	\@eightcolRTLfootnotetext
13623, 13637,	14191, 14975, 12974, 13019
13651, 14519,	15028, 17888,	\@eightcolfootfmt .
14536, 14552,	17985, 24828, 24871	. 13006, 13034, 13064
14581, 14596, 14611	\@declaredcolor . .	\@eightcolfootnotetext
\@currentlabelname 10041, 12972, 12993
. 15993,	10042, 24282, 24305	\@elt 5532,
16008, 16023,	\@dedication	5535, 7723, 7724,
16082, 16120,	. . 20232, 20235,	7725, 7726, 7727,
16153, 16184, 16215	20340, 20962,	7728, 7729, 7730,
\@currenvir	20965, 21070,	7731, 7732, 7733,
5391, 5394, 5395,	21725, 21728, 21833	7734, 7764, 7765,
5415, 5418, 5419, 5446	\@dedicatory 335	7766, 7767, 7768,
\@currxt 23195,	\@deferlist 15036	7769, 7770, 7771,
23307, 23365, 23375	\@definecounter . . 18398	7772, 7773, 7774,



7775, 7776, 7777,	13570,	13582,	20280,	20288,
7778, 7779, 7780,	13619,	13633,	20289,	20293,
7781, 9943, 10897,	13647,	13712,	20294,	20303,
10918,	13892,	13925,	20304,	20308,
10959,	13926,	13927,	20309,	20317,
10963,	13928,	13959,	20318,	20328,
10981,	13960,	13961,	20329,	20330,
11013,	13962,	14046,	20331,	20332,
11021, 22410, 22412	14082,	14667,	20333,	20334,
\@email 5135, 10759, 10857	14749,	14949,	20335,	20336,
\@empty 87,	14998,	15036,	20337,	20338,
116, 135, 137, 301,	15139,	15154,	20339,	20340,
493, 494, 495, 496,	15155,	15156,	20370,	20400,
529, 530, 531, 532,	15157,	15158,	20425,	20426,
629, 764, 831, 832,	15993,	16008,	20531,	20779,
833, 834, 876, 877,	16023,	16082,	20880,	20881,
878, 879, 1029,	16120,	16153,	20888,	20896,
1084, 1085, 1086,	16184,	16215,	20903,	20909,
1087, 1129, 1130,	16495,	16562,	20925,	20931,
1131, 1132, 1280,	16583,	16729,	20944,	20947,
1335, 1336, 1337,	16735,	16758,	20954,	20962,
1338, 1380, 1381,	16762,	16764,	20967,	20982,
1382, 1383, 2036,	16843,	16885,	20989,	21004,
2037, 2416, 2442,	17651,	17652,	21005,	21009,
2468, 2679, 3125,	17653,	17654,	21010,	21018,
3131, 3137, 3215,	17813,	17913,	21019,	21023,
3617, 3764, 3860,	18334,	19061,	21024,	21033,
3955, 4182, 4556,	19127,	19128,	21034,	21038,
4631, 4632, 4633,	19129,	19130,	21039,	21047,
4634, 4938, 5250,	19172,	19173,	21048,	21058,
5259, 5403, 5427,	19174,	19175,	21059,	21060,
6668, 8086, 8105,	19268,	19269,	21061,	21062,
8124, 8145, 8152,	19270,	19271,	21063,	21064,
8740, 8807, 8808,	19315,	19316,	21065,	21066,
8809, 9376, 9452,	19317,	19318,	21067,	21068,
9453, 9454, 9455,	19455,	19519,	21069,	21070,
9566, 9630, 9631,	19520,	19521,	21120,	21151,
9632, 9633, 9719,	19522,	19560,	21176,	21177,
9720, 9721, 9722,	19561,	19562,	21282,	21542,
9755, 9756, 9757,	19563,	19651,	21643,	21644,
9758, 9880, 9907,	19707,	19708,	21651,	21659,
10239,	19709,	19710,	21666,	21672,
10958,	19743,	19744,	21688,	21694,
11433,	19745,	19746,	21707,	21710,
11476,	19858,	20050,	21717,	21725,
11478,	20150,	20151,	21730,	21745,
11510,	20158,	20166,	21752,	21767,
11512,	20173,	20179,	21768,	21772,
11573,	20195,	20201,	21773,	21781,
11575,	20214,	20217,	21782,	21786,
11609,	20224,	20232,	21787,	21796,
11611,	20237,	20252,	21797,	21801,
11716,	20259,	20274,	21802,	21810,
11736,	20275,	20279,	21811,	21821,
13558,				



21822, 21823,	\@enumctr 2617, 8595, 8596	10301, 10302,
21824, 21825,	\@eqnnum	10306, 14045,
21826, 21827,	. 14138, 16579, 25142	14046, 14050,
21828, 21829,	\@evenfoot 2198, 2239,	14081, 14082,
21830, 21831,	4595, 14174, 25066	14086, 14948,
21832, 21833,	\@evenhead . . . 2197,	14949, 14953,
21875, 21906,	2239, 14173, 25066	14997, 14998,
21931, 21932,	\@extrafootnotefeaturesfalse	15002, 17812,
22037, 22280, 4152	17813, 17817,
22397, 22445,	\@extrafootnotefeaturestrue	17912, 17913,
22671, 22975, 4151	17917, 24799,
22977, 23330,	\@extrainfo	24800, 24804,
23336, 23803,	. 5136, 10760, 10858	24846, 24847, 24851
24285, 24288,	\@extratitle	\@firstcoltopmark .
24328, 24331,	. . 20150, 20157, 10236,
24494, 24702,	20274, 20280,	10244, 10299,
24711, 24800,	20288, 20294,	10307, 14043,
24847, 25073,	20303, 20309,	14051, 14079,
25074, 25076, 25077	20333, 20880,	14087, 14946,
\@emptycol . . . 10623,	20887, 21004,	14954, 14995,
10626, 10642, 10645	21010, 21018,	15003, 17810,
\@emptytoks 9906	21024, 21033,	17818, 17910,
\@end@tempboxa 15181,	21039, 21063,	17918, 24797,
15275, 15292, 24606	21643, 21650,	24805, 24844, 24852
\@endfloatbox 5003	21767, 21773,	\@firstcolumnfalse
\@endmodernpoem . . .	21781, 21787, 10229,
. 9234, 9254	21796, 21802, 21826	10292, 10662,
\@endparenv 9144, 9251,	\@familyname . . 5068,	14037, 14073,
18389, 18423, 22575	5070, 5071, 5129,	14198, 14935,
\@endparpenalty 4796,	10734, 10824, 10845	14984, 17803,
4805, 14117, 14131	\@familynamecolour	17903, 24790, 24837
\@endpbox 1468, 5098, 5115	\@firstcolumntrue .
1469, 1510, 1534,	\@fax . . 5134, 10758, 10856 10247,
1535, 1536, 10014,	\@fcolmadefalse . . 15037	10310, 10617,
10015, 10016,	\@ff@do@allframes .	14053, 14090,
16809, 16815, 14183, 14188	14162, 14959,
22357, 22395, 24700	\@ff@fbox 14266	15008, 17862,
\@endpetrue 24438, 24448	\@ff@setoffset . . 14263	17962, 24808, 24855
\@endtheorem 18407	\@ffbackground . . 14253	\@firstdetailselementfalse
\@endtraditionalpoem	\@filebordercolor 10839
. 9125, 9190 16294, 16296	\@firstdetailselementtrue
\@ensure@LR 18747, 24458	\@filecolor 16312 10836
\@ensure@LTR . . 18745,	\@finalstrut	\@firstfooterelementfalse
18747, 18755,	2311, 2328, 2345, 10755,
24456, 24458,	2361, 2377, 2393,	10756, 10757,
24466, 24468,	11803, 11809,	10758, 10759, 10760
24470, 25319, 25321	11815, 14524,	\@firstfooterelementtrue
\@ensure@RL 18746, 24457	14541, 14557, 10740
\@ensure@RTL . . 18744,	14585, 14600, 14615	\@firstname . . 5068,
18746, 24455, 24457	\@firstampfalse . . .	5070, 5071, 5128,
\@ensure@dir . . 18748, 1490, 1498	10734, 10824, 10845
18749, 24459, 24460	\@firstcolfirstmark	\@firstnamecolour .
\@ensure@maindir 10238, 5097, 5114
. 18749, 24460	10239, 10243,	\@firstofone . . 6301,



20334, 20881,	21321, 22043,	\@ifdefinable . 5695,
20884, 20888,	22073, 22076, 24666	5698, 5701, 5716,
20891, 21005,	\@hboxRconstructfalse	5959, 5974, 14407
21009, 21019, 18713, 24404	\@ifempty .. 7, 213, 16541
21023, 21034,	\@hboxRconstructtrue	\@ifnextchar 164, 4816,
21038, 21064, 433, 18703,	4846, 4861, 5949,
21644, 21647,	22362, 22401,	7884, 7928, 7972,
21651, 21654,	22562, 24394, 24707	10041, 10056,
21768, 21772,	\@height .. 408, 1548,	14483, 14492,
21782, 21786,	10028, 10505,	14654, 14669,
21797, 21801, 21827	14878, 16823,	14687, 14693,
\@fs@capt 7812, 7825, 7833	16900, 17025,	15247, 16231,
\@fs@cfont ... 7805,	20087, 20095,	16255, 18193,
7811, 7821, 7824,	20817, 20825,	18393, 18427,
7832, 14142, 14143	21580, 21588,	24282, 24325,
\@fs@iftopcapt	22322, 22350,	24519, 24912, 24956
... 7816, 7829, 7842	22391, 24693, 25023	\@ifpackagelater . 14353
\@fs@mid . 7815, 7828, 7840	\@highpenalty	\@ifpackageloaded .
\@fs@post 7814, 7827, 7841 9321, 9337,	6939, 6969, 7011,
\@fs@pre . 7813, 7826, 7834	9344, 9354, 9499,	7163, 7171, 7256,
\@g@tnextcol 14160	9515, 9522, 9532,	7260, 7791, 7796,
\@getcirc 14012	9789, 9804, 9814,	7849, 11350, 11351
\@gnewline ... 18849,	11640, 13824,	\@ifpackagewith 198,
18862, 18875, 18886	13839, 13849,	202, 204, 206,
\@gobble . 4848, 5402,	19000, 19016,	10184, 16649,
5426, 5448, 5453,	19023, 19033,	16652, 16655,
6204, 6205, 6206,	19373, 19389,	16662, 18934,
6207, 6208, 6303,	19396, 19406,	18937, 22254,
6318, 6333, 6379,	19590, 19604,	22265, 22272, 22683
6393, 6405, 6417,	19614, 19776,	\@ifstar 6066,
7302, 8862, 8927,	19791, 19801,	7641, 11354,
14221, 14222,	22757, 22792,	11910, 12115,
14223, 17774,	23181, 23205, 23293	12262, 12403,
20442, 20443,	\@hintcolour .. 5105, 5121	12550, 12697,
20444, 20445,	\@holdpg 10365, 10382,	12844, 12991,
21193, 21194,	10385, 10402,	13138, 13285,
21195, 21196,	10493, 10526, 10528	13498, 13549, 15250
21948, 21949,	\@hyper@launch ... 16317	\@ifundefined 342, 343,
21950, 21951,	\@idxitem 103, 108, 233,	2520, 5225, 5500,
24289, 24332,	238, 652, 667, 917,	5503, 5508, 5511,
25083, 25084, 25085	1170, 8653, 8660,	5516, 5519, 5524,
\@gobbletwo 2221, 5467,	9296, 9474, 9686,	5527, 8033, 8516,
5468, 5471, 5472,	16512, 16517,	8524, 8639, 8641,
5482, 5483, 5486,	18957, 19213,	8646, 8736, 8753,
5487, 5490, 5491,	19675, 22735, 25152	10043, 10050,
5494, 5495, 6437,	\@ifover@pkg@ . 5619, 5621	10058, 10064,
20446, 21197, 21952	\@ifover@pkg@least	14145, 14400,
\@gtempa 5713, 5714 5595, 5597	16687, 16698,
\@halignto 417,	\@if@ver@pkg@most .	16761, 16763,
457, 22355, 22393, 5609, 5611	16768, 18397,
24494, 24698, 24711	\@ifclassloaded ...	18931, 20609,
\@hangfrom ... 20537, 6900, 6926,	21361, 22116,
20567, 20570,	7219, 7225, 7293,	22976, 22980,
21288, 21318,	8702, 8704, 14308	23056, 23078,



23079, 23127,	21159, 21166,	\@makeLTRfntext ...
23128, 23215,	21914, 21921, 22679	... 2292, 2344, 2392
23237, 23238,	\@latex@warning@no@line	\@makeRTLfntext ...
23522, 23545,	. 10621, 10639, 24999	... 2287, 2327, 2376
23599, 23659,	\@latexbug 24985	\@makecaption . 7636,
23708, 23725, 23755	\@latexerr 15075, 15085, 15095	9989, 17710,
\@ifundefinedmodel	\@leftcolumn .. 10230,	17760, 17792,
..... 24315, 24349	10256, 10293,	20494, 20526,
\@ifxempty 24375	10315, 10368,	21245, 21277,
\@ignoretrue .. 2247, 9928	10373, 14038,	22000, 22032, 25127
\@iiiminipage 14617	14059, 14074,	\@makechapterhead .
\@iiiparbox 12055, 14648, 24577	14095, 14936,	. 313, 9640, 9839,
\@indextitlestyle .	14964, 14985,	11664, 13852,
.... 101, 231, 16510	15017, 17804,	18832, 19826, 22700
\@inlabelfalse 9895	17863, 17876,	\@makecol 13775,
\@insertfalse 10350	17904, 17963,	13776, 15061,
\@inserttrue 10616	17972, 24791,	15071, 16921, 16939
\@iprintcites 18841	24817, 24838, 24860	\@makeextratitle ..
\@itemdepth .. 2608,	\@let@token .. 5439, 5442	.. 20277, 20291,
2628, 2629, 2630	\@listI 7339	20306, 21007,
\@itemfudge 25033, 25035	\@listdepth .. 14467,	21021, 21036,
\@itemlabel 24540	14633, 14902,	21770, 21784, 21799
\@ixpt 8553	14906, 20028,	\@makefnmark ... 506,
\@kernel@refstepcounter	20757, 21520,	855, 1359, 2289,
..... 16784	24531, 24534, 24539	2294, 4620, 8194,
\@kernel@tabular@init	\@listi .. 7339, 7347, 8557	8205, 9732, 10882,
..... 397	\@lowertitleback ..	10903, 11488,
\@keywords 336	.. 20201, 20212,	11585, 13938,
\@kludgeins .. 13715,	20224, 20259,	16528, 17658,
15141, 18221, 18226	20339, 20931,	19151, 19292,
\@lastchclass .. 365,	20942, 20954,	19489, 19532,
366, 367, 368, 370,	20989, 21069,	19720, 20148,
1431, 1432, 1433,	21694, 21705,	20149, 20269,
1434, 1436, 1475,	21717, 21752, 21832	20270, 20878,
1476, 1488, 1496,	\@lowpenalty . 4792, 23831	20879, 20999,
22480, 22481,	\@m 94, 308,	21000, 21641,
22482, 22483,	635, 767, 1032,	21642, 21762, 21763
22485, 24712, 24713	1283, 2686, 5266,	\@makefntext 46,
\@lastvipertrue ...	9379, 9569, 9886,	60, 76, 260, 274,
..... 10628, 10647	11436, 11711,	289, 507, 792,
\@latex@error . 5381,	13895, 14937,	857, 1045, 1108,
17773, 18026, 18032	14939, 14986,	1296, 1361, 2310,
\@latex@warning ...	14988, 16502,	2360, 4621, 8192,
..... 96, 310,	18314, 19064,	8231, 8249, 8267,
637, 769, 1034,	19458, 19657,	9413, 9591, 9733,
1285, 2688, 5255,	19864, 20404,	11489, 11586,
9381, 9571, 9888,	21155, 21910, 22677	13939, 14523,
11438, 11713,	\@mainmatterfalse .	14540, 14556,
13897, 16504, 8889,	14584, 14599,
19066, 19460,	8919, 9867, 11693	14614, 15159,
19659, 19866,	\@mainmattertrue ..	17660, 19088,
20408, 20415, 8886, 8902	19153, 19227,
		19294, 19491,
		19534, 19721,



20018, 20045,	\@maketitle@hook ..	21484, 22188,
20048, 20747, 119, 16565	22208, 22218,
20774, 20777,	\@makewincaption . 18560	22228, 22239, 22287
21510, 21537, 21540	\@marbox 7880,	\@mkboth 620,
\@makefrontispiece	7882, 7886, 7890,	648, 664, 755,
.. 20283, 20297,	7891, 7924, 7926,	914, 1020, 1167,
20312, 21013,	7930, 7934, 7935,	1271, 2221, 9293,
21027, 21042,	7968, 7970, 7974,	9367, 9471, 9557,
21776, 21790, 21805	7978, 7979, 24908,	9682, 9871, 11424,
\@makeother .. 6065,	24910, 24914,	11696, 13883,
6111, 6215, 6223	24918, 24919,	18954, 19052,
\@makeschapterhead	24952, 24954,	19210, 19446,
9292, 9470, 9660,	24958, 24962,	19642, 19671, 19849
9681, 9853, 11679,	24963, 24984,	\@mklab 24541
13864, 18953,	24994, 24997,	\@mkpream 413, 16828,
19209, 19670,	25005, 25007,	22353, 22385, 24696
19838, 22706, 22711	25008, 25010,	\@mobile 5132, 10756, 10854
\@makespecialcolbox	25011, 25012,	\@modernpoem .. 9210, 9254
..... 13716, 15142	25021, 25025, 25026	\@mpLTRfootnotetext
\@maketitle ... 121,	\@mathmargin .. 11306, 2380,
328, 332, 512, 514,	11313, 11321, 11328	11762, 11780,
519, 528, 538, 861,	\@maxdepth	11781, 11871,
863, 868, 875,	.. 13727, 13742,	11899, 11907,
885, 1114, 1116,	13763, 13774, 15152	12108, 12255,
1121, 1128, 1138,	\@memtempa ... 17710,	12396, 12543,
1365, 1367, 1372,	17712, 17726,	12690, 12837,
1379, 1389, 4624,	17733, 17737, 17742	12984, 13131,
4630, 9738, 9740,	\@menubordercolor .	13278, 13468,
9745, 9754, 9764, 16388, 16390	13522, 14587,
11494, 11496,	\@menucolor 16399	14631, 15934,
11501, 11508,	\@midlist 13711,	15949, 15972,
11518, 11591,	13712, 15138, 15139	16036, 17056, 22535
11593, 11598,	\@minipagefalse 5005,	\@mpRTLfootnotetext
11607, 11617,	7901, 7910, 7945, 2364,
13944, 13946,	7954, 7989, 7998,	11763, 11782,
13951, 13958,	12052, 14645,	11783, 11883,
13968, 16567,	16720, 17766,	11900, 11908,
17663, 17665,	24929, 24938,	12109, 12256,
17672, 19157,	24973, 24982, 25133	12397, 12544,
19159, 19164,	\@minipagerestore 14634	12691, 12838,
19171, 19181,	\@minipagetrue	12985, 13132,
19298, 19300, 7909, 7953,	13279, 13469,
19305, 19314,	7997, 24937, 24981	13523, 14572,
19324, 19543,	\@minus	14632, 15923,
19545, 19550,	5172, 5258, 7335,	15948, 15961,
19559, 19569,	7337, 7344, 7346,	16037, 17057, 22536
19726, 19728,	7348, 7349, 8554,	\@mparbottom
19733, 19742,	8556, 8558, 8559,	.. 24995, 25003,
19752, 20286,	14816, 14854,	25004, 25005, 25006
20300, 20315,	18311, 20672,	\@mpargs
20327, 21016,	20690, 20700,	.. 12055, 14623, 14648
21030, 21045,	20710, 20721,	\@mparswitchfalse . 7318
21057, 21779,	21433, 21453,	\@mparswitchtrue .. 7313
21793, 21808, 21820	21463, 21473,	\@mpeightcol@LTRfootgroupv@l



..... 12990	12193,	12316,	17055, 22532, 22534
\@mpeightcol@footgroupv@r	12323,	12335,	\@mpfourcol@LTRfootgroupv@l
..... 12988	12336,	12460, 12402
\@mpeightcollTRfootnotetext	12467,	12480,	\@mpfourcol@footgroupv@r
..... 12984, 13067	12481,	12607, 12400
\@mpeightcolRTLfootnotetext	12614,	12627,	\@mpfourcollTRfootnotetext
..... 12985, 13080	12628,	12754, 12396, 12479
\@mpeightcolfootnotetext	12761,	12774,	\@mpfourcolRTLfootnotetext
..... 12983, 13043	12775,	12901, 12397, 12492
\@mpfivecol@LTRfootgroupv@l	12908,	12921,	\@mpfourcolfootnotetext
..... 12549	12922,	13048, 12395, 12455
\@mpfivecol@footgroupv@r	13055,	13068,	\@mplistdepth 14467, 14633
..... 12547	13069,	13195,	\@mpninecol@LTRfootgroupv@l
\@mpfivecollTRfootnotetext	13202,	13215, 13137
..... 12543, 12626	13216,	13342,	\@mpninecol@footgroupv@r
\@mpfivecolRTLfootnotetext	13349,	13362, 13135
..... 12544, 12639	13363,	13610,	\@mpninecollTRfootnotetext
\@mpfivecolfootnotetext	13617, 13631, 13632	 13131, 13214
..... 12542, 12602	\@mpfootinsv@r		\@mpninecolRTLfootnotetext
\@mpfn 2406, 2432, 2458,	.. 12036, 12074,	 13132, 13227
4886, 4889, 4892,	12075,	12170,	\@mpninecolfootnotetext
4908, 4916, 4924,	12177,	12205, 13130, 13190
8289, 8295, 8318,	12206,	12314,	\@mppara@LTRfootgroupv@l
8324, 8347, 8353,	12321,	12347, 13474, 13526
9149, 9152, 9155,	12348,	12458,	\@mppara@footgroupv@r
9169, 9176, 9183,	12465,	12493, 13473
14330, 14332,	12494,	12605,	\@mpparaLTRfootnotetext
14483, 14488,	12612,	12640,	. 13468, 13522, 13630
14492, 14497,	12641,	12752,	\@mpparaRTLfootnotetext
14629, 14659,	12759,	12787, 13469, 13644
14674, 15909,	12788,	12899,	\@mpparafootnotetext
15920, 15931,	12906,	12934,	. 13467, 13520, 13605
16131, 16162,	12935,	13046,	\@mpsevencol@LTRfootgroupv@l
16193, 16256,	13053,	13081, 12843
17052, 22467, 22474	13082,	13193,	\@mpsevencol@footgroupv@r
\@mpfootins .. 2350,	13200,	13228, 12841
2351, 2366, 2367,	13229,	13340,	\@mpsevencollTRfootnotetext
2382, 2383, 11860,	13347,	13375, 12837, 12920
11861, 11872,	13376,	13608,	\@mpsevencolRTLfootnotetext
11873, 11884,	13615, 13645, 13646	 12838, 12933
11885, 12022,	\@mpfootnotetext ..		\@mpsevencolfootnotetext
12023, 12025, 2348,	 12836, 12896
12026, 12045,	11761, 11778,		\@mpsixcol@LTRfootgroupv@l
12047, 12050,	11779, 11859,	 12696
12075, 12077,	11898, 11906,		\@mpsixcol@footgroupv@r
14574, 14575,	12107, 12254,	 12694
14589, 14590,	12395, 12542,		\@mpsixcollTRfootnotetext
14604, 14605,	12689, 12836,	 12690, 12773
14639, 14640,	12983, 13130,		\@mpsixcolRTLfootnotetext
14643, 17041, 17046	13277, 13467,	 12691, 12786
\@mpfootinsv@l	13518, 13520,		\@mpsixcolfootnotetext
.. 12037, 12076,	14602, 14630,	 12689, 12749
12077, 12172,	15912, 15947,		\@mptencol@LTRfootgroupv@l
12179, 12192,	15950, 16035,	 13284



\@mptencol@footgroupv@r	13388,	13394,	23611,	23614,
..... 13282	13400,	13405,	23622,	23623,
\@mptencolLTRfootnotetext	13448,	13449,	23625,	23628,
..... 13278, 13361	13501,	13659,	23631,	23656,
\@mptencolRTLfootnotetext	13670,	13686,	23660,	23661,
..... 13279, 13374	13695,	13704,	23662,	23664,
\@mptencolfootnotetext	16979,	18407,	23665,	23667,
..... 13277, 13337	22991,	23030,	23670,	23673,
\@mptthreecol@LTRfootgroupv@l	23031,	23032,	23681,	23682,
..... 12261	23033,	23034,	23684,	23687,
\@mptthreecol@footgroupv@r	23035,	23036,	23690,	23710,
..... 12259	23037,	23038,	23713,	23717,
\@mptthreecolLTRfootnotetext	23039,	23057,	23757,	23760, 23764
..... 12255, 12334	23058,	23059,	\@nameuse 9205,	
\@mptthreecolRTLfootnotetext	23060,	23061,	11236,	11286,
..... 12256, 12346	23062,	23063,	11289,	11335,
\@mptthreecolfootnotetext	23064,	23065,	12221,	12222,
..... 12254, 12311	23080,	23081,	12227,	12228,
\@mptwocol@LTRfootgroupv@l	23082,	23083,	12232,	12233,
..... 12114	23085,	23086,	12237,	12238,
\@mptwocol@footgroupv@r	23088,	23091,	12237,	12238,
..... 12112	23094,	23102,	12362,	12363,
\@mptwocolLTRfootnotetext	23103,	23105,	12368,	12369,
..... 12108, 12191	23108,	23111,	12373,	12374,
\@mptwocolRTLfootnotetext	23124,	23129,	12378,	12379,
..... 12109, 12204	23130,	23131,	12509,	12510,
\@mptwocolfootnotetext	23133,	23134,	12515,	12516,
..... 12107, 12167	23136,	23139,	12520,	12521,
\@namedef 9207, 12057,	23142,	23150,	12525,	12526,
12093,	23151,	23153,	12656,	12657,
12094,	23156,	23159,	12662,	12663,
12218,	23171,	23216,	12667,	12668,
12224,	23217,	23218,	12672,	12673,
12230,	23219,	23220,	12803,	12804,
12235,	23221,	23222,	12809,	12810,
12240,	23223,	23224,	12814,	12815,
12241,	23239,	23240,	12819,	12820,
12359,	23241,	23242,	12950,	12951,
12371,	23244,	23245,	12956,	12957,
12376,	23247,	23250,	12961,	12962,
12381,	23253,	23261,	12966,	12967,
12382,	23262,	23264,	13097,	13098,
12506,	23267,	23270,	13103,	13104,
12512,	23283,	23523,	13108,	13109,
12518,	23524,	23525,	13113,	13114,
12523,	23526,	23527,	13244,	13245,
12529,	23528,	23529,	13250,	13251,
12653,	23530,	23531,	13255,	13256,
12659,	23570,	23576,	13260,	13261,
12670,	23583,	23589,	13391,	13392,
12676,	23596,	23600,	13397,	13398,
12800,	23601,	23602,	13402,	13403,
12806,	23603,	23605,	13407,	13408,
12812,	23606,	23608,	13660,	13667,
12817,			13671,	13678,
12822,				
12823,				
12947,				
12953,				
12959,				
12964,				
12969,				
12970,				
13094,				
13100,				
13106,				
13111,				
13116,				
13117,				
13241,				
13247,				
13253,				
13258,				
13263,				
13264,				



13687,	13692,	4961, 5269, 5275,	381, 384, 385,
13696,	13701,	5290, 5318, 5370,	386, 1437, 1439,
14166,	20199,	5730, 5784, 5838,	1440, 1441, 1443,
20534,	20929,	6560, 6719, 6790,	1444, 1445, 1446,
21285,	21692,	6851, 9737, 10195,	1447, 1448, 1449,
22040,	22718,	11493, 11590,	1452, 1453, 1454,
22992,	22993,	11992, 13943,	1466, 1468, 1469,
22994,	22997,	14573, 14588,	1534, 1535, 1536,
23000,	23005,	14603, 14916,	10014, 10015,
23006,	23011,	16264, 16265,	10016, 22486,
23015,	23016,	16270, 16675,	22488, 22489,
23018,	23019,	16682, 16691,	22490, 22491,
23021,	23022,	16702, 16832,	22492, 22493,
23024,	23025,	17662, 17739,	22494, 22496,
23027,	23028,	18002, 18392,	22497, 22498,
23035,	23040,	18426, 19156,	22499, 22500,
23041,	23124,	19297, 19495,	22503, 22504, 22505
23171,	23175,	19538, 19542,	\@nil 1519, 1520, 1522,
23176,	23188,	19725, 20028,	1523, 5598, 5605,
23198,	23199,	20055, 20057,	5612, 5622, 10003,
23283,	23287,	20273, 20440,	10925, 10982, 22630
23288,	23309,	20757, 20784,	\@ninecolLTRfootgroupv@l
23325,	23328,	20786, 21003, 13129
23329,	23333,	21191, 21520,	\@ninecolfootgroupv@r
23339,	23340,	21547, 21549, 13125
23341,	23345,	21766, 21946,	\@ninecolLTRfootfmt
23348,	23352,	22415, 22419,	. 13163, 13184, 13224
23354,	23368,	22480, 22489,	\@ninecolLTRfootnotetext
23370,	23372,	22496, 22832, 13120, 13156
23378,	23396,	23175, 23176,	\@ninecolRTLfootfmt
23397,	23399,	23287, 23288,	. 13173, 13187, 13237
23400,	23410,	23517, 24231,	\@ninecolRTLfootnotetext
23412,	23415,	24378, 24534, 13121, 13166
23416,	23418,	24575, 24610,	\@ninecolfootfmt ..
23420,	23421,	24612, 24613,	. 13153, 13181, 13211
23429,	23431,	24614, 24619,	\@ninecolfootnotetext
23435,	23436,	24621, 24622, 13119, 13140
23440,	23444,	24623, 24628,	\@nmbulistfalse .. 24542
23448,	23449,	24630, 24631,	\@nobreakfalse . 572,
23517,	23550,	24632, 24637,	721, 966, 1206,
23557,	23562,	24639, 24640,	9331, 9509, 9799,
23563,	23570,	24641, 24715,	11649, 13834,
23649,	23656,	24717, 24760, 24985	19010, 19383,
23727,	23794,	\@newctr 18399	19599, 19786,
24317, 24351, 25057		\@newlistfalse	22779, 22783, 23318
\@ne	138, 14210, 25046	\@nobreaktrue .. 571,
143, 365, 374, 377,		\@next	720, 965, 1205,
511, 860, 1113,		7879, 7880, 7923,	9330, 9508, 9798,
1364, 1431, 1440,		7924, 7967, 7968,	11648, 13833,
1443, 1444, 1445,		24907, 24908,	19009, 19382,
1478, 1481, 1482,		24951, 24952, 24984	19598, 19785,
1483, 2349, 2365,		\@nextchar 371,	22778, 22782, 23317
2381, 2629, 4378,		373, 374, 375, 377,	\@nocnterr 343
4383, 4384, 4385,		378, 379, 380,	\@nocounterr 342



\@nodocument	4930	19856, 20390,	14066, 14069,
\@noitemerr	96,	21141, 21896, 22669	14104, 14108,
310, 636, 768,		\@otarlinesep 22375, 22381	14185, 14189,
1033, 1284, 2687,		\@outerparskip	14194, 14205,
5255, 9380, 9570,		\@outputbox	14973, 14977,
9887, 11437,		10230,	15026, 15030,
11712, 13896,		10233, 10234,	16922, 16940,
16504, 18321,		10248, 10260,	17886, 17891,
19065, 19459,		10265, 10267,	17983, 17988,
19658, 19865,		10293, 10296,	18460, 18461,
20407, 20414,		10297, 10311,	24826, 24830,
21158, 21165,		10321, 10324,	24869, 24873, 25041
21913, 21920, 22678		10326, 13718,	\@ovbtrue
\@nonlatinfalse 4158,		13720, 13721,	14001
4242, 16709, 16753		13726, 13741,	\@ovdx
\@nonlatintrue 4159,		13743, 13757,	14014, 14022
4243, 16709, 16753		13767, 14038,	\@ovdy
\@normalLTRfootfmt		14041, 14054,	14015, 14023
. 11811, 11856, 11881		14063, 14074,	\@ovhorz
\@normalRTLfootfmt		14077, 14091,	14020, 14021
. 11805, 11842, 11893		14101, 14183,	\@ovltrue
\@normalcr	17008	14188, 14235,	14001
\@normalfootfmt . . .		14936, 14943,	\@ovri
. 11799, 11828, 11869		14944, 14960,	14013
\@notprerr	6303, 6318	14970, 14985,	\@ovro 14013, 14022, 14023
\@nx	125,	14992, 14993,	\@ovrtrue
126, 346, 16571, 16572		15009, 15021,	14001
\@nxocol		15060, 15072,	\@ovttrue
. 14158, 14160, 14201		15106, 15108,	14001
\@oddfoot		15119, 15144,	\@ovvert
2193, 2198, 2234,		15147, 15148,	14018, 14019
2239, 4590, 14171,		16946, 16948,	\@ovxx
14178, 25060, 25077		16950, 17804,	14004, 14007,
\@oddhead 2117, 2197,		17807, 17808,	14014, 14019,
2222, 2239, 14170,		17838, 17863,	14020, 14024, 14025
14177, 25060, 25076		17866, 17868,	\@ovyy
\@oldmakefnmark . . .		17880, 17904,	14005, 14006,
.	20148,	17907, 17908,	14007, 14015, 14021
20149, 20269,		17938, 17963,	\@pagedp
20270, 20878,		17966, 17968,	25013, 25023
20879, 20999,		17978, 18468,	\@pageht 10354, 10360,
21000, 21641,		18471, 18476,	13783, 13784,
21642, 21762, 21763		24791, 24794,	13785, 24996, 25003
\@onelevel@sanitize 4933		24795, 24809,	\@par
\@onlypreamble		24821, 24838,	23452
.	4364, 13441,	24841, 24842,	\@para@LTRfootgroupv@l
13442, 13446, 13807		24856, 24866, 25104
\@openbib@code		\@outputbox@append 24886	13465, 13515
. 627, 762, 1027,		\@outputbox@appendfootnotes	\@para@footgroupv@r
1278, 5248, 5259,	
9374, 9564, 9878,		13459
11431, 11703,		\@outputdblcol 14157,	\@para@footstartv@l
13890, 19059,		24879, 24880, 24881
19453, 19649,		\@outputpage	13466, 13516
		\@para@footstartv@r
		10273, 10277,
		10332, 10336,	13460
			\@paraLTRfootfmt . .
			. 13578, 13597, 13641
			\@paraLTRfootnotetext
			. 13452, 13508, 13569
			\@paraRTLfootfmt . .
			. 13590, 13601, 13655
			\@paraRTLfootnotetext
		
			13453, 13581
			\@parafootfmt
			. 13566, 13593, 13627
			\@parafootnotetext
			. 13451, 13506, 13551



\@parboxrestore . 43,	6979, 7128, 7131, 7149	21729, 22143,
57, 73, 257, 271,		22162, 22188,
286, 2306, 2323,	\@plus 24,	22189, 22208,
2340, 2356, 2372,	104, 234, 562, 579,	22209, 22218,
2388, 5000, 7630,	651, 666, 695, 698,	22219, 22228,
7898, 7942, 7986,	711, 729, 736, 916,	22239, 22286,
9933, 11865,	923, 926, 939, 956,	22581, 22610,
11877, 11889,	974, 1169, 1180,	22734, 23011,
11990, 12184,	1183, 1196, 1214,	23179, 23182,
12197, 12210,	1222, 5172, 5258,	23186, 23291,
12328, 12340,	7335, 7336, 7337,	23294, 23298,
12352, 12472,	7344, 7345, 7346,	23373, 23710,
12485, 12498,	7348, 7349, 8554,	23713, 23717,
12619, 12632,	8555, 8556, 8558,	23838, 24022, 24728
12645, 12766,	8559, 8625, 9295,	\@pnumwidth 13,
12779, 12792,	9306, 9309, 9322,	15, 219, 221, 565,
12913, 12926,	9338, 9345, 9473,	566, 568, 582, 583,
12939, 13060,	9484, 9487, 9500,	587, 714, 715, 717,
13073, 13086,	9516, 9523, 9685,	739, 740, 744, 942,
13207, 13220,	9790, 9805, 11383,	943, 947, 959,
13233, 13354,	11397, 11641,	960, 962, 1199,
13367, 13380,	13595, 13599,	1200, 1202, 1225,
13622, 13636,	13603, 13825,	1226, 1230, 9325,
13650, 13665,	13840, 14816,	9326, 9328, 9348,
13676, 14210,	14854, 16513,	9349, 9353, 9503,
14518, 14535,	16534, 18053,	9504, 9506, 9526,
14551, 14580,	18065, 18311,	9527, 9531, 9793,
14595, 14610,	18956, 18985,	9794, 9796, 9808,
14628, 17787,	18988, 19001,	9809, 9813, 10078,
18001, 24593,	19017, 19024,	10083, 10084,
24926, 24970, 25047	19212, 19358,	11386, 11387,
\@parboxto . 24596, 24603	19361, 19374,	11391, 11400,
\@parmoderr	19390, 19397,	11401, 11403,
4949, 7876, 7920,	19591, 19605,	11643, 11644,
7964, 24904, 24948	19674, 19777,	11646, 13828,
\@part 611,	19792, 20085,	13829, 13831,
613, 11415, 11417	20092, 20102,	13843, 13844,
\@pboxswfalse 14619, 24579	20165, 20191,	13848, 16547,
\@pboxswtrue 24601	20236, 20636,	16549, 18073,
\@pdfmark	20654, 20672,	19004, 19005,
.. 16272, 16288,	20673, 20690,	19007, 19027,
16322, 16353,	20691, 20700,	19028, 19032,
16382, 16426,	20701, 20710,	19377, 19378,
16431, 16442,	20721, 20815,	19380, 19400,
16447, 16458,	20822, 20832,	19401, 19405,
16464, 16475, 16481	20895, 20921,	19593, 19594,
\@pdfremotestartview	20966, 21388,	19596, 19608,
. 16303	21407, 21433,	19609, 19613,
\@phone 5133, 10757, 10855	21434, 21453,	19780, 19781,
\@photo .. 5138, 10730,	21454, 21463,	19783, 19795,
10732, 10861, 10863	21464, 21473,	19796, 19800,
\@photowidth .. 5137,	21484, 21578,	22637, 22646,
5138, 10732, 10828	21585, 21595,	22648, 23041,
\@pkgextension	21658, 21684,	23190, 23191,



23203, 23302,	\@preamtwofmt . 12153,	10356, 10357,
23303, 23312,	12159, 12162, 12165	10359, 10360,
23576, 23583,	\@printcites 18843	10361, 10362,
23929, 24034, 24740	\@ptsize 5036,	10363, 10364, 10604
\@preamble 415,	5037, 5038, 5039, 5046	\@resetactivechars
421, 435, 447,	\@publisher . . 8717, 8770 14208, 25044
1491, 1499, 16839,	\@publishers . . 20192,	\@resetdyn@mics . . 14196
22354, 22356,	20337, 20922,	\@resetst@tics . . . 14195
22363, 22393,	21067, 21685, 21830	\@restonecolfalse .
22394, 22402,	\@quote . . 5139, 10736,	. . . 99, 229, 641,
24697, 24699, 24708	10738, 10865, 10867	657, 907, 1160,
\@preameightfmt . .	\@quotebox 18842	9286, 9464, 9675,
. 13029,	\@quotecolour	16508, 18947,
13035, 13038, 13041	. . . 5101, 5118, 5228	19203, 19664, 22692
\@preamerr	\@r@m@msize 22388	\@restonecoltrue . .
. 387, 1455, 1485,	\@raggedtwoe@abdhook	. . . 99, 229, 643,
22506, 24706, 24719	. 18917, 18922, 18932	659, 909, 1162,
\@preamfivefmt 12588,	\@raggedtwoe@document@opt	9288, 9466, 9677,
12594, 12597, 12600	. 18916, 18920, 18938	16508, 18949,
\@preamfntext . 11823,	\@raggedtwoe@everyselectfont	19205, 19666, 22694
11837, 11851, 18856,	\@resumename . . 5071, 5127
11985, 12126,	18869, 18882, 18893	\@revlabeltrue . 793,
12136, 12146,	\@raggedtwoe@footmisctrue	1046, 1297, 9414,
12273, 12282, 18919	9592, 19089, 19228
12291, 12414,	\@raggedtwoe@gnewline	\@rightcolumn . 17830,
12424, 12434,	. 18849, 18862, 18875	17835, 17836,
12561, 12571,	\@raggedtwoe@raggedrightboxes@opt	7845, 17846,
12581, 12708, 18895,	17854, 17858,
12718, 12728,	18914, 18918, 18935	17864, 17930,
12855, 12865,	\@raggedtwoe@samed@gnewline	17935, 17936,
12875, 13002, 18886	17945, 17946,
13012, 13022,	\@raggedtwoe@samed@cr	17954, 17958, 17964
13149, 13159, 18846,	\@rightskip . . 17004,
13169, 13296,	18859, 18872, 18885	18851, 18852,
13306, 13316,	\@raggedtwoe@spaceskipfalse	18864, 18865,
13561, 13573, 13585 18892	18877, 18878,
\@preamfourfmt 12441,	\@raggedtwoe@spaceskiptrue	18888, 18889, 24644
12447, 12450, 12453	. 18855, 18868, 18881	\@rjfieldfalse . . . 25031
\@preamninefmt 13176,	\@rc@ifdefinable . .	\@runbordercolor . .
13182, 13185, 13188 5716, 5974 16328, 16330
\@preamnormalfmt . .	\@regtocline . . . 692,	\@runcolor 16344
. 11795,	730, 747, 920,	\@s@size 22388
11800, 11806, 11812	950, 975, 1177,	\@sarray 22347
\@preamsevenfmt . .	1215, 1233, 9303,	\@savemarbox 25025
. 12882,	9339, 9357, 9481,	\@secondoftwo
12888, 12891, 12894	9517, 9535, 18982,	5543, 5547, 5555,
\@preamsixfmt . 12735,	19018, 19036,	5559, 5567, 5571,
12741, 12744, 12747	19355, 19391, 19409	5577, 5585, 5599,
\@preamtenfmt . 13323,	\@reinserts 13798	5613, 5625, 5633,
13329, 13332, 13335	\@rememsize 22385, 22388	5642, 5651, 5660,
\@preamthreefmt . .	\@removefromreset .	5666, 5669, 5680,
. 12297, 18330, 18332	5685, 5692, 6072,
12303, 12306, 12309	\@reqcolroom	6082, 6083, 6084,
	. . 10354, 10355,	6085, 6091, 6100,



6106, 6130, 6150, 6178, 6230, 6242, 6243, 6252, 13808	\@sevenscolRTLfootfmt . 12879, 12893, 12943	17989, 24829, 24831, 24872, 24874
\@secpentalty 5, 211, 561, 578, 710, 728, 735, 938, 955, 973, 1195, 1213, 1221, 11382, 11396, 16539, 22622, 22759, 22814, 23178, 23185, 23290, 23297	\@sevenscolRTLfootnotetext 12827, 12872	\@startfield 9257
\@sectiontitlecolour 5102, 5119	\@sevenscolfootfmt . . 12859, 12887, 12917	\@startpbox 1468, 1469, 1534, 1535, 1536, 10014, 10015, 10016, 16813, 16814, 16820, 22357, 22395, 24700
\@seesize . . 22385, 22388	\@sevenscolfootnotetext 12825, 12846	\@startsection 23, 16533
\@setcol 14202	\@sharp 427, 1493, 1494, 1495, 1501, 1502, 1503, 16826, 22359, 22394, 22400, 24703	\@starttoc . . . 8520, 8528
\@setcolbox 14163, 14199	\@sixcol@LTRfootgroupv@l 12688	\@stopfield 9222, 9237, 9241, 9269, 25031
\@setcopyright 113, 16559	\@sixcol@footgroupv@r 12684	\@stopline . . 9241, 25031
\@setfontsize 7334, 7343, 8553, 8563, 8564, 8565, 8566, 8567, 8568, 8569	\@sixcolLTRfootfmt . 12722, 12743, 12783	\@stpelt . 6425, 6429, 6431
\@setfpsbit 4965, 4968, 4971	\@sixcolLTRfootnotetext 12679, 12715	\@strip 17998
\@setmarks . . . 10240, 10242, 10272, 10303, 10305, 10331, 14047, 14049, 14066, 14083, 14085, 14103, 14950, 14952, 14972, 14999, 15001, 15025, 17814, 17816, 17885, 17914, 17916, 17982, 24801, 24803, 24825, 24848, 24850, 24868	\@sixcolRTLfootfmt . 12732, 12746, 12796	\@subclass 336
\@setminipage . 7632, 14635, 14910, 17789	\@sixcolRTLfootnotetext 12680, 12725	\@subject 20173, 20174, 20336, 20903, 20904, 21066, 21666, 21667, 21829
\@setpar 19492, 19535, 20051, 20062, 20780, 20792, 21543, 21555	\@sixcolfootfmt 12712, 12740, 12770	\@subsectioncolour 5104, 5120
\@settab 9215	\@sixcolfootnotetext 12678, 12699	\@subtitle . . . 20179, 20332, 20909, 21062, 21672, 21825
\@sevenscol@LTRfootgroupv@l 12835	\@skip@bove 22379, 22381	\@tabacol 4878, 16811, 22341, 24505, 24683
\@sevenscol@footgroupv@r 12831	\@spaces 22417, 22458, 22463	\@tabarray 398, 459, 4880, 16797, 16799, 18367, 18369, 24500, 24507, 24685, 24711
\@sevenscolLTRfootfmt . 12869, 12890, 12930	\@spart 614, 616, 11418, 11420	\@tabclassiv 4880, 16812, 22343, 24507, 24685
\@sevenscolLTRfootnotetext 12826, 12862	\@specialpagefalse 14165, 25057	\@tabclassz . . 1496, 4879, 16812, 22342, 24506, 24684
	\@specialstyle 14166, 25057	\@tabacr 9218, 9228
	\@stabarray 22343	\@tabminus 9216
	\@stabular 22339	\@tabplus 9215
	\@star@or@long 5711, 5944, 5968, 5979	\@tabular 389, 4866, 24681
	\@startcolumn . . . 15035	\@tabularcr 4880, 16816, 22343, 24507, 24685
	\@startdblcolumn 10276, 10278, 10335, 10337, 14067, 14069, 14107, 14108, 14192, 14194, 14976, 14978, 15029, 15031, 17889, 17892, 17986,	\@tarlinesep . . 22381, 22382, 22383, 22384, 22387, 22389
		\@temp@bibkey . 8087, 8106, 8125, 8153
		\@temp@bibkeyx 8092, 8093, 8095, 8096, 8097,



8098, 8111, 8112,	19281,	19285,	15863,	15865,
8114, 8115, 8116,	19875,	19876,	16712,	16717,
8117, 8130, 8131,	19918,	19919,	16721,	16865,
8133, 8134, 8135,	20050,	20392,	16866,	16869,
8136, 8162, 8163,	20395,	20779,	17715,	17718,
8165, 8166, 8167, 8168	21143,	21146,	17722,	17724,
\@temp@last@bibkey	21542,	21898,	17730,	17732,
... 8086, 8087,	21901,	22466,	17733,	17762,
8093, 8105, 8106,	22468,	22473,	17763,	17767,
8112, 8124, 8125,	22475,	24020,	18561,	18562,
8131, 8152, 8153, 8163	24037,	24041,	18565,	22440,
\@tempa 124,	24042,	24043,	22460,	23981,
127, 134, 135, 136,	24052,	24066,	23984,	23989,
137, 840, 842, 844,	24242,	24245,	23993,	23997,
848, 1093, 1095,	24251, 24255, 24269		24001,	24005,
1097, 1101, 1344,	\@tempb 5375,		24009,	24013,
1346, 1348, 1352,	5376, 5378, 5379,		24017,	24666,
2411, 2437, 2463,	15212,	15213,	24667,	24722,
5320, 5334, 5375,	15253,	15255,	24723,	24724,
5376, 5379, 5499,	15283,	15285,	24725,	24910,
5500, 5503, 5505,	15286,	15288,	24954,	25092,
5507, 5508, 5511,	15291,	18337,	25099,	25100,
5513, 5515, 5516,	18338,	18344,	25129, 25130, 25134	
5519, 5521, 5523,	18345, 18350, 18351		\@tempc 15254, 15256, 15262	
5524, 5527, 5529,	\@tempboxa . . . 2123,		\@tempcnta . . . 1459,	
5731, 5741, 5747,	2124, 2125, 2126,		1518, 1519, 1520,	
5759, 5766, 5772,	2127, 2227, 2228,		1522, 1523, 2529,	
5785, 5795, 5801,	2229, 2230, 2231,		2530, 2532, 4953,	
5813, 5820, 5826,	2493, 2510, 2511,		4959, 4961, 4974,	
5839, 5852, 5858,	2512, 2513, 2514,		4975, 4981, 4982,	
5876, 5886, 5892,	2515, 2516, 2517,		5352, 5354, 5358,	
14002, 15212,	2556, 2558, 2559,		10001, 10003,	
15213, 15214,	2560, 2565, 2578,		10923, 10980,	
15215, 15252,	7882, 7926, 7970,		18433, 18441,	
15255, 15256,	10370, 10371,		18450, 20244,	
15262, 15273,	10948, 10949,		20246, 20974,	
15274, 15280,	10950, 10951,		20976, 21737,	
15285, 15286,	10953, 11002,		21739, 22453,	
15288, 15291,	11003, 11004,		23828, 23829,	
15590, 15591,	11005, 11007,		23830, 23849,	
15592, 15593,	12055, 14013,		23850, 23851,	
16050, 16054,	14017, 14025,		23853, 23855,	
16057, 16069,	14026, 14142,		23937, 23938,	
16088, 16092,	14143, 14144,		23939, 24985,	
16095, 16107,	14624, 14648,		24987, 24990,	
16570, 16573,	14753, 14798,		24992, 24994, 25016	
16904, 16905,	14805, 14815,		\@tempcntb	
16907, 16908,	14818, 14822,		2540, 2541, 2543,	
18333, 18334,	14824, 14830,		4979, 4980, 4981,	
18335, 18338,	14864, 14866,		18433, 18441, 18450	
18345, 18351,	14872, 14885,		\@tempdima . . . 8, 10,	
19136, 19138,	14889, 14890,		12, 14, 214, 216,	
19140, 19144,	15178, 15274,		218, 220, 405, 406,	
19277, 19279,	15291, 15682,		408, 563, 580, 585,	



700, 713, 737, 742,
928, 929, 940, 945,
958, 1185, 1198,
1223, 1228, 1513,
1514, 1546, 1547,
1548, 2210, 2527,
2531, 2532, 2544,
2545, 2547, 2570,
2572, 2583, 2585,
3605, 3606, 5033,
5035, 8541, 8542,
9311, 9324, 9346,
9351, 9489, 9502,
9524, 9529, 9791,
9806, 9811, 10026,
10027, 10028,
10076, 10081,
10894, 10895,
10896, 10897,
10915, 10916,
10917, 10918,
10924, 10926,
10927, 10931,
10932, 10933,
10934, 10935,
10943, 10947,
10950, 10951,
10952, 10966,
10967, 10968,
10981, 10983,
10984, 10988,
10989, 10990,
10991, 10992,
10998, 11001,
11004, 11005,
11006, 11018,
11019, 11020,
11236, 11237,
11242, 11243,
11244, 11245,
11246, 11361,
11363, 11365,
11384, 11389,
11399, 13438,
13477, 13478,
13481, 13482,
13488, 13489,
13490, 13491,
13493, 13529,
13530, 13533,
13534, 13540,
13541, 13542,
13543, 13545,
13728, 13730,

13827, 13841,
13846, 14014,
14015, 14018,
14019, 14622,
14626, 15147,
15149, 15271,
15273, 15278,
15280, 15281,
15283, 15296,
15301, 15306,
15310, 16542,
16544, 16546,
16548, 16808,
16818, 16823,
17833, 17837,
17933, 17937,
17998, 18023,
18046, 18058,
18059, 18070,
18071, 18990,
19003, 19025,
19030, 19363,
19376, 19398,
19403, 19493,
19494, 19495,
19536, 19537,
19538, 19606,
19611, 19778,
19793, 19798,
19920, 19921,
20052, 20053,
20055, 20057,
20063, 20064,
20068, 20070,
20465, 20466,
20781, 20782,
20784, 20786,
20793, 20794,
20798, 20800,
21216, 21217,
21544, 21545,
21547, 21549,
21556, 21557,
21561, 21563,
21971, 21972,
22386, 22389,
22391, 22454,
22513, 22514,
22515, 22769,
22773, 22800,
22804, 22823,
22827, 22840,
22844, 22857,
22861, 22874,

22878, 22891,
22895, 22908,
22912, 22926,
22930, 22945,
22949, 22965,
22969, 23000,
23004, 23188,
23194, 23300,
23340, 23344,
23347, 23351,
23354, 23356,
23396, 23399,
23400, 23404,
23845, 23847,
23876, 23879,
23886, 23889,
23893, 23898,
23901, 23913,
23946, 23948,
23949, 23952,
23955, 23959,
23966, 23968,
24027, 24028,
24041, 24043,
24051, 24058,
24204, 24205,
24224, 24235,
24236, 24237,
24238, 24250,
24253, 24259,
24260, 24592,
24593, 24733,
24734, 24995,
24996, 24997,
24998, 25001,
25004, 25007,
25009, 25032, 25033

\@tempdimb
2528, 2529, 2533,
2536, 2537, 2542,
2543, 2544, 2545,
2550, 2553, 2554,
2556, 2557, 2566,
2571, 2572, 2579,
2584, 2585, 9995,
10451, 10471,
10894, 10895,
10915, 10916,
10967, 10969,
10972, 11019,
11021, 11024,
11239, 11242,
13479, 13480,
13481, 13531,



13532,	13533,	126, 16568, 16572	870, 876, 1078,
14007,	14008,	\@tempx 9149,	1084, 1123, 1129,
14009,	14010,	9150, 16128, 16140	1329, 1335, 1374,
14012,	15272,	\@tempxi 9152,	1380, 4625, 4631,
15273,	15279,	9153, 16159, 16171	9446, 9452, 9624,
15280,	15282,	\@tempxii 9155,	9630, 9711, 9719,
15283,	17998,	9156, 16190, 16202	9747, 9755, 11469,
18023,	20065,	\@tempy 4886, 4887	11475, 11503,
20066,	20068,	\@tempyi 4889, 4890	11509, 11564,
20070,	20795,	\@tempyii 4892, 4893	11572, 11600,
20796,	20798,	\@tencol@LTRfootgroupv@l	11608, 13919,
20800,	21558, 13276	13925, 13953,
21559,	21561,	\@tencol@footgroupv@r	13959, 14650,
21563,	22386, 13272	14664, 14667,
22389,	22391,	\@tencolLTRfootfmt	17651, 17674,
23846,	23852,	. 13310, 13331, 13371	19121, 19127,
23854,	23859,	\@tencolLTRfootnotetext	19166, 19172,
23861,	23864, 13267, 13303	19260, 19268,
23868,	23872,	\@tencolRTLfootfmt	19307, 19315,
23880,	23882,	. 13320, 13334, 13384	19511, 19519,
23883,	23896,	\@tencolRTLfootnotetext	19552, 19560,
23902,	23904, 13268, 13313	19699, 19707,
24207,	24208,	\@tencolfootfmt . . .	19735, 19743,
24210,	24212,	. 13300, 13328, 13358	20195, 20214,
24215,	24216,	\@tencolfootnotetext	20237, 20318,
24218,	24221, 13266, 13287	20328, 20925,
24235,	24236,	\@testopt 5946,	20944, 20967,
24237,	24241,	5964, 16805, 16806	21048, 21058,
24254,	24258,	\@testpach 364, 1430,	21688, 21707,
24259, 24595, 24596		1475, 22479, 24712	21730, 21811, 21821
\@tempdimc 2539, 2540,		\@textbottom . . 13723,	\@thefnmark . . 45, 59,
2548, 2549, 2566,		15150, 20085,	75, 259, 273, 288,
2579, 9996, 20049,		20092, 20815,	506, 509, 794, 856,
20060, 20061,		20822, 21578, 21585	858, 1047, 1111,
20075, 20778,		\@textsuperscript .	1298, 1360, 1362,
20790, 20791,		. . 506, 509, 794,	2308, 2325, 2342,
20805, 21541,		856, 858, 1047,	2358, 2374, 2390,
21553, 21554, 21568		1111, 1298, 1360,	2418, 2424, 2444,
\@tempskipa . . 9247,		1362, 4620, 4623,	2450, 2470, 2476,
9248, 9249, 12000,		8192, 8194, 9415,	4620, 4623, 4909,
12001, 12002,		9593, 9732, 9735,	4917, 4925, 8192,
12018, 12019,		11488, 11491,	8194, 8228, 8246,
12020, 13681, 13682		11585, 11588,	8264, 8290, 8296,
\@tempswafalse		13938, 13941,	8319, 8325, 8348,
. . . . 2001, 2002,		17658, 19090,	8354, 9170, 9177,
10935, 10992,		19152, 19154,	9184, 9415, 9593,
11991, 15219,		19229, 19293,	9732, 9735, 11488,
20202, 20932,		19295, 19490,	11491, 11585,
21695, 24289, 24332		19497, 19533,	11588, 11826,
\@tempswatruer . 2001,		19540, 19720, 19723	11840, 11854,
10929, 10986,		\@texttop . . 13719, 15146	11867, 11879,
11993, 20198,		\@tfor 4954, 14002	11891, 11930,
20928, 21691, 24783		\@thanks . . . 485, 493,	11934, 11936,
\@temptokena . . . 122,		521, 529, 825, 831,	11942, 11946,



11948,	11954,	19497,	19533,	19099,	19101,
11958,	11960,	19540,	19720, 19723	19129,	19174,
12128,	12138,	\@thefoot	14171,	19187,	19238,
12148,	12186,	14174,	14178,	19240,	19270,
12199,	12212,	25060,	25066,	19317,	19333,
12275,	12284,	25074,	25077, 25112	19344,	19501,
12293,	12330,	\@thehead	14170,	19522,	19563,
12342,	12354,	14173,	14177,	19577,	19689,
12416,	12426,	25060,	25066,	19710,	19746,
12436,	12474,	25073,	25076, 25096	19760,	20177,
12487,	12500,	\@themargin . .	14227,	20331,	20907,
12563,	12573,	15316,	15318,	21061,	21670, 21824
12583,	12621,	15323,	15325,	\@titlecolour .	5099, 5116
12634,	12647,	15329,	15331,	\@titlehead	
12710,	12720,	25062,	25064,	20166, 20168,
12730,	12768,	25068,	25070, 25089	20335,	20896,
12781,	12794,	\@thm .	18374, 18406, 18409	20898,	21065,
12857,	12867,	\@thmcountersep . . .		21659,	21661, 21828
12877,	12915,	362, 18401, 24525	\@titlepageiscoverpagefalse	
12928,	12941,	\@threecol@LTRfootgroupv@l		20117, 20847, 21610
13004,	13014,	12253	\@tocextra	
13024,	13062,	\@threecol@footgroupv@r		22718, 22719,
13075,	13088,	12249	22723,	22725, 22728
13151,	13161,	\@threecol@LTRfootfmt		\@tocline	2, 208, 16536
13171,	13209,	12286, 12305, 12344	\@tocpagenum	15, 221, 16549
13222,	13235,	\@threecol@LTRfootnotetext		\@tocrmarg	18042,
13298,	13308,	12244, 12279	18054,	18066,
13318,	13356,	\@threecol@RTLfootfmt		18931,	22764,
13369,	13382,	12295, 12308, 12356	22795,	22818,
13563,	13575,	\@threecol@RTLfootnotetext		22835,	22852,
13587,	13624,	12245, 12288	22869,	22886,
13638,	13652,	\@threecol@footfmt .		22903,	22921,
13938,	13941,	12277, 12302, 12332	22940,	22960,
14484,	14489,	\@threecol@footnotetext		22995,	23046,
14493,	14498,	12243, 12264	23589,	23596,
14520,	14537,	\@title	332,	23906,	24023, 24729
14553,	14582,	475, 496, 532, 546,		\@todonotes@MissingFigureDown	
14597,	14612,	803, 805, 833, 878,		24185
14655,	14660,	891, 1056, 1058,		\@todonotes@MissingFigureText	
14670,	14675,	1086, 1131, 1144,		24162
14711,	14715,	1307, 1309, 1337,		\@todonotes@MissingFigureUp	
14717,	14723,	1382, 1396, 1407,		24184
14727,	14729,	4634, 5069, 5130,		\@todonotes@author	
14735,	14739,	8725, 8810, 9424,		24095,
14741,	15161,	9426, 9454, 9602,		24106,	24131, 24149
15910,	15921,	9604, 9632, 9701,		\@todonotes@currentfigcolor	
15932,	15943,	9722, 9758, 9772,		24166
16061,	16099,	10846,	11459,	\@todonotes@currentfigheight	
16132,	16163,	11478,	11512,	24167
16194,	16257,	11524,	11554,	\@todonotes@currentfigwidth	
16530,	19090,	11575,	11611,	24167,
19152,	19154,	11625,	13909,	24169,	24179, 24182
19229,	19293,	13928,	13962,	\@todonotes@drawInlineNote	
19295,	19490,	13974,	17652,	24090



\@todonotes@drawLineToLeftMargin	\@marginadditionalpoem .	10363, 10607,
..... 24118, 24121 9098, 9190	10658, 17999,
\@todonotes@drawLineToRightMargin	\@marginhist ... 18385,	18014, 18016, 18021
..... 24118, 24121 18419, 20027,	\@viperoutput 10285, 10344
\@todonotes@drawMarginNote	20756, 21519, 24544	\@vipt 8564
. 24117, 24120, 24124	\@twocol@LTRfootgroupv@l	\@vpt 8564
\@todonotes@drawMarginNoteWithLine 12106	\@whilesw 10277, 10336,
..... 24112	\@twocol@footgroupv@r	14068, 14108,
\@todonotes@ifdisabled 12102	14193, 14977,
..... 24191	\@twocolLTRfootfmt	15030, 17890,
\@todonotes@sizecommand	. 12140, 12161, 12201	17987, 24830, 24873
..... 24095,	\@twocolLTRfootnotetext	\@wholewidth
24097, 24104, 12097, 12133	. 14004, 14006, 14024
24106, 24108,	\@twocolRTLfootfmt	\@width .. 32, 247, 410,
24131, 24133,	. 12150, 12164, 12214	592, 774, 1010,
24145, 24148,	\@twocolRTLfootnotetext	1256, 1548, 9386,
24149, 24151, 24154 12098, 12143	9540, 9820, 10028,
\@todonotes@text ..	\@twocolfootfmt ...	10252, 10317,
.. 24095, 24097,	. 12130, 12158, 12188	10549, 10568,
24106, 24108,	\@twocolfootnotetext	10876, 11442,
24131, 24133, 12096, 12117	11742, 11794,
24146, 24152, 24155	\@twosidefalse 7318	13874, 14097,
\@todonotes@textwidth	\@twosidettrue 7313	14431, 14433,
..... 24129	\@typeset@protect .	14878, 14966,
\@toodeep ... 2628, 24532 4825,	15013, 16527,
\@topnum ... 112, 326,	4831, 4837, 4852	16598, 16825,
518, 867, 1120,	\@undeclaredcolor .	16900, 17025,
1371, 8803, 9744, 10041,	17872, 17974,
11500, 11597,	10049, 24282, 24283	18117, 18128,
13950, 16558,	\@undefined	18160, 18212,
17671, 19163,	. 4883, 16810, 17772	19041, 19465,
19304, 19549, 19732	\@undottedtocline 18039	19622, 19807,
\@topsep ... 18388, 18422	\@unexpandable@protect	20087, 20817,
\@topsepadd 5997, 7155	21580, 22352,
. 4797, 18389, 18423	\@unrecurse 22376, 22379	22391, 24695,
\@totalleftmargin .	\@uppertitleback ..	24813, 24862, 25023
..... 14900,	.. 20201, 20208,	\@x 9207, 9208
14904, 14907,	20217, 20252,	\@x@sf 8201,
14916, 17003,	20338, 20931,	8206, 8212, 8215
18391, 18392,	20938, 20947,	\@xLTRfootnote
18425, 18426,	20982, 21068, 4874, 4996,
18905, 24551,	21694, 21701,	9048, 9059, 9265,
24553, 24559,	21710, 21745, 21831	9279, 14492, 14495
24561, 24565,	\@urlbordercolor ..	\@xLTRfootnotenext
24567, 24571, 16359, 16361 4873,
24573, 24575,	\@urlcolor 16373	4995, 9047, 9058,
24610, 24612,	\@viipt . 7343, 8563,	9264, 9278, 14654,
24613, 24614,	18432, 18440, 18449	14657, 15929, 22426
24619, 24621,	\@viipt 8563,	\@xRTLfootnote
24622, 24623,	18432, 18440, 18449 4876, 4998,
24628, 24630,	\@viper 10279,	9050, 9061, 9267,
24631, 24632,	10281, 10283,	9281, 14483, 14486
24637, 24639,	10338, 10340,	\@xRTLfootnotenext
24640, 24641, 25032	10342, 10356, 4875,



4997, 9049, 9060, 9266, 9280, 14669, 14672, 15918, 22427	6699, 6701, 6702, 6703, 6711, 6716, 6717, 6719, 7648, 7649, 7650, 7652, 8612, 8981, 9119, 9422, 9600, 10734, 10735, 10738, 10754, 10841, 10846, 10853, 10863, 10867, 11722, 11726, 11735, 15762, 15765, 15778, 15781, 15881, 16302, 16317, 16336, 16569, 16589, 16593, 16674, 16675, 16681, 16682, 16802, 16803, 17008, 18846, 18847, 18859, 18860, 18872, 18873, 18885, 19097, 19142, 19236, 19283, 20449, 20458, 21200, 21209, 21955, 21964, 22343, 22358, 22374, 22375, 22580, 22609, 24128, 24135, 24507, 24644, 24685, 24701, 24711	\ ... 14777, 14778, 14893
\@xaddress 333		Numbers
\@xauthor 333		\0 4383
\@xcentercr .. 20456, 20463, 21207, 21214, 21962, 21969		\1 ... 17089, 17140, 17192
\@xcolor@ .. 24290, 24333		\9 4383
\@xcurraddr 334		
\@xemail 334		A
\@xepersian@pdfcustomproperties 4416, 4427		\abovecaptionskip . .. 16710, 17711, 17761, 20498, 20502, 20599, 21249, 21253, 21351, 22004, 22008, 22106, 25128
\@xfloat 4929		\abovedisplayshortskip ... 7336, 7345, 8555
\@xfootnote .. 4872, 4994, 9046, 9057, 9263, 9277, 16255		\abovedisplayskip . 7335, 7338, 7344, 7351, 7385, 8554, 8561
\@xfootnotemark .. 15940		\abstractname 678, 684, 687, 986, 992, 994, 1239, 1245, 1248, 9362, 9552, 18968, 18974, 18977, 19419, 19425, 19428
\@xfootnotenext 4871, 4993, 9045, 9056, 9262, 9276, 15907, 22425		\Acrobatmenu 2556, 15515, 16378
\@xipt 8566		\active 8998, 8999, 9001, 9002
\@xipt 8565		\AdaptNote 14310, 14316, 14322, 14330, 14332
\@xivpt 315, 8567		\add@strip 18023
\@xmakefntext .. 857, 1361, 19153, 19294		\addcontentsline 5174, 7627, 16741, 16746, 17784, 22701, 22708, 22725, 24162
\@xnewline ... 20447, 20454, 21198, 21205, 21953, 21960	\{ 4742, 17147, 17191	\AddExtraParaSkip 13437, 13441
\@xnthm 18395	\} 4743, 17147, 24512	\addfontfeature 5097, 5098, 5099, 5100, 5101, 5102, 5104, 5105
\@xp 122, 320, 345, 346, 9942, 16568	_ 4275, 4504, 8094, 8098, 8113, 8117, 8132, 8136, 8164, 8168, 14770, 14772, 22552	\addpenalty .. 5, 211, 561, 578, 710, 728, 735, 938, 955, 973, 1195, 1213, 1221, 9321, 9337, 9344, 9499, 9515, 9522, 9789, 9804, 11382, 11396, 11640, 13824, 13839, 16539, 19000,
\@xpt 7334	_ 4451, 8998, 8999, 9001, 9002	
\@xstartcol 15053	_ 6916, 6928, 6941, 7064, 7067, 7078, 7081, 15344, 15352, 15364, 15366, 15387, 15395, 15396, 15413, 15430, 15477, 15480, 15524, 16846, 18367	
\@xthm 18393, 18427	\` ... 14898, 17000, 18901	
\@xtitle 332		
\@xxpt 8568		
\@xxxii 4980		
\@xympar 7888, 7892, 7932, 7936, 7976, 7980, 24916, 24920, 24960, 24964, 25027		
\@yargdef 5966		
\@ympar 25024		
\@ythm 18393, 18427		
\[..... 9215, 14112		
\\ .. 123, 431, 801, 846, 1054, 1099, 1305, 1350, 1877, 2213, 3212, 4078, 4880, 5177, 5183, 5374, 6450, 6466, 6470,		



19016, 19023,	9322, 9338, 9500,	\adl@startmbox 1466
19373, 19389,	9516, 9790, 11383,	\advance 12,
19396, 19590,	11397, 11641,	91, 218, 305, 323,
19604, 19776,	13825, 16539,	406, 585, 626,
19791, 22622,	19001, 19017,	742, 761, 929, 945,
22624, 22757,	19374, 19390,	1026, 1228, 1277,
22759, 22792,	19591, 19777,	1513, 1547, 1932,
22814, 23178,	22761, 22815,	1933, 1949, 1963,
23181, 23185,	23179, 23186,	2017, 2019, 2021,
23290, 23293, 23297	23291, 23294,	2022, 2083, 2091,
\address 333, 5131	23298, 23328, 23840	2270, 2271, 2487,
\addresscolour	\adjmc@inner 135	2536, 2537, 2549,
. . . 5100, 10686,	\adjmc@outer 137	2553, 2554, 2629,
10784, 10790,	\adjmc@page@sofar@orig	2653, 2674, 2708,
10796, 10802, 10808 165	2715, 2719, 2721,
\addressfont . . 5109,	\adjmult@cols 164	2725, 2726, 2973,
5117, 5228, 10724,	\adjmulticols 133	2974, 3323, 3325,
10752, 10816, 10850	\adl@act@classz . . . 1551	3605, 3613, 3615,
\addresssymbol	\adl@act@CT@setup .	3681, 3753, 3754,
. 5091, 10754, 10853 1509, 1516	3756, 3757, 3771,
\adresstyle 5117	\adl@activate . 1425, 1509	4324, 4383, 4384,
\addtocontents . . . 23043	\adl@argarraydashrule	4385, 4550, 4593,
\addtocounter . 3087, 3088 1445, 1483	4598, 4961, 4975,
\addtoheadtemplate 4052	\adl@array 1422, 1427, 1428	4981, 5247, 5318,
\AddToHook 6272, 6313,	\adl@arraydashrule	5370, 5730, 5784,
6353, 7140, 7143, 1444, 1482	5838, 6560, 6719,
7166, 7174, 7182,	\adl@arrayinit 1424	6725, 6735, 6790,
7207, 7216, 7236, 7254	\adl@arrayrestore . 1419	6807, 6816, 7836,
\addtolength	\adl@arrayrule 1443, 1481	8542, 8617, 8968,
. . . . 3420, 3424,	\adl@box . 1466, 1468, 1469	8976, 8977, 9248,
3427, 5051, 5052,	\adl@class@iiiorvii	9351, 9373, 9529,
5053, 5054, 5055, 1472, 1505	9563, 9811, 9877,
5056, 5154, 5155,	\adl@class@start . .	10027, 10035,
5157, 5159, 5160, 1471, 1504	10036, 10076,
5163, 7420, 7423,	\adl@CT@setup	10190, 10356,
7424, 7427, 8578,	. . . 1508, 1511, 1512	10357, 10360,
10832, 10833,	\adl@depth 1515	10363, 10364,
10834, 11245,	\adl@endarray 1419	10414, 10415,
15615, 15616,	\adl@endmbox 1467	10416, 10478,
20053, 20060,	\adl@everyvbox 1423, 1424	10618, 10619,
20061, 20064,	\adl@extract@arc . . 1520	10634, 10653,
20066, 20782,	\adl@extract@dgc . . 1523	10654, 10884,
20790, 20791,	\adl@extract@drsc . 1521	10894, 10895,
20794, 20796,	\adl@height 1514	10905, 10915,
21545, 21553,	\adl@inactivate . . .	10916, 10932,
21554, 21557, 1425, 1508	10933, 10934,
21559, 22641,	\adl@noalign 1426	10951, 10960,
22642, 23373,	\adl@org@activate . 1509	10967, 10989,
23383, 23387, 23391	\adl@org@classz . . . 1552	10990, 10991,
\advspace 5,	\adl@org@endpbox . . 1510	11005, 11012,
211, 562, 579, 711,	\adl@org@inactivate 1508	11019, 11166,
729, 736, 939, 956,	\adl@putlrc 1463, 1464,	11167, 11176,
974, 1196, 1214,	1465, 1493, 1494,	11177, 11193,
1222, 8606, 8663,	1495, 1501, 1502, 1503	11195, 11199,



11201,	11205,	19798,	19855,	10367,	10373,
11208,	11209,	19921,	20030,	10376,	14214,
11210,	11389,	20032,	20389,	14216,	18696,
11430,	11702,	20440,	20757,	18697,	18700,
12087,	12089,	21140,	21191,	18705,	18706,
13438,	13444,	21522,	21524,	18710,	18715,
13489,	13491,	21895,	21946,	18716,	18720,
13541,	13543,	22304,	22375,	18724,	18728,
13681,	13783,	22389,	22399,	18732,	20467,
13784,	13785,	22419,	22514,	20469,	20472,
13846,	13889,	22558,	22559,	21218,	21220,
14004,	14006,	22565,	22566,	21223,	21973,
14008,	14014,	22581,	22597,	21975,	21978,
14015,	14022,	22610,	22614,	22615,	23831,
14023,	14024,	22646,	22647,	24271,	24280,
14186,	14187,	22668,	22773,	24282,	24319,
14773,	14787,	22804,	22827,	24323,	24376,
14800,	14801,	22844,	22861,	24387,	24388,
14833,	14838,	22878,	22895,	24391,	24396,
14839,	14842,	22912,	22930,	24397,	24401,
14851,	14915,	22949,	22969,	24406,	24407,
15042,	15043,	23004,	23045,	24411,	24416,
15047,	15048,	23194,	23198,	24420,	24425,
15050,	15051,	23309,	23344,	25042, 25052, 25053	
15054,	15055,	23347,	23351,	\ALG@floatstyle ...	
15056,	15057,	23404,	23829,	... 7851, 7852, 7853	
15176,	16264,	23849,	23854,	\algocf@float 199	
16274,	16499,	23904,	23905,	\algocf@makecaption 189	
16546,	16818,	23906,	23909,	\algocf@within	
16832,	16917,	23913,	23938,	167, 169, 202, 204, 206	
16918,	17825,	23949,	24028,	\alignL 9974	
17827,	17854,	24051,	24205,	\alignR 9981	
17855,	17858,	24207,	24217,	\allowbreak	
17925,	17927,	24236,	24237,	.. 10890, 10911,	
17954,	17955,	24266,	24277,	12160, 12163,	
17958,	18012,	24278,	24534,	12166, 12304,	
18013,	18014,	24547,	24548,	12307, 12310,	
18015,	18024,	24551,	24553,	12448, 12451,	
18046,	18059,	24559,	24561,	12454, 12595,	
18071,	18084,	24565,	24567,	12598, 12601,	
18214,	18215,	24571,	24573,	12742, 12745,	
18386,	18390,	24669,	24670,	12748, 12889,	
18391,	18420,	24734,	24760,	12892, 12895,	
18424,	18425,	24996,	24997,	13036, 13039,	
18494,	18522,	25004,	25005,	13042, 13183,	
18529,	18577,	25006, 25007, 25032		13186, 13189,	
18582,	18583,	\afterassignment ..		13330, 13333, 13336	
18584,	18613,	4277, 4279, 4506,		\Alph 17693	
18614,	18640,	4508, 5998, 6799,		\alt 2821	
18651,	18839,	8066, 22449, 22450		\and 500,	
19030,	19058,	\aftergroup 4779, 4789,		536, 812, 838, 841,	
19403,	19452,	8050, 8065, 10039,		883, 1065, 1091,	
19494,	19537,	10041, 10048,		1094, 1136, 1316,	
19611,	19648,	10054, 10073,		1342, 1345, 1387,	



1409, 4638, 9433, 9459, 9611, 9637, 9726, 9762, 11482, 11516, 11579, 11615, 13932, 13966, 17649, 19108, 19134, 19137, 19179, 19247, 19275, 19278, 19322, 19346, 19526, 19567, 19714, 19750, 20100, 20352, 20830, 21082, 21593, 21845	\ApplyPatchToPackageIfPackageLoadedF 7234, 25155 \ApplyPatchToPackages 7100, 25195 \ar@ialign 416 \arabic 19, 20, 21, 22, 87, 199, 225, 226, 227, 228, 301, 341, 14148, 14155, 16495, 16553, 16554, 16555, 16556, 22985 \array 449, 24709 \arraycolsep 449 \arraylinesep 22382 \arrayrulecolor ... 1520 \arrayrulewidth .. 22399 \arraystretch 408, 409, 4773, 4784, 16823, 16824, 22350, 22351, 22386, 24520, 24693, 24694 \aslice . 18620, 18621, 18623, 18625, 18626, 18628, 18641, 18642, 18644 \At@ViperColsBreak 10381, 10384 \AtBeginCaption .. 16752 \AtBeginDocument .. 1555, 2200, 3094, 3327, 3556, 3626, 3674, 3794, 3882, 3977, 4042, 4056, 4181, 4268, 5066, 5126, 5223, 6307, 7429, 7656, 7790, 7795, 7848, 8659, 8859, 8924, 10763, 10877, 10898, 10919, 11349, 13485, 13537, 13796, 14560, 15165, 15377, 15879, 16607, 16760, 16767, 18917, 22365, 23978 \AtBeginPackage .. 17754 \AtEndDocument 4409, 4422, 4435, 5230, 6333, 9143, 9200, 17132, 17183, 17201, 24781 \AtEndOfClass 5065	\AtEndOfPackage 4103, 4104, 4110, 4111, 4117, 4118, 4123, 4124, 4129, 4130, 4142, 4143, 4144, 4145, 4146, 4181, 4182 \AtPageLowerLeft . 11157 \AtPageUpperLeft .. 11157, 11181, 11211 \AtTextUpperLeft 11161, 11187 \author 333, 498, 534, 836, 881, 1089, 1134, 1340, 1385, 4636, 8709, 8741, 9457, 9635, 9724, 9760, 11480, 11514, 11577, 11613, 13930, 13964, 19132, 19177, 19273, 19320, 19524, 19565, 19712, 19748, 20341, 21071, 21834 \auto@footnoterule 14447, 14458 \autodot 20356, 21085, 21848, 24041 \autofootnoterule 4142, 10870, 11788, 14456, 15157, 25146
\andify 117, 16563 \andname .. 846, 1099, 1350, 19142, 19283 \andnext 17650 \AppendToTokenList 6666 \ApplyPatchCodeBeforePackage 7281, 25191 \ApplyPatchCodeToFile 1507, 7200 \ApplyPatchCodeToPackage 1882, 7286, 16028, 16048, 16126, 16873, 17753, 22682 \ApplyPatchIfPackageLoaded 603, 7252, 7268, 7273, 11407, 16751, 24495 \ApplyPatchIfPackageLoadedF 171, 2137, 7271, 22657, 25141 \ApplyPatchIfPackageLoadedT 7266 \ApplyPatchToClass 7117, 7291 \ApplyPatchToClasses 7112, 25162 \ApplyPatchToClassIfPackageLoadedF 7214 \ApplyPatchToFile 7093, 7186 \ApplyPatchToFiles 7088, 7209, 25307, 25312 \ApplyPatchToFilesIfPackageLoadedF 7205, 25157 \ApplyPatchToPackage 7105, 7276		B \backmatter 8913, 9861, 11687 \Backref@HyperLTRFootnote 14687, 14694 \Backref@HyperRTLFootnote 14693, 14697 \Backref@HyperSymbol 14695, 14698, 14701, 14704 \Backref@OptHyperLTRFootnote 14700 \Backref@OptHyperRTLFootnote 14703 \Backref@OptLTRHyperFootnote 14687 \Backref@OptRTLHyperFootnote 14693 \BackrefFootnoteTag .. 14685, 14686,



14691, 14692,	12134, 12144,	\BDefinelineskip ...
14711, 14715,	12182, 12195,	... 4802, 4810, 4813
14717, 14723,	12208, 12219,	\beamer@@tmpop@button@default
14727, 14729,	12225, 12231,	... 2964
14735, 14739, 14741	12236, 12271,	\beamer@@tmpop@caption@default
\badness ... 10407,	12280, 12289,	... 2893
10411, 10439,	12326, 12338,	\beamer@@tmpop@footline@progressbar
10443, 10445,	12350, 12360,	... 3413
10450, 10454,	12366, 12372,	\beamer@@tmpop@footnote@default
10458, 10522, 10543	12377, 12412,	... 2870
\baselineskip .. 429,	12422, 12432,	\beamer@biblabeltemplate
773, 775, 779,	12470, 12483,	... 2672, 2681
782, 1255, 1257,	12496, 12507,	\beamer@boxsize ...
1261, 1264, 2505,	12513, 12519,	... 2719, 2723, 2725
2926, 2941, 2956,	12524, 12559,	\beamer@colalign ..
3043, 3045, 3073,	12569, 12579,	... 2245, 2255
3079, 3222, 5938,	12617, 12630,	\beamer@colbox@color
7362, 7364, 7367,	12643, 12654,	... 2003, 2042, 2055
7369, 7371, 7374,	12660, 12666,	\beamer@colbox@colsep
7529, 8159, 8226,	12671, 12706,	... 2020,
8244, 8262, 8379,	12716, 12726,	2021, 2022, 2023, 2031
8388, 8397, 8478,	12764, 12777,	\beamer@colbox@colseps
8485, 8492, 8499,	12790, 12801,	... 2025, 2032,
8506, 8606, 8663,	12807, 12813,	2056, 2058, 2060, 2062
9006, 9067, 9131,	12818, 12853,	\beamer@colbox@dp . 2037
9137, 9385, 9387,	12863, 12873,	\beamer@colbox@ht . 2036
9391, 9394, 9539,	12911, 12924,	\beamer@colbox@ls . 2016
9541, 9545, 9548,	12937, 12948,	\beamer@colbox@rs . 2018
10191, 10192,	12954, 12960,	\beamer@colbox@sep
10209, 10213,	12965, 13000,	... 2017,
10620, 14224,	13010, 13020,	2019, 2027, 2029
14788, 16859,	13058, 13071,	\beamer@colbox@shadow
16871, 17006,	13084, 13095,	... 2041
17023, 18575,	13101, 13107,	\beamer@colbox@wd .
18578, 18592,	13112, 13147,	... 2014, 2035, 2044
18616, 18620,	13157, 13167,	\beamer@colclose ..
18625, 18629,	13205, 13218,	... 2242,
18641, 18652,	13231, 13242,	2251, 2252, 2283, 2284
18679, 18912,	13248, 13254,	\beamer@colentrycode
19040, 19042,	13259, 13294,	... 2261, 2264, 2282
19046, 19049,	13304, 13314,	\beamer@colexitcode
19464, 19466,	13352, 13365,	... 2262, 2274, 2284
19470, 19473,	13378, 13389,	\beamer@colheadskip
20130, 20860,	13395, 13401,	... 2246, 2256
21623, 22361,	13406, 13559,	\beamer@colmode ...
22400, 24205,	13571, 13583,	... 2241, 2250
24213, 24217,	13620, 13634,	\beamer@columncom . 2250
24705, 25086, 25109	13648, 13666,	\beamer@computepref
\baselinestretch ..	13677, 13691, 13700	... 2608, 2630
... 5081, 8222,	\BCmd 4778	\beamer@cramped ...
8240, 8258, 11820,	\BDefaboveskip 2621, 2647, 2662
11834, 11848,	... 4793, 4808, 4811	\beamer@defaultospec
11863, 11875,	\BDefbelowskip 2627
11887, 12124,	... 4797, 4809, 4812	



<code>\beamer@descdefault</code> 2653, 2661	<code>\beamer@kvorig</code> 2408, 2414, 2434, 2440, 2460, 2466	<code>\beamer@sidebarwidth</code> 3605, 3637, 3642, 3643, 3645, 3648, 3649, 3661, 3663, 3672, 3675, 3680, 3698
<code>\beamer@descriptionitem</code> 2661	<code>\beamer@labelzoomed</code> 2489, 2493, 2520, 2522, 2523	<code>\beamer@slidehaszoomtrue</code> 2486
<code>\beamer@dima</code> .. 2973, 2988, 2993, 3004, 3009	<code>\beamer@leftmargin</code> 2065, 2082, 2267, 2270, 2562, 2564, 2577, 3606, 3612, 3753, 3756	<code>\beamer@stalign</code> ... 2697
<code>\beamer@dimb</code> 2974, 2989, 2990, 2992, 3005, 3006, 3008	<code>\beamer@leftsidebar</code> ... 2083, 2536, 2553	<code>\beamer@stend</code> 2700
<code>\beamer@dogeometryfalse</code> 2078	<code>\beamer@lefttext</code> 3633, 3700	<code>\beamer@stlinebreakrule</code> 2698
<code>\beamer@entrycode</code> . 2592	<code>\beamer@link</code> 2729	<code>\beamer@ststart</code> ... 2694
<code>\beamer@enum@</code> 2607	<code>\beamer@LTRfootnotetext</code> ... 2457, 2471, 2478	<code>\beamer@temp</code> 2547, 2569, 2582
<code>\beamer@enumtempl</code> . 2616	<code>\beamer@minislide</code> 2742, 2747	<code>\beamer@tempbox</code> 2004, 2035, 2036, 2037, 2045, 2048, 2049, 2051, 2054, 2059, 2064, 2065, 2067, 2119, 2120, 2121, 2122, 2127, 2130, 2141, 2146, 2147, 2155, 2156, 2157, 2158, 2161, 2170, 2175, 2176, 2184, 2185, 2186, 2187, 2223, 2224, 2225, 2226, 2231, 2235, 2236, 2237, 2238, 2968, 2969, 2970, 2971, 2972, 2977, 3017, 3373, 3378, 3382, 3386, 3390, 3394, 3759, 3770, 3787, 4007, 4008, 4026, 4027
<code>\beamer@exitcode</code> .. 2598	<code>\beamer@minislidehighlight</code> 2735	<code>\beamer@tempdim</code> 2082, 2083, 2085, 2087, 2090, 2091, 2093, 2095, 2120, 2121, 2124, 2125, 2155, 2156, 2184, 2185, 2224, 2225, 2228, 2229, 2269, 2270, 2271, 2272, 2718, 2719, 2720, 2721, 2722, 2723, 2724, 2725, 2726, 2727, 2728, 2972, 2973, 2974, 2978, 2980, 2986, 2994, 3002, 3010, 3016, 3680, 3681, 3687, 3695, 3755, 3756, 3757,
<code>\beamer@firstlineitemizeunshaped</code> 1894, 2623, 2649, 2664	<code>\beamer@mpfn</code> 2406, 2417, 2423, 2432, 2443, 2449, 2458, 2469, 2475, 14310, 14316, 14322	
<code>\beamer@focus@totalframesum</code> ... 3422, 3447, 3467	<code>\beamer@next</code> 2417, 2421, 2428, 2443, 2447, 2454, 2469, 2473, 2480	
<code>\beamer@footarg</code> 2410, 2411, 2412, 2416, 2423, 2436, 2437, 2438, 2442, 2449, 2462, 2463, 2464, 2468, 2475	<code>\beamer@putleft</code> 3116, 3149, 3161, 3173	
<code>\beamer@footins</code> ... 2298, 2303, 2315, 2320, 2332, 2337, 2600	<code>\beamer@putright</code> 3150, 3162, 3174	
<code>\beamer@footnotetext</code> ... 2405, 2419, 2426	<code>\beamer@rightmargin</code> ... 2065, 2090, 2161, 2271, 2276, 3606, 3614, 3754, 3757	
<code>\beamer@framebox</code> 2561, 2573, 2586, 2591, 2595	<code>\beamer@rightsidebar</code> ... 2091, 2537, 2554	
<code>\beamer@framefootnotetext</code> 2297, 2396	<code>\beamer@RTLfootnotetext</code> ... 2431, 2445, 2452	
<code>\beamer@frameLTRfootnotetext</code> 2331, 2398	<code>\beamer@section@min@dim</code> 2728	
<code>\beamer@frameRTLfootnotetext</code> 2314, 2397	<code>\beamer@shortinstitute</code> 3492	
<code>\beamer@frametextheight</code> ... 2527, 2548, 2557, 2561, 2564, 2577	<code>\beamer@sidebarformat</code> 3659	
<code>\beamer@frametitlebox</code> 2593	<code>\beamer@sidebarside</code> 3633, 3675, 3678, 3700	
<code>\beamer@framezoom</code> . 2484		
<code>\beamer@fteleft</code> ... 3323		
<code>\beamer@fteright</code> .. 3325		
<code>\beamer@gobbleoptionalinsp</code> 2821		
<code>\beamer@headheight</code> 3598, 3606, 3609, 3610, 3642, 3646, 3649, 3653		



3770, 3771, 3772, 3781	2253, 2255, 2259,	8654, 8787, 8834,
\beamer@themerounded@shadow	2502, 2564, 2577,	8857, 9232, 9407,
..... 3318	2695, 2766, 2770,	9420, 9431, 9585,
\beamer@thempfn ...	2789, 2793, 2809,	9598, 9609, 9653,
.... 2407, 2418,	2813, 2917, 2925,	9665, 9690, 9700,
2424, 2433, 2444,	2932, 2940, 2947,	9705, 9768, 9776,
2450, 2459, 2470, 2476	2955, 2980, 3038,	10094, 10104,
\beamer@typesetheadorfoot	3044, 3051, 3068,	10117, 10127,
... 2189, 2194, 2204	3074, 3080, 3120,	10140, 10150,
\beamer@usesphere .	3127, 3133, 3139,	10163, 10173,
.... 1768, 1773,	3208, 3229, 3244,	10738, 10844,
1779, 1792, 1807, 1814	3246, 3251, 3253,	10849, 10867,
\beamer@vboxoffset 2718	3258, 3264, 3278,	11036, 11039,
\beamer@vmode . 1990, 2028	3280, 3282, 3353,	11043, 11045,
\beamer@xkxorig ...	3354, 3360, 3361,	11050, 11052,
.... 2409, 2415,	3380, 3388, 3433,	11056, 11059,
2435, 2441, 2461, 2467	3459, 3491, 3494,	11062, 11066,
\beamer@xpos	3497, 3518, 3520,	11068, 11072,
... 2708, 2713, 2724	3525, 3527, 3544,	11074, 11078,
\beamer@ypos	3545, 3566, 3568,	11081, 11084,
... 2714, 2715, 2720	3572, 3575, 3578,	11088, 11090,
\beamer@ypos@offset	3584, 3632, 3661,	11095, 11097,
..... 2711, 2715	3663, 3715, 3717,	11268, 11334,
\beamer@zoomborderwidth	3722, 3724, 3759,	11450, 11458,
..... 2488, 2492	3772, 3773, 3779,	11463, 11522,
\beamer@zoombox ... 2517	3808, 3809, 3810,	11528, 11543,
\beamer@zoomcount .	3827, 3832, 3835,	11553, 11558,
..... 2487, 2489	3848, 3854, 3856,	11621, 11629,
\beamer@zoomer 2525	3870, 3871, 3872,	11721, 13900,
\beamer@zoomframecount	3896, 3897, 3898,	13908, 13913,
..... 2489	3908, 3911, 3917,	13972, 13978,
\beamerboxesrounded 1893	3920, 3927, 3930,	14115, 15630,
\beamercolorbox ... 2962	3944, 3949, 3951,	15635, 15653,
\beameritemnestingprefix	3964, 3965, 3966,	15756, 15758,
.... 1741, 1742,	3987, 3990, 3993,	15772, 15774,
2608, 2609, 2611,	3999, 4002, 4018,	16588, 17799,
2612, 2619, 2620,	4021, 4036, 4772,	19082, 19095,
2630, 2631, 2633,	4774, 4783, 4785,	19106, 19185,
2634, 2637, 2641, 2642	4788, 5181, 5185,	19191, 19219,
\beameroriginal ... 2821	5187, 5189, 5191,	19234, 19245,
\beamertemplatedotitem	5195, 5203, 5206,	19329, 19337,
..... 4054	5241, 5398, 5402,	19346, 19348,
\begin 464,	5422, 5426, 5453,	19349, 19480,
474, 479, 542, 550,	6370, 6371, 6378,	19500, 19505,
786, 799, 810, 889,	6404, 7435, 7436,	19581, 19678,
895, 1039, 1052,	7449, 7452, 7526,	19688, 19693,
1063, 1142, 1148,	7527, 7533, 7534,	19756, 19764,
1290, 1303, 1314,	7541, 7542, 7567,	20103, 20107,
1394, 1400, 1409,	7568, 7605, 7608,	20167, 20172,
1411, 1412, 1612,	7611, 7614, 7618,	20184, 20207,
1791, 1827, 1836,	7619, 7803, 7804,	20211, 20380,
1845, 1870, 1913,	8422, 8478, 8485,	20833, 20837,
1935, 1961, 1973,	8492, 8499, 8506,	20897, 20902,
2040, 2243, 2245,	8519, 8527, 8649,	20914, 20937,



20941, 21131,	14799, 14832,	19979, 19986,
21596, 21600,	14974, 15027,	19996, 22516,
21660, 21665,	15201, 15217,	24275, 24280,
21677, 21700,	15629, 15908,	24282, 24376,
21704, 21886,	15919, 15930,	24381, 24387,
22661, 24092,	15941, 16039,	24403, 24938,
24099, 24102,	16059, 16097,	25016, 25096, 25112
24113, 24126,	16130, 16161,	\beginR . 175, 348, 360,
24129, 24136,	16192, 16540,	392, 433, 1525,
24142, 24165,	16566, 16744,	3378, 3386, 3394,
24169, 24175, 24182	16827, 17656,	3569, 4877, 7910,
\begin@bidi@stack .	17786, 17887,	7998, 9931, 10005,
. . . . 5392, 5402,	17984, 18194,	10034, 10039,
5403, 5416, 5426, 5427	18198, 18202,	10048, 10054,
\begingroup 6, 120, 212,	18491, 18788,	10073, 11155,
314, 327, 395, 412,	18789, 19002,	12081, 14144,
504, 564, 581, 712,	19026, 19149,	15169, 15174,
738, 853, 941, 957,	19290, 19375,	15231, 15270,
1106, 1197, 1224,	19399, 19530,	15277, 15395,
1357, 1539, 1982,	19592, 19607,	15459, 15501,
1983, 2118, 2222,	19718, 19779,	15542, 15888,
2422, 2448, 2474,	19794, 20120,	15896, 16278,
2500, 2568, 2581,	20266, 20379,	16314, 16346,
4618, 4907, 4915,	20438, 20850,	16375, 16401,
4923, 5346, 5374,	20996, 21130,	16407, 16414,
5393, 5417, 5688,	21189, 21613,	16581, 16713,
5713, 6064, 6110,	21759, 21885,	16865, 16927,
6117, 6139, 6155,	21944, 22448,	16934, 16980,
6171, 6214, 6222,	22570, 22594,	17073, 17081,
6255, 6305, 6433,	22618, 22762,	17272, 17598,
6641, 6643, 6673,	23189, 23301,	17762, 17764,
6683, 6693, 6823,	23827, 23944,	18565, 18690,
7153, 7629, 8048,	24284, 24327,	18697, 18702,
8294, 8323, 8352,	24376, 24498,	18784, 18785,
8726, 8743, 8759,	24827, 24870, 25042	18786, 19962,
8771, 8804, 9108,	\beginL . . . 177, 1524,	19972, 19983,
9168, 9175, 9182,	2012, 3150, 3162,	19990, 20483,
9212, 9323, 9347,	3174, 4312, 4533,	21234, 21989,
9501, 9525, 9730,	5228, 7910, 7954,	22340, 22362,
9792, 9807, 9900,	10004, 10033,	22401, 22523,
10019, 10073,	10039, 10041,	24276, 24280,
10082, 10274,	10073, 12084,	24319, 24323,
10333, 11162,	14017, 14119,	24376, 24381,
11188, 11385,	14134, 14302,	24388, 24393,
11398, 11486,	15167, 15173,	24654, 24657,
11583, 11642,	15182, 15202,	24660, 24675,
13476, 13486,	15218, 15228,	24682, 24707,
13528, 13538,	15351, 15394,	24982, 25016,
13826, 13842,	15452, 15495,	25033, 25035,
13936, 14067,	15533, 16263,	25096, 25112,
14105, 14190,	16713, 18492,	25131, 25134, 25142
14206, 14487,	18555, 18690,	\belowcaptionskip .
14496, 14658,	18696, 18712,	. . 16723, 17752,
14673, 14747,	18793, 19968,	17769, 20496,



20504, 20596,	18708, 18714,	\bibpreamble
21247, 21255,	18718, 18723,	. . 18303, 20370,
21348, 22002,	18726, 18731,	20371, 21120,
22010, 22103, 25136	18976, 19427,	21121, 21875, 21876
\belowdisplaysshortskip	22340, 22348,	\bibsection 8637, 8640,
. . . 7337, 7346, 8556	22356, 22362,	8642, 8643, 17796,
\belowdisplayskip .	22393, 22397,	18301, 22658, 22660
. 7338,	22401, 22560,	\bidi 6924, 6937,
7351, 7386, 8561	23936, 24389,	6954, 6959, 6987, 6992
\bf . . . 4554, 18561, 18563	24395, 24399,	\bidi@@convert@dimen@t@pt
\bfseries 25,	24405, 24409, 5591
315, 568, 584,	24415, 24418,	\bidi@@convert@dimen@t@unit
717, 741, 944, 962,	24424, 24498, 5588
1202, 1227, 4330,	24504, 24682,	\bidi@@diagbox@double@ii
4728, 5198, 8786,	24691, 24699, 24707 11037, 11041
9328, 9350, 9506,	\BHFN@OldLTRFootnote	\bidi@@diagbox@double@iii
9528, 9654, 9666,	. 14680, 14695, 14701 11040, 11048
9796, 9810, 9844,	\BHFN@OldRTLFootnote	\bidi@@diagbox@triple@setbox@NW@tabular@ii
9850, 9858, 11388,	. 14681, 14698, 14704	. 11057, 11060, 11064
11403, 11646,	\bib@after@hook . . .	\bidi@@diagbox@triple@setbox@NW@tabular@iii
11669, 11675, 20424, 11063, 11070
11684, 13831,	20426, 21175,	\bidi@@diagbox@triple@setbox@SE@tabular@i
13845, 13856,	21177, 21930, 21932 11079, 11086
13861, 13869,	\bib@before@hook . .	\bidi@@diagbox@triple@setbox@SE@tabular@ii
16535, 19007, 20374,	. 11082, 11085, 11093
19029, 19380,	20425, 21125,	\bidi@@end . . . 6361, 6365
19402, 19577,	21176, 21880, 21931	\bidi@@footnotetext@font
19596, 19610,	\bib@beginhook 20367, 39, 253,
19783, 19797,	20373, 21118,	2305, 2354, 8224,
19830, 19835,	21124, 21873, 21879	14507, 14514, 14608
19843, 23193,	\bib@endhook	\bidi@@LTRfootnotetext@font
23306, 23737,	. 20428, 21179, 21934 69, 282,
23741, 23746,	\bib@heading	2339, 2386, 8242,
23775, 23779, 23784	. 20369, 21123, 21878	14508, 14547, 14593
\bgroup . 172, 173, 392,	\bibcleanup 18325	\bidi@@null . . 6533, 6534
418, 426, 433, 686,	\bibentry 8096,	\bidi@@patchcmd . . .
1247, 1525, 1895,	8098, 8115, 8117, 6112, 6114
1973, 2004, 2013,	8134, 8136, 8166, 8168	\bidi@@RTLfootnotetext@font
2261, 2265, 2272,	\bibfont 18304 53, 267,
2610, 2632, 2655,	\bibindent . . . 5232, 5233	2322, 2370, 8260,
3121, 3128, 3134,	\bibitem@fin 18319	14509, 14531, 14578
3140, 3502, 3638,	\bibliofont 86, 300, 16494	\bidi@@thebibliography@font@hook
3685, 3692, 3726,	\bibliographyitemlabel 89, 303,
3763, 4281, 4510, 5234, 5241	622, 757, 1022,
4867, 4989, 9040,	\bibname 8642,	1273, 2670, 5240,
9258, 9272, 9933,	8643, 9366, 9367,	9369, 9559, 9873,
10005, 14119,	9556, 9557, 9870,	11426, 11698,
14120, 14134,	9871, 11695,	13885, 16497,
14624, 14852,	11696, 13882,	17798, 18306,
16833, 16835,	13883, 19051,	19054, 19448,
16892, 16927,	19052, 19445,	19644, 19851,
16934, 16990,	19446, 19641,	20383, 21134,
17999, 18503,	19642, 19848, 19849	21889, 22664, 24529
18698, 18704,	\bibpostamble 18320	



\bidi@addto@envbody	\bidi@append .. 6216, 6266	2825, 2846, 2849,
... 5388, 5406, 5408	\bidi@append@cslist@to@cslist	2962, 3612, 3613, 3761
\bidi@addto@long@envbody 6654, 6727	\bidi@beamer@ragged
... 5412, 5430, 5432	\bidi@append@list@to@list 1563,
\bidi@AfterAtEndOfClass 6650, 6736	1829, 1838, 1847,
..... 6950	\bidi@append@to@list	1856, 1872, 1888,
\bidi@AfterAtEndOfPackage 6629, 6648	2246, 2256, 2622,
..... 6983	\bidi@append@toks@cs@to@list	2648, 2663, 2682,
\bidi@AfterClass .. 6896 6658	2696, 2875, 2897,
\bidi@AfterEndDocument	\bidi@appto .. 6000,	3190, 3198, 3209,
..... 6350,	6044, 6315, 24883	3292, 4266, 24429,
6353, 6357, 6363	\bidi@apptocmd	24439, 24449,
\bidi@AfterEndDocumentCheckLabelsRun 6212, 6213, 22544	24450, 24608,
... 5308, 6322, 6327	\bidi@are@these@correct	24617, 24626, 24635
\bidi@afterenddocumentchecklabelsrerrunhook 6626, 6629	\bidi@beamer@rightskip
... 6322, 6323, 6328	\bidi@AtBeginEnvironment 2833,
\bidi@afterenddocumenthook 6367, 6379	2962, 3614, 3615, 3762
..... 6350,	\bidi@AtEndEnvironment	\bidi@beamer@today
6351, 6358, 6364 6383,	... 3335, 3356, 3363
\bidi@AfterEndEnvironment	6393, 18456, 18457	\bidi@BeforeBeginEnvironment
..... 6407, 6417	\bidi@AtEndOutputPage 6397, 6405
\bidi@AfterEndPreamble 5369,	\bidi@BeforeClass . 7145
6310, 6313, 6316,	6296, 14245, 25124	\bidi@BeforeClosingMainAux
6318, 6333, 8800, 8823	\bidi@atendoutputpagehook 7058, 7063
\bidi@afterendpreamblehook 6296,	\bidi@BeforeFile ..
..... 6310,	6297, 14246, 25125	... 7139, 7146, 7149
6311, 6317, 6319	\bidi@AtEndPreamble	\bidi@BeforeFooter
\bidi@AfterFile 3181, 4388, 6286, 25107
3534, 7142, 14706,	6269, 6272, 6301,	\bidi@beforefooterhook
20591, 21343, 22098	6303, 6308, 8080,	.. 6286, 6287, 25108
\bidi@AfterFooter .	16726, 18157, 18218	\bidi@BeforeHeader
..... 6289, 25114	\bidi@autofooterulefalse	.. 6277, 14229, 25090
\bidi@afterfooterhook	.. 14435, 14439, 14442	\bidi@beforeheaderhook
.. 6289, 6290, 25115	\bidi@autofooteruletrue 6277,
\bidi@AfterLastShipout 14457	6278, 14230, 25091
... 6335, 6341, 6347	\bidi@backslash ...	\bidi@BeforeOutputBoxOutputPage
\bidi@afterlastshipouthook 6450, 6451	.. 6280, 14233, 25102
..... 6335,	\bidi@beamer@blacktriangle	\bidi@beforeoutputboxoutputpagehook
6336, 6342, 6348 2852, 6280,
\bidi@AfterOutputBoxOutputPage	2866, 2867, 2868	6281, 14234, 25103
.. 6283, 14236, 25105	\bidi@beamer@frametitleshade	\bidi@BeforeOutputPageShipOut
\bidi@afteroutputboxoutputpagehook 3738, 3783	.. 6274, 14211, 25048
..... 6283,	\bidi@beamer@Gm@lmargin	\bidi@beforeoutputpageshipouthook
6284, 14237, 25106 2100, 6274,
\bidi@AfterOutputPageShipOut	2127, 2130, 2207	6275, 14212, 25049
.. 6293, 14239, 25118	\bidi@beamer@Gm@rmargin	\bidi@BeforePackage 7148
\bidi@afteroutputpageshipouthook	... 2108, 2216, 2235	\bidi@bswitch . 6592, 6594
..... 6293,	\bidi@beamer@leftskip	\bidi@CharsBefore .
6294, 14240, 25119 1584, 1587,	6507, 6509, 6510,
\bidi@AfterPackage 6965	1591, 1594, 1598,	6515, 6519, 6520, 6525
\bidi@AfterPreamble	1608, 1622, 1626,	\bidi@CharsBeforeNC 6508
.. 6307, 6308, 16643	1644, 1662, 1668,	\bidi@checkvlist ..
\bidi@AfterReadingMainAux	1766, 1772, 1777, 5262, 5327
..... 7072, 7077	1788, 1806, 1813,	



\bidi@clearpage ...	\bidi@csgappto 6046,	\bidi@dbg@trce 6063,
..... 6344, 6346	6368, 6384, 6398, 6408	6109, 6204, 6213, 6221
\bidi@collect@body	\bidi@csgpreto 6055	\bidi@default
..... 5394, 5401	\bidi@cslet 5700 6577, 6582,
\bidi@collect@body 5389	\bidi@csletcs 5697	6587, 6592, 6598, 6603
\bidi@collect@long@body	\bidi@csname .. 6474,	\bidi@del@tok@from@list
..... 5418, 5425	6625, 6631, 6676, 6710 6673
\bidi@collect@long@body	\bidi@cspreto 6053	\bidi@digits .. 4377,
..... 5413	\bidi@csprotect ... 6779	4383, 4384, 4385
\bidi@column@check@number	\bidi@csundef	\bidi@digits@charclass
.. 24744, 24760,	1573, 1575, 1577, 4379,
24762, 24764, 24776	1579, 1581, 1601,	4383, 4384, 4385, 4386
\bidi@column@status	1603, 1605, 1629,	\bidi@dummies
.. 4168, 4172, 24746	1631, 1633, 1635,	... 6557, 6559, 6560
\bidi@column@type .	1637, 1639, 1641,	\bidi@eappto
. 24761, 24766, 24777	1759, 1761, 1763,	... 6004, 6017, 6045
\bidi@columnwidth .	1781, 1783, 1785,	\bidi@empty .. 4389,
.. 11750, 11752,	1818, 1820, 1822,	4390, 6532, 6535, 6536
12220, 12226,	1851, 1866, 2841,	\bidi@empty@stack .
12361, 12367,	2843, 2860, 2862, 6717, 6723
12508, 12514,	2864, 2908, 2910,	\bidi@empty@toks ..
12655, 12661,	2912, 2959, 3033,	... 6730, 6733, 6737
12802, 12808,	3098, 3100, 3102,	\bidi@endpreamblehook
12949, 12955,	3104, 3106, 3108, 6269,
13096, 13102,	3110, 3112, 3204,	6270, 6302, 6304
13243, 13249,	3333, 3485, 3511,	\bidi@ensure@new@command
13390, 13396,	3562, 3590, 3592, 5711, 5712
13664, 13675, 16956	3594, 3596, 3710,	\bidi@ensure@newcommand
\bidi@copy@stacktop 6712	3746, 3800, 3802,	... 5711, 11901,
\bidi@copyins@amount	3888, 3890, 3983, 6200	11913, 11919,
.. 15046, 15047,	\bidi@csuse .. 5987,	11920, 11924,
15048, 15051,	6374, 6388, 6401, 6412	11925, 11926,
15056, 15057, 15069	\bidi@cswitch . 6587, 6589	11927, 11939,
\bidi@counter@page	\bidi@csexappto 6047, 6049	11951, 11973,
..... 5322, 5368	\bidi@csexpreto 6056, 6058	11974, 11979,
\bidi@cs@a ... 6535, 6536	\bidi@current@column@status	11980, 11981,
\bidi@cs@e 6706, 6707,	. 24746, 24749, 24782	11982, 11985,
6709, 6710, 6713, 6715	\bidi@dbg@fail	12033, 12035,
\bidi@cs@lista	6072, 6082, 6083,	12039, 12040,
.... 6679, 6680,	6084, 6085, 6091,	12056, 12073,
6681, 6682, 6691, 6692	6100, 6106, 6208,	12078, 12080,
\bidi@cs@listb 6676, 6678	6230, 6242, 6243, 6252	12086, 12088,
\bidi@cs@liste 6674, 6679	\bidi@dbg@info 6073,	12092, 12117,
\bidi@csexappto 6044	6075, 6078, 6080,	12133, 12143,
\bidi@csarg .. 6462,	6081, 6092, 6094,	12153, 12158,
6478, 6552, 6559,	6096, 6098, 6099,	12161, 12164,
6577, 6582, 6587,	6101, 6103, 6105,	12167, 12191,
6592, 6598, 6603,	6206, 6231, 6233,	12204, 12217,
6645, 6646, 6664,	6235, 6238, 6244, 6246	12229, 12239,
6670, 6681, 6691,	\bidi@dbg@init 6070,	12264, 12279,
6700, 6710, 6714, 6718	6089, 6205, 6228	12288, 12297,
\bidi@csdefcs 5694	\bidi@dbg@succ 6116,	12302, 12305,
\bidi@csexappto 6045, 6048	6207, 6239, 6247, 6249	12308, 12311,
\bidi@csexpreto 6054, 6057		12334, 12346,



12358,	12370,	13658,	13669,	\bidi@ifdefmacro ..
12380,	12405,	13685,	13694, 5672,
12421,	12431,	13703,	13710,	5674, 5675, 5676
12441,	12446,	13714, 13725, 13726		\bidi@ifdefparam ..
12449,	12452,	\bidi@ensure@newlength	 6183,
12455,	12479,	. 5718, 11923, 11983		6185, 6186, 6187
12492,	12505,	\bidi@epreto		\bidi@ifdefprotected
12517,	12527,	... 6026, 6039, 6054	 6192,
12552,	12568,	\bidi@eqs@a .. 6488, 6489		6194, 6195, 6196
12578,	12588,	\bidi@eqs@b .. 6488, 6489		\bidi@ifEmpty 6535
12593,	12596,	\bidi@EqualString . 6488		\bidi@ifempty 6533
12599,	12602,	\bidi@EqualStringX 6493		\bidi@ifEmptyX 6534
12626,	12639,	\bidi@error .. 5720,		\bidi@ifhashcheck .
12652,	12664,	5972, 6562, 6669, 6838		... 6077, 6154, 6237
12674,	12699,	\bidi@everyjob 4230,		\bidi@ifhashcheck@i
12715,	12725,	4233, 4477, 4479	 6158, 6160
12735,	12740,	\bidi@expandonce ..		\bidi@ifhashcheck@ii
12743,	12746,	5992, 6003, 6007,	 6162,
12749,	12773,	6011, 6015, 6025,		6165, 6166, 6167
12786,	12799,	6029, 6033, 6037, 6250		\bidi@ifmulticol ..
12811,	12821,	\bidi@ff@box 14253, 14271		.. 11991, 12001,
12846,	12862,	\bidi@firstcolumn@status@write		12019, 13804, 13808
12872,	12882, 4166, 4174,		\bidi@ifNextChar .. 6543
12887,	12890,	10255, 10314,		\bidi@ifpatchable .
12893,	12896,	14058, 14094,		... 6066, 6068, 6115
12920,	12933,	14963, 15016,		\bidi@ifpatchable@i
12946,	12958,	17875, 17971,	 6066, 6087
12968,	12993,	24753, 24816, 24859		\bidi@ifpattern ...
13009,	13019,	\bidi@floathook 6079, 6170
13029,	13034,	.. 11751, 13475,		\bidi@ifscanable ..
13037,	13040,	13527, 13802, 13804	 6076,
13043,	13067,	\bidi@font@@outputpage		6097, 6138, 6236
13080,	13093,	. 14219, 25039, 25081		\bidi@in@front@of@cslist
13105,	13115,	\bidi@footdir@footnote	 6682, 6683
13140,	13156,	.. 80, 294, 2400,		\bidi@in@front@of@list
13166,	13176,	14562, 14564, 14568	 6681
13181,	13184,	\bidi@footskip		\bidi@info 5723
13187,	13190,	.. 12002, 12009,		\bidi@init@multi@footins
13214,	13227,	12020, 12027, 13682	 13790,
13240,	13252,	\bidi@fswitch . 6603, 6605		13807, 13812, 13813
13262,	13287,	\bidi@gappto		\bidi@invert@csstack
13303,	13313,	5363, 6008, 6046,	 6722
13323,	13328,	6269, 6274, 6277,		\bidi@IsEmptyList . 6536
13331,	13334,	6280, 6283, 6286,		\bidi@joinfootnotes
13337,	13361,	6289, 6293, 6296,	 11975,
13374,	13387,	6310, 6322, 6335, 6350		11976, 11977, 11997
13399,	13409,	\bidi@gpreto .. 6030, 6055		\bidi@joinmpfootnotes
13417,	13424,	\bidi@hooktoCmd 12015, 12036, 12037
13427,	13435,	... 6216, 6224, 6226		\bidi@lastcolumn@status@write
13447,	13551,	\bidi@hooktoCmd@i 4170,
13569,	13581, 6240, 6254		4175, 10259,
13593,	13597,	\bidi@hop@ES .. 6496, 6498		10320, 14062,
13601,	13605,	\bidi@ifblank@i ...		14100, 14969,
13630,	13644,	... 5666, 5667, 5669		



15020, 17879, 17977, 24820, 24865	\bidi@looprepeat@zero ... 6796, 6815, 6853	\bidi@make@para@LTRfootgroup ... 13463, 13513, 13669
\bidi@leave@mult@copyins 18213, 18224	\bidi@lst@caption@direction 16675, 16676, 16688, 16691	\bidi@make@sevendcol@LTRfootgroup 12834, 12952
\bidi@left@footnoterule . 16958, 16964, 16969	\bidi@lst@caption@script 16682, 16683, 16699, 16702	\bidi@make@sixcol@LTRfootgroup 12687, 12805
\bidi@leftskip 23194, 23196, 23198, 23199, 23309, 23366, 23368, 23404, 23405, 23437, 24427	\bidi@lst@ensure@caption@direction 16686, 16711, 16713, 16715, 16734, 16738, 16745, 16754	\bidi@make@tencol@LTRfootgroup 13275, 13393
\bidi@length@of@csstack ... 6718, 6719, 6722	\bidi@lst@ensure@caption@script . 16697, 16709, 16753	\bidi@make@threecol@LTRfootgroup 12252, 12364
\bidi@length@of@stack 6718, 6732	\bidi@LTRrigidbalance .. 12083, 12228, 12238, 12369, 12379, 12516, 12526, 12663, 12673, 12810, 12820, 12957, 12967, 13104, 13114, 13251, 13261, 13398, 13408	\bidi@make@twocol@LTRfootgroup 12105, 12223
\bidi@local@in@front@of@list 6686, 6703	\bidi@make@colbf 13764, 13776	\bidi@matrix@check 5445, 24514
\bidi@local@push@onto 6702	\bidi@matrix@error 5447, 5451	\bidi@mopfn@bottom 13731, 13744, 13777, 13778
\bidi@looprepeat@comp ... 6796, 6832, 6837	\bidi@mopfootnotebf 13740, 13771	\bidi@mpfootnoterule 2349, 2365, 2381, 14339, 14573, 14588, 14603, 14642, 17045, 22542
\bidi@looprepeat@csarg 6774, 6826	\bidi@make@eightcol@LTRfootgroup 12981, 13099	\bidi@switch . 6598, 6600
\bidi@looprepeat@csargroman 6776, 6791, 6792, 6793, 6794, 6795, 6798, 6803, 6804, 6805, 6806, 6807, 6809, 6815, 6828, 6830, 6831, 6832, 6839, 6840, 6842, 6847, 6855	\bidi@make@fivecol@LTRfootgroup 12540, 12658	\bidi@multicol@align@columns 18099, 150, 18153, 18155
\bidi@looprepeat@csroman 6775, 6799, 6807, 6810, 6826, 6854	\bidi@make@mpfivecol@LTRfootgroup 12989, 13110	\bidi@n@everypar .. . 18692, 18693, 18694, 18695, 14198, 24383, 24384, 24385, 24386
\bidi@looprepeat@depth 6775, 6776, 6778, 6790, 6816	\bidi@make@mpfourcol@LTRfootgroup 12548, 12669	\bidi@namedef 6419
\bidi@looprepeat@dxbody 6799, 6803	\bidi@make@mpninecol@LTRfootgroup 12401, 12522	\bidi@nameedef 6421
\bidi@looprepeat@setup 6796, 6822	\bidi@make@mppara@LTRfootgroup 13136, 13257	\bidi@namegdef 5368, 5725, 6420
\bidi@looprepeat@sign ... 6796, 6807, 6837	\bidi@make@mpsevendcol@LTRfootgroup . 13472, 13525, 13694	\bidi@namelongdef . 5703
\bidi@looprepeat@tmp 6797, 6798, 6825, 6827, 6830, 6835, 6842, 6845, 6847, 6850	\bidi@make@mpsixcol@LTRfootgroup 12842, 12963	\bidi@namelongedef 5707
\bidi@looprepeat@traceexit 6781, 6816	\bidi@make@mpsixcol@LTRfootgroup 12695, 12816	\bidi@namelonggdef 5705
\bidi@looprepeat@traceinit 6781, 6789	\bidi@make@mpptencol@LTRfootgroup 12695, 12816	\bidi@namelongxdef 5709
	\bidi@make@mpthreecol@LTRfootgroup 13283, 13404	\bidi@namexdef 6422
	\bidi@make@mpthreecol@LTRfootgroup 12260, 12375	\bidi@new@command . 5946, 5975, 5983
	\bidi@make@mptwocol@LTRfootgroup 12113, 12234	\bidi@new@ifnch 5439, 5441
	\bidi@make@mpninecol@LTRfootgroup 13128, 13246	\bidi@new@ifnextchar 5436, 24519



\bidi@newcommand ..	\bidi@orig@raggedleft	\bidi@patchcmd . 172,
..... 5946, 5948	. 24647, 24649, 24650	180, 189, 350,
\bidi@newrobustcmd	\bidi@orig@raggedright	604, 607, 611,
.... 4276, 4278,	. 24648, 24649, 24650	614, 1982, 6108,
5943, 5944, 5968,	\bidi@orig@rightline	6109, 6325, 6338,
5979, 6000, 6004,	. 24659, 24662, 24663	6355, 6372, 6386,
6008, 6012, 6017,	\bidi@oswitch 6582	6410, 7513, 11035,
6018, 6022, 6026,	\bidi@OVP@picture@RTL	11038, 11055,
6030, 6034, 6039,	. 18446, 18456, 18457	11058, 11061,
6040, 6044, 6045,	\bidi@p@ftn 4821, 4884,	11077, 11080,
6046, 6047, 6048,	4886, 4887, 4889,	11083, 11101,
6049, 6053, 6054,	4890, 4892, 4893,	11109, 11117,
6055, 6056, 6057,	4897, 4900, 4903, 5008	11126, 11135,
6058, 6062, 6108,	\bidi@p@ftntext ...	11144, 11408,
6199, 6200, 6212,	... 4868, 4885, 4990	11411, 11415,
6220, 6269, 6272,	\bidi@p@LTRftntext	11418, 15314,
6274, 6277, 6280,	... 4869, 4888, 4991	15560, 15568,
6283, 6286, 6289,	\bidi@p@RTLftntext	16425, 16433,
6293, 6296, 6307,	... 4870, 4891, 4992	16441, 16449,
6310, 6313, 6322,	\bidi@p@xfootnote .	16457, 16466,
6335, 6350, 6353,	... 4872, 4906, 4994	16474, 16483,
6367, 6383, 6397,	\bidi@p@xftntext ..	16619, 16625,
6407, 24478, 24485 4871,	16633, 16727,
\bidi@next	4896, 4911, 4993	16740, 16946,
6509, 6510, 6512,	\bidi@p@xLTRfootnote	18220, 18367,
6514, 6515, 6517,	... 4874, 4914, 4996	18429, 18482,
6522, 6524, 6525, 6527	\bidi@p@xLTRftntext	18788, 18797,
\bidi@NextChar 6540 4873,	18809, 22531, 22539
\bidi@normal@footmarkwidth	4899, 4919, 4995	\bidi@patchcmd@scantoks
..... 11910,	\bidi@p@xRTLfootnote	... 6126, 6132, 6262
11966, 11972,	... 4876, 4922, 4998	\bidi@pdfencrypt@keylength
12115, 12262,	\bidi@p@xRTLftntext 4345, 4402
12403, 12550, 4875,	\bidi@pdfencrypt@ownerpassword
12697, 12844,	4902, 4927, 4997	... 4340, 4389, 4401
12991, 13138,	\bidi@page@count ..	\bidi@pdfencrypt@permissionflags
13285, 13498, 13549 5289, 4350, 4403
\bidi@notblank 5668,	5290, 5324, 5370	\bidi@pdfencrypt@userpassword
5676, 6187, 6196	\bidi@paraskip 13444,	... 4335, 4390, 4400
\bidi@nxt@a	13493, 13545, 13681	\bidi@pdfm@mark ...
... 6541, 6544, 6546	\bidi@parse@ver 4567, 4581
\bidi@nxt@b 5604, 5605	\bidi@pickescape .. 6483
... 6541, 6544, 6547	\bidi@parse@ver@ ..	\bidi@pop@cs@into .
\bidi@nxt@c 5598, 6706, 6725
... 6542, 6545, 6546	5604, 5612, 5622	\bidi@pop@into 6709, 6735
\bidi@nxt@ch	\bidi@patch@AfterFile	\bidi@pos 5725, 5733,
... 6541, 6544, 6546	... 7178, 7188, 7202	5761, 5787, 5815,
\bidi@o@everypar ..	\bidi@patch@AfterPackage	5841, 5844, 5878, 5881
..... 18691, 7170,	\bidi@poscount 5727,
18693, 18694,	7278, 7288, 8192,	5730, 5733, 5750,
24382, 24384, 24385	8194, 8197, 8218,	5752, 5761, 5775,
\bidi@oldwbuskip ..	8369, 8419, 8475, 8719	5777, 5784, 5787,
..... 6668, 6671	\bidi@patch@BeforePackage	5804, 5806, 5815,
\bidi@orig@leftline 7162, 7283	5829, 5831, 5838,
. 24656, 24662, 24663		5841, 5844, 5861,



5863, 5867, 5869, 5878, 5881, 5895, 5897, 5901, 5903, 5910, 5912, 5913, 5915, 5916, 5919, 5920, 5927, 5929, 5930	\bidi@push@cs@onto@cs 6699, 6726 \bidi@push@long@begins ... 5422, 5423, 5426 \bidi@push@onto ... 6700 \bidi@push@onto@cs 6700, 6701	\bidi@ReplacePackage 7127 \bidi@ResetPreventPackageFromLoading 7034 \bidi@resrvda 6118, 6119, 6120, 6123, 6124, 6125, 6126, 6127, 6128, 6133, 6136, 6140, 6141, 6142, 6143, 6144, 6146, 6147, 6156, 6158, 6172, 6173, 6175, 6177, 6178, 6256, 6257, 6258, 6259, 6260, 6261, 6262, 6263, 6264
\bidi@prepend . 6224, 6267 \bidi@prepend@cslist@to@cslist 6656 \bidi@prepend@list@to@list 6652 \bidi@prepend@to@list 6649 \bidi@prepend@toks@cs@to@list 6659 \bidi@preto 6022, 6053, 6299, 13797, 13810 \bidi@pretocmd 6220, 6221, 6400, 6442 \bidi@PreventPackageFromLoading 7006 \bidi@process@envbody 5391, 5395, 5396, 5410, 5415, 5419, 5420, 5434 \bidi@protected 5995, 6017, 6018, 6039, 6040, 6048, 6049, 6057, 6058 \bidi@protected@cseappto 6048 \bidi@protected@csepreto 6057 \bidi@protected@csxappto 6049 \bidi@protected@csxpreto 6058 \bidi@protected@eappto 6017 \bidi@protected@epreto 6039 \bidi@protected@immediate@write ... 7065, 7079, 7152 \bidi@protected@xappto 6018 \bidi@protected@xpreto 6040 \bidi@provide@command 5979, 5981 \bidi@providerobustcmd 5979 \bidi@push@begins 5398, 5399, 5402	\bidi@raggedleft 5175, 5182, 5187, 5206, 10734, 10850, 14032, 15672, 24652 \bidi@raggedright 14031, 18235, 18238, 18240, 18243, 18245, 18247, 18250, 18252, 18254, 18256, 18259, 18261, 18263, 18265, 18267, 18270, 18272, 18275, 18277, 18280, 18282, 18284, 18287, 18289, 18291, 18294, 18296, 18298, 24651 \bidi@rcol@copyinsskip 14926, 14931, 14940, 14989 \bidi@reflect@box . .. 18769, 18776, 24471, 24479, 24486 \bidi@reinsert@footnotes .. 13794, 13816, 13817 \bidi@reinserts 13781, 13799, 13800 \bidi@releasename . 4064, 4065, 4066, 4218, 4257, 4260, 4263, 4448, 4449, 4465, 4558, 4561, 4564 \bidi@removexfootskip .. 12003, 12021, 13456, 13512, 13684 \bidi@removexparafootskip .. 13456, 13512, 13680 \bidi@renew@command ... 5968, 5970, 5984 \bidi@renewrobustcmd .. 5968, 24482, 24489 \bidi@ReplaceClass 7133 \bidi@ReplaceInput 7124	\bidi@resrvdb . 6120, 6121 \bidi@restorecatcode 6467, 7195, 7228, 7245, 7261 \bidi@right@footnoterule .. 16959, 16962, 16971 \bidi@rightskip 23190, 23302, 23370, 23371, 23383, 23387, 23391, 24428 \bidi@RTL@everypar .. 13558, 13570, 13582, 13619, 13633, 13647, 18690, 18694, 22280, 24381, 24385 \bidi@s@tfftextcol 14250, 14254 \bidi@s@ved@eqno 18780, 18782, 18783, 25137, 25139, 25140 \bidi@s@ved@leqno 18781, 18782, 18783, 25138, 25139, 25140 \bidi@s@epmark@charclass 4380, 4381, 4382, 4386 \bidi@s@set@column@status .. 24748, 24776, 24781 \bidi@s@set@cslist 6692, 6693 \bidi@s@set@list 6691 \bidi@SOUL@ulleaders 22321, 22327



\bidi@stack@length	4322, 4325, 4544, 4546, 4547, 4548, 4551	\bidicolor 9999, 10055, 10070, 10072, 14251, 24324, 24371, 24374, 24375
6717, 6719, 6720, 6724, 6725, 6734, 6735		
\bidi@star@footmarkwidth	4319, 4322, 4323, 4324, 4326, 4545, 4548, 4549, 4550, 4552	\bidics 6451
.. 11910, 11969, 12115, 12262, 12403, 12550, 12697, 12844, 12991, 13138, 13285, 13498, 13549	\bidi@undef .. 2870, 2893, 2964, 3413, 6128, 6199, 6264, 6304, 6319, 15337, 15338, 15378, 15379, 15380, 15381, 23049, 23050, 23210, 23211, 23460, 23461	\bididate 4062, 4066, 4218, 4257, 4260, 4445, 4465, 4558, 4561
\bidi@startparafootskip		\bidiGscale@box 15250, 15251
.. 13443, 13446, 13495, 13496, 13547		\bidiGscale@box 15227, 15228, 15247
\bidi@storecatcode		\bidiGscale@box@dd . 15259, 15263, 15269
..... 6460, 7192, 7223, 7242, 7258	\bidi@undefined ...	\bidiGscale@box@ddd 15265, 15276
\bidi@storePreventPackageFromLoading	5265, 6199, 6201	\bidillap 24665
..... 7040	\bidi@undefinedcs .	\bidilogo 4555
\bidi@StringBefore 6518	6552, 6559, 6614, 6618, 6624, 6628, 6669	\bidipdfinfooff ... 4579
\bidi@StringBeforeNC	\bidi@UnPreventPackageFromLoading	\bidipdfinfoon 4578, 4583
..... 6506 7043	\bidipoem@hvlen 8964, 8970, 8973, 8976, 8985
\bidi@switch .. 6566, 6577, 6579, 6584	\bidi@UnReplaceClass 7136	\bidipoem@half@verses ... 8990, 8991, 8994
\bidi@switch@exit .	\bidi@UnReplaceInput 7125	\bidipoem@half@verses@next ... 8990, 8991, 8992
6576, 6577, 6578, 6582, 6583, 6587, 6588, 6592, 6593, 6598, 6599, 6603, 6604	\bidi@UnReplacePackage 7130	\bidipoem@hvind ... 8964, 8967, 8968, 8976, 8977, 8980, 8983
\bidi@t@w@w 6627	\bidi@version . 4063, 4066, 4218, 4235, 4257, 4260, 4263, 4447, 4465, 4483, 4485, 4558, 4561, 4564	\bidipoem@hvlen 8963, 8968, 8970, 8981, 8983
\bidi@tabular@RTLcases	\bidi@w@w 6614	\bidipoem@hvsep 8963, 8976, 8977, 8984
..... 24494, 24521	\bidi@warning . 5721, 6377, 6391, 6403, 6415	\bidipoem@next 8969, 8970
\bidi@tempcountb ..	\bidi@warningnoline .. 606, 609, 613, 616, 5722, 11410, 11413, 11417, 11420, 18444, 18795, 18807, 18825	\bidipoem@openbox 9008, 9013
..... 6454, 6723, 6724, 6733, 6734	\bidi@willbeunskip ... 6661, 6668, 6671	\bidipoem@p@ftn 9015, 9025, 9149, 9150, 9152, 9153, 9155, 9156, 9159, 9162, 9165, 9270, 16129, 16139, 16160, 16170, 16191, 16201
\bidi@temptoksa 6455, 6723, 6726, 6727, 6728, 6730, 6733, 6737	\bidi@x@stack@to@list 6732	\bidipoem@p@ftntext 9042, 9053, 9148, 9259, 9273, 16127
\bidi@temptoksb 6456, 6725, 6726, 6727, 6728	\bidi@xappto 6012, 6018, 6047	\bidipoem@p@LTRftntext 9043, 9054, 9151, 9260, 9274, 16158
\bidi@todonotes@tempa	\bidi@xargdef . 5950, 5958	\bidipoem@p@RTLftntext 9044, 9055, 9154, 9261, 9275, 16189
..... 24074, 24082	\bidi@xparaskip 13438, 13440, 13442, 13492, 13544	
\bidi@todonotes@tempb	\bidi@xpreto 6034, 6040, 6056	
..... 24074, 24075, 24082, 24083		
\bidi@tok@SM .. 6674, 6679		
\bidi@toks@lista ..		
6639, 6641, 6642, 6643, 6644, 6675, 6677, 6683, 6684, 6686, 6688, 6693, 6694		
\bidi@toks@listb ..		
... 6639, 6675, 6677		
\bidi@typesethour .		
4318, 4320, 4321,		



<code>\bidipoem@p@xfootnote</code>	<code>\bm@l</code> 24722	<code>\box</code> . 1927, 2045, 2049,
. 9046,	<code>\bm@r</code> 24723	2051, 2059, 2065,
9057, 9167, 9263, 9277	<code>\bm@t</code> 24724	2067, 2121, 2125,
<code>\bidipoem@p@xftntext</code>	<code>\bmb@box</code> . 1912, 1917,	2127, 2147, 2156,
. . . . 9045, 9056,	1918, 1919, 1922,	2158, 2176, 2185,
9158, 9172, 9262, 9276	1923, 1927, 1928,	2187, 2225, 2229,
<code>\bidipoem@p@xLTRfootnote</code>	1929, 1935, 1936,	2231, 2238, 2513,
. 9048,	1948, 1954, 1958, 1973	2517, 2565, 2578,
9059, 9174, 9265, 9279	<code>\bmb@colorbox</code> 1972	2595, 2600, 2971,
<code>\bidipoem@p@xLTRftntext</code>	<code>\bmb@dima</code> 1932, 1945,	2977, 3017, 3787,
. . . . 9047, 9058,	1948, 1949, 1950,	4313, 4534, 7838,
9161, 9179, 9264, 9278	1951, 1962, 1963, 1964	9906, 9970, 10038,
<code>\bidipoem@p@xRTLfootnote</code>	<code>\bmb@dimb</code> 1933,	10197, 10200,
. 9050,	1946, 1947, 1950	10217, 10221,
9061, 9181, 9267, 9281	<code>\bmb@lower</code> . . . 1899, 1975	10256, 10260,
<code>\bidipoem@p@xRTLftntext</code>	<code>\bmb@prevheight</code> . . .	10266, 10267,
. . . . 9049, 9060, 1920, 1929	10315, 10321,
9164, 9186, 9266, 9280	<code>\bmb@temp</code> 1923,	10325, 10326,
<code>\bidipoem@set@@verse</code>	1924, 1925, 1927,	10552, 10557,
. . . 8970, 8973, 8975	1931, 1932, 1933, 1943	10564, 10571,
<code>\bidipoem@set@verseI</code>	<code>\bmb@upper</code> . . . 1904, 1914	10607, 10891,
. 8969, 8972	<code>\bmb@width</code> 1913, 1922,	10912, 10928,
<code>\bidipoem@spreadbox</code>	1931, 1961, 1962, 1973	10985, 12080,
. 8959,	<code>\bool</code> . . . 15341, 15362,	12083, 13421,
8981, 8983, 8984, 8985	15384, 15410,	13433, 13757,
<code>\bidireleasename</code> . .	15474, 15485,	13767, 14059,
. 4065, 4449	15521, 17073,	14063, 14095,
<code>\bidirlap</code> 24664	17081, 17212,	14101, 14144,
<code>\bidituftefloatDebugInfoNL</code>	17229, 17230,	14235, 14268,
. 7301,	17274, 17280,	14273, 14866,
7389, 7393, 7688, 7737	17295, 17318,	14873, 14876,
<code>\bidituftefloatError</code>	17321, 17341,	14890, 14964,
. 7300, 7783	17346, 17358,	14970, 15017,
<code>\bidituftefloatInfoNL</code>	17375, 17376,	15021, 15060,
. . . 7301, 7302, 7852	17379, 17396,	15072, 15083,
<code>\bidituftefloatRecalculate</code>	17421, 17428,	15093, 15106,
. 7418, 7429	17434, 17440,	15178, 15195,
<code>\bidituftehyperrefLoadHyperref</code>	17450, 17457,	15198, 15241,
. 8677, 8688	17479, 17591,	15244, 15274,
<code>\bidituftesidenotemarginpar</code>	17594, 17602,	15291, 16721,
. . . 7868, 8220, 8379	17603, 18368,	16869, 16924,
<code>\bidituftetocError</code>	18464, 18466, 18475	16928, 16946,
. . . 8408, 8455, 8464	<code>\boolean</code> . 7301, 7361,	16948, 16950,
<code>\bidiversion</code> . . 4235, 4480	7363, 7366, 7370,	17291, 17549,
<code>\bigskip</code> 18831	7373, 7376, 7401,	17560, 17565,
<code>\bl</code> 18596, 18597,	7497, 7512, 7523,	17599, 17600,
18600, 18601,	7543, 7550, 7558,	17601, 17602,
18602, 18606,	7575, 7595, 7599,	17604, 17733,
18661, 18668, 18672	7617, 7618, 7621,	17767, 17876,
<code>\blacktriangleleft</code>	7622, 7657, 7666,	17880, 17972,
. 2854, 14768, 14770	7677, 8422, 8426,	17978, 18115,
<code>\blacktriangleright</code>	8474, 8687, 8824,	18121, 18136,
. 2856, 14768, 14770	8893, 8904, 14265	18144, 18463,
<code>\bm@b</code> 24725	<code>\botmark</code> . . . 14244, 25123	18471, 18476,



18565, 18569,	18617, 18619,	\bx@q 7713, 7732, 7773
18585, 18619,	18629, 18630,	\bx@QQ 7754, 7779
18623, 18628,	18632, 18652,	\bx@R 7726, 7767
18632, 18644,	18653, 18655,	\bx@r 7714, 7732, 7773
18655, 18669,	18679, 18680, 18681	\bx@RR 7755, 7779
18672, 18676,	\bx@A 7723, 7764	\bx@S 7687, 7689, 7727, 7768
18681, 18757,	\bx@a 7697, 7729, 7770	\bx@s 7715, 7733, 7774
18773, 18811,	\bx@AA . . . 7736, 7738, 7776	\bx@SS 7756, 7780
18819, 19893,	\bx@B 7723, 7764	\bx@T 7690, 7727, 7768
19902, 19940,	\bx@b 7698, 7729, 7770	\bx@t 7716, 7733, 7774
19951, 22523,	\bx@BB 7739, 7776	\bx@TT 7757, 7780
22598, 22616,	\bx@C 7723, 7764	\bx@U 7691, 7727, 7768
24268, 24269,	\bx@c 7699, 7729, 7770	\bx@u 7717, 7733, 7774
24279, 24475,	\bx@CC 7740, 7776	\bx@UU 7758, 7780
24667, 24817,	\bx@D 7723, 7764	\bx@V 7692, 7727, 7768
24821, 24860,	\bx@d 7700, 7729, 7770	\bx@v 7718, 7733, 7774
24866, 24994,	\bx@DD 7741, 7776	\bx@VV 7759, 7780
25010, 25021,	\bx@E 7723, 7764	\bx@W 7693, 7728, 7769
25034, 25036,	\bx@e 7701, 7729, 7770	\bx@w 7719, 7734, 7775
25100, 25104, 25134	\bx@EE 7742, 7776	\bx@WW 7760, 7781
\boxdef 4770,	\bx@F 7724, 7765	\bx@X 7694, 7728, 7769
4772, 4778, 4783, 4788	\bx@f 7702, 7730, 7771	\bx@x 7720, 7734, 7775
\boxmaxdepth . . 10883,	\bx@FF 7743, 7777	\bx@XX 7761, 7781
10888, 10904,	\bx@G 7724, 7765	\bx@Y 7695, 7728, 7769
10909, 10936,	\bx@g 7703, 7730, 7771	\bx@y 7721, 7734, 7775
10993, 13727,	\bx@GG 7744, 7777	\bx@YY 7762, 7781
13742, 14000,	\bx@H 7724, 7765	\bx@Z 7696, 7728, 7769
14819, 14821, 15145	\bx@h 7704, 7730, 7771	\bx@z 7722, 7734, 7775
\br 18596, 18598,	\bx@HH 7745, 7777	\bx@ZZ 7763, 7781
18600, 18601,	\bx@I 7724, 7765	\bye 4581
18602, 18606,	\bx@i 7705, 7730, 7771	\bystep 6742,
18662, 18668, 18676	\bx@II 7746, 7777	6754, 6838, 6851,
\BR@b@bibitem . 8073, 8074	\bx@J 7724, 7765	6861, 6874, 6887, 6888
\BR@bibitem . . 8076, 8077	\bx@j 7706, 7730, 7771	
\BR@c@bibitem 8078	\bx@JJ 7747, 7777	
\bracetext . . . 4280,	\bx@K 7725, 7766	C
4509, 18696,	\bx@k 7707, 7731, 7772	\c . 4078, 15490, 15491,
18697, 24387, 24388	\bx@KK 7748, 7778	17275, 17276,
\break 16804	\bx@L 7725, 7766	17290, 17552, 17633
\BreakBibliography	\bx@l 7708, 7731, 7772	\c@abspage 14369
. 20376,	\bx@LL 7749, 7778	\c@addvipersep 17820,
20409, 20411,	\bx@M 7725, 7766	17838, 17843,
20417, 21127,	\bx@m 7709, 7731, 7772	17865, 17895,
21160, 21162,	\bx@MM 7750, 7778	17920, 17938,
21168, 21882,	\bx@N 7725, 7766	17943, 17965, 17992
21915, 21917, 21923	\bx@n 7710, 7731, 7772	\c@algocf 169
\breakhere . . . 3380, 3388	\bx@NN 7751, 7778	\c@chapter . . . 9401,
\breaklooprepeat . .	\bx@O 7726, 7767	9403, 9405, 9579,
. 6760,	\bx@o 7711, 7732, 7773	9581, 9583, 9828,
6762, 6814, 6815,	\bx@OO 7752, 7779	9830, 9832, 9833,
6833, 6844, 6849, 6863	\bx@P 7726, 7767	11653, 11655,
\breakrepeatloop . . 6789	\bx@p 7712, 7732, 7773	11657, 11658,
\bs 4738, 4739, 4741	\bx@PP 7753, 7779	13993, 13995,
\bslice 18616,	\bx@Q 7726, 7767	13997, 14277,
		14279, 14281,



14282, 14290,	1358, 4619, 9416,	19433, 19635,
14292, 14294,	9594, 9731, 11487,	19821, 21092, 21851
14295, 16771,	11584, 13937,	\c@subparagraph 602,
17695, 18348,	14651, 14665,	752, 1007, 1268,
19074, 19076,	15942, 16052,	9399, 9577, 9838,
19078, 19439,	16060, 16090,	11540, 11663,
19441, 19443,	16098, 16575,	13991, 14287,
19630, 19632,	16904, 16907,	14300, 17692,
19634, 19815,	19091, 19150,	19072, 19437,
19817, 19819, 19820	19230, 19291,	19639, 19825,
\c@colht 17820,	19488, 19531,	20363, 21100, 21859
17832, 17858,	19719, 20147,	\c@subsection 599, 749,
17859, 17920,	20268, 20877,	1004, 1265, 2732,
17932, 17958, 17959	20998, 21640, 21761	9396, 9574, 9835,
\c@curpg	\c@Hy@AnnotLevel . .	11537, 11660,
. 14159, 14186, 14187 16264,	13988, 14284,
\c@DFNsloppiness . .	16265, 16270, 16274	14297, 17686,
. 10881, 10902	\c@ll@chapseci . . 10080	19069, 19434,
\c@enumiv . . 623, 630,	\c@ll@chapsecii . . 10075	19636, 19822,
758, 765, 1023,	\c@lofdepth 22900, 22937	20357, 21094, 21853
1030, 1274, 1281,	\c@lor@error . . 10044,	\c@subsectionslide 2734
2671, 2680, 5251,	10051, 10059,	\c@subsubsection 600,
9370, 9377, 9560,	10065, 24316, 24350	750, 1005, 1266,
9567, 9874, 9881,	\c@lotdepth 22918, 22957	9397, 9575, 9836,
11427, 11434,	\c@lstlisting 16771, 16773	11538, 11661,
11699, 11706,	\c@LT@chunks 16832	13989, 14285,
13886, 13893,	\c@mpfootnote	14298, 17688,
19055, 19062,	2349, 2365, 2381,	19070, 19435,
19449, 19456,	14573, 14588,	19637, 19823,
19645, 19652,	14603, 14629, 17054	20359, 21096, 21855
19852, 19859,	\c@NAT@ctr 18307	\c@table
20385, 20394,	\c@page . . 8831, 11163,	9405, 9583, 9832,
20401, 21136,	11191, 14159,	11657, 13997,
21145, 21152,	14186, 24231, 24990	14281, 14294,
21891, 21900,	\c@paragraph . . . 601,	17697, 19078,
21907, 22665, 22672	751, 1006, 1267,	19441, 19634,
\c@equation	9398, 9576, 9837,	19819, 21106, 21865
9401, 9579, 9828,	11539, 11662,	\c@thisframe
11278, 11347,	13990, 14286,	. . 14158, 14163,
11653, 13993,	14299, 17690,	14199, 14201, 14202
14277, 14290,	19071, 19436,	\c@tocdepth 3,
17695, 19074,	19638, 19824,	209, 560, 577, 693,
19443, 19630,	20361, 21098, 21857	709, 727, 921, 954,
19815, 21114, 21869	\c@part 2706	972, 1178, 1194,
\c@figure	\c@poem@no . . . 9100,	1212, 9304, 9320,
9403, 9581, 9830,	9142, 9194, 9205	9336, 9482, 9498,
11655, 13995,	\c@secnumdepth . 316,	9514, 9788, 9803,
14279, 14292,	9643, 9842, 11667,	11381, 11395,
17696, 19076,	13855, 18835, 19829	11639, 13823,
19439, 19632,	\c@section 2731, 9395,	13838, 16537,
19817, 21103, 21862	9573, 9834, 11659,	18040, 18052,
\c@footnote . . . 129,	13987, 14283,	18064, 18983,
330, 505, 795, 854,	14296, 17684,	18999, 19015,
1048, 1107, 1299,	18358, 19068,	19356, 19372,



19388, 19589,	\cals@table@alignment	\caption@make@below
19603, 19775, 9952, 9953 16888
19790, 22745,	\cals@tbreak@tokens 9957	\caption@makecaption
22749, 22791,	\cals@tfoot@height 9958 9989, 16756
22810, 22832,	\cals@tfoot@tokens	\caption@normalsize
22849, 22866, 9956, 9973 16882
22883, 23175,	\cals@thead@tokens 9955	\caption@parindent 9992
23287, 23325,	\cals@vfillAdd 9948,	\caption@prepare@stepcounter
23825, 24021, 24727	9950, 9976, 9985 16880
\c@twb 10207	\cals@vfillDrop ...	\caption@setautoposition
\c@twcompctr 10188 9949, 9950, 16878
\c@twcompoddctr .. 10204	9978, 9980, 9983, 9987	\caption@starfalse
\c@twfirst ... 10189,	\CAny 4759 16757, 16879
10195, 10202,	\cAny 4767	\caption@starttrue .
10206, 10215, 10218	\cap@indent 16758, 16764, 16879
\c@twlftside 10193	.. 20549, 20557,	\captionabove
\c@twlspec	20567, 20570,	. 20614, 21366, 22121
. 10207, 10210, 10214	20572, 21300,	\captionbelow
\c@twprune ... 10193,	21308, 21318,	. 20616, 21368, 22123
10194, 10210, 10214	21321, 21323,	\captionformat
\c@twrounds .. 10205,	22055, 22063,	.. 20510, 20542,
10208, 10211, 10223	22073, 22076, 22078	20553, 20564,
\c@twrtside 10194	\cap@left 20481,	20575, 21261,
\c@twslicea .. 10191,	20518, 21232,	21293, 21304,
10193, 10197,	21269, 21987, 22024	21315, 21326,
10200, 10209,	\cap@margin	22016, 22048,
10210, 10217, 10221	. 20437, 21188, 21943	22059, 22070, 22081
\c@twsliceb .. 10192,	\cap@right ... 20489,	\captionlabelfalse 16762
10194, 10197,	20585, 21240,	\catcode . 4446, 4582,
10200, 10213,	21336, 21995, 22091	6135, 6463, 6464,
10214, 10217, 10221	\cap@width ... 20466,	6465, 6505, 7189,
\c@twwinlines 10190, 10203	20519, 21217,	7218, 7239, 7255,
\c@zabspage 14369	21270, 21972, 22025	8045, 8067, 8998,
\cals@activate@rtl 9954	\caption 7506,	8999, 9001, 9002,
\cals@AtBeginTable 9971	7507, 7509, 7565,	14777, 14778, 14893
\cals@AtEndTable .. 9973	15645, 15663,	\Centering 18845
\cals@backup@row .. 9970	16807, 17771,	\centering 315,
\cals@borderB 9969	17773, 20522,	3207, 10738,
\cals@borderL 9966	20523, 21273,	10751, 10867,
\cals@borderR 9967	21274, 22028, 22029	15675, 15760,
\cals@borderT 9968	\caption@@make ... 16887	15776, 17718,
\cals@current@context	\caption@@par 9991	17720, 17722,
..... 9960	\caption@begin ... 16881	20235, 20965, 21728
\cals@last@context 9959	\caption@belowskip 16885	\CenteringLeftskip 18850
\cals@paddingL 9976,	\caption@end 16889	\CenteringParfillskip
9978, 9983, 9985	\caption@hangindent 9992 18853
\cals@paddingR 9980, 9987	\caption@ifdefined 16884	\CenteringParindent
\cals@set@tohszsize . 9963	\caption@LT@make . 16875 18854
\cals@setcellprevdepth	\caption@LT@settype	\CenteringRightskip
..... 9963 16876 18851
\cals@setpadding .. 9963	\caption@LT@setup 16877	\centerline 319, 14873,
\cals@setup@alignment	\caption@make@above	14890, 18784, 24653
..... 9947, 9962 16886	\cftbeforechapskip 22793
		\cftbeforefigskip 22901



<code>\cftbeforeparaskip</code>	22867	<code>\cftsecaftersnum</code>	22825	<code>\cftsubtabaftersnumb</code>	
<code>\cftbeforepartskip</code>	22761	<code>\cftsecaftersnumb</code>	22826		22968
<code>\cftbeforesecskip</code>		<code>\cftsecfillnum</code>	22829	<code>\cftsubtabfillnum</code>	22971
	22812, 22815	<code>\cftsecfont</code>	22828	<code>\cftsubtabfont</code>	22970
<code>\cftbeforesubfigskip</code>		<code>\cftsecindent</code>	22817, 22820	<code>\cftsubtabindent</code>	
	22938	<code>\cftsecnumwidth</code>	22823		22959, 22962
<code>\cftbeforesubparaskip</code>		<code>\cftsecpresnum</code>	22824	<code>\cftsubtabnumwidth</code>	22965
	22884	<code>\cftsubfigaftersnum</code>		<code>\cftsubtabpresnum</code>	22966
<code>\cftbeforesubsecskip</code>			22947	<code>\cfttabaftersnum</code>	22928
	22833	<code>\cftsubfigaftersnumb</code>		<code>\cfttabaftersnumb</code>	22929
<code>\cftbeforesubsubsecskip</code>			22948	<code>\cfttabfillnum</code>	22932
	22850	<code>\cftsubfigfillnum</code>	22951	<code>\cfttabfont</code>	22931
<code>\cftbeforesubtabskip</code>		<code>\cftsubfigfont</code>	22950	<code>\cfttabindent</code>	22920, 22923
	22958	<code>\cftsubfigindent</code>		<code>\cfttabnumwidth</code>	22926
<code>\cftbeforetabskip</code>	22919		22939, 22942	<code>\cfttabpresnum</code>	22927
<code>\cftchapaftersnum</code>	22802	<code>\cftsubfignumwidth</code>	22945	<code>\chapnumfont</code>	18834
<code>\cftchapaftersnumb</code>	22803	<code>\cftsubfigpresnum</code>	22946	<code>\chapter</code>	8420,
<code>\cftchapfillnum</code>	22806	<code>\cftsubparaaftersnum</code>			8448, 8518, 8526,
<code>\cftchapfont</code>	22805		22893		8642, 8648, 9366,
<code>\cftchapindent</code>		<code>\cftsubparaaftersnumb</code>			9556, 9870, 11695,
	22794, 22797, 23044		22894		13882, 19051,
<code>\cftchapnumwidth</code>		<code>\cftsubparafillnum</code>	22897		19445, 19641, 19848
	22800, 23045	<code>\cftsubparafont</code>	22896	<code>\chapterheadendvskip</code>	
<code>\cftchappresnum</code>	22801	<code>\cftsubparaindent</code>			18840
<code>\cftchapterprecistoc</code>			22885, 22888	<code>\chapterheadstartvskip</code>	
	23043	<code>\cftsubparanumwidth</code>			18832
<code>\cftdot</code>	22741		22891	<code>\chaptermark</code>	8905, 22702
<code>\cftdotfill</code>	23035	<code>\cftsubparapresnum</code>	22892	<code>\chaptername</code>	320, 17704
<code>\cftdotsep</code>	23034	<code>\cftsubsecaftersnum</code>		<code>\chapterstyle</code>	17699
<code>\cftfigaftersnum</code>	22910		22842	<code>\char</code>	4387, 4742, 4743, 6451
<code>\cftfigaftersnumb</code>	22911	<code>\cftsubsecaftersnumb</code>		<code>\chardef</code>	6450,
<code>\cftfigfillnum</code>	22914		22843		14777, 16675,
<code>\cftfigfont</code>	22913	<code>\cftsubsecfillnum</code>	22846		16676, 16682, 16683
<code>\cftfigindent</code>	22902, 22905	<code>\cftsubsecfont</code>	22845	<code>\check@floats</code>	10632
<code>\cftfignumwidth</code>	22908	<code>\cftsubsecindent</code>		<code>\CheckCommand</code>	16049, 16087
<code>\cftfigpresnum</code>	22909		22834, 22837	<code>\checkoddpage</code>	7400
<code>\cftparaaftersnum</code>	22876	<code>\cftsubsecnumwidth</code>	22840	<code>\CIIIAAny</code>	4760
<code>\cftparaaftersnumb</code>	22877	<code>\cftsubsecpresnum</code>	22841	<code>\ciiAny</code>	4768
<code>\cftparafillnum</code>	22880	<code>\cftsubsubsecaftersnum</code>		<code>\circle</code>	10096,
<code>\cftparafont</code>	22879		22859		10099, 10106,
<code>\cftparaindent</code>		<code>\cftsubsubsecaftersnumb</code>			10109, 10119,
	22868, 22871		22860		10122, 10129,
<code>\cftparanumwidth</code>	22874	<code>\cftsubsubsecfillnum</code>			10132, 10142,
<code>\cftparapresnum</code>	22875		22863		10145, 10152,
<code>\cftpartaftersnum</code>	22771	<code>\cftsubsubsecfont</code>	22862		10155, 10165,
<code>\cftpartaftersnumb</code>	22772	<code>\cftsubsubsecindent</code>			10168, 10175, 10178
<code>\cftpartfillnum</code>	22775		22851, 22854	<code>\cite</code>	8082,
<code>\cftpartfont</code>	22774	<code>\cftsubsubsecnumwidth</code>			8174, 8180, 8181,
<code>\cftpartindent</code>			22857		8275, 8280, 8301,
	22763, 22766	<code>\cftsubsubsecpresnum</code>			8309, 8330, 8338,
<code>\cftpartnumwidth</code>	22769		22858		8359, 8377, 8381,
<code>\cftpartpresnum</code>		<code>\cftsubtabaftersnum</code>			8386, 8390, 8395,
	22770, 22774		22967		8399, 18316, 18317
<code>\cftpnumalign</code>	22740			<code>\citeasnoun</code>	18317



\citeN 18316	\closing 11729	2391, 8230, 8248,
\cites 8175	\clubpenalty	8266, 9268, 9282,
\cl@ckpt 22411	... 93, 307, 632,	11827, 11841,
\ClassInfo ... 8862,	633, 766, 1031,	11855, 11868,
8927, 20044,	1282, 2683, 2684,	11880, 11892,
20448, 20457,	5252, 9116, 9378,	12129, 12139,
20620, 20773,	9568, 9883, 9884,	12149, 12187,
21199, 21208,	11435, 11708,	12200, 12213,
21372, 21536,	11709, 13894,	12276, 12285,
21954, 21963, 22127	16501, 18313,	12294, 12331,
\ClassWarning . 20218,	19063, 19457,	12343, 12355,
20225, 20247,	19654, 19655,	12417, 12427,
20253, 20260,	19861, 19862,	12437, 12475,
20521, 20948,	20403, 21154,	12488, 12501,
20955, 20977,	21909, 22674, 22675	12564, 12574,
20983, 20990,	\coffefont 18060	12584, 12622,
21272, 21711,	\col@number . . . 133,	12635, 12648,
21718, 21740,	138, 140, 143,	12711, 12721,
21746, 21753, 22027	144, 151, 511, 860,	12731, 12769,
\ClassWarningNoLine	1113, 1364, 9737,	12782, 12795,
. 17755	11493, 11590,	12858, 12868,
\cleardoubleemptypage	11992, 12001,	12878, 12916,
. 20238, 20968, 21731	12019, 13791,	12929, 12942,
\cleardoublepage . .	13792, 13943,	13005, 13015,
. . . . 8784, 8829,	17662, 18002,	13025, 13063,
8831, 8888, 8901,	18084, 18089,	13076, 13089,
8915, 9863, 11689	18163, 18164,	13152, 13162,
\clearpage . 653, 669,	18166, 18169,	13172, 13210,
919, 1172, 6339,	18170, 18177,	13223, 13236,
6340, 6344, 6345,	19156, 19297,	13299, 13309,
7784, 8796, 8831,	19542, 19725,	13319, 13357,
8917, 9298, 9476,	20273, 21003, 21766	13370, 13383,
9687, 9865, 11691,	\col@sep 394, 449, 9995,	13565, 13577,
18959, 19215,	9996, 16819, 24498	13589, 13626,
19676, 20240,	\color 1613, 1616, 1653,	13640, 13654,
20970, 21733, 22736	1685, 1708, 1729,	13733, 13746,
\clip 3437, 3460	1750, 1796, 1937,	14522, 14539,
\clist 4075, 4194, 4354,	1939, 1978, 2073,	14555, 14583,
4357, 4361, 6998,	2741, 2746, 2821,	14598, 14613,
7004, 7008, 7009,	2981, 3646, 4654,	14625, 15113,
7017, 7018, 7031,	4655, 4656, 4657,	15123, 15130,
7036, 7037, 7041,	4658, 4659, 5175,	16893, 16991, 24888
7045, 7046, 7048,	10040, 10043,	\color@block 10037, 24279
7050, 7086, 7090,	10046, 10064,	\color@box . 10070, 24371
7091, 7095, 7098,	10067, 10732,	\color@endbox . 5009,
7102, 7103, 7107,	10735, 10745,	7904, 7948, 7992,
7110, 7114, 7115, 7119	10863, 17017, 24281	19965, 19975,
\CloneTOCEntryStyle	\color@ 24321, 24368	19993, 24932,
. 20626,	\color@b@x . . . 10032,	24976, 25097, 25113
20639, 20657,	10070, 10072,	\color@endgroup 2034,
20666, 21378,	24274, 24371, 24374	2312, 2329, 2346,
21391, 21410,	\color@begingroup .	2362, 2378, 2394,
21419, 22133,	2004, 2309, 2326,	8234, 8252, 8270,
22146, 22165, 22174	2343, 2359, 2375,	9270, 11829,



11843,	11857,	\colorbox	2057,	11852,	11865,
11870,	11882,		4815, 4817, 4818	11877,	11889,
11894,	12053,	\colorlet	1901,	12184,	12197,
12131,	12141,		1906, 1976, 1977,	12210,	12328,
12151,	12189,		2006, 2008, 2997, 3037	12340,	12352,
12202,	12215,	\columncolor .	1519, 10003	12472,	12485,
12278,	12287,	\columnsep	100,	12498,	12619,
12296,	12333,		230, 646, 662,	12632,	12645,
12345,	12357,		912, 1165, 4602,	12766,	12779,
12419,	12429,		5084, 9291, 9469,	12792,	12913,
12439,	12477,		9680, 10261,	12926,	12939,
12490,	12503,		10560, 14064,	13060,	13073,
12566,	12576,		15022, 16509,	13086,	13207,
12586,	12624,		17882, 17999,	13220,	13233,
12637,	12650,		18092, 18138,	13354,	13367,
12713,	12723,		18952, 19208,	13380,	13479,
12733,	12771,		19669, 24236,	13531,	13622,
12784,	12797,		24241, 24245,	13636,	13650,
12860,	12870,		24251, 24254, 24822	13874,	13879,
12880,	12918,	\columnseprule .	100,	14055,	14057,
12931,	12944,		230, 645, 661,	14061,	14065,
13007,	13017,		911, 1164, 4603,	14093,	14099,
13027,	13065,		5085, 9290, 9468,	14428,	14431,
13078,	13091,		9679, 10252,	14433,	14518,
13154,	13164,		10317, 10549,	14535,	14551,
13174,	13212,		10568, 14056,	14579,	14594,
13225,	13238,		14097, 14966,	14609,	14627,
13301,	13311,		15013, 16509,	14908,	14915,
13321,	13359,		17872, 17974,	14962,	14968,
13372,	13385,		18117, 18128,	15011,	15015,
13567,	13579,		18951, 19207,	15019,	15023,
13591,	13628,		19668, 24813, 24862	15617,	15618,
13642,	13656,	\columnseprulecolor		16524,	16598,
13737,	13750,	 18116, 18127	16603,	16956,
14525,	14542,	\columnwidth	29,	16994,	17870,
14558,	14586,		42, 56, 72, 244,	17874,	17878,
14601,	14616,		256, 270, 285, 592,	17881,	17970,
14646,	15116,		597, 781, 1016,	17976,	17999,
15126,	15133, 24891		1263, 2302, 2319,	18028,	18034,
\color@fb@x	24372, 24373		2336, 2355, 2371,	18196,	18200,
\color@fb@x	10071, 24372		2387, 4290, 4296,	18204,	18209,
\color@hbox		4999, 9393, 9547,	19048,	19472,
	. . 19962, 19972,		9820, 9825, 9935,	19622,	19627,
	19990, 25094, 25110		10250, 10254,	19807,	19812,
\color@setgroup	. .		10258, 10262,	20095,	20134,
 10073, 24376		10313, 10319,	20135,	20825,
\color@vbox		10547, 10551,	20864,	20865,
	4987, 7895, 7939,		10556, 10561,	21588,	21627,
	7983, 24923, 24967		10563, 10570,	21628,	24811,
\colorA	. . 9645, 9654, 9666		10881, 10902,	24815,	24819,
\colorB 9651,		11442, 11447,	24823,	24858,
	9657, 9663, 9669		11742, 11747,	24864, 25015, 25017	
\colorblend	. . 24288,		11752, 11794,	\contentslabel	8479,
	24289, 24331, 24332		11824, 11838,		8486, 8493, 8500, 8507



\contentsline 15880	12833, 12976,	15360, 15382,
\contentsmargin . . 22638	12980, 13123,	15408, 15472,
\contentspush 22612	13127, 13270,	15490, 15491,
\convertcolorspec .	13274, 13455,	15519, 16785,
. 24295,	13462, 13511,	17130, 17181,
24298, 24338, 24341	13782, 13791,	17199, 17253,
\Coord 4756	14169, 14928,	17268, 17556,
\coord 4761	14937, 14939,	17558, 18460, 18461
\CoordIII 4758	14986, 14988,	\cs@a 6536
\coordiii 4763	15315, 15321,	\csname . . 8, 45, 59, 75,
\Coordn 4757	24908, 24952, 25060	167, 169, 199, 214,
\coordn 4762	\count@ 1459,	259, 273, 288, 345,
\Coordx 4753,	1518, 5333, 5337,	346, 402, 1421,
4756, 4757, 4758,	5340, 5460, 5465,	2308, 2325, 2342,
4759, 4760, 4761,	5476, 5480, 10001,	2358, 2374, 2390,
4762, 4763, 4767, 4768	18079, 18080,	2423, 2449, 2475,
\coordx 4764	18082, 18084,	2494, 2523, 4844,
\Coordy 4754,	18091, 18112,	4845, 4859, 4860,
4756, 4757, 4758,	18113, 18115,	4886, 4889, 4892,
4759, 4760, 4761,	18132, 18133,	4908, 4916, 4924,
4762, 4763, 4767, 4768	18136, 18433,	4979, 5293, 5296,
\coordy 4765	18441, 18450, 22450	5299, 5301, 5303,
\Coordz 4755,	\counterwithout . . .	5306, 5309, 5317,
4758, 4760, 4763, 4768 17700,	5318, 5323, 5347,
\coordz 4766	17701, 17702, 17703	5349, 5351, 5352,
\copy 1954, 7891,	\coverpagebottommargin	5353, 5354, 5357,
7935, 7979, 9939,	. 20127, 20857, 21620	5359, 5363, 5365,
10230, 10293,	\coverpageleftmargin	5394, 5395, 5418,
10402, 10892,	. . 20122, 20123,	5419, 5446, 5467,
10913, 14038,	20125, 20852,	5471, 5482, 5486,
14074, 14936,	20853, 20855,	5490, 5494, 5505,
14985, 15186,	21615, 21616, 21618	5513, 5521, 5529,
15232, 16920,	\coverpagerightmargin	5531, 5533, 5537,
16935, 16942,	. 20125, 20855, 21618	5538, 5595, 5609,
17804, 17904,	\coverpagetopmargin	5619, 5637, 5679,
18689, 18772, 20121,	5689, 5695, 5696,
18842, 24474,	20127, 20851,	5698, 5699, 5701,
24791, 24838,	20857, 21614, 21620	5702, 5704, 5706,
24919, 24963, 25026	\cr 422,	5708, 5710, 5912,
\cor@height . . 17827,	9063, 9070, 9126,	5913, 5915, 5916,
17828, 17855,	12082, 12085,	5919, 5920, 5929,
17856, 17895,	12087, 16839,	5930, 5965, 5966,
17927, 17928,	22356, 22394, 24699	5989, 6044, 6045,
17955, 17956, 17992	\crrc 4881, 9066,	6046, 6047, 6053,
\count 4285,	22344, 22374,	6054, 6055, 6056,
4514, 4982, 6769,	24509, 24512, 24686	6201, 6372, 6373,
7880, 7924, 7968,	\CROP@llc 10138	6375, 6386, 6387,
11993, 12065,	\CROP@lrc 10161	6389, 6400, 6410,
12070, 12100,	\CROP@ulc 10092	6419, 6420, 6421,
12104, 12247,	\CROP@urc 10115	6422, 6445, 6469,
12251, 12388,	\CROP@execopt 10185	6474, 6478, 6494,
12392, 12535,	\cs 7053, 7064,	6512, 6514, 6522,
12539, 12682,	7065, 7067, 7078,	6524, 6533, 6534,
12686, 12829,	7079, 7081, 15339,	6614, 6618, 6651,



6653, 6664, 6665,	14269,	14271,	23226,	23330,
6679, 6687, 6689,	14272,	14273,	23355,	23382,
6716, 6737, 6774,	14359,	14383,	23386,	23390,
6775, 6776, 6792,	14401,	14488,	23447,	23499,
6793, 6794, 6795,	14497,	14520,	23502,	23516,
7627, 7628, 7635,	14537,	14553,	23532,	23533,
7636, 8228, 8246,	14582,	14597,	23549,	23556,
8264, 8295, 8324,	14612,	14659,	23561,	23579,
8353, 8595, 9121,	14674,	15882,	23580,	23592,
9149, 9152, 9155,	15885,	15887,	23593,	23648,
9169, 9176, 9183,	15891,	15895,	23703,	23705,
9191, 9192, 9230,	15909,	15920,	23707,	23723,
9255, 9256, 10046,	15931,	16131,	23726,	23732,
10052,	16162,	16193,	23734,	23737,
10067,	16542,	17784,	23741,	23746,
11840,	17785,	17792,	23750,	23754,
11867,	18400,	18401,	23768,	23772,
11891,	18402,	18403,	23775,	23779,
12138,	18404,	18405,	23784,	23788,
12186,	20006,	20010,	23793,	23795,
12212,	20014,	20098,	23796,	23799,
12284,	20322,	20612,	23803,	23853,
12330,	20629,	20631,	23855,	23862,
12354,	20633,	20636,	23863,	23867,
12426,	20642,	20650,	23872,	23876,
12474,	20652,	20654,	23887,	23888,
12500,	20660,	20662,	23892,	23898,
12573,	20735,	20739,	23953,	23954,
12621,	20743,	20828,	23958,	24054,
12647,	21052,	21364,	24055,	24057,
12720,	21381,	21383,	24060,	24061,
12768,	21385,	21388,	24065,	24539,
12794,	21394,	21402,	24604,	24688,
12867,	21404,	21407,	24749, 24762, 24764	
12915,	21413,	21415,	\CT@do@color	9998
12941,	21498,	21502,	\CT@cell@color	
13014,	21506,	21591,	1543, 10023
13062,	21815,	22119,	\CT@color	9997
13088,	22136,	22138,	\CT@column@color	
13161,	22140,	22143,	1541, 10021
13209,	22149,	22157,	\CT@do@color	
13235,	22159,	22162,	1544, 9998, 10024
13308,	22168,	22170,	\CT@extract	1519, 10003
13356,	22346,	22372,	\CT@row@color	1542, 10022
13382,	22374,	22406,	\CT@setup	1508, 1509,
13575,	22428,	22430,	1511, 1512, 1516,
13624,	22446,	22447,	1540, 9994, 10020
13652,	22467,	22474,	\cumpartcl	18593
14146,	22719,	22984,	\cumtcl	18593
14153,	22985,	23001,	\curraddr	334
14259,	23002,	23003,	\current@color	10039,
14261,	23010,	23012,	10045, 10052,
14264,	23013,	23066,	10060, 10066,
14267,	23067,	23225,	14755, 14760,



24280, 24317,	10430, 10433,	11578, 11614,
24318, 24322,	10434, 10436,	13931, 13965,
24351, 24352, 24369	10441, 10452,	19133, 19178,
\currentgrouptype . 432	10462, 10465,	19274, 19321,
\CurrentOption	10470, 10473,	19525, 19566,
8843, 8844, 8845,	10477, 10481,	19713, 19749,
8846, 8847, 8867,	10498, 10500, 10502	20350, 21080, 21843
8868, 8869, 8870,	\cuted@@varbox@a . .	\day 3336, 4542
8871, 10678, 10776	. . 10402, 10403,	\deadcycles . . 6356, 6359
\currentposxwidth . 5909	10409, 10410,	\debug 7062,
\currentposyheight 5926	10438, 10444,	7068, 7076, 7082
\CustomFBox 14757	10447, 10455,	\debugfootnotedirection
\cuted@@column@badness	10524, 10557, 10571 14346
. 10425,	\cuted@@varbox@c . .	\declare@file@substitution
10426, 10439, 10450 10409,	. . . 7124, 7128, 7134
\cuted@@page@rule .	10410, 10415,	\DeclareCaptionFont 1883
. 10505, 10506	10416, 10420,	\DeclareCaptionJustification
\cuted@@tempbox@a .	10421, 10444, 1888
. 10366,	10447, 10451,	\DeclareOption
10376, 10403,	10454, 10455, 5014, 5017,
10405, 10406,	10456, 10458, 10483	5020, 5023, 5026,
10494, 10552, 10564	\cuted@@wlog@debug	5029, 5032, 5037,
\cuted@@tempbox@c .	. . 10417, 10443,	5038, 5039, 5040,
. . 10405, 10406,	10445, 10454, 10458	5041, 5043, 7305,
10413, 10414,	\cvcomputer 5207	7307, 7309, 7312,
10418, 10419,	\cvdoubleitem . 5184, 5208	7317, 8414, 8415,
10434, 10438,	\cventry 5196	8673, 8674, 8699,
10448, 10464,	\cvlanguage 5205	8700, 8843, 8844,
10482, 10493,	\cvline	8845, 8846, 8847,
10496, 10498, 10499	5179, 5180, 5185,	8867, 8868, 8869,
\cuted@@tempbox@var	5189, 5191, 5197, 5206	8870, 8871, 10668,
. 10544, 10582, 10594	\cvlistdoubleitem . 5190	10670, 10672,
\cuted@@tempdim@a .	\cvlistitem 5188	10674, 10676,
. . 10434, 10436,	\cvtheme 5122, 5125	10677, 10676,
10438, 10440,		10768, 10770,
10443, 10444,	D	10772, 10774, 10775
10445, 10495,	\d 17100	\DeclareRobustCommand
10507, 10513,	\d@llarbegin 4741,
10525, 10529,	. 395, 450, 1463,	4742, 4743, 4744,
10535, 10632,	1464, 1465, 1528,	4745, 4746, 4747,
10633, 10634, 10638	1531, 1532, 10008,	7640, 7647, 10040,
\cuted@@tempdim@b .	10011, 10012, 24498	10055, 14112,
. 10398,	\d@llarend	14122, 24281,
10401, 10403,	. 396, 451, 1463,	24324, 24653,
10406, 10410,	1464, 1465, 1530,	24662, 24663,
10422, 10440,	1531, 1532, 10010,	24664, 24665, 24671
10464, 10472,	10011, 10012, 24499	\DeclareSectionCommand
10478, 10485,	\dashgapcolor 1523 20668,
10494, 10496,	\date . . . 499, 535, 837,	20678, 20686,
10521, 10524, 10526	882, 1090, 1135,	20696, 20706,
\cuted@@tempdim@spread	1341, 1386, 4637,	20717, 21421,
. . 10413, 10414,	8709, 8757, 9458,	21429, 21440,
10415, 10416,	9636, 9725, 9761,	21449, 21459,
10423, 10427,	11481, 11515,	21469, 21480,



22176, 22184,
 22195, 22204,
 22214, 22224, 22235
 \DeclareTOCEntryStyle
 . 23051, 23212, 23462
 \dedication
 . 20349, 21079, 21842
 \dedicatory 335
 \def 2, 23,
 26, 31, 35, 49, 65,
 96, 99, 108, 109,
 110, 111, 123, 133,
 134, 136, 208, 229,
 238, 239, 240, 241,
 246, 249, 263, 278,
 310, 313, 325, 331,
 348, 357, 362, 364,
 389, 399, 404, 432,
 438, 449, 450, 451,
 457, 506, 507, 538,
 636, 768, 792, 793,
 801, 840, 841, 843,
 848, 850, 855, 857,
 885, 1033, 1045,
 1046, 1054, 1093,
 1094, 1096, 1101,
 1103, 1108, 1109,
 1138, 1284, 1296,
 1297, 1305, 1344,
 1345, 1347, 1352,
 1354, 1359, 1361,
 1389, 1409, 1419,
 1420, 1423, 1430,
 1458, 1471, 1472,
 1475, 1488, 1496,
 1504, 1505, 1508,
 1509, 1512, 1517,
 1990, 2003, 2073,
 2116, 2117, 2193,
 2204, 2213, 2220,
 2222, 2234, 2242,
 2252, 2261, 2262,
 2264, 2274, 2283,
 2284, 2287, 2288,
 2289, 2292, 2293,
 2294, 2410, 2411,
 2412, 2417, 2421,
 2436, 2437, 2438,
 2443, 2447, 2462,
 2463, 2464, 2469,
 2473, 2484, 2488,
 2607, 2618, 2627,
 2638, 2652, 2687,
 2694, 2700, 2704,

2764, 2787, 2807,
 3323, 3325, 3380,
 3388, 3659, 4062,
 4063, 4064, 4166,
 4170, 4277, 4279,
 4280, 4335, 4340,
 4345, 4350, 4445,
 4447, 4448, 4449,
 4480, 4497, 4505,
 4506, 4507, 4508,
 4509, 4515, 4516,
 4523, 4539, 4543,
 4551, 4552, 4553,
 4554, 4555, 4556,
 4557, 4560, 4563,
 4567, 4578, 4579,
 4581, 4590, 4595,
 4620, 4621, 4749,
 4750, 4751, 4753,
 4754, 4755, 4756,
 4757, 4758, 4759,
 4760, 4761, 4762,
 4763, 4764, 4765,
 4766, 4767, 4768,
 4773, 4784, 4815,
 4816, 4817, 4818,
 4825, 4831, 4837,
 4845, 4850, 4852,
 4860, 4865, 4866,
 4881, 4885, 4888,
 4891, 4896, 4899,
 4902, 4906, 4914,
 4922, 4929, 4931,
 4932, 4934, 5003,
 5097, 5098, 5099,
 5100, 5101, 5102,
 5104, 5105, 5123,
 5124, 5127, 5128,
 5129, 5130, 5131,
 5132, 5133, 5134,
 5135, 5136, 5137,
 5138, 5139, 5255,
 5368, 5388, 5389,
 5392, 5398, 5401,
 5412, 5413, 5416,
 5422, 5425, 5436,
 5438, 5441, 5445,
 5451, 5459, 5466,
 5467, 5471, 5475,
 5481, 5482, 5486,
 5490, 5494, 5499,
 5507, 5515, 5523,
 5530, 5532, 5605,
 5667, 5675, 5696,

5704, 5711, 5712,
 5718, 5720, 5721,
 5722, 5723, 5725,
 5944, 5946, 5948,
 5954, 5958, 5961,
 5970, 5981, 5983,
 5984, 5995, 6068,
 6087, 6119, 6120,
 6121, 6132, 6138,
 6141, 6142, 6154,
 6166, 6170, 6173,
 6186, 6195, 6226,
 6254, 6257, 6258,
 6266, 6267, 6303,
 6318, 6345, 6362,
 6419, 6420, 6421,
 6422, 6431, 6451,
 6460, 6467, 6474,
 6478, 6483, 6488,
 6493, 6495, 6498,
 6501, 6509, 6510,
 6512, 6514, 6515,
 6522, 6524, 6525,
 6532, 6533, 6534,
 6535, 6536, 6540,
 6541, 6543, 6544,
 6546, 6552, 6558,
 6576, 6577, 6582,
 6587, 6592, 6598,
 6603, 6614, 6618,
 6624, 6627, 6641,
 6643, 6645, 6646,
 6648, 6649, 6650,
 6652, 6654, 6656,
 6658, 6659, 6664,
 6665, 6666, 6667,
 6668, 6673, 6674,
 6681, 6683, 6686,
 6691, 6693, 6699,
 6700, 6701, 6702,
 6706, 6709, 6711,
 6712, 6716, 6718,
 6719, 6722, 6732,
 6774, 6775, 6776,
 6779, 6789, 6796,
 6798, 6803, 6815,
 6822, 6824, 6828,
 6829, 6836, 6838,
 6841, 6846, 6853,
 6855, 7152, 7162,
 7170, 7178, 7347,
 7438, 7459, 7463,
 7476, 7556, 7625,
 7643, 7649, 7686,



7811, 7813, 7814,	11246,	11248,	13218,	13231,
7815, 7824, 7826,	11253,	11284,	13242,	13248,
7827, 7828, 7832,	11285,	11358,	13254,	13259,
7834, 7840, 7841,	11437,	11488,	13294,	13304,
7868, 7882, 7885,	11489,	11518,	13314,	13352,
7889, 7893, 7906,	11585,	11586,	13365,	13378,
7912, 7926, 7929,	11617,	11664,	13389,	13395,
7933, 7937, 7950,	11679,	11712,	13401,	13406,
7956, 7970, 7973,	11751,	11793,	13438,	13443,
7977, 7981, 7994,	11820,	11834,	13559,	13571,
8046, 8061, 8066,	11848,	11863,	13583,	13620,
8192, 8194, 8222,	11875,	11887,	13634,	13648,
8240, 8258, 8279,	11914,	11915,	13666,	13677,
8308, 8337, 8557,	11916,	11924,	13691,	13700,
8594, 8602, 8831,	11925,	11926,	13777,	13781,
8969, 8970, 8972,	11991,	11997,	13790,	13794,
8990, 8991, 8994,	12015,	12041,	13852,	13864,
9004, 9005, 9006,	12124,	12134,	13896,	13938,
9007, 9013, 9016,	12144,	12182,	13939,	13968,
9027, 9028, 9029,	12195,	12208,	13999,	14031,
9039, 9065, 9069,	12219,	12225,	14032,	14035,
9076, 9098, 9117,	12231,	12236,	14071,	14145,
9118, 9119, 9125,	12271,	12280,	14157,	14205,
9148, 9151, 9154,	12289,	12326,	14339,	14425,
9158, 9161, 9164,	12338,	12350,	14430,	14432,
9167, 9174, 9181,	12360,	12366,	14434,	14436,
9191, 9192, 9193,	12372,	12377,	14438,	14440,
9203, 9207, 9210,	12412,	12422,	14441,	14443,
9215, 9216, 9217,	12432,	12470,	14447,	14456,
9219, 9228, 9234,	12483,	12496,	14458,	14465,
9255, 9256, 9380,	12507,	12513,	14466,	14483,
9413, 9414, 9422,	12519,	12524,	14486,	14492,
9570, 9591, 9592,	12559,	12569,	14495,	14503,
9600, 9640, 9660,	12579,	12617,	14504,	14505,
9732, 9733, 9764,	12630,	12643,	14511,	14528,
9839, 9853, 9887,	12654,	12660,	14544,	14572,
9892, 9904, 9917,	12666,	12671,	14587,	14602,
9924, 9928, 9931,	12706,	12716,	14617,	14623,
9994, 9997, 10000,	12726,	12764,	14629,	14636,
10032, 10039,	12777,	12790,	14649,	14653,
10042, 10049,	12801,	12807,	14657,	14663,
10057, 10063,	12813,	12818,	14668,	14672,
10070, 10071,	12853,	12863,	14751,	14765,
10073, 10189,	12873,	12911,	14767,	14769,
10202, 10205,	12924,	12937,	14771,	14779,
10206, 10211,	12948,	12954,	14884,	14894,
10218, 10223,	12960,	12965,	14925,	14933,
10227, 10290,	13000,	13010,	14982,	15035,
10349, 10351,	13020,	13058,	15071,	15159,
10353, 10875,	13071,	13084,	15167,	15173,
10879, 10882,	13095,	13101,	15182,	15184,
10900, 10903,	13107,	13112,	15200,	15211,
10921, 10978,	13147,	13157,	15212,	15214,
11155, 11219,	13167,	13205,	15227,	15228,



15230,	15246,	18051,	18063,	20050,	20079,
15248,	15251,	18077,	18110,	20100,	20354,
15253,	15254,	18124,	18159,	20355,	20407,
15269,	15276,	18163,	18194,	20414,	20440,
15578,	15579,	18198,	18202,	20608,	20614,
15580,	15581,	18206,	18211,	20616,	20747,
15590,	15592,	18213,	18321,	20777,	20779,
15628,	15880,	18335,	18337,	20809,	20830,
15907,	15918,	18344,	18350,	21084,	21158,
15929,	15940,	18490,	18504,	21165,	21191,
15950,	15961,	18554,	18560,	21360,	21366,
15972,	15983,	18567,	18686,	21368,	21510,
15998,	16013,	18687,	18689,	21540,	21542,
16030,	16056,	18690,	18696,	21572,	21593,
16073,	16081,	18697,	18698,	21847,	21913,
16094,	16111,	18708,	18718,	21920,	21946,
16119,	16127,	18726,	18734,	22115,	22121,
16144,	16152,	18735,	18736,	22123,	22267,
16158,	16175,	18737,	18738,	22269,	22274,
16183,	16189,	18739,	18744,	22276,	22279,
16206,	16214,	18745,	18748,	22283,	22300,
16222,	16236,	18750,	18751,	22321,	22324,
16240,	16254,	18752,	18753,	22339,	22344,
16262,	16269,	18755,	18756,	22347,	22370,
16277,	16280,	18769,	18775,	22374,	22378,
16283,	16317,	18782,	18783,	22388,	22404,
16349,	16378,	18784,	18785,	22410,	22418,
16405,	16408,	18786,	18895,	22439,	22448,
16410,	16413,	18916,	18922,	22449,	22465,
16422,	16423,	18942,	18943,	22469,	22472,
16504,	16508,	19065,	19088,	22476,	22479,
16517,	16518,	19089,	19097,	22509,	22583,
16519,	16521,	19136,	19137,	22617,	22639,
16526,	16528,	19139,	19144,	22645,	22648,
16533,	16536,	19146,	19151,	22650,	22653,
16557,	16569,	19153,	19181,	22678,	23385,
16708,	16724,	19227,	19228,	23409,	24020,
16725,	16757,	19236,	19277,	24041,	24043,
16758,	16762,	19278,	19280,	24199,	24242,
16764,	16777,	19285,	19287,	24245,	24251,
16799,	16804,	19292,	19294,	24255,	24274,
16805,	16806,	19324,	19346,	24280,	24283,
16813,	16862,	19459,	19489,	24305,	24314,
16891,	16903,	19491,	19532,	24320,	24326,
16906,	16909,	19534,	19569,	24348,	24354,
16960,	16967,	19658,	19720,	24363,	24367,
16978,	16986,	19721,	19752,	24371,	24372,
17052,	17053,	19826,	19838,	24373,	24376,
17658,	17660,	19865,	19870,	24381,	24387,
17710,	17712,	19913,	19960,	24388,	24389,
17760,	17771,	19963,	19970,	24399,	24409,
17782,	17801,	19973,	19981,	24418,	24429,
17901,	17998,	19988,	19991,	24430,	24439,
18006,	18039,	20018,	20048,	24440,	24449,



24450,	24455,	2944, 2961, 2966,	\depth 15176,
24456,	24459,	3035, 3114, 3118,	17601, 17608, 17633
24461,	24462,	3145, 3154, 3157,	\depthof 11226,
24463,	24464,	3166, 3169, 3178,	11231, 11240,
24466,	24468,	3206, 3338, 3415,	11241, 11245, 11250
24470,	24471,	3487, 3513, 3564,	\descriptionlabel . 8635
24494,	24496,	3600, 3630, 3678,	\DetectColumn 24752, 24756
24501,	24503,	3712, 3748, 3804,	\detokenize
24509,	24511,	3843, 3892, 3939, 3985	5673, 5675, 6119,
24518,	24520,	\deffootnote . . 20016,	6121, 6122, 6141,
24523,	24525,	20081, 20745,	6156, 6173, 6176,
24526,	24527,	20811, 21508, 21574	6184, 6186, 6257, 6258
24528,	24530,	\define@choicekey .	\dfn@afteroutput . .
24540,	24577, 24074, 24082 10970,
24643,	24656,	\define@key . 2693, 24072	10973, 11022, 11025
24659,	24666,	\definecolor . . 4644,	\dfn@boxa 10879,
24668,	24681,	4645, 4646, 4647,	10884, 10887,
24686,	24689,	4648, 4649, 5096,	10891, 10892,
24709,	24712,	5103, 10682,	10893, 10900,
24722,	24723,	10687, 10690,	10905, 10908,
24724,	24725,	10691, 10692,	10912, 10913,
24726,	24746,	10694, 10695,	10914, 10927,
24748,	24781,	10698, 10699,	10934, 10937,
24788,	24835,	10701, 10702,	10939, 10946,
24896,	24910,	10705, 10706,	10954, 10984,
24913,	24917,	10708, 10709,	10991, 10994,
24921,	24934,	10712, 10713,	10996, 11000, 11008
24940,	24954,	10715, 10716,	\dfn@boxb 10893,
24957,	24961,	10719, 10720,	10914, 10931,
24965,	24978,	10785, 10786,	10932, 10939,
24984,	25024,	10791, 10792,	10944, 10988,
25028,	25029,	10797, 10798,	10989, 10996, 10999
25030,	25031,	10803, 10804,	\dfn@countins 10923, 10980
25041,	25127,	10809, 10810, 11351	\dfn@dima 10884,
25139,	25140,	\DefineTOCEntryCommandOption	10885, 10886,
25142, 25319, 25321	 23473,	10897, 10905,
\default@color		23475, 23477,	10906, 10907,
. 10039, 24280		23481, 23483,	10918, 10922,
\DefaultOptionsFile		23485, 23487, 23489	10939, 10959,
. 16608, 16610, 16613		\DefineTOCEntryIfOption	10979, 10996, 11011
\defbeamertemplate	 23465,	\dfn@dimb 10959,
. 1583,		23467, 23471, 23507	10960, 10962,
1586, 1590, 1593,		\DefineTOCEntryLengthOption	10963, 10965,
1596, 1607, 1621,		. . 23052, 23054,	11011, 11012,
1624, 1643, 1661,		23213, 23463,	11014, 11015, 11017
1666, 1673, 1696,		23479, 23491,	\dfn@elt@adjust . . .
1717, 1738, 1765,		23493, 23509, 23511 10959, 11011
1771, 1775, 1787,		\DefineTOCEntryListOption	\dfn@elt@getht
1805, 1811, 1824,	 23469 10924, 10981
1833, 1842, 1853,		\DefineTOCEntryOption	\dfn@fnht 10895,
1868, 2845, 2848,	 23495	10916, 10957,
2866, 2867, 2868,		\DefNewDummy . . 6558, 6575	10960, 10966,
2872, 2879, 2886,		\delimiter 14748	10967, 10968,
2895, 2914, 2929,		\DEPTH 22512, 22519	11009, 11012,



11018, 11019, 11020	\diagbox@double ...	\diagbox@triple@setbox@SW
\dfn@fnmaxdp .. 10883, 11035, 11038 11076
10888, 10893,	\diagbox@double@pict@NE	\diagbox@wd .. 11103,
10904, 10909, 11109, 11116	11106, 11111, 11114
10914, 10936,	\diagbox@double@pict@NW	\DigitsDotDashInterCharToks
10939, 10993, 10996 11108 4386, 4387
\dfn@footnoterule .	\diagbox@double@pict@SE	\dim 17275, 17276,
..... 10977, 11029 11101, 11108	17599, 17600, 17601
\dfn@footnotetext 10878	\diagbox@double@pict@SW	\dimen ... 4284, 4513,
\dfn@gobble 10880, 10901 11116	11984, 12066,
\dfn@ins 10888,	\diagbox@font	12071, 12088,
10889, 10890,	.. 11036, 11039,	12089, 12090,
10892, 10909,	11043, 11045,	12099, 12103,
10910, 10911,	11050, 11052,	12246, 12250,
10913, 10927,	11056, 11059,	12387, 12391,
10928, 10984, 10985	11062, 11066,	12534, 12538,
\dfn@latex@footnotetext	11068, 11072, 11074	12681, 12685,
..... 10877	\diagbox@ht .. 11103,	12828, 12832,
\dfn@latex@LTRfootnotetext	11106, 11111, 11114	12975, 12979,
..... 10883, 10898	\diagbox@insepl ...	13122, 13126,
\dfn@latex@makecol 11036,	13269, 13273,
..... 10976, 11028	11043, 11045,	13454, 13461,
\dfn@latex@RTLfootnotetext	11056, 11059,	13510, 14929,
..... 10904, 10919	11066, 11068,	18096, 18103,
\dfn@list 10897,	11078, 11088, 11090	18104, 18112,
10918, 10925,	\diagbox@insepr ...	18113, 18118,
10958, 10960, 11039,	18119, 18132,
10963, 10969,	11050, 11052,	18133, 18140,
10982, 11010,	11062, 11072,	18141, 25033, 25036
11012, 11015, 11021	11074, 11081,	\dimen@ .. 5328, 5329,
\dfn@LTRfootnotetext	11084, 11095, 11097	5335, 5343, 10035,
..... 10879, 10899	\diagbox@setlinecolor	10036, 13720,
\dfn@LTRmakecol 11102,	13722, 14787,
. 10978, 11030, 11032	11105, 11110,	14788, 14789,
\dfn@makecol	11113, 11118,	14799, 14800,
. 11030, 11031, 11032	11122, 11127,	14801, 14804,
\dfn@makefnmark ...	11131, 11136,	14805, 14806,
..... 10882, 10903	11140, 11145, 11149	14812, 14822,
\dfn@RTLfootnotetext	\diagbox@triple@pict@NE	14824, 14833,
..... 10900, 10920 11126	14835, 14842,
\dfn@RTLmakecol ...	\diagbox@triple@pict@NW	14843, 14844,
. 10921, 11030, 11031 11117	14845, 16916,
\dfn@split ... 10893,	\diagbox@triple@pict@SE	16917, 16918,
10914, 10927, 11144	16919, 18214,
10939, 10984, 10996	\diagbox@triple@pict@SW	18215, 18757,
\DFNalwaysdouble . 11033 11135	18762, 22302,
\DFNcolumnsep	\diagbox@triple@setbox@NE	22304, 22310,
. 10942, 10955, 10999 11100	22316, 24213,
\DFNcolumnwidth ...	\diagbox@triple@setbox@NW	24214, 24215,
.. 10876, 10881, 11055,	24216, 24217,
10902, 10941,	11058, 11061, 11076	24218, 24277, 24278
10943, 10946,	\diagbox@triple@setbox@SE	\dimen@i 22303,
10956, 10998, 11000 11077,	22304, 22309, 22315
	11080, 11083, 11100	\dimen@ii 14837,



14838, 14839,	12019, 12089,	14550, 15042,
14845, 14847,	13480, 13481,	15047, 15147,
14850, 14851, 14852	13532, 13533,	15188, 15189,
\dimexpr . 29, 244, 781,	14014, 14015,	15192, 15234,
1016, 1263, 2505,	15175, 15176,	15235, 15238,
2926, 2941, 2956,	18601, 18602, 22384	16824, 17031,
3259, 3261, 3265,	\do . 331, 332, 333, 334,	17034, 18096,
3267, 3376, 3385,	335, 336, 4956,	18112, 18113,
3393, 5589, 5592,	8087, 8092, 8106,	18118, 18119,
5915, 5919, 5929,	8111, 8125, 8130,	18132, 18133,
5938, 9393, 9547,	8153, 8162, 10207,	18140, 18141,
10371, 10433,	14002, 23334, 23730	18581, 18582,
10434, 10436,	\do@hvFloat 15578	18583, 18757,
10462, 10471,	\document 6299, 6315	19879, 19921,
10495, 10525,	\documentclass	19924, 19978,
16524, 17023, 15082, 15092	19985, 20490,
17032, 17999,	\doloopbody 6744, 6745,	20492, 20586,
18209, 19048,	6789, 6862, 6869,	20588, 21241,
19472, 20038,	6876, 6879, 6881,	21243, 21337,
20084, 20091,	6885, 6887, 6889, 6893	21339, 21996,
20095, 20121,	\donotcoloroutermaths	21998, 22092,
20122, 20123,	. . . 2866, 2867, 2868	22094, 22351,
20124, 20126,	\doubleitemmaincolumnwidth	22386, 22398,
20767, 20814,	5145, 5158, 5159,	22512, 22514,
20821, 20825,	5160, 5161, 5185, 5187	24269, 24278,
20851, 20852,	\doublerulesepcolor 1522	24279, 24694,
20853, 20854,	\downtovalue . . 6742,	25005, 25012, 25099
20856, 21530,	6754, 6836, 6875	\dquad 9926, 9928
21577, 21584,	\dp 41, 55, 71, 255, 269,	\draw 24093,
21588, 21614,	284, 409, 1515,	24100, 24104,
21615, 21616,	1923, 1928, 2037,	24127, 24137,
21617, 21619,	2122, 2126, 2146,	24145, 24148,
23199, 23412,	2157, 2175, 2186,	24151, 24154,
23420, 23429,	2226, 2230, 2237,	24166, 24171,
23431, 24610,	2512, 2516, 2560,	24178, 24184, 24185
24612, 24613,	2970, 4309, 4530,	\dseries@display@setup
24614, 24619,	10036, 10037, 9918
24621, 24622,	10371, 10414,	
24623, 24628,	10416, 10419,	
24630, 24631,	10421, 10482,	E
24632, 24637,	10483, 10498,	\edef 124,
24639, 24640, 24641	10500, 10884,	371, 1437, 1491,
\disable@package@load	10905, 10932,	1499, 2411, 2412,
. 7027	10951, 10953,	2437, 2438, 2463,
\display@setup 9893, 9918	10989, 11005,	2464, 2489, 2547,
\displayindent 9934	11007, 11225,	4205, 4230, 4452,
\displaystyle 14119, 14135	11230, 11243,	4477, 4843, 4858,
\displaywidth . 9934,	11249, 11363,	4886, 4889, 4892,
11222, 11224,	11368, 11372,	5320, 5375, 5378,
11229, 14138, 16580	11375, 11989,	5391, 5395, 5402,
\divide 2530,	13419, 13720,	5415, 5419, 5426,
2532, 2541, 2543,	13728, 13785,	5671, 5674, 5708,
4321, 4547, 6884,	14013, 14026,	5731, 5759, 5785,
8977, 12001,	14517, 14534,	5813, 5839, 5876,
		6002, 6003, 6006,



6007, 6024, 6025,	\EdefEscapeName . . 16381	725, 739, 742, 743,
6028, 6029, 6118,	\egroup . 180, 186, 399,	746, 756, 804, 813,
6123, 6133, 6140,	441, 444, 445, 690,	821, 845, 849, 851,
6143, 6156, 6160,	1251, 1419, 1420,	862, 865, 908, 919,
6165, 6172, 6175,	1538, 2034, 2262,	922, 925, 926, 932,
6182, 6185, 6191,	2274, 2276, 2613,	942, 945, 946, 949,
6194, 6250, 6256,	2635, 2658, 3121,	959, 970, 981, 989,
6259, 6421, 6462,	3128, 3134, 3140,	993, 1002, 1021,
6472, 6550, 6559,	3506, 3651, 3687,	1057, 1066, 1074,
6621, 6676, 6679,	3695, 3726, 3763,	1098, 1102, 1104,
6706, 6709, 6713,	4881, 4882, 5007,	1115, 1118, 1161,
6797, 6802, 6803,	9066, 9270, 9937,	1172, 1176, 1179,
6825, 6830, 6842,	10018, 12054,	1182, 1183, 1188,
6847, 7041, 7156,	14124, 14125,	1199, 1210, 1225,
8056, 8201, 8212,	14139, 14647,	1228, 1229, 1232,
9149, 9152, 9155,	14859, 14863,	1242, 1246, 1247,
11275, 11278,	16930, 16936,	1251, 1272, 1308,
12002, 12020,	18007, 18538,	1317, 1325, 1349,
13682, 14146,	18548, 18569,	1353, 1355, 1366,
14153, 14258,	18700, 18706,	1369, 1406, 1411,
14260, 14261,	18710, 18716,	1412, 1425, 1431,
14262, 14376,	18720, 18724,	1432, 1433, 1435,
14397, 14685,	18728, 18732,	1436, 1439, 1440,
14691, 14819,	18980, 19431,	1441, 1443, 1444,
16050, 16057,	22344, 22345,	1445, 1446, 1447,
16088, 16095,	22370, 22376,	1448, 1449, 1452,
16128, 16159,	22572, 23939,	1453, 1454, 1474,
16190, 16570,	24391, 24397,	1475, 1476, 1477,
16904, 16907,	24401, 24407,	1478, 1479, 1481,
18333, 18495,	24411, 24416,	1482, 1483, 1484,
18931, 19875,	24420, 24425,	1485, 1558, 1566,
19918, 20112,	24501, 24509,	1649, 1679, 1702,
20392, 20447,	24510, 24686, 24687	1723, 1744, 1921,
20456, 20842,	\eightcolumnfootnotes	1938, 1959, 1997,
21143, 21198, 12968	2009, 2036, 2037,
21207, 21605,	\eject 14790, 14859, 14879	2047, 2053, 2086,
21898, 21953,	\else 4, 12,	2094, 2103, 2111,
21962, 22354,	13, 25, 37, 88, 105,	2149, 2178, 2263,
22379, 22393,	117, 135, 137, 152,	2278, 2299, 2349,
22411, 22466,	156, 160, 168, 176,	2352, 2420, 2446,
22473, 22486,	183, 192, 210, 218,	2472, 2499, 2513,
22984, 23333,	219, 235, 251, 302,	2535, 2552, 2576,
23355, 23516,	317, 321, 352, 365,	2628, 2669, 2709,
23549, 23556,	366, 367, 369, 370,	2736, 2739, 2744,
23561, 23648,	373, 374, 375, 377,	2751, 2769, 2792,
23799, 23835,	378, 379, 380, 381,	2812, 2828, 2836,
23939, 24052,	384, 385, 386, 425,	2855, 3015, 3062,
24289, 24294,	432, 433, 502, 513,	3126, 3132, 3138,
24303, 24318,	516, 565, 582, 585,	3215, 3233, 3245,
24322, 24332,	586, 605, 608, 612,	3252, 3263, 3323,
24337, 24346,	615, 621, 642, 653,	3325, 3359, 3425,
24352, 24365,	658, 669, 673, 681,	3442, 3448, 3452,
24369, 24596,	685, 686, 690, 694,	3458, 3464, 3468,
24697, 24761, 24775	697, 698, 703, 714,	3472, 3519, 3526,



3549, 3577, 3617,
3634, 3641, 3652,
3662, 3701, 3716,
3723, 3741, 3764,
3813, 3824, 3834,
3855, 3862, 3910,
3919, 3929, 3950,
3957, 3992, 4001,
4012, 4020, 4031,
4045, 4269, 4271,
4280, 4291, 4294,
4297, 4392, 4395,
4421, 4433, 4484,
4498, 4500, 4509,
4519, 4827, 4833,
4839, 4854, 4937,
4945, 4950, 4960,
5199, 5200, 5201,
5203, 5239, 5273,
5330, 5339, 5342,
5350, 5356, 5377,
5380, 5399, 5407,
5423, 5431, 5447,
5534, 5542, 5548,
5554, 5560, 5566,
5572, 5578, 5584,
5600, 5606, 5614,
5624, 5632, 5640,
5644, 5650, 5658,
5662, 5684, 5691,
5744, 5769, 5798,
5823, 5855, 5889,
5918, 5953, 6149,
6483, 6496, 6497,
6510, 6511, 6513,
6515, 6523, 6525,
6547, 6561, 6614,
6618, 6624, 6630,
6670, 6839, 6848,
7191, 7222, 7241,
7257, 7404, 7410,
7605, 7608, 7611,
7614, 7644, 7872,
7878, 7910, 7916,
7922, 7960, 7966,
8145, 8542, 8543,
8831, 8916, 8969,
8982, 8991, 9081,
9102, 9127, 9200,
9220, 9221, 9236,
9241, 9245, 9287,
9298, 9302, 9305,
9308, 9309, 9314,
9325, 9334, 9348,

9351, 9352, 9356,
9368, 9425, 9434,
9442, 9465, 9476,
9480, 9483, 9486,
9487, 9492, 9503,
9512, 9526, 9529,
9530, 9534, 9558,
9603, 9612, 9620,
9642, 9653, 9655,
9676, 9687, 9728,
9739, 9742, 9793,
9808, 9811, 9812,
9841, 9855, 9864,
9872, 9896, 9926,
9952, 9977, 9984,
10033, 10038,
10076, 10077,
10083, 10103,
10126, 10149,
10172, 10197,
10198, 10200,
10212, 10217,
10219, 10221,
10241, 10246,
10264, 10280,
10304, 10309,
10323, 10339,
10358, 10374,
10395, 10435,
10446, 10460,
10463, 10469,
10501, 10509,
10512, 10515,
10531, 10534,
10537, 10562,
10591, 10625,
10629, 10644,
10652, 10744,
10826, 10840,
10885, 10889,
10891, 10906,
10910, 10912,
10921, 10926,
10935, 10946,
10950, 10958,
10978, 10983,
10992, 11000,
11004, 11010,
11030, 11044,
11051, 11067,
11073, 11089,
11096, 11158,
11168, 11171,
11174, 11194,

11197, 11200,
11204, 11228,
11310, 11325,
11340, 11341,
11342, 11343,
11370, 11386,
11389, 11390,
11400, 11409,
11412, 11416,
11419, 11425,
11484, 11495,
11498, 11581,
11592, 11595,
11643, 11666,
11681, 11690,
11697, 11718,
11719, 11721,
11726, 11732,
11734, 11738,
11819, 11862,
11932, 11935,
11944, 11947,
11956, 11959,
11995, 11999,
12006, 12017,
12024, 12046,
12120, 12123,
12171, 12178,
12181, 12267,
12270, 12315,
12322, 12325,
12408, 12411,
12459, 12466,
12469, 12555,
12558, 12606,
12613, 12616,
12702, 12705,
12753, 12760,
12763, 12849,
12852, 12900,
12907, 12910,
12996, 12999,
13047, 13054,
13057, 13143,
13146, 13194,
13201, 13204,
13290, 13293,
13341, 13348,
13351, 13505,
13519, 13554,
13609, 13616,
13717, 13758,
13770, 13781,
13794, 13828,



13843,	13846,	15452,	15459,	16547,	16563,
13847,	13854,	15462,	15495,	16585,	16586,
13866,	13884,	15501,	15505,	16588,	16593,
13934,	13945,	15533,	15542,	16609,	16628,
13948,	14007,	15546,	15591,	16638,	16646,
14048,	14053,	15594,	15600,	16658,	16665,
14084,	14089,	15601,	15604,	16690,	16701,
14114,	14127,	15611,	15613,	16719,	16729,
14144,	14172,	15619,	15630,	16735,	16772,
14176,	14197,	15638,	15640,	16790,	16791,
14303,	14337,	15641,	15642,	16792,	16793,
14362,	14386,	15645,	15650,	16817,	16868,
14469,	14472,	15656,	15658,	16878,	16913,
14512,	14563,	15659,	15660,	16928,	16932,
14603,	14606,	15663,	15673,	16949,	16963,
14621,	14639,	15675,	15688,	16970,	17041,
14713,	14716,	15694,	15697,	17664,	17667,
14725,	14728,	15701,	15707,	17678,	17679,
14737,	14740,	15710,	15713,	17680,	17681,
14750,	14768,	15719,	15724,	17682,	17683,
14770,	14786,	15727,	15731,	17712,	17728,
14791,	14811,	15733,	15736,	17734,	17740,
14840,	14846,	15740,	15742,	17765,	17775,
14862,	14869,	15744,	15748,	17797,	17815,
14874,	14887,	15753,	15757,	17831,	17844,
14917,	14951,	15764,	15769,	17857,	17861,
14956,	15000,	15773,	15780,	17915,	17931,
15005,	15039,	15785,	15789,	17944,	17957,
15040,	15045,	15793,	15795,	17961,	18017,
15062,	15063,	15798,	15802,	18025,	18031,
15065,	15073,	15804,	15806,	18040,	18042,
15074,	15084,	15810,	15814,	18046,	18047,
15103,	15107,	15818,	15824,	18052,	18054,
15109,	15118,	15827,	15831,	18059,	18064,
15120,	15128,	15837,	15840,	18066,	18071,
15143,	15167,	15843,	15849,	18081,	18094,
15169,	15172,	15864,	15874,	18156,	18179,
15173,	15174,	15883,	15894,	18184,	18189,
15180,	15182,	15914,	15925,	18223,	18305,
15190,	15196,	15936,	15954,	18310,	18343,
15199,	15202,	15965,	15976,	18349,	18357,
15209,	15216,	15987,	16002,	18360,	18392,
15218,	15224,	16017,	16077,	18426,	18437,
15228,	15231,	16115,	16148,	18485,	18492,
15236,	15242,	16179,	16210,	18550,	18564,
15245,	15258,	16263,	16275,	18598,	18624,
15261,	15264,	16278,	16295,	18662,	18663,
15270,	15277,	16304,	16314,	18664,	18690,
15287,	15300,	16329,	16337,	18744,	18745,
15309,	15317,	16346,	16360,	18748,	18752,
15324,	15327,	16375,	16389,	18753,	18756,
15330,	15351,	16401,	16496,	18758,	18764,
15367,	15394,	16514,	16535,	18782,	18783,
15395,	15397,	16538,	16546,	18791,	18802,



18816,	18822,	20023,	20031,	21133,	21148,
18831,	18833,	20043,	20056,	21164,	21174,
18839,	18850,	20059,	20069,	21181,	21182,
18852,	18863,	20085,	20092,	21183,	21185,
18865,	18876,	20099,	20137,	21219,	21222,
18878,	18887,	20152,	20156,	21248,	21254,
18889,	18908,	20159,	20166,	21299,	21310,
18928,	18942,	20173,	20179,	21320,	21348,
18943,	18948,	20200,	20216,	21397,	21515,
18959,	18963,	20217,	20224,	21523,	21535,
18971,	18975,	20233,	20240,	21548,	21552,
18976,	18980,	20242,	20246,	21562,	21578,
18984,	18987,	20252,	20259,	21585,	21592,
18988,	18993,	20275,	20276,	21630,	21645,
19004,	19013,	20280,	20281,	21649,	21652,
19027,	19030,	20287,	20289,	21659,	21666,
19031,	19035,	20290,	20294,	21672,	21693,
19053,	19100,	20295,	20302,	21709,	21710,
19109,	19117,	20304,	20305,	21717,	21726,
19141,	19145,	20309,	20310,	21733,	21735,
19147,	19158,	20317,	20354,	21739,	21745,
19161,	19204,	20355,	20368,	21752,	21768,
19215,	19239,	20370,	20382,	21769,	21773,
19248,	19256,	20397,	20413,	21774,	21780,
19282,	19286,	20423,	20430,	21782,	21783,
19288,	19299,	20431,	20432,	21787,	21788,
19302,	19343,	20434,	20468,	21795,	21797,
19348,	19349,	20471,	20497,	21798,	21802,
19357,	19360,	20503,	20548,	21803,	21810,
19361,	19366,	20559,	20569,	21847,	21874,
19377,	19386,	20596,	20645,	21875,	21888,
19400,	19403,	20752,	20760,	21903,	21919,
19404,	19408,	20772,	20785,	21929,	21936,
19414,	19422,	20789,	20799,	21937,	21938,
19426,	19427,	20815,	20822,	21940,	21974,
19431,	19447,	20829,	20867,	21977,	22003,
19477,	19528,	20882,	20886,	22009,	22054,
19544,	19547,	20889,	20896,	22065,	22075,
19593,	19608,	20903,	20909,	22103,	22152,
19611,	19612,	20930,	20946,	22248,	22251,
19617,	19618,	20947,	20954,	22258,	22267,
19643,	19665,	20963,	20970,	22274,	22312,
19676,	19716,	20972,	20976,	22329,	22362,
19727,	19730,	20982,	20989,	22375,	22383,
19780,	19795,	21005,	21006,	22396,	22401,
19798,	19799,	21010,	21011,	22480,	22481,
19828,	19840,	21017,	21019,	22482,	22484,
19850,	19883,	21020,	21024,	22485,	22488,
19928,	19962,	21025,	21032,	22489,	22490,
19964,	19968,	21034,	21035,	22491,	22492,
19972,	19974,	21039,	21040,	22493,	22494,
19979,	19983,	21047,	21084,	22496,	22497,
19986,	19990,	21089,	21111,	22498,	22499,
19992,	19996,	21119,	21120,	22500,	22503,



22504,	22505,	23957,	23963,	24772,	24782,
22551,	22574,	23969,	23972,	24802,	24807,
22597,	22614,	23983,	24021,	24849,	24854,
22621,	22623,	24023,	24028,	24879,	24885,
22628,	22633,	24037,	24042,	24900,	24906,
22634,	22637,	24044,	24051,	24944,	24950,
22642,	22646,	24058,	24089,	24988,	24990,
22647,	22663,	24096,	24101,	25000,	25016,
22689,	22693,	24107,	24118,	25018,	25021,
22703,	22709,	24121,	24132,	25025,	25034,
22715,	22720,	24139,	24153,	25063,	25066,
22726,	22736,	24203,	24210,	25069,	25075,
22740,	22750,	24211,	24213,	25096,	25112,
22758,	22763,	24221,	24229,	25132, 25139, 25140	
22764,	22765,	24231,	24232,	\em	8635
22773,	22780,	24243,	24247,	\email	334, 5135
22794,	22795,	24252,	24261,	\emaillink	
22796,	22804,	24267,	24275,	. 5217, 10759, 10857	
22813,	22817,	24279,	24288,	\emailsymbol	
22818,	22819,	24307,	24312,	. 5095, 10759, 10857	
22827,	22834,	24331,	24356,	\empty	14700,
22835,	22836,	24361,	24381,	14703, 15591, 22282	
22844,	22851,	24427,	24428,	\EmptyTokenList . . .	6665
22852,	22853,	24455,	24456,	\end	180, 187, 481,
22861,	22868,	24459,	24463,	484, 487, 552, 555,	
22869,	22870,	24464,	24533,	816, 824, 827, 897,	
22878,	22885,	24552,	24555,	900, 1069, 1077,	
22886,	22887,	24560,	24563,	1080, 1150, 1153,	
22895,	22902,	24566,	24569,	1320, 1328, 1331,	
22903,	22904,	24572,	24586,	1402, 1405, 1410,	
22912,	22920,	24594,	24599,	1411, 1412, 1617,	
22921,	22922,	24600,	24601,	1798, 1879, 1916,	
22930,	22939,	24611,	24612,	1953, 1967, 2046,	
22940,	22941,	24614,	24620,	2247, 2252, 2284,	
22949,	22959,	24621,	24623,	2506, 2575, 2588,	
22960,	22961,	24629,	24630,	2700, 2768, 2772,	
22969,	22979,	24632,	24638,	2791, 2795, 2811,	
22994,	22995,	24639,	24641,	2815, 2919, 2934,	
22996,	23004,	24649,	24650,	2949, 3013, 3040,	
23026,	23044,	24651,	24652,	3049, 3055, 3071,	
23045,	23046,	24655,	24658,	3077, 3083, 3123,	
23184,	23296,	24661,	24662,	3129, 3135, 3141,	
23316,	23326,	24663,	24664,	3220, 3236, 3275,	
23332,	23336,	24665,	24667,	3357, 3358, 3364,	
23384,	23388,	24669,	24670,	3365, 3380, 3388,	
23501,	23825,	24674,	24676,	3457, 3477, 3493,	
23839,	23843,	24690,	24707,	3496, 3507, 3523,	
23866,	23881,	24712,	24713,	3530, 3552, 3553,	
23891,	23895,	24714,	24715,	3567, 3570, 3573,	
23905,	23906,	24716,	24717,	3582, 3585, 3655,	
23907,	23908,	24718,	24719,	3669, 3720, 3727,	
23913,	23915,	24722,	24723,	3769, 3778, 3784,	
23916,	23924,	24727,	24729,	3785, 3819, 3820,	
23930,	23947,	24734,	24763,	3821, 3829, 3839,	



3850, 3867, 3877,	19262,	19339,	2390, 2423, 2449,
3878, 3879, 3903,	19342,	19347,	2475, 2494, 2523,
3904, 3905, 3915,	19348,	19349,	4844, 4845, 4859,
3925, 3935, 3946,	19507,	19510,	4860, 4886, 4889,
3961, 3971, 3972,	19513,	19585,	4892, 4908, 4916,
3973, 3988, 3997,	19695,	19698,	4924, 4979, 5293,
4016, 4035, 4037,	19701,	19766,	5296, 5299, 5301,
4581, 4776, 4787,	19769,	19871,	5304, 5306, 5309,
4788, 5183, 5185,	19914,	20101,	5317, 5318, 5323,
5187, 5189, 5191,	20169,	20186,	5348, 5349, 5351,
5195, 5203, 5206,	20194,	20209,	5353, 5355, 5358,
5256, 5391, 5399,	20213,	20241,	5359, 5364, 5365,
5401, 5402, 5408,	20378,	20831,	5394, 5395, 5418,
5415, 5423, 5425,	20899,	20916,	5419, 5446, 5468,
5426, 5432, 6370,	20924,	20939,	5472, 5483, 5487,
6371, 6392, 6416,	20943,	20971,	5491, 5495, 5505,
7444, 7445, 7450,	21129,	21594,	5513, 5521, 5529,
7453, 7530, 7531,	21662,	21679,	5531, 5533, 5537,
7538, 7539, 7546,	21687,	21702,	5538, 5595, 5609,
7547, 7567, 7568,	21706,	21734,	5619, 5630, 5636,
7606, 7609, 7612,	21884,	22435,	5637, 5679, 5689,
7615, 7622, 7623,	22661,	24093,	5695, 5696, 5698,
7806, 7807, 8426,	24100,	24110,	5699, 5701, 5702,
8482, 8489, 8496,	24115,	24128,	5704, 5706, 5708,
8503, 8510, 8521,	24135,	24138,	5710, 5913, 5914,
8529, 8656, 8657,	24157,	24174,	5916, 5917, 5920,
8793, 8836, 8858,	24181, 24187, 24189		5921, 5930, 5931,
9242, 9437, 9445,	\end@dblfloat 19958		5965, 5966, 5988,
9448, 9615, 9623,	\end@float		5989, 6044, 6045,
9626, 9655, 9667,	.. 7470, 7799, 19909		6046, 6047, 6053,
9707, 9710, 9713,	\end@rot@dblfloat . 19913		6054, 6055, 6056,
9778, 9781, 10102,	\end@rot@float		6201, 6372, 6373,
10112, 10125,	. 19870, 19911, 19912		6375, 6386, 6387,
10135, 10148,	\endarray	399,	6389, 6400, 6410,
10158, 10171,	438, 1419, 1420,		6419, 6420, 6421,
10181, 10738,	22370, 22374, 24501		6422, 6432, 6445,
10847, 10859,	\endBCmd	4778	6469, 6474, 6478,
10867, 11272,	\endbeamer@columnenv		6494, 6512, 6514,
11346, 11465, 2248		6522, 6524, 6533,
11468, 11471,	\endbeamer@putright		6534, 6614, 6618,
11530, 11533,	... 3155, 3167, 3179		6651, 6653, 6664,
11560, 11563,	\endbeamer@boxesrounded		6665, 6679, 6687,
11566, 11631, 1982		6689, 6716, 6737,
11634, 11723,	\endbidi@switch ...		6774, 6775, 6776,
13915, 13918,	... 6571, 6575, 6576		6792, 6793, 6794,
13921, 13980,	\endbidi@tabular@RTLcases		6795, 7627, 7628,
13983, 14126,	. 24501, 24509, 24516		7635, 7636, 8228,
15648, 15666,	\endcolumn	2248	8246, 8264, 8295,
15768, 15784,	\endcsname ... 8, 45,		8324, 8353, 8595,
15875, 16590,	59, 75, 167, 169,		9121, 9149, 9152,
17799, 19112,	199, 214, 259, 273,		9155, 9169, 9176,
19120, 19123,	288, 345, 346, 402,		9183, 9191, 9192,
19193, 19196,	1421, 2308, 2325,		9230, 9255, 9256,
19251, 19259,	2342, 2358, 2374,		10046, 10052,



10060,	10067,	16193,	16542,	23726,	23732,
11826,	11840,	17784,	17785,	23734,	23737,
11854,	11867,	17792,	18329,	23741,	23746,
11879,	11891,	18339,	18353,	23750,	23754,
12128,	12138,	18400,	18401,	23768,	23772,
12148,	12186,	18402,	18403,	23775,	23779,
12199,	12212,	18404,	18405,	23784,	23788,
12275,	12284,	20006,	20010,	23793,	23795,
12293,	12330,	20014,	20098,	23796,	23799,
12342,	12354,	20322,	20612,	23803,	23850,
12416,	12426,	20629,	20631,	23851,	23853,
12436,	12474,	20633,	20636,	23855,	23860,
12487,	12500,	20642,	20650,	23862,	23864,
12563,	12573,	20652,	20654,	23868,	23871,
12583,	12621,	20660,	20662,	23872,	23875,
12634,	12647,	20735,	20739,	23876,	23885,
12710,	12720,	20743,	20828,	23887,	23889,
12730,	12768,	21052,	21364,	23893,	23897,
12781,	12794,	21381,	21383,	23898,	23951,
12857,	12867,	21385,	21388,	23953,	23955,
12877,	12915,	21394,	21402,	23959,	23979,
12928,	12941,	21404,	21407,	23980,	23988,
13004,	13014,	21413,	21415,	23992,	23996,
13024,	13062,	21498,	21502,	24000,	24004,
13075,	13088,	21506,	21591,	24008,	24012,
13151,	13161,	21815,	22119,	24016,	24054,
13171,	13209,	22136,	22138,	24055,	24057,
13222,	13235,	22140,	22143,	24060,	24061,
13298,	13308,	22149,	22157,	24065,	24539,
13318,	13356,	22159,	22162,	24604,	24688,
13369,	13382,	22168,	22170,	24749,	24762, 24764
13563,	13575,	22346,	22372,	\enddocument . . 6325,	
13587,	13624,	22374,	22406,	6331, 6338, 6355	
13638,	13652,	22428,	22430,	\endflushleft . 4798, 4806	
14002,	14146,	22446,	22447,	\endgraf 16871, 16887,	
14148,	14153,	22467,	22474,	20598, 21350, 22105	
14155,	14259,	22719,	22984,	\endgroup 17, 128, 223,	
14260,	14261,	22985,	23001,	322, 329, 396, 423,	
14262,	14264,	23002,	23003,	522, 574, 588, 723,	
14266,	14267,	23010,	23012,	745, 871, 948, 968,	
14268,	14269,	23013,	23066,	1124, 1208, 1231,	
14271,	14272,	23067,	23225,	1375, 1545, 2192,	
14273,	14359,	23226,	23330,	2232, 2425, 2451,	
14383,	14401,	23355,	23382,	2477, 2507, 2574,	
14488,	14497,	23386,	23390,	2587, 4626, 4910,	
14520,	14537,	23447,	23499,	4918, 4926, 5346,	
14553,	14582,	23502,	23516,	5385, 5404, 5428,	
14597,	14612,	23532,	23533,	5688, 5713, 6069,	
14659,	14674,	23549,	23556,	6088, 6133, 6147,	
15882,	15885,	23561,	23579,	6157, 6174, 6227,	
15887,	15891,	23580,	23592,	6300, 6436, 6642,	
15895,	15909,	23593,	23648,	6644, 6680, 6685,	
15920,	15931,	23703,	23705,	6694, 6852, 7158,	
16131,	16162,	23707,	23723,	7637, 8064, 8066,	



8297, 8326, 8355,	24347, 24366,	1420, 1538, 3381,
8732, 8749, 8765,	24499, 24832,	3389, 3397, 3569,
8776, 8816, 9135,	24875, 25042, 25052	4881, 4882, 9931,
9171, 9178, 9185,	\endinput 462,	10018, 10034,
9243, 9332, 9355,	10090, 22655, 22739	10039, 10041,
9510, 9533, 9748,	\endL 184,	10073, 11155,
9800, 9815, 10025,	1549, 2034, 3155,	12082, 14144,
10287, 10346,	3167, 3179, 4314,	15169, 15174,
11184, 11214,	4535, 5228, 10029,	15231, 15270,
11392, 11405,	10038, 10039,	15277, 15395,
11504, 11601,	10048, 10054,	15459, 15501,
11650, 13483,	10073, 12085,	15542, 15888,
13494, 13535,	14021, 14125,	15896, 16278,
13546, 13835,	14139, 14302,	16314, 16346,
13850, 13954,	15172, 15180,	16375, 16401,
14069, 14109,	15199, 15209,	16411, 16414,
14194, 14215,	15224, 15245,	16581, 16715,
14490, 14499,	15367, 15397,	16865, 16930,
14661, 14676,	15462, 15505,	16936, 16980,
14762, 14803,	15546, 16275,	17073, 17081,
14834, 14979,	16715, 18550,	17272, 17598,
15032, 15210,	18555, 18696,	17762, 17764,
15225, 15873,	18715, 18803,	18565, 18697,
15911, 15922,	19968, 19979,	18705, 18784,
15933, 15944,	19986, 19996,	18785, 18786,
16045, 16070,	22524, 24279,	19964, 19974,
16108, 16141,	24280, 24319,	19983, 19992,
16172, 16203,	24323, 24376,	20487, 21238,
16551, 16574,	24387, 24406,	21993, 22344,
16748, 16840,	25021, 25096, 25112	22345, 22370,
17675, 17793,	\endlist 97, 311,	22376, 22523,
17893, 17990,	638, 770, 1002,	24276, 24280,
18197, 18201,	1035, 1286, 2689,	24282, 24376,
18205, 18536,	8620, 8628, 8633,	24388, 24396,
18541, 18543,	9382, 9572, 9889,	24509, 24654,
18546, 18551,	11439, 11714,	24657, 24660,
18798, 18805,	13898, 16505,	24675, 24686,
19011, 19034,	18324, 19067,	24687, 25021,
19167, 19308,	19461, 19660,	25034, 25036,
19384, 19407,	19867, 20421,	25096, 25112,
19553, 19600,	21172, 21927, 22680	25131, 25134, 25142
19615, 19736,	\endlooprepeat	\endrotate 19973
19787, 19802, 6779, 6808, 6815	\endRTL 18737, 24440, 24448
20113, 20319,	\endLTR 18735, 24430, 24438	\ends@math 9923
20379, 20474,	\endMakeFramed . . . 14776	\endsideways 19991
20843, 21049,	\endmath 9923	\endsidewaysfigure 19911
21130, 21225,	\endmdf@lrbox 17026	\endsidewaysstable 19912
21606, 21812,	\endminipage	\endstabular 22344, 22346
21885, 21980,	. 12041, 14636, 22528	\endstrip 18006
22449, 22570,	\endmodernpoem 9256	\endtabular 399, 402,
22602, 22786,	\endpgfpicture . . . 18504	1420, 1421, 4881,
23206, 23320,	\endpspicture 18797, 18807	22370, 22372,
23833, 23961,	\endR . . . 182, 348, 360,	22456, 24686, 24688
24271, 24304,	399, 444, 1419,	\endtabularx



. 22407, 22436, 22447	\eqstyle 9898	18695, 18903,
\endtcblrbox 22528, 22529	\equal 5193,	19010, 19383,
\endtcbsavebox . . 22529	5210, 5214, 5218,	19599, 19786,
\endtcbvbox 22539	7458, 7492, 7503,	22779, 22783,
\endtitlepage . . 680,	7535, 7536, 7552,	23318, 24382,
988, 1241, 9364,	7593, 7851, 8093,	24386, 24432,
9554, 18970, 19421	8094, 8112, 8113,	24442, 24938, 24982
\endtraditionalpoem 9192	8131, 8132, 8163,	\everyvbox . . . 1423,
\endtrivlist 14140	8164, 10846, 14250	1424, 18719,
\endturn 19963	\errmessage	18721, 18727,
\endwindow 18567	. . 4281, 4510, 18094	18729, 24410,
\enskip 23946, 23971	\ERROR 24773	24412, 24419, 24421
\enspace 320, 18561, 18563	\escapechar . . 5374,	\ExecuteDoHook 20019,
\ensuremath 4235	5460, 5465, 5476,	20041, 20748,
\env@RTLcases 24514, 24518	5480, 5713, 6461,	20770, 21511, 21533
\EQ 11219, 11225, 11226,	6466, 6468, 6470, 6483	\ExecuteOptions . . .
11230, 11231,	\ESO@isMEMOIR 11160	5044, 7322, 8703,
11240, 11241,	\ESO@tempdima . 11165,	8705, 10679, 10777
11243, 11245,	11166, 11167,	\exhyphenpenalty . .
11246, 11248,	11169, 11173, 672, 980,
11249, 11250,	11175, 11176,	1175, 9301, 9479,
11251, 11253,	11177, 11182,	18962, 19413, 19476
11254, 11255,	11189, 11193,	\exp 15417, 17149, 17152,
11267, 11270,	11195, 11199,	17206, 17381, 17435
11272, 11274,	11201, 11205, 11212	\expandafter . . . 167,
11275, 11277,	\ESO@tempdimb	199, 371, 402, 803,
11280, 11282,	. . 11180, 11182,	812, 820, 846,
11284, 11285,	11207, 11208,	849, 1056, 1065,
11287, 11288,	11209, 11210, 11212	1073, 1099, 1102,
11290, 11293,	\evenpage 4587, 4590,	1307, 1316, 1324,
11294, 11295,	4591, 4592, 4594,	1350, 1353, 1421,
11298, 11301,	4595, 4596, 4597, 4599	1437, 1519, 1520,
11309, 11316,	\evensidemargin . . .	1521, 1523, 2494,
11324, 11331,	. . . 4611, 11193,	2523, 2614, 3492,
11333, 11336,	11201, 15318,	4826, 4828, 4832,
11340, 11341,	15323, 15331,	4834, 4838, 4840,
11342, 11343,	20123, 20853,	4844, 4845, 4853,
11355, 11357, 11358	21616, 25062, 25070	4855, 4859, 4860,
\eq@addpunct 9928	\everycr 16844	4884, 4887, 4890,
\EQ@box 9933, 9939	\everydisplay 9893	4893, 4897, 4900,
\eq@group 9896, 9905	\everyhbox . . . 18699,	4903, 4954, 4955,
\eq@GRP@first@dmath 9905	18701, 18709,	5008, 5293, 5296,
\eq@if . . . 5463, 5464, 5466	18711, 24390,	5299, 5303, 5317,
\eq@isIntertext . . . 9943	24392, 24400, 24402	5346, 5347, 5352,
\eq@prelim . . . 9896, 9913	\everyjob 4230,	5363, 5388, 5390,
\eq@setnumber 9899	4233, 4477, 4479	5394, 5395, 5399,
\eq@setup@a 9901	\everymath 358	5402, 5412, 5414,
\eq@startup 9902	\everypar 572,	5418, 5419, 5423,
\eq@wdCond 9920	721, 966, 1206,	5426, 5446, 5448,
\eqnewif 4240,	7910, 7954, 7998,	5453, 5467, 5468,
4241, 4244, 4253, 5459	9331, 9509, 9799,	5471, 5472, 5482,
\eqno 339, 18780,	11649, 13834,	5483, 5486, 5487,
18782, 25137, 25139	14029, 16899,	5490, 5491, 5494,
\eqnumform 9931	16901, 18691,	5495, 5531, 5533,



5537, 5541, 5543,	10237,	10298,	21109,	21205,
5547, 5549, 5553,	10300,	12055,	21214,	21380,
5555, 5559, 5561,	14042,	14044,	21382,	21384,
5565, 5567, 5571,	14078,	14080,	21387,	21393,
5573, 5577, 5579,	14146,	14147,	21401,	21403,
5583, 5585, 5595,	14153,	14154,	21406,	21412,
5598, 5599, 5601,	14251,	14268,	21414,	21509,
5609, 5612, 5613,	14273,	14361,	21591,	21692,
5615, 5619, 5622,	14364,	14385,	21815,	21861,
5623, 5625, 5631,	14388,	14401,	21864,	21960,
5633, 5637, 5638,	14415,	14416,	21969,	22135,
5639, 5641, 5642,	14417,	14418,	22137,	22139,
5645, 5649, 5651,	14420,	14648,	22142,	22148,
5656, 5657, 5659,	14803,	14825,	22156,	22158,
5660, 5663, 5672,	14826,	14834,	22161,	22167,
5679, 5683, 5685,	14945,	14947,	22169,	22346,
5688, 5689, 5690,	14994,	14996,	22372,	22405,
5692, 5695, 5696,	15215,	15253,	22408,	22428,
5698, 5699, 5701,	15254,	15913,	22431,	22433,
5702, 5704, 5706,	15915,	15924,	22435,	22446,
5708, 5710, 5714,	15926,	15935,	22447,	22455,
5960, 5961, 5962,	15937,	16040,	22459,	22461,
5963, 5964, 5966,	16054,	16068,	22468,	22470,
5989, 5993, 6044,	16092,	16106,	22475,	22477,
6045, 6046, 6047,	16139,	16170,	22486,	22984,
6053, 6054, 6055,	16201,	16729,	22985,	23001,
6056, 6146, 6147,	16730,	16735,	23002,	23003,
6148, 6150, 6157,	16736,	16841,	23010,	23012,
6158, 6161, 6176,	16905,	16908,	23013,	23066,
6183, 6192, 6201,	17774,	17777,	23225,	23330,
6372, 6386, 6400,	17809,	17811,	23355,	23382,
6410, 6419, 6420,	17909,	17911,	23386,	23390,
6421, 6422, 6437,	18397,	18400,	23446,	23499,
6464, 6465, 6474,	18401,	18404,	23502,	23516,
6478, 6533, 6534,	18693,	19099,	23532,	23549,
6546, 6547, 6642,	19108,	19116,	23556,	23561,
6644, 6651, 6653,	19142,	19145,	23578,	23579,
6655, 6657, 6658,	19238,	19247,	23591,	23592,
6659, 6679, 6681,	19255,	19283,	23648,	23702,
6684, 6687, 6688,	19286,	19876,	23704,	23706,
6689, 6691, 6694,	19888,	19898,	23722,	23726,
6699, 6762, 6774,	19919,	19934,	23731,	23733,
6776, 6792, 6793,	19946,	20017,	23736,	23740,
6794, 6795, 6833,	20098,	20199,	23745,	23749,
6844, 6849, 6863,	20322,	20454,	23753,	23767,
8054, 8595, 9025,	20463,	20628,	23772,	23774,
9150, 9153, 9156,	20630,	20632,	23778,	23783,
9159, 9162, 9165,	20635,	20641,	23787,	23792,
9191, 9192, 9255,	20649,	20651,	23795,	23796,
9256, 9270, 9424,	20653,	20659,	23799,	23803,
9433, 9441, 9602,	20661,	20746,	23863,	23867,
9611, 9619, 9893,	20828,	20929,	23888,	23892,
10003, 10045,	21052,	21087,	23954,	23958,
10066, 10235,	21102,	21105,	24054,	24055,



24057, 24060,	\familynamestyle ..	14767, 14769, 14771
24061, 24064, 5115,	\fboxsep 2057,
24289, 24301,	10734, 10824, 10845	4727, 4794, 4803,
24304, 24312,	\FamilySetBool ... 23496	10034, 10035,
24313, 24332,	\fancy@oval 13999	10036, 10072,
24344, 24347,	\fancyfoot ... 5228,	14753, 14765,
24361, 24362,	7678, 7679, 10749	14767, 14769,
24366, 24384,	\fancyhead ... 7667,	14771, 24276,
24688, 24749,	7668, 7669, 8894,	24277, 24278, 24374
24761, 24796,	8895, 8906, 8907, 8908	\fcolorbox 4728
24798, 24843, 24845	\fancyhf . 5077, 7665,	\FeetAboveFloat ...
\ExplSyntaxOff . 460,	7674, 7684, 8892, 8903 13775, 13779
4203, 4363, 7122,	\fancyhfoffset 7658, 7659	\FeetAtBottom 13777
14335, 15576,	\fancypagestyle ...	\FeetBelowFloat .. 13776
16861, 18371, 18480 5074, 5227,	\FeetBelowRagged ..
\ExplSyntaxOn .. 403,	7673, 7683, 10748 13778, 13780
4074, 4332, 6895,	\FAX 5094	\ff@backcol 14262
14307, 15336,	\fax 5134	\ff@col 14260
16776, 18366, 18459	\faxsymbol	\ff@frametype 14258, 14269
\extrafeetendmini .	. 5094, 10758, 10856	\ff@txtcol
..... 12035, 12040	\fb@adjheight 14250, 14251, 14261
\extrafeetendminihook	. 14790, 14860, 14880	\fi 12, 13, 18, 25, 37, 88,
..... 12038, 12039	\fb@afterframe	99, 105, 108, 109,
\extrafeetins 11973, 11974	. 14785, 14810, 14868	110, 118, 135, 137,
\extrafeetinshook .	\FB@captype	143, 151, 155, 159,
..... 11978, 11979	. 14152, 14153, 14155	163, 170, 178, 185,
\extrafeetminihook 12034	\fb@frh . 14797, 14801,	194, 218, 219, 224,
\extrainfo 5136	14816, 14851, 14854	229, 235, 238, 239,
\extrarowheight ...	\fb@put@frame . 14779,	240, 251, 302, 317,
.. 406, 16810, 16818	14790, 14861, 14881	321, 340, 348, 360,
\extrarulesep 22399	\fb@putboxa .. 14784,	374, 375, 387, 388,
\extratitle	14809, 14867, 14884	392, 399, 425, 432,
. 20343, 21073, 21836	\fb@resto@set	433, 444, 515, 520,
	. 14819, 14859, 14863	558, 565, 573, 575,
	\fb@sizeofframe ...	582, 585, 586, 589,
 14792, 14814	605, 608, 612, 615,
	\FBifcaptop 16884	621, 644, 653, 660,
	\fbox 4778, 4788, 10072,	669, 673, 686, 689,
	11359, 15687,	690, 691, 697, 698,
	15693, 15700,	703, 706, 714, 722,
	15706, 15712,	724, 731, 732, 739,
	15718, 15726,	742, 743, 748, 756,
	15730, 15735,	796, 806, 815, 823,
	15739, 15743,	847, 849, 864, 869,
	15747, 15762,	903, 910, 919, 925,
	15763, 15778,	926, 932, 935, 942,
	15779, 15788,	945, 946, 951, 959,
	15792, 15797,	967, 969, 976, 977,
	15801, 15805,	981, 1001, 1002,
	15809, 15817,	1003, 1021, 1049,
	15823, 15830,	1059, 1068, 1076,
	15836, 15842, 15848	1100, 1102, 1117,
\familynamefont 5107,	\fboxrule 4726, 14753,	1122, 1156, 1163,
5115, 10723, 10817	14759, 14765,	1172, 1176, 1182,

F

\f@nch@align@h 14031, 14032
\f@nch@everypar .. 14029	
\f@nch@parbox@align@hl 14031
\f@nch@parbox@align@hr 14032
\f@size 359	
\fakeslideentry ... 2752	
\FamilyKeyState .. 23497	
\FamilyKeyStateProcessed 23497
\familyname 5129	
\familynamecolour .	
. 5098, 10683, 10781	
\familynamefont 5107,	
5115, 10723, 10817	



1183, 1188, 1191,
1199, 1207, 1209,
1216, 1217, 1225,
1228, 1229, 1234,
1247, 1250, 1251,
1252, 1272, 1300,
1310, 1319, 1327,
1351, 1353, 1368,
1373, 1411, 1412,
1414, 1417, 1419,
1420, 1425, 1428,
1440, 1441, 1455,
1456, 1470, 1478,
1479, 1485, 1486,
1490, 1495, 1498,
1503, 1506, 1514,
1515, 1524, 1525,
1537, 1538, 1549,
1560, 1568, 1652,
1657, 1682, 1690,
1705, 1713, 1726,
1734, 1747, 1755,
1926, 1930, 1940,
1971, 1999, 2002,
2011, 2017, 2019,
2024, 2025, 2026,
2027, 2029, 2031,
2032, 2033, 2036,
2037, 2050, 2052,
2063, 2066, 2068,
2088, 2096, 2097,
2105, 2113, 2140,
2154, 2169, 2183,
2277, 2278, 2299,
2349, 2352, 2365,
2381, 2427, 2453,
2479, 2508, 2513,
2538, 2546, 2555,
2562, 2589, 2646,
2669, 2689, 2712,
2716, 2738, 2743,
2748, 2750, 2753,
2773, 2796, 2816,
2830, 2838, 2857,
2979, 3019, 3064,
3130, 3136, 3142,
3219, 3235, 3247,
3254, 3269, 3323,
3325, 3330, 3336,
3366, 3371, 3377,
3378, 3380, 3381,
3386, 3388, 3389,
3394, 3396, 3397,
3428, 3446, 3455,

3456, 3466, 3475,
3476, 3478, 3479,
3480, 3521, 3528,
3551, 3569, 3580,
3583, 3608, 3619,
3636, 3644, 3650,
3654, 3657, 3664,
3705, 3707, 3718,
3725, 3743, 3766,
3815, 3826, 3837,
3840, 3857, 3864,
3913, 3922, 3932,
3952, 3959, 3995,
4004, 4011, 4014,
4023, 4030, 4033,
4047, 4234, 4272,
4273, 4280, 4281,
4293, 4299, 4300,
4376, 4387, 4394,
4397, 4405, 4432,
4443, 4444, 4486,
4501, 4502, 4509,
4510, 4521, 4541,
4543, 4573, 4829,
4835, 4841, 4856,
4877, 4881, 4882,
4884, 4940, 4941,
4947, 4962, 4963,
4966, 4969, 4972,
4976, 4977, 4985,
5199, 5200, 5201,
5203, 5231, 5239,
5270, 5271, 5272,
5276, 5277, 5278,
5287, 5314, 5332,
5341, 5344, 5345,
5360, 5361, 5383,
5384, 5399, 5409,
5423, 5433, 5442,
5449, 5536, 5544,
5550, 5556, 5562,
5568, 5574, 5580,
5586, 5602, 5606,
5616, 5626, 5634,
5643, 5646, 5652,
5661, 5664, 5686,
5693, 5738, 5742,
5748, 5749, 5767,
5773, 5774, 5792,
5796, 5802, 5803,
5821, 5827, 5828,
5849, 5853, 5859,
5860, 5887, 5893,
5894, 5922, 5955,

5990, 6151, 6326,
6329, 6372, 6386,
6400, 6410, 6438,
6483, 6488, 6493,
6496, 6497, 6498,
6506, 6516, 6518,
6526, 6533, 6536,
6540, 6547, 6552,
6563, 6575, 6576,
6614, 6618, 6625,
6629, 6631, 6670,
6762, 6796, 6834,
6840, 6844, 6849,
6863, 7159, 7196,
7229, 7246, 7262,
7406, 7412, 7605,
7608, 7611, 7614,
7633, 7644, 7874,
7883, 7910, 7918,
7927, 7962, 7971,
8147, 8204, 8206,
8216, 8542, 8543,
8660, 8661, 8662,
8840, 8918, 8970,
8983, 8991, 9022,
9023, 9078, 9079,
9083, 9090, 9095,
9104, 9133, 9141,
9143, 9198, 9200,
9204, 9223, 9225,
9226, 9227, 9238,
9240, 9241, 9250,
9252, 9289, 9298,
9302, 9308, 9309,
9314, 9317, 9325,
9333, 9340, 9341,
9348, 9351, 9352,
9358, 9368, 9401,
9403, 9405, 9417,
9427, 9436, 9444,
9467, 9476, 9480,
9486, 9487, 9492,
9495, 9503, 9511,
9518, 9519, 9526,
9529, 9530, 9536,
9558, 9579, 9581,
9583, 9595, 9605,
9614, 9622, 9642,
9648, 9649, 9653,
9655, 9678, 9687,
9741, 9746, 9784,
9793, 9801, 9808,
9811, 9812, 9816,
9828, 9830, 9832,



9841, 9847, 9848,
 9855, 9866, 9872,
 9892, 9894, 9895,
 9896, 9904, 9915,
 9917, 9926, 9931,
 9933, 9948, 9949,
 9950, 9952, 9954,
 9979, 9986, 9992,
 10004, 10005,
 10017, 10018,
 10029, 10033,
 10034, 10038,
 10039, 10041,
 10048, 10054,
 10073, 10076,
 10077, 10083,
 10088, 10113,
 10136, 10159,
 10182, 10197,
 10200, 10201,
 10217, 10221,
 10222, 10224,
 10245, 10270,
 10277, 10286,
 10288, 10308,
 10329, 10336,
 10345, 10347,
 10377, 10388,
 10389, 10397,
 10428, 10429,
 10437, 10442,
 10453, 10459,
 10466, 10467,
 10468, 10474,
 10475, 10476,
 10503, 10511,
 10517, 10518,
 10519, 10533,
 10539, 10540,
 10541, 10574,
 10588, 10600,
 10603, 10613,
 10627, 10635,
 10641, 10646,
 10648, 10649,
 10650, 10664,
 10699, 10706,
 10713, 10720,
 10745, 10794,
 10800, 10806,
 10812, 10826,
 10841, 10887,
 10890, 10891,
 10908, 10911,

10912, 10937,
 10953, 10954,
 10956, 10965,
 10974, 10975,
 10994, 11007,
 11008, 11017,
 11026, 11027,
 11030, 11046,
 11053, 11069,
 11075, 11091,
 11098, 11155,
 11158, 11170,
 11178, 11179,
 11182, 11196,
 11202, 11203,
 11206, 11212,
 11232, 11316,
 11331, 11340,
 11341, 11342,
 11343, 11373,
 11386, 11389,
 11390, 11393,
 11400, 11406,
 11409, 11412,
 11416, 11419,
 11425, 11497,
 11502, 11536,
 11594, 11599,
 11637, 11643,
 11651, 11653,
 11655, 11657,
 11666, 11672,
 11673, 11681,
 11692, 11697,
 11718, 11721,
 11724, 11726,
 11733, 11734,
 11738, 11764,
 11784, 11819,
 11862, 11937,
 11938, 11949,
 11950, 11961,
 11962, 11993,
 11994, 11995,
 12012, 12013,
 12030, 12031,
 12051, 12087,
 12122, 12123,
 12173, 12180,
 12181, 12269,
 12270, 12317,
 12324, 12325,
 12410, 12411,
 12461, 12468,

12469, 12557,
 12558, 12608,
 12615, 12616,
 12704, 12705,
 12755, 12762,
 12763, 12851,
 12852, 12902,
 12909, 12910,
 12998, 12999,
 13049, 13056,
 13057, 13145,
 13146, 13196,
 13203, 13204,
 13292, 13293,
 13343, 13350,
 13351, 13436,
 13490, 13507,
 13521, 13542,
 13556, 13611,
 13618, 13724,
 13760, 13772,
 13786, 13788,
 13795, 13828,
 13836, 13843,
 13846, 13847,
 13851, 13854,
 13859, 13866,
 13884, 13947,
 13952, 13986,
 13993, 13995,
 13997, 14007,
 14011, 14018,
 14019, 14020,
 14021, 14052,
 14068, 14070,
 14088, 14108,
 14110, 14121,
 14128, 14144,
 14167, 14175,
 14179, 14193,
 14200, 14277,
 14279, 14281,
 14290, 14292,
 14294, 14302,
 14305, 14337,
 14351, 14365,
 14389, 14474,
 14476, 14512,
 14565, 14573,
 14588, 14603,
 14606, 14620,
 14621, 14644,
 14718, 14719,
 14730, 14731,



14742,	14743,	15669,	15675,	16519,	16535,
14744,	14754,	15676,	15677,	16546,	16547,
14768,	14770,	15690,	15696,	16552,	16564,
14780,	14848,	15703,	15709,	16581,	16585,
14849,	14877,	15715,	15721,	16588,	16591,
14882,	14891,	15722,	15723,	16593,	16615,
14904,	14905,	15728,	15732,	16630,	16640,
14906,	14920,	15737,	15741,	16648,	16660,
14955,	14977,	15745,	15749,	16667,	16693,
14980,	15004,	15750,	15751,	16694,	16704,
15030,	15033,	15752,	15759,	16705,	16722,
15044,	15049,	15767,	15775,	16731,	16737,
15058,	15064,	15783,	15790,	16771,	16774,
15066,	15067,	15794,	15799,	16790,	16792,
15083,	15093,	15803,	15807,	16795,	16805,
15102,	15112,	15811,	15812,	16806,	16821,
15117,	15122,	15813,	15820,	16865,	16870,
15134,	15136,	15826,	15833,	16878,	16925,
15137,	15151,	15839,	15845,	16926,	16927,
15167,	15169,	15851,	15852,	16928,	16930,
15172,	15173,	15853,	15854,	16931,	16934,
15174,	15180,	15855,	15856,	16936,	16943,
15182,	15193,	15857,	15866,	16951,	16965,
15199,	15202,	15871,	15872,	16972,	16980,
15209,	15218,	15876,	15888,	16988,	16992,
15224,	15226,	15896,	15900,	17025,	17047,
15228,	15231,	15901,	15916,	17073,	17081,
15239,	15245,	15927,	15938,	17272,	17598,
15260,	15266,	15958,	15969,	17666,	17670,
15267,	15270,	15980,	15995,	17673,	17678,
15277,	15289,	16010,	16025,	17679,	17680,
15290,	15303,	16084,	16122,	17681,	17682,
15313,	15319,	16155,	16186,	17683,	17695,
15326,	15332,	16217,	16243,	17709,	17712,
15333,	15351,	16246,	16249,	17718,	17722,
15367,	15394,	16252,	16261,	17723,	17744,
15395,	15397,	16263,	16267,	17745,	17746,
15452,	15459,	16273,	16275,	17751,	17762,
15462,	15495,	16278,	16292,	17764,	17768,
15501,	15505,	16297,	16306,	17778,	17790,
15533,	15542,	16314,	16326,	17797,	17819,
15546,	15565,	16331,	16339,	17826,	17829,
15573,	15591,	16346,	16357,	17850,	17860,
15595,	15600,	16362,	16368,	17890,	17896,
15604,	15605,	16375,	16386,	17897,	17919,
15615,	15616,	16391,	16401,	17926,	17929,
15621,	15622,	16407,	16411,	17950,	17960,
15623,	15631,	16414,	16430,	17987,	17993,
15640,	15642,	16438,	16446,	17994,	17999,
15643,	15644,	16454,	16463,	18019,	18029,
15645,	15646,	16471,	16480,	18030,	18035,
15658,	15660,	16488,	16496,	18036,	18042,
15661,	15662,	16508,	16514,	18046,	18047,
15663,	15664,	16517,	16518,	18050,	18054,



18059,	18062,	18959,	18963,	19962,	19964,
18066,	18071,	18976,	18979,	19968,	19972,
18075,	18083,	18980,	18981,	19974,	19979,
18094,	18108,	18987,	18988,	19983,	19986,
18113,	18119,	18993,	18996,	19990,	19992,
18133,	18141,	19004,	19012,	19996,	20025,
18156,	18169,	19019,	19020,	20033,	20034,
18177,	18182,	19027,	19030,	20058,	20071,
18187,	18192,	19031,	19037,	20073,	20078,
18225,	18305,	19053,	19074,	20085,	20092,
18312,	18331,	19076,	19078,	20105,	20139,
18336,	18341,	19092,	19102,	20153,	20155,
18348,	18358,	19111,	19119,	20162,	20164,
18359,	18362,	19143,	19145,	20170,	20176,
18363,	18364,	19160,	19165,	20179,	20203,
18377,	18382,	19199,	19206,	20204,	20215,
18386,	18392,	19215,	19231,	20223,	20230,
18407,	18412,	19241,	19250,	20231,	20239,
18417,	18420,	19258,	19284,	20240,	20251,
18426,	18434,	19286,	19301,	20258,	20265,
18442,	18443,	19306,	19348,	20275,	20278,
18451,	18453,	19349,	19351,	20280,	20285,
18487,	18492,	19354,	19360,	20289,	20292,
18507,	18515,	19361,	19366,	20294,	20299,
18550,	18565,	19369,	19377,	20301,	20304,
18566,	18584,	19385,	19392,	20307,	20309,
18588,	18595,	19393,	19400,	20314,	20316,
18596,	18598,	19403,	19404,	20317,	20320,
18600,	18601,	19410,	19414,	20351,	20354,
18602,	18608,	19427,	19430,	20355,	20356,
18633,	18635,	19431,	19432,	20372,	20375,
18646,	18657,	19439,	19441,	20382,	20399,
18664,	18670,	19443,	19447,	20420,	20427,
18672,	18675,	19477,	19546,	20430,	20431,
18676,	18690,	19551,	19587,	20432,	20434,
18744,	18745,	19593,	19601,	20470,	20473,
18748,	18752,	19608,	19611,	20484,	20488,
18753,	18756,	19612,	19616,	20499,	20505,
18761,	18762,	19617,	19618,	20581,	20582,
18767,	18782,	19630,	19632,	20583,	20596,
18783,	18784,	19634,	19643,	20599,	20623,
18785,	18786,	19667,	19676,	20647,	20754,
18794,	18804,	19729,	19734,	20762,	20763,
18818,	18824,	19772,	19780,	20787,	20801,
18831,	18833,	19788,	19795,	20803,	20808,
18837,	18839,	19798,	19799,	20815,	20822,
18848,	18850,	19803,	19815,	20835,	20869,
18852,	18861,	19817,	19819,	20883,	20885,
18863,	18865,	19828,	19833,	20892,	20894,
18874,	18876,	19840,	19850,	20900,	20906,
18878,	18887,	19885,	19889,	20909,	20933,
18889,	18910,	19899,	19930,	20934,	20945,
18930,	18942,	19935,	19936,	20953,	20960,
18943,	18950,	19947,	19948,	20961,	20969,



20970,	20981,	21936,	21937,	22887,	22895,
20988,	20995,	21938,	21940,	22898,	22902,
21005,	21008,	21976,	21979,	22903,	22904,
21010,	21015,	21990,	21994,	22912,	22915,
21019,	21022,	22005,	22011,	22920,	22921,
21024,	21029,	22087,	22088,	22922,	22930,
21031,	21034,	22089,	22103,	22933,	22939,
21037,	21039,	22106,	22130,	22940,	22941,
21044,	21046,	22154,	22249,	22949,	22952,
21047,	21050,	22252,	22262,	22959,	22960,
21081,	21084,	22269,	22276,	22961,	22969,
21085,	21088,	22319,	22335,	22972,	22986,
21091,	21104,	22340,	22344,	22994,	22995,
21107,	21110,	22345,	22362,	22996,	23004,
21113,	21122,	22370,	22376,	23007,	23029,
21126,	21133,	22383,	22390,	23044,	23045,
21150,	21171,	22396,	22401,	23046,	23187,
21178,	21181,	22432,	22489,	23207,	23299,
21182,	21183,	22490,	22506,	23316,	23319,
21185,	21221,	22507,	22523,	23321,	23357,
21224,	21235,	22555,	22563,	23358,	23360,
21239,	21250,	22574,	22590,	23362,	23392,
21256,	21332,	22597,	22599,	23393,	23394,
21333,	21334,	22614,	22625,	23401,	23417,
21348,	21351,	22628,	22635,	23433,	23456,
21375,	21399,	22636,	22637,	23504,	23505,
21517,	21525,	22642,	22646,	23832,	23834,
21526,	21550,	22647,	22663,	23841,	23843,
21564,	21566,	22688,	22695,	23856,	23857,
21571,	21578,	22713,	22714,	23858,	23865,
21585,	21598,	22730,	22731,	23869,	23874,
21632,	21646,	22732,	22736,	23878,	23884,
21648,	21655,	22737,	22740,	23890,	23894,
21657,	21663,	22748,	22752,	23900,	23903,
21669,	21672,	22753,	22754,	23905,	23906,
21696,	21697,	22760,	22763,	23907,	23910,
21708,	21716,	22764,	22765,	23913,	23916,
21723,	21724,	22773,	22784,	23917,	23926,
21732,	21733,	22785,	22787,	23932,	23941,
21744,	21751,	22788,	22794,	23942,	23950,
21758,	21768,	22795,	22796,	23956,	23960,
21771,	21773,	22804,	22807,	23963,	23964,
21778,	21782,	22808,	22816,	23975,	23976,
21785,	21787,	22817,	22818,	23986,	23987,
21792,	21794,	22819,	22827,	23991,	23995,
21797,	21800,	22830,	22834,	23999,	24003,
21802,	21807,	22835,	22836,	24007,	24011,
21809,	21810,	22844,	22847,	24015,	24019,
21813,	21844,	22851,	22852,	24023,	24028,
21847,	21848,	22853,	22861,	24036,	24039,
21863,	21866,	22864,	22868,	24046,	24047,
21877,	21881,	22869,	22870,	24051,	24058,
21888,	21905,	22878,	22881,	24081,	24087,
21926,	21933,	22885,	22886,	24098,	24103,



24109,	24111,	24715,	24716,	10723, 10814, 10817
24118,	24121,	24719,	24720,	\firstnamestyle 5114,
24134,	24143,	24721,	24722,	10734, 10824, 10845
24156,	24159,	24723,	24729,	\fivecolumnfootnotes
24170,	24176,	24734,	24742, 12527
24177,	24183,	24759,	24765,	\Fld@height 15569, 15574
24188,	24191,	24767,	24774,	\Fld@width ... 15564,
24205,	24210,	24784,	24786,	15569, 15572,
24213,	24214,	24806,	24830,	15574, 16429,
24215,	24216,	24833,	24853,	16437, 16445, 16453
24220,	24223,	24873,	24876,	\flnew@within 14152
24225,	24231,	24879,	24893,	\float@newx 14145
24232,	24246,	24902,	24911,	\floatalignment ...
24256,	24257,	24946,	24955, 7462, 7463,
24264,	24269,	24987,	24990,	7504, 7505, 7527,
24272,	24275,	24991,	24992,	7534, 7542, 7593, 7804
24276,	24279,	24993,	24994,	\FloatBarrier . 7434, 7784
24280,	24282,	25002,	25016,	\floatc@biditytfloatplain
24291,	24292,	25020,	25021, 7802,
24296,	24302,	25025,	25033,	7812, 7819, 7825, 7833
24308,	24309,	25034,	25035,	\floatc@biditytfloatplaintop
24310,	24313,	25036,	25037, 7819
24319,	24323,	25058,	25065,	\floatc@biditytfloatruled
24334,	24335,	25071,	25072, 7820
24339,	24345,	25073,	25074,	\floatc@plain 14142
24357,	24358,	25076,	25077,	\floatingpenalty ..
24359,	24362,	25078,	25096,	.. 42, 56, 72, 256,
24376,	24381,	25112,	25131,	270, 285, 10896,
24427,	24428,	25134,	25135,	10917, 10964,
24436,	24446,	25139,	25140,	10971, 11016,
24455,	24456,	25142, 25150, 25152		11023, 11987,
24459,	24463,	\figcaption 15640, 15658		14517, 14534, 14550
24464,	24509,	\fill 3039,		\floatstyle 7853
24535,	24554,	3230, 3232, 3234,		\flushleft ... 4795, 4804
24562,	24568,	3439, 3440, 3443,		\FN@sf@footnote ..
24574,	24582,	3444, 3450, 3453,	 4822, 4826
24589,	24590,	3461, 3546, 3548,		\FN@sf@footnotemark
24591,	24597,	3550, 8833, 8837,	 4851, 4853
24602,	24605,	15675, 15870,		\FN@sf@LTRfootnote
24613,	24614,	16790, 16792, 16794	 4823, 4832
24622,	24623,	\filright .. 22577, 22606		\FN@sf@RTLfootnote
24631,	24632,	\FirstFrameCommand	 4824, 4838
24640,	24641, 14767, 14813		\FN@sf@gobble@bracket
24649,	24650,	\firstmark ... 10243,	 4862, 4865
24651,	24652,	10306, 14050,		\FN@sf@gobble@opt .
24655,	24658,	14086, 14244,	 4828,
24661,	24662,	14953, 15002,		4834, 4840, 4843
24663,	24664,	17817, 17917,		\FN@sf@gobble@optonly
24665,	24667,	24804, 24851, 25123	 4855, 4858
24669,	24670,	\firstname 5128		\FN@sf@gobble@twobracket
24677,	24680,	\firstnamecolour 4847, 4850
24682,	24686,	. 5097, 10684, 10780		\focus@pbar@height
24687,	24690,	\firstnamefont 5106,		3437, 3439, 3440,
24706,	24707,	5114, 10722,		3441, 3443, 3444,



3445, 3450, 3451,	\footdir@ORG@bidi@beamer@RTLfootnotetext	15074,
3453, 3454, 3460, 2401	15083, 15104,
3461, 3463, 3465,	\footdir@ORG@bidi@footnotetext	15122, 15125,
3470, 3471, 3473, 3474 14568	18758, 18759, 18761
\focus@pbar@leftoffset	\footdir@ORG@bidi@LTRfootnotetext
3419, 3420, 3435, 14570	.. 11983, 11984,
3439, 3440, 3443, 3444	\footdir@ORG@bidi@RTLfootnotetext	12066, 12071,
\focus@pbar@progress 14569	12099, 12103,
... 3434, 3440, 3444	\footdir@temp ... 80,	12246, 12250,
\focus@pbar@rightoffset	81, 82, 294, 295,	12387, 12391,
3423, 3424, 3426,	296, 2400, 2401,	12534, 12538,
3427, 3435, 3450,	2402, 14406,	12681, 12685,
3453, 3463, 3465,	14568, 14569, 14570	12828, 12832,
3470, 3471, 3473, 3474	\footdir@toks	12975, 12979,
\font 14347, 14414,	13122, 13126,
\fontdimen . 22286, 22287	14415, 14416, 14420	13269, 13273,
\fontsize . 315, 8788,	\footdir@write	13454, 13461, 13510
8790, 8792, 10722,	. 14342, 14371, 14410	\footinsv@l .. 11976,
10814, 16530,	\footersymbol . 10741,	12068, 12069,
18432, 18440, 18449	10742, 10757,	12070, 12071,
\footdir@abspage ..	10758, 10759, 10760	12103, 12104,
..... 14376,	\footfootmark	12121, 12133,
14379, 14380,	.. 11801, 11927,	12250, 12251,
14383, 14384, 14387	12160, 12304,	12268, 12279,
\footdir@debug 14348,	12448, 12595,	12391, 12392,
14356, 14360,	12742, 12889,	12409, 12421,
14363, 14373,	13036, 13183,	12538, 12539,
14380, 14384, 14387	13330, 13596, 14708	12556, 12568,
\footdir@debugfalse 4136	\footfudgefactor ..	12685, 12686,
\footdir@debugtrue	. 13420, 13482, 13534	12703, 12715,
..... 4135, 14346	\footins 36, 50, 66, 250,	12832, 12833,
\footdir@fntext ...	264, 279, 10896,	12850, 12862,
. 14394, 14411, 14413	10917, 10921,	12979, 12980,
\footdir@LeftRightElse	10922, 10933,	12997, 13009,
. 14354, 14370, 14448	10936, 10940,	13126, 13127,
\footdir@name	10964, 10970,	13144, 13156,
. 14397, 14400, 14401	10978, 10979,	13273, 13274,
\footdir@ORG@bidi@amsart@footnotetext	10990, 10993,	13291, 13303,
..... 80	10997, 11016,	13461, 13462,
\footdir@ORG@bidi@amsart@LTRfootnotetext	11022, 11818,	13496, 13510,
..... 82	11832, 11846,	13511, 13547,
\footdir@ORG@bidi@amsart@RTLfootnotetext	11984, 11993,	13555, 13569,
..... 81	12004, 12005,	13800, 13813, 13817
\footdir@ORG@bidi@amsbook@footnotetext	12007, 12008,	\footinsv@r
..... 294	12004, 12069,	.. 11975, 12063,
\footdir@ORG@bidi@amsbook@LTRfootnotetext	13732, 13736,	12064, 12065,
..... 296	13743, 13749,	12066, 12099,
\footdir@ORG@bidi@amsbook@RTLfootnotetext	13756, 13769,	12100, 12119,
..... 295	14528, 14528,	12143, 12246,
\footdir@ORG@bidi@beamer@footnotetext	14544, 14937,	12247, 12266,
..... 2400	14987, 15040,	12288, 12387,
\footdir@ORG@bidi@beamer@LTRfootnotetext	15042, 15042,	12388, 12407,
..... 2402	15043, 15063,	12431, 12534,
		12535, 12554,



12578, 12681,	\footnoterule . 10875,	\footrulewidth 5076,7663
12682, 12701,	10937, 10943,	\footscript
12725, 12828,	10948, 10976,	.. 11924, 11930,
12829, 12848,	10977, 10994,	11934, 11936,
12872, 12975,	10998, 11002,	14711, 14715, 14717
12976, 12995,	11028, 11029,	\footskip 20130,
13019, 13122,	11793, 12049,	20860, 21623, 25109
13123, 13142,	13735, 13748,	\foottextfont
13166, 13269,	14339, 14436,	.. 11802, 11822,
13270, 13289,	14440, 14443,	11865, 11980,
13313, 13454,	14458, 14463,	12093, 12125,
13455, 13495,	14464, 14466,	12160, 12183,
13553, 13581,	15125, 15158,	12240, 12272,
13799, 13812, 13816	18159, 18760, 22540	12304, 12327,
\footmarkstyle	\footnotes	12381, 12413,
..... 11924, 11963	\footnotesep 30, 32, 41,	12448, 12471,
\footmarkwidth	47, 55, 61, 71, 77,	12528, 12560,
.. 11923, 11928,	245, 247, 255, 261,	12595, 12618,
11929, 11931,	269, 275, 284, 290,	12675, 12707,
11933, 11936,	2311, 2328, 2345,	12742, 12765,
11940, 11941,	2361, 2377, 2393,	12822, 12854,
11943, 11945,	10893, 10914,	12889, 12912,
11948, 11952,	10939, 10996,	12969, 13001,
11953, 11955,	11802, 11808,	13036, 13059,
11957, 11960,	11814, 11988,	13116, 13148,
11967, 11970,	13488, 13540,	13183, 13206,
14709, 14710,	14516, 14524,	13263, 13295,
14712, 14714,	14533, 14541,	13330, 13353,
14717, 14721,	14549, 14557,	13425, 13448,
14722, 14724,	14585, 14600,	13477, 13487,
14726, 14729,	14615, 16525, 16527	13560, 13596, 13621
14733, 14734,	\footnotesize ... 39,	\forcerectofloat .. 7465
14736, 14738, 14741	53, 69, 107, 237,	\forceversofloat .. 7466
\footnote	253, 267, 282, 465,	\forvariable
469, 543, 791, 890,	787, 1040, 1291,	6742, 6748, 6824,
1044, 1143, 1295,	5206, 5228, 7342,	6860, 6867, 6872,
1395, 2404, 4822,	7343, 7381, 8000,	6878, 6883, 6887, 6888
4825, 8370, 8689,	8001, 8002, 8194,	\fourcolumnfootnotes
8720, 9412, 9590,	8224, 8242, 8260, 12380
9695, 9769, 11455,	9408, 9586, 9691,	\fp
11523, 11548,	11451, 11544,	17371, 17372, 17373
11622, 13905,	11980, 11981,	\fps@figure
13973, 14310,	11982, 13901,	15628
17713, 17716,	14507, 14508,	\framebox 10732,
19087, 19186,	14509, 14514,	10863, 18028, 18034
19224, 19330,	14531, 14547,	\FrameCommand 14765
19485, 19573,	14578, 14593,	\FrameHeightAdjust 14839
19683, 19757,	14608, 16516,	\FrameRestore . 14773,
20144, 20874, 21637	18561, 18563,	14777, 14893, 14894
\footnotelayout ...	19083, 19220,	\framewidth
... 8188, 8189, 8192	19481, 19679,	... 2300, 2317, 2334
\footnotemark . 4851,	20140, 20870, 21633	\fromaddress
4852, 14649,	\footnotetext . 4886,	.. 11716, 11722,
14663, 17714, 17717	4897, 9149, 9159	11732, 16583, 16589
		\fromname
		11737



<code>\fromsig</code> ... 11736, 11738	15468,	15476,	17501,	17505,
<code>\fromvalue</code> ... 6742,	15511,	15523,	17506,	17507,
6828, 6851, 6873, 6888	15555,	16847,	17514,	17515,
<code>\frontmatter</code> 8887	16848,	17068,	17516,	17518,
<code>\fs@biditytfloatboxed</code>	17073,	17075,	17519,	17522,
..... 7831	17081,	17083,	17523,	17528,
<code>\fs@biditytfloatplain</code>	17126,	17130,	17534,	17545,
..... 7810, 7818	17131,	17177,	17550,	17551,
<code>\fs@biditytfloatplaintop</code>	17181,	17182,	17552,	17556,
..... 7818	17199,	17200,	17559,	17560,
<code>\fs@biditytfloatruled</code>	17237,	17253,	17561,	17562,
..... 7823	17256,	17262,	17564,	17572,
<code>\fslice</code> . 18578, 18579,	17263,	17264,	17586,	17587,
18581, 18582, 18585	17265,	17266,	17588,	17589,
<code>\ftn@amount</code> .. 15041,	17275,	17276,	17591,	17594,
15042, 15043,	17278,	17280,	17602,	17603,
15050, 15054, 15055	17281,	17282,	17606,	17610,
<code>\ftn@font</code> 20040,	17289,	17290,	17611,	17613,
20076, 20769,	17295,	17301,	17615,	17616,
20806, 21532, 21569	17310,	17313,	17617,	17621,
<code>\ftn@rule@height</code> ..	17321,	17322,	17622,	17623,
..... 20084,	17325,	17326,	17628,	17635,
20087, 20091,	17327,	17328,	18462, 18470, 18473	
20095, 20814,	17329,	17330,	<code>\g@addto@macro</code> 7460,	
20817, 20821,	17332,	17335,	8146, 8148, 11267,	
20825, 21577,	17336,	17338,	11270, 11272,	
21580, 21584, 21588	17341,	17343,	13475, 13527,	
<code>\ftn@rule@test@values</code>	17346,	17351,	13798, 13803,	
..... 20083,	17359,	17360,	13811, 13815,	
20090, 20813,	17362,	17363,	16954, 23730, 24059	
20820, 21576, 21583	17364,	17365,	<code>\g@mix@page@int</code> .. 17508	
<code>\ftn@rule@width</code> ...	17366,	17367,	<code>\gdef</code> 447,	
..... 20087,	17368,	17370,	2523, 2525, 4725,	
20095, 20817,	17371,	17372,	5097, 5098, 5099,	
20825, 21580, 21588	17373,	17375,	5100, 5101, 5102,	
<code>\ftnm@font</code>	17376,	17386,	5104, 5105, 5293,	
. 20079, 20809, 21572	17394,	17395,	5317, 5706, 6420,	
<code>\full@width</code>	17396,	17398,	6506, 6508, 6518,	
. 18086, 18098, 18146	17403,	17404,	6520, 6837, 6839,	
<code>\futurelet</code> 840,	17409,	17410,	6840, 7478, 7479,	
842, 1093, 1095,	17414,	17419,	7481, 7484, 7564,	
1344, 1346, 5439,	17422,	17429,	7569, 7570, 7571,	
6542, 6545, 19136,	17431,	17434,	7723, 7764, 8143,	
19138, 19277, 19279	17435,	17439,	8281, 8310, 8339,	
	17441,	17442,	8378, 8387, 8396,	
	17445,	17446,	8725, 8742, 8758,	
	17447,	17451,	8770, 8810, 8811,	
	17452,	17456,	8812, 8999, 9002,	
	17457,	17464,	9257, 9269, 9271,	
	17479,	17480,	10242, 10305,	
	17481,	17483,	11221, 11234,	
	17488,	17491,	13753, 13764,	
	17492,	17495,	13775, 13776,	
	17499,	17500,	14049, 14085,	
G				
<code>\g</code> 6914, 6919,				
7004, 7017, 7018,				
7036, 7037, 7041,				
7048, 7050, 11238,				
11240, 11244,				
11337, 15343,				
15374, 15386,				
15404, 15412,				



14401, 14462,
 14952, 15001,
 16770, 16773,
 17816, 17916,
 18374, 18395,
 18404, 18409,
 18752, 22284,
 22578, 22579,
 22584, 22607,
 22608, 24056,
 24463, 24523,
 24746, 24803, 24850
 \geometry 2085, 2087,
 2093, 2095, 7364,
 7367, 7371, 7374, 7378
 \Gin@bboxtrue 15203
 \Gin@defaultbp
 . . 15204, 15205,
 15206, 15207,
 22511, 22512, 22515
 \Gin@esetsize 15222
 \Gin@exclamation . 15252
 \Gin@i 15211
 \Gin@iii . . . 15200, 15214
 \Gin@llx 15204
 \Gin@lly 15205
 \Gin@urx 15206
 \Gin@ury 15207
 \Gin@include@graphics
 15208, 15220
 \Gin@put@path 17268
 \global 313,
 489, 490, 491, 492,
 493, 494, 495, 496,
 497, 498, 499, 500,
 518, 524, 525, 526,
 527, 528, 529, 530,
 531, 532, 533, 534,
 535, 536, 571, 572,
 720, 721, 829, 830,
 831, 832, 833, 834,
 835, 836, 837, 838,
 867, 873, 874, 875,
 876, 877, 878, 879,
 880, 881, 882, 883,
 965, 966, 1082,
 1083, 1084, 1085,
 1086, 1087, 1088,
 1089, 1090, 1091,
 1120, 1126, 1127,
 1128, 1129, 1130,
 1131, 1132, 1133,
 1134, 1135, 1136,
 1205, 1206, 1333,

1334, 1335, 1336,
 1337, 1338, 1339,
 1340, 1341, 1342,
 1371, 1377, 1378,
 1379, 1380, 1381,
 1382, 1383, 1384,
 1385, 1386, 1387,
 1514, 1515, 1894,
 2298, 2315, 2332,
 2349, 2350, 2365,
 2366, 2381, 2382,
 2486, 2493, 2517,
 2600, 2728, 4628,
 4629, 4630, 4631,
 4632, 4633, 4634,
 4635, 4636, 4637,
 4638, 4884, 4887,
 4890, 4893, 4897,
 4900, 4903, 4982,
 4986, 5008, 5318,
 5349, 5351, 5357,
 5359, 5370, 5376,
 5388, 5412, 5513,
 5529, 5730, 5784,
 5838, 6642, 6644,
 6664, 6665, 6676,
 6684, 6694, 6807,
 6826, 6828, 6830,
 6842, 6847, 7329,
 7463, 7507, 7508,
 7880, 7891, 7894,
 7924, 7935, 7938,
 7968, 7979, 7982,
 8036, 8803, 9000,
 9003, 9021, 9025,
 9041, 9052, 9078,
 9079, 9106, 9119,
 9120, 9140, 9150,
 9153, 9156, 9159,
 9162, 9165, 9197,
 9207, 9221, 9223,
 9228, 9229, 9235,
 9236, 9238, 9258,
 9270, 9272, 9330,
 9331, 9450, 9451,
 9452, 9453, 9454,
 9455, 9456, 9457,
 9458, 9459, 9508,
 9509, 9628, 9629,
 9630, 9631, 9632,
 9633, 9634, 9635,
 9636, 9637, 9715,
 9716, 9717, 9718,
 9719, 9720, 9721,

9722, 9723, 9724,
 9725, 9726, 9744,
 9750, 9751, 9752,
 9753, 9754, 9755,
 9756, 9757, 9758,
 9759, 9760, 9761,
 9762, 9798, 9799,
 9895, 9905, 9906,
 9907, 9908, 9909,
 9910, 9911, 9912,
 9920, 9933, 9938,
 9942, 9998, 10229,
 10230, 10240,
 10247, 10281,
 10292, 10293,
 10303, 10310,
 10340, 10365,
 10384, 10581,
 10592, 10605,
 10617, 10619,
 10628, 10630,
 10631, 10634,
 10637, 10647,
 10654, 10655,
 10662, 10888,
 10895, 10909,
 10916, 10928,
 10936, 10940,
 10957, 10960,
 10968, 10973,
 10985, 10993,
 10997, 11009,
 11012, 11020,
 11025, 11347,
 11473, 11474,
 11475, 11476,
 11477, 11478,
 11479, 11480,
 11481, 11482,
 11500, 11506,
 11507, 11508,
 11509, 11510,
 11511, 11512,
 11513, 11514,
 11515, 11516,
 11568, 11569,
 11570, 11571,
 11572, 11573,
 11574, 11575,
 11576, 11577,
 11578, 11579,
 11597, 11603,
 11604, 11605,
 11606, 11607,



19710,	19711,	21832,	21833,	2110, 2231, 2562, 3758
19712,	19713,	21834,	21835,	\Gm@pageframes . . . 15314
19714,	19732,	21836,	21837,	\Gm@rmargin . . 2073,
19738,	19739,	21838,	21839,	2102, 2112, 3349, 3789
19740,	19741,	21840,	21841,	\Gm@vrule 15297,
19742,	19743,	21842,	21843,	15298, 15299,
19744,	19745,	21845,	22121,	15301, 15302,
19746,	19747,	22123,	22375,	15303, 15306,
19748,	19749,	22379,	22380,	15307, 15308,
19750,	19785,	22381,	22398,	15311, 15312, 15313
19786,	20114,	22410,	22415,	\Gm@vrules@mpi . . . 15294
20115,	20116,	22419,	22431,	\Gm@vrules@mpii . . 15304
20117,	20195,	22468,	22470,	\grid . 18433, 18441, 18450
20214,	20237,	22475,	22477,	\Grot@box 15172,
20318,	20328,	22778,	22779,	15180, 19968,
20329,	20330,	22782,	22783,	19979, 19986, 19996
20331,	20332,	23317,	23318,	\Grot@box@kv 15173
20333,	20334,	23411,	23416,	\Grot@box@std 15167
20335,	20336,	24053,	24201,	\Grot@setangle 15168,
20337,	20338,	24209,	24219,	15179, 19961,
20339,	20340,	24222,	24266,	19971, 19982, 19989
20341,	20342,	24534,	24749,	\Grot@x 15170,
20343,	20344,	24760,	24790,	15175, 19966,
20345,	20346,	24791,	24801,	19976, 19984, 19994
20347,	20348,	24808,	24837,	\Grot@y 15171,
20349,	20350,	24838,	24848,	15176, 19967,
20352,	20614,	24855,	24908,	19977, 19984, 19995
20616,	20844,	24919,	24922,	\group . . 15347, 15355,
20845,	20846,	24952,	24963,	15368, 15372,
20847,	20925,	24966,	24994,	15390, 15398,
20944,	20967,	25003,	25004,	15402, 15415,
21048,	21058,	25005,	25006,	15463, 15466,
21059,	21060,	25008,	25011,	15479, 15506,
21061,	21062,	25012,	25026,	15509, 15526,
21063,	21064,	25031,	25045,	15552, 15554,
21065,	21066,	25046,	25048,	17249, 17270,
21067,	21068,	25057,	25090,	17557, 17570,
21069,	21070,	25102,	25105,	17575, 17582, 17638
21071,	21072,	25107,	25114,	\grp@aligned 9911
21073,	21074,	25118,	25120,	\GRP@box . 9906, 9938, 9940
21075,	21076,	25121, 25124, 25133		\grp@eqs@numbered . 9910
21077,	21078,	\globalcolorstrue .		\grp@hasNumber 9915
21079,	21080, 1900, 1905		\GRP@label 9907
21082,	21366,	\GlobalSetatBoolean 5522		\grp@linewidth 9909
21368,	21607,	\GlobalSetBoolean .		\GRP@queue . . . 9906, 9942
21608,	21609, 5506, 7465,		\grp@setnumber 9915
21610,	21688,	7466, 7493, 7494,		\grp@shiftnumber . . 9912
21707,	21730,	7498, 7499, 7792, 7793		\grp@wdL 9908
21811,	21821,	\glossary . . 14223, 25085		\grp@wdNum 9909
21822,	21823,	\glueexpr 23550,		\grp@wdR 9908
21824,	21825,	23557, 23562,		\grp@wdT 9908
21826,	21827,	23649, 23710,		\Gscale@box
21828,	21829,	23713, 23717, 23723		. 15182, 15274, 15291
21830,	21831,	\Gm@lmargin 2073, 2104,		



\Gscale@div	14092,	14093,	2004, 2049, 2054,
. 15273, 15280, 15283	14099,	14119,	2065, 2073, 2119,
\Gscale@end 15186, 15232	14134,	14254,	2121, 2123, 2125,
\Gscale@start 15186, 15232	14710,	14717,	2127, 2128, 2130,
\Gscale@x . . 15184, 15230	14722,	14729,	2141, 2156, 2161,
\Gscale@y . . 15184, 15230	14734,	14741,	2170, 2185, 2194,
\gsetlength	14961,	14962,	2195, 2206, 2208,
7327, 7480, 7572,	14968,	15010,	2223, 2225, 2227,
8034, 8283, 8285,	15015,	15019,	2229, 2231, 2235,
8312, 8314, 8341, 8343	15195,	15241,	2261, 2265, 2272,
	15296,	15301,	2273, 2496, 2513,
	15306,	15310,	2557, 2717, 2722,
H	16579,	16620,	2729, 2866, 2867,
\H@@footnotemark . .	16627,	16634,	2868, 2876, 2883,
. . 15945, 16034,	16639,	16721,	2890, 2968, 3293,
16227, 16241, 16258	17767,	17869,	3299, 3305, 3372,
\H@@footnotetext . .	17874,	17878,	3373, 3378, 3380,
. . 11772, 15904,	17969,	17970,	3382, 3386, 3388,
15915, 15984,	17976,	18073,	3390, 3394, 3396,
16031, 16145,	19007,	19032,	3490, 3516, 3604,
16228, 16244, 16258	19380,	19405,	3645, 3646, 3715,
\H@mpfootnotetext	19497,	19540,	3752, 3758, 3759,
. . 11778, 15913,	19613,	19722,	4007, 4009, 4026,
15947, 15951, 16035	19783,	19800,	4028, 4304, 4525,
\halign 9040, 16835	20480,	20517,	4867, 7439, 7527,
\hangafter . 10088, 17739	21231,	21268,	7529, 7534, 7567,
\hangindent . . . 108,	21986,	22023,	7568, 7577, 7584,
109, 110, 238,	22322,	23041,	7804, 7837, 8155,
239, 240, 696,	23203,	23312,	8194, 8221, 8239,
924, 1181, 8660,	23794,	23929,	8257, 8379, 8388,
8661, 8662, 9307,	23966,	23968,	8397, 8832, 8840,
9485, 9992, 10088,	24034,	24041,	8959, 9009, 9013,
16517, 16518,	24043,	24475,	9024, 9041, 9052,
16519, 17732,	24664,	24665,	9258, 9272, 9314,
17738, 18986,	24740,	24810,	9393, 9492, 9547,
19359, 24667, 25152	24815,	24819,	9825, 9939, 10005,
\hb@xt@ 508, 568,	24857,	24858,	10034, 10196,
587, 717, 744, 947,	24864,	25015,	10199, 10216,
962, 1110, 1202,	25096, 25112, 25134		10220, 10940,
1230, 4622, 9328,	\hbadness 7835,		10943, 10946,
9353, 9506, 9531,	10881, 10902,		10997, 10998,
9734, 9796, 9813,	22451, 22453,		11000, 11224,
10078, 10249,	24140, 24141, 24158		11229, 11235,
10254, 10258,	\hbox 15,		11447, 11747,
10312, 10313,	29, 189, 221, 244,		13418, 13428,
10319, 10545,	357, 392, 407, 433,		13433, 13663,
10551, 10556,	597, 703, 781, 932,		13674, 13690,
10563, 10570,	1016, 1188, 1263,		13699, 13879,
11391, 11403,	1466, 1525, 1653,		14017, 14054,
11490, 11587,	1675, 1683, 1698,		14057, 14061,
11646, 11929,	1706, 1719, 1727,		14138, 14142,
11936, 11941,	1740, 1748, 1912,		14144, 14183,
11948, 11953,	1918, 1927, 1934,		14188, 14428,
11960, 13831,	1960, 1972, 1973,		15160, 15161,
13848, 13940,			



15169,	15174,	24498,	24504,	10078,	10197,
15185,	15186,	24666,	24675,	10200,	10217,
15231,	15232,	24677,	24682,	10221,	10251,
15270,	15277,	24692,	24707,	10253,	10316,
16524,	16530,	24736,	24737,	10318,	10548,
16549,	16603,	25023, 25033, 25035		10550,	10567,
16822,	16863,	\hboxL 193,		10569,	11391,
16869,	16927,	4296, 4298, 4520,		11403,	11646,
16934,	17254,	14873, 14890,		12086,	13831,
17270,	17271,	16622, 18708, 24399		13848,	14056,
17289,	17549,	\hboxR 191, 4290, 4292,		14096,	14098,
17551,	17561,	4518, 18698, 24389		14124,	14137,
17597,	17632,	\head@style . . . 670,		14144,	14965,
18046,	18080,	978, 1173, 1407,		14967,	15012,
18096,	18098,	9299, 9477, 18960,		15014,	15303,
18209,	18468,	19344, 19411, 19474		15308,	16549,
18470,	18473,	\headheight . . 2231,		16721,	16869,
18506,	18561,	4604, 11209,		17767,	17871,
18565,	18585,	14231, 20128,		17873,	17973,
18618,	18622,	20858, 21621, 25092		17975,	18073,
18627,	18631,	\headrulewidth 5075, 7662		18565,	18619,
18643,	18654,	\headsep 4612,		18623,	18628,
18671,	18681,	4615, 11210,		18632,	18644,
18698,	18707,	14232, 20129,		18655,	18681,
18708,	18717,	20859, 21622, 25101		19007,	19032,
18771,	18772,	\headwidth 5165		19380,	19405,
18773,	18775,	\height . 15176, 15250,		19596,	19613,
18776,	18811,	15700, 15702,		19783,	19800,
18819,	18831,	15706, 15708,		23041,	23203,
18993,	19048,	15735, 15736,		23312,	23794,
19366,	19472,	15739, 15740,		23929,	23966,
19596,	19627,	15797, 15798,		23968,	24034,
19812,	19983,	15801, 15802,		24041,	24043,
20040,	20076,	15830, 15832,		24512,	24740,
20079,	20095,	15836, 15838,		24812,	24814,
20595,	20769,	17600, 17608, 17633		24861,	24863,
20806,	20809,	\hfil 15, 221,		25034,	25036,
20825,	21347,	568, 587, 717, 744,		25073,	25074,
21532,	21569,	947, 962, 1111,		25076, 25077, 25134	
21572,	21588,	1202, 1230, 1462,		\hfill 1531,	
22102,	22301,	1463, 1464, 1465,		1532, 2247, 2252,	
22349,	22362,	1493, 1494, 1495,		2273, 3349, 3498,	
22390,	22401,	1501, 1502, 1503,		3501, 3635, 3726,	
22440,	22510,	1653, 1684, 1686,		5186, 5192, 5206,	
23921,	23922,	1707, 1709, 1728,		7596, 7597, 7600,	
23971,	23973,	1730, 1749, 1751,		7601, 8981, 8991,	
24030,	24031,	2191, 2195, 2217,		10011, 10012,	
24234,	24268,	2231, 2234, 2496,		10733, 18048,	
24270,	24276,	2557, 2876, 2883,		18072, 18234,	
24389,	24398,	2890, 3293, 3299,		18237, 18238,	
24399,	24408,	3305, 4594, 4599,		18239, 18242,	
24473,	24474,	9010, 9012, 9117,		18243, 18244,	
24478,	24479,	9328, 9353, 9506,		18245, 18246,	
24485,	24486,	9531, 9796, 9813,		18249, 18250,	



18251, 18252,	10593, 10605,	2334, 2335, 2336,
18253, 18254,	10606, 10618,	2355, 2371, 2387,
18255, 18258,	10653, 10655, 10656	2556, 4554, 4999,
18259, 18260,	\holder . 18575, 18578,	7836, 7837, 7897,
18261, 18262,	18587, 18597,	7941, 7985, 8582,
18263, 18264,	18598, 18616,	9302, 9480, 9935,
18265, 18266,	18620, 18625,	10197, 10200,
18269, 18270,	18629, 18641,	10217, 10221,
18271, 18274,	18645, 18652, 18656	11824, 11838,
18275, 18276,	\hook 6903, 6910, 6956,	11852, 11865,
18279, 18280,	6961, 6972, 6979,	11877, 11889,
18281, 18282,	6989, 6994, 7060,	12154, 12184,
18283, 18286,	7074, 15350, 15393	12197, 12210,
18287, 18288,	\href 5211, 5212,	12220, 12226,
18289, 18290,	5215, 5216, 5219, 5220	12298, 12328,
18293, 18294,	\HRTL@mpRTLfootnotetext	12340, 12352,
18295, 18296,	. . 11782, 15924,	12361, 12367,
18297, 18672,	15948, 15962, 16037	12442, 12472,
18676, 20095,	\HRTL@RTLfootnotetext	12485, 12498,
20629, 20646,	. . 11776, 15905,	12508, 12514,
20825, 21381,	15926, 15999,	12589, 12619,
21398, 21588,	16033, 16112,	12632, 12645,
22136, 22153,	16207, 16229, 16247	12655, 12661,
22579, 22608,	\hrule 32, 247, 592, 774,	12736, 12766,
23757, 23760,	1010, 1256, 7826,	12779, 12792,
23764, 23923,	7827, 7837, 7838,	12802, 12808,
24032, 24189, 24738	9011, 9386, 9540,	12883, 12913,
\hfilneg . . . 12081, 12084	9651, 9657, 9663,	12926, 12939,
\hfuzz 11222, 22452, 22454	9669, 9820, 10505,	12949, 12955,
\hintcolour 5105	10876, 11442,	13030, 13060,
\hintfont 5113,	11742, 11794,	13073, 13086,
5121, 5175, 5182, 5187	13874, 14431,	13096, 13102,
\hintscolumnwidth .	14433, 14465,	13177, 13207,
. 5141,	14878, 16527,	13220, 13233,
5155, 5159, 5167,	16598, 17025,	13243, 13249,
5175, 5181, 5187, 5244	18160, 18212,	13324, 13354,
\hintstyle 5121	18673, 19041,	13367, 13380,
\hline 16798, 16800, 16807	19465, 19622,	13390, 13396,
\HLOFF 4730	19807, 20087,	13564, 13576,
\HLON 4724	20095, 20817,	13588, 13622,
\HLTR@LTRfootnotetext	20825, 21580, 21588	13625, 13636,
. . 11774, 15906,	\hrulefill 29, 244, 597,	13639, 13650,
15937, 16014,	781, 1016, 1263,	13653, 13664,
16032, 16074,	9393, 9547, 9825,	13675, 14143,
16176, 16230, 16250	11447, 11747,	14144, 14518,
\HLTR@mpLTRfootnotetext	13879, 14428,	14535, 14551,
. . 11780, 15935,	16524, 16603,	14579, 14594,
15949, 15973, 16036	18209, 19048,	14609, 14626,
\hoffset 4608	19472, 19627, 19812	14627, 14773,
\hold@viper . . 10263,	\hsize . 42, 56, 72, 256,	14878, 14908,
10266, 10322,	270, 285, 673, 981,	14911, 14915,
10325, 10393,	1176, 2014, 2212,	14918, 14919,
10396, 10580,	2300, 2301, 2302,	16717, 16721,
10581, 10592,	2317, 2318, 2319,	16835, 16866,



16869,	16897,	2168, 2207, 2216,	18237,	18239,
16994,	16995,	2231, 2235, 2267,	18242,	18244,
17002,	17025,	2276, 2749, 2978,	18246,	18249,
17763,	17767,	3016, 3349, 3378,	18251,	18253,
18000,	18080,	3380, 3386, 3388,	18255,	18258,
18082,	18090,	3394, 3396, 3606,	18260,	18262,
18126,	18130,	3643, 3648, 3684,	18264,	18266,
18134,	18137,	3691, 3703, 3758,	18269,	18271,
18142,	18145,	3786, 3789, 3924,	18274,	18276,
18195,	18199,	3934, 4009, 4010,	18279,	18281,
18203,	18734,	4013, 4028, 4029,	18283,	18286,
18736,	18904,	4032, 5258, 8543,	18288,	18290,
18963,	19414,	8983, 9027, 9028,	18293,	18295,
19477,	19493,	9031, 9033, 9034,	18297,	18311,
19536,	20052,	9037, 9314, 9315,	18523,	18530,
20063,	20065,	9352, 9393, 9492,	18993,	18994,
20135,	20136,	9493, 9530, 9547,	19031,	19048,
20480,	20517,	9812, 9825, 10007,	19347,	19366,
20519,	20781,	10010, 10077,	19367,	19404,
20793,	20795,	10250, 10257,	19472,	19612,
20865,	20866,	10261, 10262,	19627,	19799,
21231,	21268,	10547, 10555,	19812,	19892,
21270,	21544,	10560, 10561,	19894,	19901,
21556,	21558,	10941, 10942,	19903,	19939,
21628,	21629,	10945, 10955,	19941,	19950,
21986,	22023,	10956, 10999,	19952,	20038,
22025,	22557,	11390, 11447,	20095,	20102,
22564,	22565,	11747, 13416,	20767,	20825,
22566,	22567,	13847, 13879,	20832,	21530,
22568,	23981,	14055, 14060,	21588,	21595,
23984,	23989,	14064, 14065,	22310,	22316,
23993,	23997,	14120, 14136,	22328,	22333,
24001,	24005,	14428, 15011,	22578,	22607,
24009,	24013,	15018, 15022,	22773,	22804,
24017,	24237,	15023, 15296,	22827,	22844,
24258,	24262,	15298, 15299,	22861,	22878,
24429,	24439,	15302, 15307,	22895,	22912,
24593,	24925,	15310, 15312,	22930,	22949,
24969, 25130, 25134		15313, 15564,	22969,	23004,
\hskip . . . 14, 29, 220,		15572, 16429,	23196,	23199,
244, 317, 321, 586,		16437, 16445,	23405,	23437,
597, 703, 704, 743,		16453, 16462,	23916,	23963,
781, 932, 933, 946,		16470, 16479,	23973,	24028,
994, 1016, 1188,		16487, 16524,	24734,	24811,
1189, 1229, 1263,		16548, 16580,	24818,	24822,
1410, 1464, 1465,		16603, 17870,	24823,	25017,
1503, 1527, 1530,		17877, 17881,	25019, 25033, 25036	
1594, 1651, 1655,		17882, 18047,	\hspace . 109, 110, 239,	
1681, 1688, 1704,		18059, 18071,	240, 3522, 3529,	
1711, 1725, 1732,		18126, 18130,	5176, 5181, 5187,	
1746, 1753, 2056,		18134, 18137,	7579, 7586, 7808,	
2058, 2060, 2062,		18138, 18142,	8486, 8487, 8493,	
2065, 2073, 2127,		18145, 18146,	8494, 8500, 8501,	
2130, 2138, 2161,		18209, 18234,	8507, 8508, 8635,	



8661, 8662, 10863,	11403,	11491,	1929, 1935, 1948,
11036, 11039,	11588,	11646,	2036, 2120, 2122,
11043, 11045,	11930,	11936,	2124, 2126, 2146,
11050, 11052,	11942,	11948,	2155, 2157, 2175,
11056, 11059,	11954,	11960,	2184, 2186, 2224,
11062, 11066,	13831,	13848,	2226, 2228, 2230,
11068, 11072,	13941,	14059,	2236, 2510, 2514,
11074, 11078,	14063,	14095,	2558, 2969, 3770,
11081, 11084,	14101,	14254,	4310, 4531, 10026,
11088, 11090,	14711,	14717,	10035, 10037,
11095, 11097,	14723,	14729,	10356, 10363,
11733, 11931,	14735,	14741,	10371, 10385,
11943, 11955,	14964,	14970,	10396, 10413,
14712, 14724,	15017,	15021,	10415, 10418,
14736, 15675,	15195,	15241,	10420, 10434,
15691, 15704,	15299,	15313,	10447, 10451,
15716, 15729,	16627,	16634,	10454, 10455,
15738, 15746,	16639,	16863,	10458, 10464,
15791, 15800,	16872,	17291,	10482, 10483,
15808, 15821,	17552,	17633,	10496, 10526,
15834, 15846,	17876,	17880,	10618, 10653,
15870, 16518,	17972,	17978,	10884, 10893,
16519, 20452,	18116,	18117,	10905, 10914,
20461, 20557,	18127,	18128,	10922, 10932,
20567, 20570,	18537,	18547,	10934, 10950,
20572, 21203,	18773,	18784,	10979, 10989,
21212, 21308,	18785,	18786,	10991, 11004,
21318, 21321,	18811,	18819,	11375, 12088,
21323, 21958,	19007,	19032,	12221, 12227,
21967, 22063,	19380,	19405,	12232, 12237,
22073, 22076,	19497,	19540,	12362, 12368,
22078, 22248,	19596,	19613,	12373, 12378,
22249, 22256,	19723,	19783,	12509, 12515,
22260, 22266,	19800,	20040,	12520, 12525,
22268, 22273,	20076,	20595,	12656, 12662,
22275, 22584, 22596	20601,	20769,	12667, 12672,
\hss 509,	20806,	21347,	12803, 12809,
568, 587, 717, 744,	21353,	21532,	12814, 12819,
947, 962, 1202,	21569,	22102,	12950, 12956,
1230, 2049, 2618,	22108,	22322,	12961, 12966,
2640, 3645, 3646,	23203,	23312,	13097, 13103,
4330, 4554, 4623,	24242,	24244,	13108, 13113,
8602, 9328, 9353,	24249,	24255,	13244, 13250,
9506, 9531, 9735,	24475,	24603,	13255, 13260,
9796, 9813, 10078,	24654,	24655,	13391, 13397,
10256, 10260,	24657,	24658,	13402, 13407,
10315, 10321,	24660,	24661,	13420, 13489,
10553, 10558,	24664,	24665,	13541, 13783,
10565, 10572,	24722,	24723,	14013, 14798,
10944, 10954,	24724,	24725,	14805, 14822,
10999, 11008,	24817,	24821,	14829, 14830,
11224, 11227,	24860, 24866, 25021		14843, 14847,
11229, 11232,	\ht 405,		14870, 15041,
11235, 11391,	1513, 1546, 1919,		15046, 15188,



15189, 15191,	\hv@label 15581	15802, 15809,
15234, 15235,	\hv@Left . . . 15615, 15683	15810, 15817,
15237, 15612,	\hv@longCap 15580	15819, 15830,
16808, 16883,	\hv@Right . . 15616, 15672	15832, 15842, 15844
16900, 16915,	\hv@shortCap	\hvObjectWidth
16917, 16918,	. 15579, 15645, 15663	. . 15606, 15610,
16919, 17023,	\hv@Top . 15698, 15734,	15614, 15615, 15616
17030, 17033,	15754, 15796, 15828	\hvOBox 15600, 15604
17854, 17858,	\hv@Width . . 15610, 15633	\hvSet@capAngle . . .
17863, 17954,	\hv@Zero . . . 15599, 15862 15633, 15652
17958, 17963,	\hvAboveCaptionSkip	\hvSet@capPos
18014, 18016, 15778, 15781	. . 15615, 15616,
18215, 18587,	\hvBelowCaptionSkip	15683, 15754, 15770
18645, 18656, 15762, 15765	\hvSet@capVPos 15685,
18661, 18662,	\hvCaptionBox . 15634,	15698, 15725,
18663, 18664,	15651, 15693,	15734, 15787,
18668, 18683,	15695, 15706,	15796, 15815, 15828
19878, 19920,	15708, 15718,	\hvSet@capWidth . .
19923, 19978,	15720, 15726, 15610,
19985, 22350,	15727, 15735,	15612, 15617, 15618
22386, 22398,	15736, 15743,	\hvSet@floatCapSep
22513, 24277,	15744, 15755, 15691,
24279, 24693,	15756, 15762,	15704, 15716,
24997, 25007, 25011	15765, 15771,	15729, 15738,
\ht@hold@viper 10394,	15772, 15779,	15746, 15791,
10396, 10618,	15782, 15788,	15800, 15808,
10619, 10653, 10654	15789, 15797,	15821, 15834, 15846
\ht@strip 18011, 18012,	15798, 15805,	\hvSet@floatPos . . 15628
18013, 18014,	15806, 15823,	\hvSet@objectAngle
18015, 18018, 18020	15825, 15836, 15599, 15603
\ht@viper 10355, 10361,	15838, 15848, 15850	\hvSet@objectPos . .
10362, 10385,	\hvCapWidth . . 15608,	. 15672, 15674, 15868
10386, 10387,	15610, 15612,	\hvSet@rotAngle . . .
10398, 10552,	15614, 15618,	. 15593, 15862, 15865
10557, 10564, 10571	15620, 15635, 15653	\Hy@Acrobatmenu . . 16379
\httplink 5213	\hvFloat 15582	\Hy@backout 16406
\Huge 8569, 9654, 9666,	\hvMaxCapWidth 15593,	\Hy@BeginAnnot . . .
9850, 9858, 11675,	15594, 15615,	. . 16262, 16282,
11684, 13861,	15616, 15617, 15620	16319, 16351, 16380
13869, 19835, 19843	\hvObjectBox	\Hy@bidipoem@footnotetext
\huge 8423, 8425, 8568,	. . 15597, 15600, 16135, 16144
9645, 9844, 11669,	15602, 15606,	\Hy@bidipoem@LTRfootnotetext
13856, 19830,	15612, 15687, 16166, 16175
20177, 20907, 21670	15689, 15700,	\Hy@bidipoem@RTLfootnotetext
\hv@Bottom 15770	15702, 15712, 16197, 16206
\hv@Center . . . 15674,	15714, 15730,	\Hy@CleanupFile . . 16284
15685, 15725,	15731, 15739,	\Hy@colorlink . 16312,
15787, 15815, 15868	15740, 15747,	16344, 16373, 16399
\hv@figure . 15639, 15657	15748, 15755,	\Hy@endAnnot
\hv@floatObject . .	15758, 15763,	. . 16269, 16315,
. 15600, 15604	15766, 15771,	16347, 16376, 16402
\hv@floatType . 15630,	15774, 15778,	\Hy@endcolorlink . 16271
15639, 15657, 15875	15781, 15792,	\Hy@footnote@currentHlabel
\hv@Height 15612	15793, 15801,	. 15991, 16006, 16021



\Hy@footnote@currentHref	\Hy@setpdfborder ..	\hyper@natlinkbreak
..... 15953, 16293, 16413
15956, 15964,	16327, 16358, 16387	\hyper@natlinkend 16410
15967, 15975,	\Hy@tabularx@hook .	\hyper@natlinkstart
15978, 15986, 16030, 16042 16405
15989, 15992,	\Hy@temp@menu 16381, 16394	\hyper@pageduration
16001, 16004,	\Hy@VerboseLinkStart 2119, 2223
16007, 16016, 15346, 15389	\hyper@pagetransition
16019, 16022,	\Hy@VerboseLinkStop 2119, 2223
16065, 16103,	.. 15369, 15399,	\hyperlink 2493
16136, 16167, 16198	15460, 15503, 15544	\hyperref 14711, 14715,
\Hy@temp .. 16041, 16046	\Hy@xspace@end	14717, 14723,
\Hy@href@nextactionraw	.. 15395, 15459,	14727, 14729,
..... 16308,	15502, 15543,	14735, 14739, 14741
16340, 16369, 16395	16278, 16314,	\hypersetup 2492, 5059,
\Hy@href@page 16303	16346, 16375, 16401	5067, 8679, 8738, 8755
\Hy@linkcounter ...	\HyLTR@saved@LTRfootnotetext	\hypertarget .. 2522,
..... 11275, 11280 16226, 16251	20446, 21197, 21952
\Hy@linktoc 15884	\HyOrg@maketitle ..	\hyphenpenalty ... 6,
\Hy@LT@LTRfootnotetext 16221,	106, 212, 236,
..... 16064, 16073	16232, 16237, 25192	672, 980, 1175,
\Hy@LT@RTLfootnotetext	\HyOrg@TX@endtabularx	9301, 9479, 16515,
..... 16102, 16111 16029	16540, 18962,
\Hy@MakeRemoteAction	\hyper@@anchor 15953,	19413, 19476, 19619
..... 16287	15956, 15964,	\HyRTL@saved@RTLfootnotetext
\Hy@maketitle@end .	15967, 15975, 16225, 16248
. 16233, 16238, 16240	15978, 15986,	
\Hy@maketitle@optarg	15989, 16001,	I
..... 16231, 16236	16004, 16016,	\i 6863,
\Hy@pstringD 16286, 16305	16019, 16076,	6864, 6876, 6888, 6889
\Hy@pstringdef	16079, 16114,	\ialign 22355,
.. 16285, 16286,	16117, 16147,	22393, 24512, 24698
16320, 16321, 16352	16150, 16178,	\if 373,
\Hy@pstringF 16181, 16209, 16212	16181, 16209, 16212	374, 375, 377, 378,
.. 16283, 16284,	\hyper@link 379, 380, 381, 384,	
16285, 16300,	. 15378, 15382, 16277	385, 386, 425, 433,
16320, 16333, 16338	\hyper@linkend 1439, 1440, 1441,	
\Hy@pstringP 16321, 16338	.. 15338, 15360,	1443, 1444, 1445,
\Hy@pstringURI 15888, 15892,	15888, 15892,	1446, 1447, 1448,
..... 16352, 16365	15896, 15898,	1449, 1452, 1453,
\Hy@raisedlink 16278, 16411, 16414	16278, 16411, 16414	1454, 1477, 1478,
.. 15955, 15966,	\hyper@linkfile ... 1479, 1481, 1482,	
15977, 15988,	. 15379, 15408, 16280	1483, 1484, 1485,
16003, 16018,	\hyper@linknamed .. 4958, 4964, 4967,	
16078, 16116,	. 15381, 15517, 15519	4970, 4973, 5606,
16149, 16180, 16211	\hyper@linkstart .. 6559, 6614, 6618,	
\Hy@safe@activestru	.. 15337, 15339,	6624, 6628, 6669,
..... 15492	15888, 15892,	6752, 9896, 9915,
\Hy@saved@footnotemark	15896, 15898,	9948, 9949, 9950,
..... 16223, 16242	16278, 16407, 16414	14359, 14383,
\Hy@saved@footnotetext	\hyper@linkurl 14621, 16608,	
..... 16224, 16245	.. 15380, 15472, 16349	16789, 16791,
\Hy@SetNewWindow ..	\hyper@nat@current 16408	16793, 22362,
..... 16307, 16335		22396, 22401,



22488, 22489,	5679, 6074, 6093, 6232	22750, 22756,
22490, 22491,	\if@bidi@defparam .	22777, 22789, 22811
22492, 22493, 6095,	\if@cfthaspart ... 22742
22494, 22496,	6181, 6182, 6234	\if@chapterentrywithdots
22497, 22498,	\if@bidi@defprimitive 21395, 22150
22499, 22500, 5681	\if@colour 5042
22503, 22504,	\if@bidi@defprotected	\if@colourgreen ...
22505, 24598, 6102, 10671,
24599, 24690,	6190, 6191, 6245	10700, 10769, 10795
24707, 24714,	\if@bidi@list@minipage@parbox@not@nob	\if@colourgrey 10675,
24715, 24716, 4254,	10714, 10773, 10807
24717, 24718, 24719	24549, 24609,	\if@colourorange ..
\if@allcaps ... 802,	24618, 24627, 10669,
811, 819, 1055,	24636, 24649,	10693, 10767, 10789
1064, 1072, 1306,	24650, 24662, 24663	\if@coloured . 10673,
1315, 1323, 9423,	\if@bidi@list@minipage@parbox@not@nob	10707, 10771, 10801
9432, 9440, 9601, 4255,	\if@compatibility .
9610, 9618, 19098,	24557, 24611,	.. 570, 719, 796,
19107, 19115,	24620, 24629, 24638	964, 1049, 1204,
19237, 19246, 19254	\if@bidi@mdf@RTL ..	1300, 9417, 9595,
\if@altsecnumformat 16985, 16992	19092, 19231,
. 20356, 21085, 21848	\if@bidi@patchable	22781, 23316, 24678
\if@bib@break@ 20366, 6062, 6063	\if@contcw . 17719, 17748
20391, 20406,	\if@bidi@pdfbanner	\if@conthang 17729
20422, 21117, 4069, 4407	\if@contindent ... 17735
21142, 21157,	\if@bidi@pdfencrypt	\if@DEBUG 5013
21173, 21872, 4246, 4398	\if@displaypagenumbers
21897, 21912, 21928	\if@bidi@pdfm@mark 5221, 5224
\if@bibchapter ... 22696 4073,	\if@donumindex
\if@bidi@banner ...	4408, 4434, 4490, 4570	\if@dotocbib 22656
..... 4068, 4231	\if@bidi@todonotes@figposition@right	\if@dotocind 22704, 22721
\if@bidi@blank 24070, 24168,	\if@externalfootnotefeatures
... 5665, 6167, 6174	24173, 24180, 24186 4071, 4374
\if@bidi@csdef	\if@bidi@todonotes@textdirection@left	\if@fcolmade .. 10277,
.... 4415, 4426, 24069,	10336, 14068,
5629, 5678, 16955,	24103, 24143, 24177	14108, 14193,
18158, 23810, 23816	\if@bidi@undef	14977, 15030,
\if@bidi@csmacro .. 5677 5653, 5718,	15059, 17890,
\if@bidi@csprimitive	5971, 5982, 6001,	17987, 24830, 24873
..... 5687	6005, 6009, 6013,	\if@ff@nwpg 14161
\if@bidi@csundef ..	6023, 6027, 6031,	\if@filesw
5292, 5295, 5298,	6035, 6071, 6090, 6229	5319, 5740, 5746,
5302, 5307, 5635,	\if@capbreak	5765, 5771, 5794,
5714, 5750, 5775,	. 20560, 21311, 22066	5800, 5819, 5825,
5804, 5829, 5861,	\if@captionabove ..	5851, 5857, 5885, 5891
5867, 5895, 5901, 20495,	\if@firstcolumn ...
5910, 5927, 6444,	20501, 20596, 10228,
11755, 11756,	20599, 21246,	10291, 10352,
11769, 11770,	21252, 21348,	10624, 10643,
13806, 18219,	21351, 22001,	14036, 14072,
24477, 24484, 25151	22007, 22103, 22106	14934, 14983,
\if@bidi@def 5647	\if@cfthaspart 22755	15071, 17802,
\if@bidi@defmacro .	\if@cfthaschapter .	
.... 5670, 5671, 22746,	



17902, 18008,	\if@oldtoc . 707, 733,	2808, 2826, 2834,
24789, 24836, 24987	936, 952, 1192,	2853, 2975, 3014,
\if@firstdetailselement	1219, 9318, 9342,	3060, 3243, 3250,
..... 10836, 10838	9496, 9520, 18997,	3257, 3352, 3369,
\if@firstfooterelement	19021, 19370, 19394	3375, 3378, 3381,
..... 10740, 10743	\if@openright	3384, 3386, 3389,
\if@hboxRconstruct	.. 8914, 9862, 11688	3392, 3394, 3397,
..... 4245,	\if@ovb 14021	3517, 3524, 3569,
4493, 5564, 5570,	\if@ovl 14019	3574, 3660, 3715,
14620, 24556,	\if@ovr 14018	3721, 3831, 3853,
24580, 24611,	\if@ovt 14020	3907, 3916, 3926,
24620, 24629,	\if@pboxsw 24605	3948, 3989, 3998,
24638, 24649,	\if@restonecol	4017, 4241, 4270,
24650, 24662, 24663 653, 669,	4492, 4499, 5239,
\if@ignore ... 6411, 6413	919, 1172, 9298,	5540, 5546, 5739,
\if@inlabel 9895	9476, 9687, 18959,	5764, 5793, 5818,
\if@inltxdoc 22689	19215, 19676, 22736	5850, 5884, 8542,
\if@insert 10651	\if@reversemargin 24992	8543, 8660, 8661,
\if@komalongtable .	\if@right@column@shrink	8662, 9302, 9308,
. 20592, 21344, 22099	. 10432, 10461, 10536	9309, 9314, 9325,
\if@left@column@shrink	\if@right@column@spread	9348, 9351, 9352,
..... 10514 10530	9368, 9480, 9486,
\if@left@column@spread	\if@rjfield 25031	9487, 9492, 9503,
..... 10431, 10508	\if@rl 4241	9526, 9529, 9530,
\if@LTRbibitems . 88,	\if@rl@footnote ... 4253	9558, 9642, 9653,
302, 621, 756,	\if@rlmain 4240	9655, 9793, 9808,
1021, 1272, 2669,	\if@rot@twoside ...	9811, 9812, 9841,
4251, 5239, 9368, 19882,	9855, 9872, 9892,
9558, 9872, 11425,	19887, 19897,	9904, 9917, 9992,
11697, 13884,	19927, 19933, 19945	10033, 10034,
16496, 17797,	\if@RTL 12,	10038, 10039,
18305, 19053,	13, 25, 88, 105,	10041, 10048,
19447, 19643,	108, 109, 110, 174,	10054, 10073,
19850, 20382,	181, 190, 218, 219,	10076, 10077,
21133, 21888, 22663	235, 238, 239, 240,	10083, 10088,
\if@LTRmarginpar ..	302, 317, 321, 565,	10197, 10200,
..... 4250,	582, 585, 586, 605,	10217, 10221,
25016, 25021, 25025	608, 612, 615, 621,	11042, 11049,
\if@mainmatter 8886,	673, 686, 697, 698,	11065, 11071,
9644, 9843, 11668,	703, 714, 739, 742,	11087, 11094,
18836, 21088, 21110	743, 756, 925, 926,	11223, 11303,
\if@minipage . 7631, 17788	932, 942, 945, 946,	11318, 11340,
\if@mparswitch ... 24989	959, 981, 1021,	11341, 11342,
\if@newlist .. 14209,	1176, 1182, 1183,	11343, 11366,
14241, 25045, 25120	1188, 1199, 1225,	11386, 11389,
\if@nobreak .. 7159,	1228, 1229, 1247,	11390, 11400,
14895, 16996, 18897	1272, 1411, 1412,	11409, 11412,
\if@nonlatin	1524, 1525, 1538,	11416, 11419,
. 348, 360, 4072,	1549, 1564, 1648,	11425, 11643,
4387, 5576, 5582,	1654, 1678, 1687,	11666, 11681,
9931, 9933, 16980	1701, 1710, 1722,	11697, 11718,
\if@noparlist 9245	1731, 1743, 1752,	11721, 11726,
\if@noskipsec . 9894,	1995, 2513, 2563,	11734, 13828,
14896, 16997, 18898	2669, 2765, 2788,	13843, 13846,



13847,	13854,	18814,	18820,	22325,	22523,
13866,	13884,	18831,	18833,	22561,	22597,
14144,	14302,	18839,	18850,	22614,	22634,
14621,	14768,	18852,	18863,	22637,	22642,
14770,	15167,	18865,	18876,	22646,	22647,
15169,	15172,	18878,	18887,	22663,	22740,
15173,	15174,	18889,	18906,	22763,	22764,
15180,	15182,	18926,	18942,	22765,	22773,
15199,	15202,	18943,	18963,	22794,	22795,
15209,	15218,	18976,	18987,	22796,	22804,
15224,	15228,	18988,	18993,	22817,	22818,
15231,	15245,	19004,	19027,	22819,	22827,
15270,	15277,	19030,	19031,	22834,	22835,
15395,	15459,	19053,	19348,	22836,	22844,
15501,	15542,	19349,	19360,	22851,	22852,
15563,	15571,	19361,	19366,	22853,	22861,
15684,	15786,	19377,	19400,	22868,	22869,
15888,	15896,	19403,	19404,	22870,	22878,
16278,	16314,	19414,	19427,	22885,	22886,
16346,	16375,	19447,	19477,	22887,	22895,
16401,	16407,	19593,	19608,	22902,	22903,
16411,	16414,	19611,	19612,	22904,	22912,
16428,	16436,	19617,	19618,	22920,	22921,
16444,	16452,	19643,	19780,	22922,	22930,
16460,	16469,	19795,	19798,	22939,	22940,
16477,	16486,	19799,	19828,	22941,	22949,
16496,	16514,	19840,	19850,	22959,	22960,
16517,	16518,	19962,	19964,	22961,	22969,
16519,	16535,	19968,	19972,	22994,	22995,
16546,	16547,	19974,	19979,	22996,	23004,
16581,	16585,	19983,	19986,	23044,	23045,
16588,	16593,	19990,	19992,	23046,	23843,
16616,	16626,	19996,	20021,	23905,	23906,
16636,	16865,	20029,	20054,	23907,	23913,
16947,	16961,	20067,	20354,	23916,	23963,
16968,	16988,	20355,	20382,	24023,	24028,
17073,	17081,	20430,	20431,	24051,	24058,
17272,	17598,	20432,	20434,	24118,	24121,
17678,	17679,	20482,	20486,	24205,	24240,
17680,	17681,	20750,	20758,	24248,	24275,
17682,	17683,	20783,	20797,	24276,	24279,
17762,	17764,	21084,	21133,	24280,	24282,
17797,	18042,	21181,	21182,	24319,	24323,
18046,	18047,	21183,	21185,	24376,	24381,
18054,	18059,	21233,	21237,	24427,	24428,
18066,	18071,	21513,	21521,	24455,	24456,
18305,	18392,	21546,	21560,	24459,	24463,
18426,	18436,	21847,	21888,	24550,	24558,
18447,	18483,	21936,	21937,	24564,	24570,
18565,	18615,	21938,	21940,	24583,	24651,
18690,	18744,	21988,	21992,	24652,	24654,
18745,	18748,	22247,	22250,	24657,	24660,
18752,	18784,	22255,	22266,	24662,	24663,
18785,	18786,	22273,	22305,	24664,	24665,



24667, 24669,	2162, 2177, 3231,	20935, 21698, 23498
24670, 24675,	3323, 3325, 3328,	\if@thmmarks .. 18375,
24722, 24723,	3438, 3449, 3462,	18379, 18410, 18414
24729, 24734,	3469, 3547, 3640,	\if@titlecentered .
25016, 25021,	3647, 3739, 4043, 1393, 19328
25025, 25033,	4240, 4269, 4288,	\if@titlepage .. 463,
25034, 25035,	4491, 4498, 4517,	674, 783, 982,
25036, 25131,	10093, 10116,	1036, 1235, 1287,
25134, 25142, 25152	10139, 10162,	9689, 11449,
\if@RTL@footnote 37,	10546, 11030,	11542, 13899,
251, 2299, 2349,	11155, 11158,	18964, 19079,
2352, 4253, 4495,	11164, 11172,	19216, 19415,
7910, 11819,	11182, 11192,	19479, 19677,
11862, 12118,	11198, 11212,	20106, 20836, 21599
12123, 12169,	14337, 15295,	\if@titlepageiscoverpage
12176, 12181,	15305, 15322,	. 20111, 20841, 21604
12265, 12270,	15328, 16644,	\if@tocstyle@penalties
12313, 12320,	16656, 16663, 23826, 23935
12325, 12406,	17999, 18156,	\if@todonotes@authorgiven
12411, 12457,	24879, 25061, 24094,
12464, 12469,	25067, 25096, 25112	24105, 24130, 24147
12553, 12558,	\if@RTLmarginpar ..	\if@todonotes@disabled
12604, 12611, 4249, 24088, 24089
12616, 12700,	25016, 25021, 25025	\if@todonotes@dviStyle
12705, 12751,	\if@RTLtab 374, 24091, 24125
12758, 12763,	375, 392, 399, 433,	\if@ttb@rotate ... 14301
12847, 12852,	444, 1419, 1420,	\if@twocolumn ... 99,
12898, 12905,	1440, 1441, 1478,	229, 510, 640, 656,
12910, 12994,	1479, 4244, 4877,	683, 690, 859, 906,
12999, 13045,	4881, 4882, 5552,	991, 1002, 1112,
13052, 13057,	5558, 9952, 9954,	1159, 1244, 1251,
13141, 13146,	9975, 9982, 10004,	1363, 4289, 4295,
13192, 13199,	10005, 10018,	8840, 9285, 9463,
13204, 13288,	10029, 16790,	9674, 9736, 11492,
13293, 13339,	16792, 16927,	11589, 13942,
13346, 13351,	16930, 16934,	15073, 16508,
13503, 13517,	16936, 22340,	17661, 18946,
13552, 13607,	22344, 22345,	18973, 18980,
13614, 14512,	22362, 22370,	19155, 19202,
14561, 14603, 14606	22376, 22401,	19296, 19424,
\if@RTLbibitems . 88,	22489, 22490,	19431, 19541,
302, 621, 756,	24509, 24682,	19663, 19724,
1021, 1272, 2669,	24686, 24687,	20272, 21002,
4252, 5239, 9368,	24707, 24715, 24716	21765, 22691,
9558, 9872, 11425,	\if@sectionentrywithdots	24751, 24986, 25145
11697, 13884, 20643	\if@twoside
16496, 17797,	\if@sentsdir 4494	... 8831, 11190,
18305, 19053,	\if@specialpage ...	14168, 20153,
19447, 19643, 14164, 25056	20197, 20275,
19850, 20382,	\if@tab@rl 4244	20289, 20883,
21133, 21888, 22663	\if@tempwa .. 2020,	20927, 21005,
\if@RTLmain .. 1556,	2030, 2039, 2054,	21019, 21646,
2084, 2092, 2101,	10938, 10995,	21690, 21768,
2109, 2131, 2148,	11995, 20205,	21782, 24231, 25059



<code>\if@vihproof</code> 18027, 18033	<code>\ifcat</code> 4280,	10535,	10604,
<code>\ifadl@inactive</code> . . . 1425	4509, 6509, 6510	10620,	10633,
<code>\ifadl@usingarypkg</code> 1429	<code>\IfClassLoadedF</code> . . . 9688	10636,	10638,
<code>\IfArgIsEmpty</code>	<code>\IfClassLoadedT</code> 462,	10885,	10906,
. 20037, 20766, 21529	7322, 10090,	10926,	10935,
<code>\ifartopt</code> 17698	11912, 14275,	10962,	10966,
<code>\ifbeamer@centered</code> 2278	14288, 22655, 22739	10983,	10992,
<code>\ifbeamer@colbox@ignorebg</code>	<code>\ifconvertcolorsU</code> .	11014,	11018,
. 2002, 2005 24293,	11928,	11933,
<code>\ifbeamer@colbox@rounded</code>	24309, 24336, 24358	11940,	11945,
. 2038	<code>\ifcoddpage</code> 7408	11952,	11957,
<code>\ifbeamer@compress</code> 2707	<code>\ifcsname</code> 5630, 5636,	13490,	13542,
<code>\ifbeamer@dogeometry</code>	5988, 6372, 6386,	14007,	14009,
. 2080	6400, 6410, 6432,	14143,	14709,
<code>\ifbeamer@onlytextwidth</code>	18329, 18339,	14714,	14721,
. 2260	18353, 23850,	14726,	14733,
<code>\ifbeamer@plainframe</code>	23851, 23860,	14738,	14780,
. 2534,	23871, 23875,	14788,	14804,
2551, 2562, 3603	23885, 23897,	14805,	14835,
<code>\ifbeamer@sb@subsection</code>	23951, 23979,	14843,	14856,
. . . 3811, 3822, 3830	23980, 23988,	14871,	14904,
<code>\ifbeamer@theme@subsection</code>	23992, 23996,	14905,	15187,
. 3571	24000, 24004,	15194,	15233,
<code>\ifbeamer@tree@showhooks</code>	24008, 24012, 24016	15240,	15285,
. 4006, 4025	<code>\ifdefined</code> . . . 5648, 5654	15617,	15755,
<code>\ifbeamercolorempy</code>	<code>\ifdefining</code> 6629	15771,	16717,
2001, 2921, 2923,	<code>\ifdfn@allowcbreak</code>	16866,	16915,
2926, 2936, 2938, 10891, 10912	16919,	17668,
2941, 2951, 2953,	<code>\ifdfn@ruleboth</code> . . .	17711,	17718,
2956, 3242, 3249, 10949, 11003	17722,	17724,
3277, 3279, 3343, 3400	<code>\ifdfn@trysingle</code> . .	17763,	17824,
<code>\ifbidi@autofootnoterule</code> 10930, 10987	17832,	17834,
. 2349,	<code>\ifdim</code> 1514,	17924,	17932,
2365, 2381, 14338,	1515, 1917, 1924,	17934,	18009,
14573, 14588, 14603	1936, 1958, 2017,	18020,	18104,
<code>\ifbidi@in@label</code> . .	2019, 2020, 2025,	18112,	18118,
. 6623, 6625	2027, 2029, 2031,	18132,	18140,
<code>\ifblank</code> 2627, 3492	2032, 2048, 2064,	18509,	18562,
<code>\ifblendcolors</code> 24287,	2544, 3378, 3386,	18587,	18645,
24308, 24330, 24357	3394, 3598, 3637,	18656,	18663,
<code>\ifbool</code> 17010, 17019	3672, 4008, 4027,	18668,	18683,
<code>\IfBooleanT</code> 7052	5266, 5267, 5329,	20466,	20549,
<code>\IfBooleanTF</code> . . . 6898,	5335, 7644, 8211,	21217,	21300,
6952, 6967, 6985, 7013	8980, 9017, 9019,	21972,	22055,
<code>\ifcase</code> . . . 1461, 1488,	9078, 9079, 9081,	22387,	23354,
1492, 1496, 1500,	9087, 9127, 9139,	23399,	23414,
1526, 4539, 5263,	9221, 9223, 9236,	23419,	23861,
10006, 15884,	9238, 9246, 9925,	23886,	23952,
16878, 22628,	10371, 10386,	24208,	24210,
23014, 23895,	10430, 10433,	24212,	24214,
23965, 24075,	10462, 10470,	24215,	24216,
24083, 24307,	10471, 10477,	24218,	24258,
24356, 24766, 24767	10500, 10507,	24265, 24998, 25130	
	10513, 10529,	<code>\ifdofullc@p</code>	



. 20536, 21287, 22042	\ifHy@pdfa ... 16292,	209, 316, 365, 366,
\iffalse	16326, 16357, 16386	367, 368, 370, 432,
5461, 5462, 5464,	\ifin@label 6631	511, 560, 577, 693,
5477, 5478, 5479,	\ifinner . 4948, 7875,	709, 727, 860, 921,
14895, 14896,	7919, 7963, 14783,	954, 972, 1113,
16768, 16996,	24200, 24903, 24947	1178, 1194, 1212,
16997, 18897, 18898	\ifL@RTL 16616	1364, 1431, 1432,
\IfFileExists	\iflatin 5575	1433, 1434, 1436,
... 7388, 8860, 8925	\ifLtoR 5545	1475, 1476, 2349,
\IfFileLoadedTF ... 7179	\ifLtoRhboxconstruct	2365, 2381, 2628,
\iffootdir@debug 5569	2706, 2710, 2731,
..... 4070, 14349	\ifLtoRtable 5557	2732, 2734, 3336,
\ifFootnoteBackref@number	linked	3417, 3431, 3432,
..... 14707	\ifmkcolors . 24297,	4383, 4384, 4385,
\ifGin@iso 15284	24308, 24340, 24357	4543, 4974, 5268,
\ifhbox 13432, 13436	\ifmmode 4482,	5274, 5337, 5354,
\ifhmode . 2689, 4942,	10033, 10038,	5598, 5612, 5622,
7869, 7913, 7957,	14113, 14123,	5912, 6483, 6511,
8200, 8206, 10039,	15167, 15169,	6513, 6521, 6523,
10041, 10048,	15172, 15173,	6724, 6734, 6832,
10054, 10073,	15174, 15180,	6838, 6863, 6878,
22590, 24280,	15182, 15199,	6884, 7189, 7218,
24282, 24319,	15202, 15209,	7239, 7255, 9100,
24323, 24376,	15218, 15224,	9304, 9320, 9336,
24662, 24663,	15228, 15231,	9401, 9403, 9405,
24706, 24897, 24941	15245, 15270,	9482, 9498, 9514,
\ifhv@fbox ... 15686,	15277, 15351,	9579, 9581, 9583,
15692, 15699,	15367, 15394,	9643, 9737, 9788,
15705, 15711,	15395, 15397,	9803, 9828, 9830,
15717, 15726,	15452, 15459,	9832, 9842, 9926,
15730, 15735,	15462, 15495,	10195, 10203,
15739, 15743,	15501, 15505,	10208, 10215,
15747, 15761,	15533, 15542,	10425, 10426,
15777, 15788,	15546, 16263,	10439, 10450,
15792, 15797,	16275, 16278,	10586, 10598,
15801, 15805,	16314, 16346,	10611, 10826,
15809, 15816,	16375, 16401,	11381, 11395,
15822, 15829,	18492, 18550,	11493, 11590,
15835, 15841, 15847	18790, 18801,	11639, 11653,
\ifhv@nonFloat 15629,	19962, 19964,	11655, 11657,
15636, 15654,	19968, 19972,	11667, 11992,
15675, 15867, 15869	19974, 19979,	11993, 12086,
\ifhv@onlyText	19983, 19986,	13782, 13823,
..... 15637, 15655	19990, 19992,	13838, 13855,
\ifhv@useOBox 15600, 15604	19996, 24275,	13943, 13993,
\ifHy@href@ismap . 16366	24279, 24600, 24673	13995, 13997,
\ifHy@hyperfootnotes	\ifNAT@openbib ... 18308	14277, 14279,
. 11757, 11771, 15903	\ifnonlatin 5581	14281, 14290,
\ifHy@nesting	\IfNoValueTF	14292, 14294,
.. 15952, 15963,	.. 14312, 14313,	14470, 14573,
15974, 15985,	14314, 14318,	14588, 14603,
16000, 16015,	14319, 14320,	14904, 14906,
16075, 16113,	14324, 14325,	15094, 16265,
16146, 16177, 16208	14326, 14331, 14333	16270, 16537,
	\ifnum ... 3, 138, 144,	



16688,	16691,	22749,	22791,	23063,	23064,
16699,	16702,	22810,	22832,	23065,	23080,
16771,	16805,	22849,	22866,	23081,	23082,
16806,	16910,	22883,	22900,	23083,	23085,
16911,	17662,	22918,	22937,	23086,	23087,
17695,	17821,	22957,	22992,	23090,	23093,
17851,	17921,	23175,	23176,	23102,	23103,
17951,	18040,	23287,	23288,	23104,	23107,
18052,	18064,	23315,	23325,	23110,	23129,
18164,	18170,	23339,	23825,	23130,	23131,
18348,	18358,	23830,	23848,	23133,	23134,
18575,	18581,	24021,	24239,	23135,	23138,
18593,	18596,	24531,	24712,	23141,	23150,
18597,	18598,	24713,	24727,	23151,	23152,
18600,	18601,	24782,	24994,	23155,	23158,
18602,	18603,	25016, 25139, 25140		23216,	23217,
18612,	18634,	\ifodd ... 4959, 8831,		23218,	23219,
18639,	18650,	11163, 11191,		23220,	23221,
18661,	18662,	11262, 14169,		23222,	23223,
18668,	18672,	15315, 15321,		23224,	23239,
18675,	18676,	24231, 24990, 25060		23240,	23241,
18782,	18783,	\ifoddpage 7402		23242,	23244,
18835,	18983,	\ifonelinecaptions		23245,	23246,
18999,	19015,	. 20439, 21190, 21945		23249,	23252,
19074,	19076,	\ifOVP@grid		23261,	23262,
19078,	19156,	. 18431, 18439, 18448		23263,	23266,
19297,	19356,	\IfPackageLoadedF .		23269,	23523,
19372,	19388, 7208,		23524,	23525,
19439,	19441,	7217, 7237, 9786,		23526,	23527,
19443,	19542,	9868, 19773, 19846		23528,	23529,
19589,	19603,	\IfPackageLoadedT . 7238		23530,	23531,
19630,	19632,	\IfPackageVersionAtLeastTF		23600,	23601,
19634,	19725, 5594		23602,	23603,
19775,	19790,	\IfPackageVersionAtMostTF		23605,	23606,
19815,	19817, 5608		23607,	23610,
19819,	19829,	\IfPackageVersionTF 5618		23613,	23622,
20017,	20028,	\ifpgfrememberpicturepositiononpage		23623,	23624,
20098,	20199, 18505		23627,	23630,
20246,	20273,	\ifpoem@started 9074,		23660,	23661,
20322,	20746,	9080, 9220, 9227, 9241		23662,	23664,
20757,	20828,	\ifprimitive .. 5682, 5689		23665,	23666,
20929,	20976,	\ifr@ggedbottom .. 18762		23669,	23672,
21003,	21052,	\ifrot@messages ...		23681,	23682,
21087,	21102, 19932, 19944		23683,	23686,
21105,	21109,	\ifRtoL 5539		23689,	23709,
21509,	21520,	\ifRtoLhboxconstruct		23712,	23715,
21591,	21692, 5563		23735,	23739,
21739,	21766,	\ifRtoLtable 5551		23744,	23756,
21815,	21861,	\ifsomething 6762		23759,	23763,
21864,	22432,	\Ifstr 20610,		23773, 23777, 23782	
22480,	22481,	21362, 22117,		\Ifstrstart .. 23514,	
22482,	22483,	23057, 23058,		23546, 23574,	
22485,	22619,	23059, 23060,		23587, 23646, 23798	
22621,	22745,	23061, 23062,		\iftagsleft@ .. 340, 11220	



\iftest 6566	\ifvoid . 10263, 10279,	11732, 11736,
\ifthenelse .. 5193,	10322, 10338,	14046, 14082,
5210, 5214, 5218,	10393, 10580,	14467, 14748,
5226, 7301, 7361,	10889, 10910,	14949, 14998,
7363, 7366, 7370,	10921, 10946,	15036, 15213,
7373, 7376, 7401,	10978, 11000,	15255, 15256,
7458, 7477, 7492,	11998, 12004,	15262, 15591,
7497, 7503, 7512,	12016, 12022,	15593, 15599,
7523, 7529, 7535,	12045, 13756,	15610, 15612,
7536, 7543, 7550,	13769, 13781,	15615, 15616,
7552, 7558, 7575,	13794, 14639,	15633, 15639,
7593, 7595, 7599,	14864, 14885,	15640, 15642,
7617, 7618, 7621,	15040, 15045,	15645, 15657,
7622, 7657, 7666,	15063, 15065,	15658, 15660,
7677, 7687, 7736,	15074, 15084,	15663, 15672,
7851, 8075, 8093,	15104, 15105,	15674, 15683,
8094, 8112, 8113,	15109, 15120,	15685, 15698,
8131, 8132, 8163,	15127, 16928,	15725, 15734,
8164, 8282, 8287,	17041, 18079,	15754, 15770,
8311, 8316, 8340,	18223, 18690,	15787, 15796,
8345, 8422, 8426,	18756, 18758,	15815, 15828,
8474, 8687, 8733,	18763, 24381,	15862, 15868,
8742, 8750, 8777,	24434, 24444, 24884	15881, 15912,
8824, 8893, 8904,	\ifWF@float 24213, 24227	15923, 15934,
10730, 10736,	\ifx 116, 135, 137,	16241, 16244,
10753, 10756,	152, 156, 160, 167,	16247, 16250,
10757, 10758,	844, 848, 1097,	16294, 16302,
10759, 10760,	1101, 1348, 1352,	16328, 16336,
10846, 10851,	1428, 2036, 2037,	16359, 16388,
10854, 10855,	2416, 2442, 2468,	16562, 16583,
10856, 10857,	2494, 3125, 3131,	16728, 16729,
10858, 10861,	3137, 3215, 3422,	16733, 16735,
10865, 14250,	3447, 3467, 3617,	16810, 17772,
14265, 19886, 19931	3633, 3700, 3764,	17813, 17913,
\ifthm@tempif 18396	3860, 3955, 4389,	18178, 18183,
\iftocfeature . 23195,	4390, 4825, 4831,	18188, 18334,
23307, 23365, 23375	4837, 4852, 4883,	18338, 18345,
\iftocstyle@autolength	4935, 4938, 5199,	18351, 18753,
. 23870	5200, 5201, 5203,	18846, 18859,
\iftocstyle@indentnotnumbered	5265, 5347, 5376,	18872, 19140,
. 23915, 23962	5379, 5399, 5403,	19144, 19281,
\iftrue 5463,	5423, 5427, 5442,	19285, 20050,
5479, 7816, 7829, 7842	5446, 5533, 5637,	20085, 20092,
\ifttl@label 22595	5655, 5951, 6147,	20150, 20151,
\ifTX@ 22422	6489, 6495, 6496,	20158, 20166,
\IfValueT 7023	6533, 6534, 6535,	20173, 20179,
\ifvbox 13715,	6536, 6546, 6552,	20201, 20217,
15141, 18221, 18226	6577, 6582, 6587,	20224, 20232,
\ifvmode	6592, 6598, 6603,	20240, 20252,
5264, 5736, 5790,	6791, 8145, 8969,	20259, 20274,
5847, 7159, 7605,	8990, 9143, 9195,	20275, 20279,
7608, 7611, 7614,	9200, 9202, 10239,	20280, 20288,
17025, 18094,	10302, 10958,	20289, 20293,
18386, 18420, 22374	11010, 11716,	20294, 20303,



20304,	20308,	1240, 1249, 2028,	19210,	19670,
20309,	20317,	2246, 2252, 2256,	19671,	19672,
20370,	20779,	2261, 2273, 2283,	22700,	22701,
20815,	20822,	2311, 2328, 2345,	22702,	22706,
20880,	20881,	2361, 2377, 2393,	22707,	22708,
20888,	20896,	2753, 6320, 6810,	22711,	22712,
20903,	20909,	6826, 6828, 6834,	22718,	22719,
20931,	20947,	6837, 6840, 6844,	22723,	22724,
20954,	20962,	6849, 7628, 7635,	22725, 22728, 22729	
20970,	20982,	7636, 7645, 8232,	\indexspace	8663
20989,	21004,	8250, 8268, 8304,	\init@mult@footins	13811
21005,	21009,	8333, 8362, 8627,	\input	4365,
21010,	21018,	9051, 9062, 9215,	4375, 4488, 4580,	
21019,	21023,	9216, 9363, 9553,	5046, 7190, 7194,	
21024,	21033,	9929, 9935, 10048,	7220, 7226, 7240,	
21034,	21038,	10054, 10062,	7244, 7278, 7293,	
21039,	21047,	10069, 11721,	8861, 8926, 25144	
21120,	21542,	11735, 11802,	\input@path	17268
21578,	21585,	11808, 11814,	\InputIfFileExists	16610
21643,	21644,	14524, 14541,	\insert	36, 50,
21651,	21659,	14557, 14585,	66, 250, 264, 279,	
21666,	21672,	14600, 14615,	4286, 4515, 10880,	
21694,	21710,	15297, 15301,	10896, 10901,	
21717,	21725,	15306, 15311,	10917, 10964,	
21733,	21745,	16569, 16588,	10970, 11016,	
21752,	21767,	16980, 17785,	11022, 11818,	
21768,	21772,	17792, 18969,	11832, 11846,	
21773,	21781,	18978, 19420,	12117, 12133,	
21782,	21786,	19429, 19962,	12143, 12264,	
21787,	21796,	19972, 19990,	12279, 12288,	
21797,	21801,	20509, 20511,	12405, 12421,	
21802,	21810,	21260, 21262,	12431, 12552,	
21875,	22382,	22015, 22017,	12568, 12578,	
22551,	22574,	24319, 24323,	12699, 12715,	
22630,	22977,	24576, 24615,	12725, 12846,	
23330,	23336,	24624, 24633, 24642	12862, 12872,	
23382,	23386,	\iii	12993, 13009,	
23390,	23497,	\ilg	13019, 13140,	
23837,	23908,	\immediate . . .	13156, 13166,	
23920,	23928,	\includegraphics . .	13287, 13303,	
23945,	23970,	. 5234, 10732, 10863	13313, 13551,	
24037,	24042,	\includemedia	13569, 13581,	
24044,	24288,	. 17247, 17577, 17578	13787, 13795,	
24331,	24464,	\indentedwidth . . .	14511, 14528,	
24584,	24587,	\index	14544, 15064, 15066	
24594,	24753,	6749, 14222, 25084	\insert@column	1463,
24761,	24800,	\indexname	1464, 1465, 1466,	
24847,	25073,	648, 649, 663,	1468, 1469, 1529,	
25074, 25076, 25077		664, 913, 914,	1531, 1532, 1534,	
\ifXC@tst . 24311, 24360		1166, 1167, 8647,	1535, 1536, 10009,	
\ignorespaces . . . 47,		8648, 9292, 9293,	10011, 10012,	
61, 77, 123, 261,		9470, 9471, 9681,	10014, 10015, 10016	
275, 290, 348,		9682, 9683, 18953,	\insertauthor	
679, 688, 987,		18954, 19209,	. . . 3070, 3125, 3128	



<code>\insertauthorindicator</code> 3127	<code>\insertshortauthor</code> ... 3492, 3695, 3719	15468, 15476, 15511, 15523,
<code>\insertblocktitle</code> . 1828, 1837, 1846, 2918, 2933, 2948, 3149, 3161, 3173, 3273	<code>\insertshortdate</code> .. 3500	15555, 16855,
<code>\insertbuttontext</code> . 2968	<code>\insertshortframetitle</code> 3390, 3396	17301, 17348, 17349, 17353,
<code>\insertcaption</code> 1863, 1878, 2905	<code>\insertshortinstitute</code> 3492	17431, 17519, 17522, 17523,
<code>\insertcaptionname</code> ... 1860, 1876, 2902	<code>\insertshorttitle</code> 3372, 3495, 3687, 3726, 3914, 3996	17534, 17572, 17610, 17635, 18462
<code>\insertcaptionnumber</code> 1860	<code>\insertskipsymbol</code> . 2787	<code>\interfootnotelinepenalty</code> .. 40, 54, 70, 254, 268, 283, 11986, 14515, 14532, 14548
<code>\insertdate</code> 3082, 3137, 3140	<code>\insertslideintonotes</code> 3349	<code>\interlinepenalty</code> 40, 54, 70, 254, 268, 283, 671, 696, 924, 979, 1174, 1181, 8539, 9300, 9307, 9478, 9485, 9650, 9849, 9857,
<code>\insertdateindicator</code> 3139	<code>\insertsubenumlabel</code> 1708	10583, 10595, 10608, 11674, 11683, 11986, 13860, 13868, 14515, 14532, 14548, 18044, 18056, 18068, 18839, 18961, 18986, 19359, 19412, 19475, 19834, 19842, 22587, 22628, 22767, 22798, 22821, 22838, 22855, 22872, 22889, 22906, 22924, 22943, 22963, 22998, 23381, 23911, 24025, 24206, 24731
<code>\insertenumlabel</code> 1685, 1750	<code>\insertsubsection</code> 3382, 3388	<code>\intermath@penalty</code> 9928
<code>\insertfootnotemark</code> 2289, 2294, 2876, 2883, 2890, 3293, 3299, 3305	<code>\insertsubsectionhead</code> 3215, 3218, 3529, 3581, 3838, 3934, 4026, 4034	<code>\intextsep</code> . 24266, 24268
<code>\insertfootnotetext</code> 2288, 2293, 2876, 2883, 2890, 3293, 3299, 3305	<code>\insertsubsubenumlabel</code> 1729	<code>\InTheoType</code> 11236, 18376, 18378, 18411, 18413
<code>\insertframenummer</code> 3227, 3435, 3441, 3445, 3463, 3465, 3542	<code>\insertsubtitle</code> 3054, 3122, 3199	<code>\ior</code> .. 17351, 17352, 17356
<code>\insertframesubtitle</code> 3617, 3618, 3764, 3765, 3860, 3863, 3955, 3958	<code>\inserttitle</code> 3048, 3121, 3192	<code>\isempty</code> . 7477, 8075, 8282, 8287, 8311, 8316, 8340, 8345, 8733, 8742, 8750, 8777
<code>\insertframetitle</code> 3616, 3763, 3859, 3954	<code>\inserttitlegraphic</code> 3065	<code>\isodd</code> 19886, 19931
<code>\insertgotosymbol</code> . 2764	<code>\inserttitleindicator</code> 3120	<code>\isSC@ODD</code> 22248, 22249, 22251, 22252, 22256,
<code>\insertinstitute</code> 3076, 3131, 3134	<code>\inserttocsection</code> 1591, 1619, 1659, 1769, 1800, 3116	
<code>\insertinstituteindicator</code> 3133	<code>\inserttocsectionnumber</code> 1594, 1616, 1653, 1797	
<code>\insertlogo</code> 3646	<code>\inserttocsubsection</code> 1584, 1594, 1622, 1664, 1773, 1808, 2846	
<code>\insertnavigation</code> 3569, 3828	<code>\inserttocsubsectionnumber</code> 1594	
<code>\insertnote</code> 3407	<code>\inserttocsubsubsection</code> 1588, 1599, 1627, 1671, 1779, 1815, 2850	
<code>\insertpenalties</code> 14475, 15094	<code>\inserttotalframenummer</code> 3227, 3426, 3432, 3435, 3451, 3454, 3471, 3474, 3542	
<code>\insertreturnsymbol</code> 2807	<code>\insertverticalnavigation</code> 3698	
<code>\insertsection</code> 3373, 3380	<code>\insertvruler</code> 2073, 3344, 3402	
<code>\insertsectionhead</code> 3212, 3522, 3924, 4007, 4015	<code>\int</code> 15343, 15374, 15386, 15404, 15412, 15440, 15441,	



22258, 22260, 22262	\JustifyingParfillskip	14432, 14433,
\isundefined .. 7687, 18890	14465, 14753,
7736, 10730,	\JustifyingParindent	14817, 15195,
10736, 10753, 7356,	15241, 16522,
10756, 10757,	8027, 8586, 18891	16525, 16526,
10758, 10759,		16527, 16597,
10760, 10851,	K	16599, 16601,
10854, 10855,	\keepthetitle 17644	16604, 16980,
10856, 10857,	\kern 27, 30, 31,	18103, 18159,
10858, 10861, 10865	32, 242, 245, 246,	18160, 18207,
\item 103,	247, 348, 591, 593,	18210, 18211,
233, 652, 667, 917,	595, 598, 772, 773,	18212, 18762,
1000, 1170, 8619,	775, 778, 779, 782,	18773, 18776,
8627, 8632, 8653,	794, 1009, 1011,	19039, 19040,
9296, 9474, 9686,	1014, 1017, 1047,	19042, 19045,
14118, 14133,	1254, 1255, 1257,	19046, 19049,
16512, 18957,	1260, 1261, 1264,	19090, 19229,
19213, 19675, 22735	1298, 1527, 1532,	19463, 19464,
\itemindent .. 8614,	1617, 1658, 1664,	19466, 19469,
8615, 8623, 24538	1671, 1768, 1773,	19470, 19473,
\itemize 2626	1779, 1799, 1807,	19621, 19623,
\itemsep 2675,	1814, 2727, 2976,	19625, 19628,
7350, 8560, 8599, 8613	3018, 4756, 4757,	19806, 19808,
\itemx 18233	4758, 4759, 4760,	19810, 19813,
\itemxox 18268	4761, 4762, 4763,	20084, 20088,
\itemxoxx 18278	4767, 4768, 4815,	20091, 20095,
\itemxxx 18236	4817, 4818, 5343,	20096, 20490,
\itemxxo 18273	7826, 7827, 7837,	20492, 20586,
\itemxxox 18285	7838, 7840, 8305,	20588, 20814,
\itemxxx 18241	8306, 8334, 8335,	20818, 20821,
\itemxxxo 18292	8363, 8364, 9384,	20825, 20826,
\itemxxxx 18248	9385, 9387, 9390,	21241, 21243,
\itemxxxxx 18257	9391, 9394, 9415,	21337, 21339,
\itshape . 4733, 5206,	9538, 9539, 9541,	21577, 21581,
8423, 8425, 8429,	9544, 9545, 9548,	21584, 21588,
8436, 8443, 8478,	9593, 9819, 9821,	21589, 21996,
8485, 8492, 8499,	9823, 9826, 10007,	21998, 22092,
8506, 8810, 8811, 8812	10012, 10034,	22094, 22309,
	10875, 10876,	22315, 22601,
J	11306, 11313,	24241, 24245,
\j 6884, 6885, 6889	11321, 11328,	24251, 24254,
\jua@ht 17840,	11367, 11371,	24276, 24435,
17847, 17940,	11441, 11443,	24445, 24475,
17947, 18016, 18023	11445, 11448,	24479, 24486, 25013
\jua@pr 17823,	11741, 11743,	\keys 4086, 4093, 4100,
17853, 17923, 17953	11745, 11748,	4107, 4114, 4120,
\jua@sar 17822,	11793, 11794,	4126, 4132, 4139,
17852, 17894,	11921, 11922,	4148, 4155, 4162,
17922, 17952, 17991	13873, 13875,	4178, 4185, 4192,
\jua@sk . 17821, 17851,	13877, 13880,	4196, 4333, 4338,
17894, 17921,	14018, 14019,	4343, 4348, 4353,
17951, 17991, 18024	14020, 14254,	17064, 17260,
\justifying .. 7384,	14426, 14429,	17354, 17593, 17594
7454, 8024, 18884	14430, 14431,	\keywords 336



\kill 16807	17080,	17082,	17375,	17376,
\KOMAClassName 20044,	17088,	17089,	17377,	17379,
20218, 20225,	17090,	17091,	17380,	17381,
20247, 20253,	17092,	17093,	17384,	17385,
20260, 20448,	17094,	17095,	17386,	17389,
20457, 20521,	17096,	17097,	17422,	17424,
20620, 20773,	17098,	17100,	17427,	17452,
20948, 20955,	17101,	17103,	17454,	17486,
20977, 20983,	17104,	17105,	17490,	17502,
20990, 21199,	17112,	17113,	17503,	17549,
21208, 21272,	17114,	17116,	17559,	17565,
21372, 21536,	17118,	17121,	17577,	17578,
21711, 21718,	17122,	17129,	17597,	17598,
21740, 21746,	17139,	17140,	17599,	17600,
21753, 21954,	17141,	17142,	17601,	17602,
21963, 22027, 22127	17143,	17144,	17603,	17604,
\KV@errx . 2408, 2411,	17145,	17146,	17605,	17640,
2414, 2434, 2437,	17147,	17148,	17641,	18368,
2440, 2460, 2463, 2466	17149,	17150,	18464, 18466, 18475	
	17151,	17152,	\l@ 23008	
	17153,	17157,	\l@addto@macro	
	17158,	17159,	. 20027, 20756, 21519	
L	17161,	17163,	\l@chapter 9343, 9357,	
\l 4075, 4194,	17166,	17167,	9521, 9535, 9802,	
4354, 4357, 4361,	17169,	17170,	13837, 19022,	
6918, 6919, 6998,	17171,	17180,	19036, 19395,	
7008, 7009, 7031,	17190,	17191,	19409, 19602,	
7045, 7046, 7086,	17192,	17193,	19789, 22652,	
7090, 7091, 7095,	17194,	17195,	22653, 22790, 23990	
7098, 7102, 7103,	17196,	17197,	\l@figure 8547,	
7107, 7110, 7114,	17198,	17204,	8548, 22899, 24018	
7115, 7119, 11262,	17206,	17207,	\l@ngrel@x 5951, 5952, 5954	
11278, 11281,	17208,	17211,	\l@paragraph 22865, 24006	
11287, 11290,	17213,	17215,	\l@part 559,	
11292, 11293,	17220,	17221,	708, 726, 953,	
11296, 11297,	17222,	17224,	971, 1193, 1211,	
11300, 11303,	17226,	17231,	9319, 9335, 9497,	
11304, 11305,	17233,	17235,	9513, 9787, 11394,	
11310, 11311,	17243,	17254,	11638, 13822,	
11312, 11318,	17255,	17270,	18998, 19014,	
11319, 11320,	17271,	17272,	19371, 19387,	
11325, 11326,	17273,	17291,	19588, 19774,	
11327, 11336,	17311,	17319,	22649, 22650,	
11339, 11347,	17324,	17338,	22743, 23982, 23985	
15341, 15348,	17343,	17347,	\l@section	
15362, 15384,	17348,	17349,	576, 734, 747, 937,	
15391, 15410,	17351,	17352,	950, 1220, 1233,	
15416, 15418,	17353,	17356,	11380, 22809, 23994	
15423, 15424,	17360,	17362,	\l@subfigure 22936	
15429, 15432,	17363,	17364,	\l@subparagraph	
15433, 15441,	17365,	17366, 22882, 24010	
15442, 15447,	17367,	17368,	\l@subsection 22831, 23998	
15474, 15482,	17370,	17371,	\l@subsection	
15483, 15484,	17372,	17373, 22848, 24002	
15485, 15521,				
17072, 17074,				



<code>\l@subtable</code> 22956	1275, 1276, 2661,	548, 554, 568, 717,
<code>\l@table</code> 8548, 22917, 24014	2672, 2673, 5244,	808, 818, 893, 899,
<code>\label</code> 5230, 7506, 7508,	5246, 8577, 8578,	962, 1061, 1071,
7510, 7514, 7566,	9371, 9372, 9561,	1146, 1152, 1202,
14221, 14686,	9562, 9875, 9876,	1312, 1322, 1398,
14692, 15647,	11428, 11429,	1404, 1408, 1413,
15665, 20442,	11700, 11701,	8436, 8499, 8565,
21193, 21948, 25083	13887, 13888,	9328, 9429, 9439,
<code>\labelitemi</code> 793, 1046,	14909, 16498,	9506, 9607, 9617,
1109, 1297, 9414,	16499, 18234,	9703, 9709, 9774,
9592, 19089, 19228	18237, 18239,	9780, 9796, 10725,
<code>\labelname</code> . . . 18234,	18242, 18244,	10727, 10818,
18237, 18239,	18246, 18249,	10820, 11403,
18242, 18244,	18251, 18253,	11461, 11467,
18246, 18249,	18255, 18258,	11526, 11532,
18251, 18253,	18260, 18262,	11556, 11562,
18255, 18258,	18264, 18266,	11627, 11633,
18260, 18262,	18269, 18271,	11646, 13831,
18264, 18266,	18274, 18276,	13911, 13917,
18269, 18271,	18279, 18281,	13976, 13982,
18274, 18276,	18283, 18286,	19007, 19104,
18279, 18281,	18288, 18290,	19114, 19189,
18283, 18286,	18293, 18295,	19195, 19243,
18288, 18290,	18297, 19056,	19253, 19335,
18293, 18295, 18297	19057, 19450,	19341, 19345,
<code>\labelsep</code> 86, 91,	19451, 19646,	19350, 19380,
300, 305, 626, 761,	19647, 19853,	19503, 19509,
1026, 1277, 2653,	19854, 20387,	19596, 19691,
2674, 5245, 5247,	20388, 21138,	19697, 19762,
8576, 8578, 8635,	21139, 21893,	19768, 19783,
9373, 9563, 9877,	21894, 22666, 22667	23305, 23737, 23775
11430, 11702,	<code>\landscape</code> . 16954, 18482	<code>\Largr</code> 4737
13889, 16494,	<code>\langle</code> 4734	<code>\Largs</code> 4736
16499, 18234,	<code>\Larg</code> 4733,	<code>\lastbox</code> 10370, 13411,
18237, 18239,	4734, 4735, 4736, 4737	13431, 13435,
18242, 18244,	<code>\Larga</code> 4734	17022, 18690,
18246, 18249,	<code>\Largb</code> 4735	24381, 24433, 24443
18251, 18253,	<code>\LARGE</code> 475, 546,	<code>\LastFrameCommand</code> .
18255, 18258,	801, 891, 1054, 14771, 14881
18260, 18262,	1144, 1305, 1396,	<code>\lastkern</code> 5328, 8211, 14856
18264, 18266,	1407, 8478, 8485,	<code>\lastnodetype</code> . 5265, 5274
18269, 18271,	8567, 8810, 9422,	<code>\lastpenalty</code> . . 5268,
18274, 18276,	9600, 9701, 9772,	5333, 9926, 23830
18279, 18281,	10815, 11459,	<code>\lastrule</code> 9973
18283, 18286,	11524, 11554,	<code>\lastskip</code> 5267,
18288, 18290,	11625, 13909,	7644, 9246, 9247, 9925
18293, 18295,	13974, 19097,	<code>\LastTOCLevelWasHigher</code>
18297, 19058,	19187, 19236, 23707
19452, 19648,	19333, 19344,	<code>\LastTOCLevelWasLower</code>
19855, 20389,	19501, 19689, 19760 23703
21140, 21895, 22668	<code>\Large</code> . . . 8429, 8492,	<code>\LastTOCLevelWasSame</code>
<code>\labelwidth</code> 90, 91, 304,	8566, 8811, 8812, 23705
305, 624, 625, 759,	10726, 10819, 19577	<code>\LaTeX</code> 16423,
760, 1024, 1025,	<code>\large</code> 477, 483,	24467, 24468, 24486



<code>\LaTeXe</code>	24469, 24470	18775,	18842,	305, 625, 626, 760,
<code>\LBEG</code>	4738	18992,	19006,	761, 997, 1025,
<code>\lcb</code> .	4735, 4738, 4739, 4742	19029,	19090,	1026, 1276, 1277,
<code>\lccode</code>	6511,	19229,	19365,	2661, 2673, 2674,
	6513, 24232, 24233	19379,	19402,	5246, 5247, 7347,
<code>\Lcs</code>	4749	19595,	19610,	8557, 8616, 8617,
<code>\LcsStar</code>	4750	19782,	19797,	8624, 8630, 9372,
<code>\leaders</code>	20095,	20095,	20825,	9373, 9562, 9563,
	20825, 21588,	21588,	22289,	9876, 9877, 11429,
	22322, 22643,	22340,	22593,	11430, 11701,
	23921, 24030, 24736	22616,	22768,	11702, 13888,
<code>\leavevmode</code>	14,	22799,	22822,	13889, 16499,
	220, 317, 390, 567,	22839,	22856,	18839, 19057,
	584, 702, 716, 741,	22873,	22890,	19058, 19451,
	794, 931, 944, 961,	22907,	22925,	19452, 19647,
	1047, 1110, 1187,	22944,	22964,	19648, 19854,
	1201, 1227, 1298,	22999,	23192,	19855, 20032,
	1584, 1587, 1591,	23304,	23395,	20388, 20389,
	1594, 1597, 1608,	23912,	24026,	20761, 21139,
	1622, 1625, 1644,	24275,	24472,	21140, 21524,
	1662, 1667, 1766,	24478,	24485,	21894, 21895,
	1772, 1776, 1788,	24497,	24504,	22667, 22668,
	1806, 1812, 1855,	24578, 24682, 24732		24548, 24551,
	1871, 1990, 2246,	<code>\left</code> .	24498, 24505, 24511	24561, 24565,
	2256, 2266, 2281,	<code>\left@footnoterule</code>		24573, 24610,
	2668, 2846, 2849,		31, 246, 467, 590,	24612, 24613,
	2899, 2926, 2941,		771, 789, 1008,	24614, 24619,
	2956, 3115, 3148,		1042, 1253, 1293,	24621, 24622,
	3160, 3172, 3489,		2349, 2381, 9383,	24623, 24628,
	3515, 3714, 3752,		9410, 9537, 9588,	24630, 24631,
	3762, 4867, 5175,		9693, 9818, 11440,	24632, 24637,
	5284, 5737, 5791,		11453, 11546,	24639, 24640, 24641
	5848, 8199, 8540,		11740, 13872,	<code>\leftmargini</code> . .
	9008, 9084, 9313,		13903, 14430,	8557, 8570, 8577
	9327, 9350, 9415,		14436, 14449,	<code>\leftmarginii</code>
	9491, 9505, 9528,		14451, 14588,	8571
	9593, 9795, 9810,		14603, 16526,	<code>\leftmarginiii</code>
	9894, 9895, 10033,		16596, 16958,	8572
	10085, 11388,		16960, 19038,	<code>\leftmarginiv</code>
	11402, 11645,		19085, 19222,	8573
	12157, 12301,		19462, 19483,	<code>\leftmarginv</code>
	12445, 12592,		19620, 19681,	8574
	12739, 12886,		19805, 20082,	<code>\leftmarginvi</code>
	13033, 13180,		20142, 20812,	8575
	13327, 13830,		20872, 21575, 21635	<code>\leftmarginwidth</code> .
	13845, 14118,	<code>\leftfootnoterule</code> .		19617
	14133, 14618,		<code>\leftmark</code>
	15183, 15229,		4143,	8907
	15249, 16281,		10872, 11790,	<code>\leftskip</code>
	16318, 16350,		14434, 14437,	12, 13,
	16529, 16548,		14678, 15154, 25147	218, 219, 317, 321,
	17017, 18045,	<code>\leftline</code> . .	18785, 24662	565, 582, 585, 586,
	18057, 18069,	<code>\leftlinenumbers</code> . .		673, 686, 697, 698,
	18689, 18770,		703, 714, 739, 742,
		<code>\leftmargin</code>	91,	743, 925, 926, 932,
				942, 945, 946, 959,
				981, 1176, 1182,
				1183, 1188, 1199,
				1225, 1228, 1229,
				1247, 2016, 2017,
				2021, 2829, 2835,
				3323, 3325, 8534,



8542, 8543, 9114,	22851, 22852,	1083, 1084, 1085,
9302, 9308, 9309,	22853, 22861,	1086, 1087, 1088,
9314, 9325, 9348,	22868, 22869,	1089, 1090, 1091,
9351, 9352, 9480,	22870, 22878,	1126, 1127, 1128,
9486, 9487, 9492,	22885, 22886,	1129, 1130, 1131,
9503, 9526, 9529,	22887, 22895,	1132, 1133, 1134,
9530, 9793, 9808,	22902, 22903,	1135, 1136, 1143,
9811, 9812, 9948,	22904, 22912,	1170, 1280, 1291,
9949, 9950, 10076,	22920, 22921,	1292, 1293, 1294,
10077, 10083,	22922, 22930,	1295, 1333, 1334,
11386, 11389,	22939, 22940,	1335, 1336, 1337,
11390, 11400,	22941, 22949,	1338, 1339, 1340,
11643, 12058,	22959, 22960,	1341, 1342, 1377,
13705, 13828,	22961, 22969,	1378, 1379, 1380,
13843, 13846,	22994, 22995,	1381, 1382, 1383,
13847, 16546,	22996, 23004,	1384, 1385, 1386,
16547, 17004,	23044, 23045,	1387, 1395, 1421,
17678, 17679,	23046, 23843,	1422, 1426, 1428,
18042, 18046,	23905, 23906,	1443, 1444, 1445,
18047, 18054,	23907, 23913,	1481, 1482, 1483,
18059, 18066,	23916, 23963,	1508, 1509, 1510,
18071, 18850,	24023, 24028,	1511, 1516, 1551,
18852, 18863,	24051, 24058,	1552, 1894, 2197,
18865, 18876,	24427, 24428,	2198, 2221, 2239,
18878, 18887,	24645, 24669,	2248, 2349, 2365,
18889, 18963,	24670, 24729, 24734	2381, 2396, 2397,
18976, 18987,	\LEND 4739	2398, 2405, 2406,
18988, 18993,	\leqno . . . 340, 18781,	2407, 2408, 2409,
19004, 19027,	18783, 25138, 25140	2414, 2415, 2431,
19030, 19031,	\let 87, 103, 116,	2432, 2433, 2434,
19360, 19361,	153, 154, 157, 158,	2435, 2440, 2441,
19366, 19377,	161, 162, 165, 233,	2457, 2458, 2459,
19400, 19403,	301, 331, 339, 340,	2460, 2461, 2466,
19404, 19414,	359, 395, 396, 402,	2467, 2661, 2679,
19427, 19477,	427, 431, 437, 465,	2681, 4174, 4175,
19593, 19608,	466, 467, 468, 469,	4182, 4275, 4277,
19611, 19612,	470, 471, 489, 490,	4279, 4450, 4504,
19617, 19618,	491, 492, 493, 494,	4506, 4508, 4556,
19780, 19795,	495, 496, 497, 498,	4628, 4629, 4630,
19798, 19799,	499, 500, 524, 525,	4631, 4632, 4633,
20024, 20753,	526, 527, 528, 529,	4634, 4635, 4636,
21516, 22558,	530, 531, 532, 533,	4637, 4638, 4822,
22585, 22597,	534, 535, 536, 543,	4823, 4824, 4851,
22614, 22635,	544, 545, 629, 652,	4868, 4869, 4870,
22637, 22642,	667, 764, 787, 788,	4871, 4872, 4873,
22646, 22647,	789, 790, 791, 829,	4874, 4875, 4876,
22763, 22764,	830, 831, 832, 833,	4878, 4879, 4880,
22765, 22773,	834, 835, 836, 837,	4990, 4991, 4992,
22794, 22795,	838, 873, 874, 875,	4993, 4994, 4995,
22796, 22804,	876, 877, 878, 879,	4996, 4997, 4998,
22817, 22818,	880, 881, 882, 883,	5250, 5259, 5376,
22819, 22827,	890, 917, 1029,	5394, 5418, 5437,
22834, 22835,	1040, 1041, 1042,	5442, 5461, 5462,
22836, 22844,	1043, 1044, 1082,	5469, 5470, 5473,



5474, 5477, 5478,
5484, 5485, 5488,
5489, 5492, 5493,
5496, 5497, 5531,
5699, 5702, 5716,
5952, 5974, 5996,
5997, 6127, 6199,
6201, 6204, 6205,
6206, 6207, 6208,
6263, 6301, 6308,
6316, 6327, 6333,
6341, 6344, 6347,
6357, 6361, 6363,
6428, 6429, 6434,
6541, 6544, 6575,
6661, 6668, 6671,
6681, 6691, 6702,
6769, 6779, 6781,
6815, 6826, 7155,
7339, 7469, 7470,
7507, 7508, 7514,
7516, 7520, 7565,
7566, 7648, 7650,
7652, 7798, 7799,
7812, 7816, 7818,
7819, 7825, 7829,
7833, 7842, 8086,
8087, 8105, 8106,
8124, 8125, 8152,
8153, 8181, 8182,
8183, 8280, 8301,
8302, 8303, 8309,
8330, 8331, 8332,
8338, 8359, 8360,
8361, 8377, 8381,
8382, 8383, 8386,
8390, 8391, 8392,
8395, 8399, 8400,
8401, 8548, 8612,
8653, 8740, 8807,
8808, 8809, 8999,
9000, 9002, 9003,
9021, 9042, 9043,
9044, 9045, 9046,
9047, 9048, 9049,
9050, 9053, 9054,
9055, 9056, 9057,
9058, 9059, 9060,
9061, 9122, 9140,
9191, 9197, 9218,
9231, 9241, 9255,
9259, 9260, 9261,
9262, 9263, 9264,
9265, 9266, 9267,

9273, 9274, 9275,
9276, 9277, 9278,
9279, 9280, 9281,
9296, 9376, 9408,
9409, 9410, 9411,
9412, 9450, 9451,
9452, 9453, 9454,
9455, 9456, 9457,
9458, 9459, 9474,
9566, 9586, 9587,
9588, 9589, 9590,
9628, 9629, 9630,
9631, 9632, 9633,
9634, 9635, 9636,
9637, 9686, 9691,
9692, 9693, 9694,
9695, 9696, 9697,
9715, 9716, 9717,
9718, 9719, 9720,
9721, 9722, 9723,
9724, 9725, 9726,
9750, 9751, 9752,
9753, 9754, 9755,
9756, 9757, 9758,
9759, 9760, 9761,
9762, 9769, 9770,
9771, 9880, 9905,
9907, 9910, 9911,
9912, 9918, 9923,
9943, 9955, 9956,
9957, 9959, 9960,
9966, 9967, 9968,
9969, 9989, 9998,
10039, 10045,
10066, 10240,
10243, 10244,
10303, 10306,
10307, 10870,
10871, 10872,
10873, 10874,
10877, 10878,
10880, 10898,
10899, 10901,
10919, 10920,
10924, 10959,
10961, 10973,
10976, 10977,
10981, 11011,
11013, 11025,
11028, 11029,
11076, 11100,
11108, 11116,
11433, 11451,
11452, 11453,

11454, 11455,
11473, 11474,
11475, 11476,
11477, 11478,
11479, 11480,
11481, 11482,
11506, 11507,
11508, 11509,
11510, 11511,
11512, 11513,
11514, 11515,
11516, 11523,
11544, 11545,
11546, 11547,
11548, 11549,
11550, 11568,
11569, 11570,
11571, 11572,
11573, 11574,
11575, 11576,
11577, 11578,
11579, 11603,
11604, 11605,
11606, 11607,
11608, 11609,
11610, 11611,
11612, 11613,
11614, 11615,
11622, 11623,
11624, 11705,
11758, 11759,
11760, 11761,
11762, 11763,
11772, 11773,
11774, 11775,
11776, 11777,
11778, 11779,
11780, 11781,
11782, 11783,
11788, 11789,
11790, 11791,
11792, 11895,
11896, 11897,
11898, 11899,
11900, 11903,
11904, 11905,
11906, 11907,
11908, 11912,
12096, 12097,
12098, 12102,
12106, 12107,
12108, 12109,
12112, 12114,
12243, 12244,



12245,	12249,	13633,	13647,	15906,	15947,
12253,	12254,	13684,	13712,	15948,	15949,
12255,	12256,	13778,	13808,	15991,	15992,
12259,	12261,	13892,	13901,	15993,	16006,
12384,	12385,	13902,	13903,	16007,	16008,
12386,	12390,	13904,	13905,	16021,	16022,
12394,	12395,	13923,	13924,	16023,	16029,
12396,	12397,	13925,	13926,	16031,	16032,
12400,	12402,	13927,	13928,	16033,	16034,
12531,	12532,	13929,	13930,	16035,	16036,
12533,	12537,	13931,	13932,	16037,	16046,
12541,	12542,	13956,	13957,	16082,	16120,
12543,	12544,	13958,	13959,	16153,	16184,
12547,	12549,	13960,	13961,	16215,	16221,
12678,	12679,	13962,	13963,	16223,	16224,
12680,	12684,	13964,	13965,	16225,	16226,
12688,	12689,	13966,	13973,	16227,	16228,
12690,	12691,	14029,	14047,	16229,	16230,
12694,	12696,	14050,	14051,	16242,	16245,
12825,	12826,	14083,	14086,	16248,	16251,
12827,	12831,	14087,	14170,	16418,	16419,
12835,	12836,	14171,	14173,	16420,	16421,
12837,	12838,	14174,	14177,	16495,	16512,
12841,	12843,	14178,	14207,	16562,	16616,
12972,	12973,	14209,	14211,	16756,	16768,
12974,	12978,	14221,	14222,	16796,	16797,
12982,	12983,	14223,	14229,	16798,	16800,
12984,	12985,	14233,	14236,	16802,	16803,
12988,	12990,	14239,	14241,	16807,	16809,
13119,	13120,	14244,	14245,	16811,	16812,
13121,	13125,	14408,	14437,	16814,	16815,
13129,	13130,	14463,	14464,	16816,	16820,
13131,	13132,	14573,	14588,	16826,	16843,
13135,	13137,	14603,	14630,	16885,	16894,
13266,	13267,	14631,	14632,	16895,	16896,
13268,	13272,	14633,	14667,	16958,	16959,
13276,	13277,	14749,	14755,	16996,	16997,
13278,	13279,	14760,	14895,	16998,	16999,
13282,	13284,	14896,	14897,	17000,	17008,
13440,	13451,	14898,	14950,	17055,	17056,
13452,	13453,	14953,	14954,	17057,	17646,
13456,	13459,	14999,	15002,	17647,	17648,
13460,	13465,	15003,	15139,	17649,	17650,
13466,	13467,	15154,	15155,	17651,	17652,
13468,	13469,	15156,	15157,	17653,	17654,
13473,	13474,	15158,	15252,	17710,	17713,
13504,	13506,	15286,	15288,	17714,	17716,
13508,	13509,	15316,	15318,	17717,	17814,
13512,	13515,	15323,	15325,	17817,	17818,
13516,	13518,	15329,	15331,	17914,	17917,
13520,	13522,	15406,	15458,	17918,	18150,
13523,	13526,	15470,	15500,	18153,	18180,
13558,	13570,	15513,	15557,	18181,	18185,
13582,	13619,	15904,	15905,	18186,	18190,



18191,	18315,	19483,	19484,	20337,	20338,
18316,	18317,	19485,	19486,	20339,	20340,
18496,	18691,	19487,	19515,	20341,	20342,
18695,	18740,	19516,	19517,	20343,	20344,
18741,	18742,	19518,	19519,	20345,	20346,
18743,	18746,	19520,	19521,	20347,	20348,
18747,	18749,	19522,	19523,	20349,	20350,
18754,	18777,	19524,	19525,	20352,	20400,
18778,	18779,	19526,	19555,	20425,	20426,
18780,	18781,	19556,	19557,	20441,	20442,
18826,	18843,	19558,	19559,	20443,	20444,
18847,	18849,	19560,	19561,	20445,	20446,
18860,	18862,	19562,	19563,	20531,	20606,
18873,	18875,	19564,	19565,	20610,	20730,
18885,	18886,	19566,	19567,	20731,	20732,
18897,	18898,	19573,	19574,	20848,	20868,
18899,	18900,	19575,	19651,	20870,	20871,
18901,	18914,	19675,	19679,	20872,	20873,
18920,	18932,	19680,	19681,	20874,	20875,
18940,	18941,	19682,	19683,	20876,	20878,
18957,	19061,	19684,	19685,	20925,	20944,
19083,	19084,	19703,	19704,	20967,	20997,
19085,	19086,	19705,	19706,	20999,	21048,
19087,	19125,	19707,	19708,	21053,	21054,
19126,	19127,	19709,	19710,	21055,	21056,
19128,	19129,	19711,	19712,	21057,	21058,
19130,	19131,	19713,	19714,	21059,	21060,
19132,	19133,	19738,	19739,	21061,	21062,
19134,	19169,	19740,	19741,	21063,	21064,
19170,	19171,	19742,	19743,	21065,	21066,
19172,	19173,	19744,	19745,	21067,	21068,
19174,	19175,	19746,	19747,	21069,	21070,
19176,	19177,	19748,	19749,	21071,	21072,
19178,	19179,	19750,	19757,	21073,	21074,
19186,	19213,	19758,	19759,	21075,	21076,
19220,	19221,	19858,	19884,	21077,	21078,
19222,	19223,	19911,	19912,	21079,	21080,
19224,	19225,	19929,	20001,	21082,	21151,
19226,	19264,	20002,	20003,	21176,	21177,
19265,	19266,	20118,	20138,	21192,	21193,
19267,	19268,	20140,	20141,	21194,	21195,
19269,	19270,	20142,	20143,	21196,	21197,
19271,	19272,	20144,	20145,	21282,	21358,
19273,	19274,	20146,	20148,	21362,	21493,
19275,	19310,	20195,	20214,	21494,	21495,
19311,	19312,	20237,	20267,	21611,	21631,
19313,	19314,	20269,	20318,	21633,	21634,
19315,	19316,	20323,	20324,	21635,	21636,
19317,	19318,	20325,	20326,	21637,	21638,
19319,	19320,	20327,	20328,	21639,	21641,
19321,	19322,	20329,	20330,	21688,	21707,
19330,	19331,	20331,	20332,	21730,	21760,
19332,	19455,	20333,	20334,	21762,	21811,
19481,	19482,	20335,	20336,	21816,	21817,



21818,	21819,	22875,	22876,	25077,	25083,
21820,	21821,	22877,	22892,	25084,	25085,
21822,	21823,	22893,	22894,	25090,	25102,
21824,	21825,	22909,	22910,	25105,	25107,
21826,	21827,	22911,	22927,	25114,	25118,
21828,	21829,	22928,	22929,	25120,	25123,
21830,	21831,	22946,	22947,	25124,	25137,
21832,	21833,	22948,	22966,	25138,	25146,
21834,	21835,	22967,	22968,	25147,	25148,
21836,	21837,	23001,	23002,	25192, 25318, 25320	
21838,	21839,	23003,	23066,	\LetLtxMacro	14680, 14681
21840,	21841,	23225,	23408,	\Letter 5095
21842,	21843,	23446,	23499,	\lettergroup 8664
21845,	21906,	23502,	23532,	\leftside 18621,
21931,	21932,	23578,	23591,	18623,	18626,
21947,	21948,	23803,	23824,	18628, 18642, 18644	
21949,	21950,	24040,	24048,	\Line 11103,
21951,	21952,	24053,	24060,	11106,	11111,
22037,	22113,	24077,	24080,	11114,	11119,
22117,	22280,	24140,	24198,	11120,	11123,
22281,	22282,	24202,	24280,	11124,	11128,
22285,	22341,	24285,	24295,	11129,	11132,
22342,	22343,	24299,	24328,	11133,	11137,
22346,	22357,	24338,	24342,	11138,	11141,
22358,	22359,	24382,	24386,	11142,	11146,
22366,	22367,	24451,	24452,	11147, 11150, 11151	
22372,	22381,	24453,	24454,	\line	... 10097, 10098,
22382,	22383,	24457,	24458,	10100,	10101,
22385,	22388,	24460,	24465,	10107,	10108,
22392,	22395,	24467,	24469,	10110,	10111,
22397,	22400,	24481,	24488,	10120,	10121,
22409,	22412,	24491,	24492,	10123,	10124,
22425,	22426,	24493,	24494,	10130,	10131,
22427,	22442,	24498,	24499,	10133,	10134,
22443,	22444,	24505,	24506,	10143,	10144,
22445,	22446,	24507,	24519,	10146,	10147,
22447,	22449,	24541,	24603,	10153,	10154,
22450,	22453,	24644,	24647,	10156,	10157,
22454,	22528,	24648,	24679,	10166,	10167,
22529,	22532,	24683,	24684,	10169,	10170,
22534,	22535,	24685,	24688,	10176,	10177,
22536,	22554,	24700,	24701,	10179,	10180,
22580,	22609,	24702,	24703,	18784, 18785, 18786	
22638,	22643,	24709,	24710,	\LineNumber	.. 16625,
22649,	22652,	24711,	24749,	16627,	16629,
22671,	22735,	24801,	24804,	16634, 16637, 16639	
22741,	22770,	24805,	24848,	\linenumberwidth	..
22771,	22772,	24851,	24852,	. 16627, 16634, 16639	
22801,	22802,	25043,	25045,	\lineskip 428,
22803,	22824,	25048,	25060,	478, 549, 809,	
22825,	22826,	25062,	25064,	894, 1062, 1147,	
22841,	22842,	25066,	25068,	1313, 1399, 1408,	
22843,	22858,	25070,	25073,	5079, 9430, 9608,	
22859,	22860,	25074,	25076,	9704, 9775, 11462,	



11527,	11557,	9560, 9874, 11427,	6182, 6191, 6226,
11628,	13912,	11699, 13886,	6254, 6266, 6267,
13977,	14225,	16498, 18307,	6641, 6643, 6648,
16859,	17005,	19055, 19449,	6649, 6666, 6667,
18911,	19105,	19645, 19852,	6674, 6683, 6686,
19190,	19244,	20384, 21135,	6693, 6711, 7152,
19336,	19345,	21890, 22665, 24530	7476, 7625, 7885,
19504,	19580,	\listdoubleitemmaincolumnwidth	7889, 7893, 7929,
19692,	19763, 5149, 5162,	7933, 7937, 7973,
20183,	20913,	5163, 5164, 5191, 5195	7977, 7981, 8192,
21676,	22361,	\listfigurename ...	8279, 8308, 8337,
22400, 24705, 25086	 8517, 8518	9148, 9151, 9154,
\lineskiplimit		\listitemmaincolumnwidth	9158, 9161, 9164,
..... 14226, 25086	 5148,	9413, 9591, 9733,
\linespacing .. 24, 16534		5156, 5157, 5189	10032, 10879,
\linespread .. 3191, 5938		\listitemsymbol ...	10900, 11489,
\linewidth 5203, 7542,		5090, 5147, 5188,	11586, 13939,
14119, 14134,		5190, 10681, 10779	14511, 14528,
14138, 14907,		\listitemsymbolwidth	14544, 14572,
14915, 14916,	 5146,	14587, 14602,
14918, 14919,		5147, 5157, 5163	15159, 15173,
15594, 17002,		\listoffigures 8515	15182, 15228,
17718, 17724,		\listoftables 8523	15269, 15276,
18390, 18392,		\listparindent	15950, 15961,
18424, 18426,		. 995, 8615, 8622,	15972, 15983,
18579, 18585,		8623, 24537, 24546	15998, 16013,
18671, 18680,		\listtablename 8525, 8526	16056, 16073,
18681, 18734,		\llap 1609, 1645,	16094, 16111,
18736, 18904,		1662, 1669, 1767,	16127, 16144,
20136, 20452,		1772, 1778, 1789,	16158, 16175,
20461, 20519,		1807, 1814, 2618,	16189, 16206,
20595, 20866,		2640, 3703, 8602,	16708, 16903,
21203, 21212,		11235, 11929,	16906, 17660,
21270, 21347,		11941, 11953,	17710, 17760,
21629, 21958,		14710, 14722,	17782, 18194,
21967, 22025,		14734, 15161,	18198, 18202,
22102, 22568,		15297, 15299,	18560, 18769,
24429, 24439,		15301, 15303,	19088, 19153,
24547, 24548,		15306, 15308,	19227, 19294,
24575, 24610,		15311, 15313,	19491, 19534,
24612, 24613,		22307, 22598, 22616	19721, 20018,
24614, 24619,		\LoadClass ... 8849, 8873	20048, 20747,
24621, 24622,		\long 35, 49, 65,	20777, 21510,
24623, 24628,		249, 263, 278, 507,	21540, 22279,
24630, 24631,		792, 857, 1045,	22465, 22469,
24632, 24637,		1108, 1296, 1361,	22472, 22476,
24639, 24640,		4621, 4885, 4888,	24274, 24471,
24641, 25032, 25035		4891, 4896, 4899,	24577, 24913,
\link	5209	4902, 5412, 5413,	24917, 24921,
\list 90, 304, 623, 758,		5422, 5425, 5436,	24957, 24961,
995, 1023, 1274,		5667, 5671, 5704,	24965, 25024, 25127
2615, 2636, 2659,		5706, 5708, 5710,	\longindentation . 11733
2671, 8595, 8613,		5954, 5958, 6068,	\longthickrule
8622, 8630, 9370,		6087, 6154, 6170, 19572, 19578



<code>\loop</code> 4383, 4384, 4385, 6724, 6734, 10190, 10400, 13429, 18577, 18613, 18640, 18651, 18678, 22420	<code>\LT@ohl</code> 16798, 16800	16785, 16876,
<code>\looprepeat</code> 6741, 6745, 6789, 6860, 6867, 6872, 6878, 6881, 6883, 6887, 6888, 6893	<code>\LT@tabarray</code> 16797, 16801	16880, 16881,
<code>\lower</code> 2121, 2125, 2156, 2185, 2225, 2229, 2513, 4313, 4534, 18775, 24268, 24478, 24485	<code>\LT@array</code> 16777, 20606, 20607, 21358, 21359, 22113, 22114	20610, 21362, 22117
<code>\lowercase</code> 5499, 5507, 5515, 5523	<code>\LT@bchunk</code> 16830, 16841, 16860	<code>\LTcapwidth</code> 16863
<code>\lowertitleback</code> 20226, 20261, 20348, 20956, 20991, 21078, 21719, 21754, 21841	<code>\LT@caption</code> 16807, 20615, 20617, 21367, 21369, 22122, 22124	<code>\LTchunksize</code> 16855
<code>\LR</code> 16419, 18742, 18775, 24453, 24478, 24482, 24485, 24489	<code>\LT@cols</code> 16863, 20594, 21346, 22101	<code>\LTleft</code> 16790, 16792, 16794, 16835
<code>\lrb</code> 4737, 4746	<code>\LT@end@pen</code> 16911	<code>\LTR</code> . . . 18734, 24429, 24431
<code>\LRE</code> 4276, 4330, 4505, 4554, 16418, 18742, 18745, 24080, 24453, 24456	<code>\LT@endpbox</code> 16809	<code>\LTR@column@boxes</code> . . . 18110, 18154, 18156
<code>\LRfootnoterule</code> 10874, 11792, 14437	<code>\LT@err</code> 16912	<code>\LTR@outputdblcol</code> . . . 10290, 14071, 14933, 17901, 24835, 24879, 24881
<code>\LS@rot</code> 16946	<code>\LT@foot</code> 16915, 16917, 16920, 16928, 16935	<code>\LTRbiditufesidenotemarginpar</code> . . . 7912, 8238, 8388
<code>\lsb</code> 4736, 4744	<code>\LT@head</code> . . . 16924, 16942	<code>\LTRcite</code> 8182, 8302, 8331, 8360, 8382, 8391, 8400
<code>\lst@caption</code> . 16729, 16735, 16742, 16747	<code>\LT@hline</code> 16807	<code>\LTRdblcol</code> 24881
<code>\lst@alloverstyle</code> 4725, 4731	<code>\LT@kill</code> 16807	<code>\LTRdfnmakecol</code> . . . 11032
<code>\lst@HRefStepCounter</code> 16729, 16735	<code>\LT@lastfoot</code> 16915, 16918, 16928	<code>\LTRfootfootmark</code> 11813, 11939, 12163, 12307, 12451, 12598, 12745, 12892, 13039, 13186, 13333, 13600, 14720
<code>\lst@ifnumberbychapter</code> 16768, 16769	<code>\LT@LL@FM@cr</code> 16816, 16820	<code>\LTRfootmarkstyle</code> 11925, 11964
<code>\lst@Key</code> . . . 16672, 16679	<code>\LT@make@row</code> 16842	<code>\LTRfootnote</code> . . . 470, 544, 2456, 4823, 4831, 8371, 8721, 9696, 9770, 11549, 11623, 14322, 14332, 14492, 14680, 14683, 19225, 19331, 19486, 19574, 19684, 19758, 20145, 20875, 21638
<code>\lst@MakeCaption</code> 16727, 16740	<code>\LT@makecaption</code> 16862, 16874, 20593, 21345, 22100	<code>\LTRfootnotetext</code> 4889, 4900, 9152, 9162, 14651, 14653, 16052, 16904, 22466, 22470
<code>\lst@makecaption</code> 16724, 16757	<code>\LT@mcol</code> 16796, 16863, 20594, 21346, 22101	<code>\LTRfootscript</code> 11925, 11942, 11946, 11948, 14723, 14727, 14729
<code>\lst@maketitle</code> 16725, 16758, 16762, 16764	<code>\LT@no@pgbk</code> 16805, 16806	<code>\LTRfoottextfont</code> 11814, 11850, 11877, 11981, 12094, 12135,
<code>\lst@title@dropdelim</code> 16725	<code>\LT@nofcols</code> 16841	
<code>\lstKV@SwitchCases</code> 16673, 16680	<code>\LT@output</code> 16909	
<code>\lstset</code> 4650	<code>\LT@p@ftn</code> 16051, 16054, 16058, 16068, 16089, 16092, 16096, 16106, 16904, 16905, 16907, 16908	
	<code>\LT@p@ftntext</code> . . . 16894	
	<code>\LT@p@LTRftntext</code> 16049, 16056, 16895, 16903	
	<code>\LT@p@RTLftntext</code> 16087, 16094, 16896, 16906	
	<code>\LT@rows</code> 16833, 16846, 16855, 16878	
	<code>\LT@setprevdepth</code> . 16834	
	<code>\LT@startpbox</code> 16813, 16820, 16891	
	<code>\LT@tabularcr</code> 16802	
	<code>\LTcapttype</code> 16779, 16784,	



\m@make@tencol@footgroup	\m@mold@footnotetext	24511, 24605,
..... 13271, 13387	. 11895, 11903, 13504	24675, 24677, 24736
\m@make@threecol@footgroup	\m@mold@LTRfootnotetext	\maincolumnwidth ..
..... 12248, 12358 11896, 11904	5144, 5153, 5154,
\m@make@twocol@footgroup	\m@mold@mpfootnotetext	5155, 5156, 5158,
..... 12101, 12217	. 11898, 11906, 13518	5162, 5177, 5181, 5206
\m@mdoextrafeet ...	\m@mold@mpLTRfootnotetext	\mainend 3417
.. 11973, 13755, 11899, 11907	\mainmatter 8900
13766, 13797, 13810	\m@mold@mpRTLfootnotetext	\makeatletter
\m@mdoextrafeetendmini	. 11900, 11908, 13523 6134, 6145,
..... 12040, 12044	\m@mold@RTLfootnotetext	7193, 7224, 7243, 7259
\m@mdoextrafeetmini	. 11897, 11905, 13509	\makebox 11223, 11228,
..... 12033	\m@mopfootnote	11297, 11300,
\m@mdosplits .. 12082, 13726, 13759	11303, 11310,
12085, 12086, 12087	\m@mremovehboxes ..	11318, 11325,
\m@minterparanoteglue 13435,	11366, 11370,
..... 13424, 13426	13436, 13663,	18430, 18438, 18452
\m@mipn@skip	13674, 13690, 13699	\makefooter
. 13416, 13423, 13425	\m@mrigidbalance ..	. 10746, 10747, 10763
\m@mmakehboxofhboxes	.. 12080, 12222,	\MakeFramed 14773
.. 13427, 13662,	12233, 12363,	\makelabel
13673, 13689, 13698	12374, 12510,	2618, 2638, 2661,
\m@mmf@prepare 11830,	12521, 12657,	2681, 8602, 24541
11844, 11858,	12668, 12804,	\MakeLineNo 16619
11920, 12132,	12815, 12951,	\makeLineNumber ...
12142, 12152,	12962, 13098, 16620, 16622
12190, 12203,	13109, 13245,	\makeLineNumberLeft
12216, 12278,	13256, 13392, 13403 16625
12287, 12296,	\m@msplitoff 12086, 12088	\makeLineNumberRight
12333, 12345,	\m@mungebox 16633
12357, 12420,	.. 13417, 13568,	\maketag@@@ ... 348,
12430, 12440,	13580, 13592,	11221, 11234, 16980
12478, 12491,	13629, 13643, 13657	\MakeTextField
12504, 12567,	\m@munvxh .. 13409, 13418 15569, 15574
12577, 12587,	\m@ne . 316, 5274, 5460,	\makethanksmark .. 17660
12625, 12638,	5476, 5713, 6461,	\maketitle . 111, 325,
12651, 12714,	6468, 6720, 6725,	332, 464, 492, 503,
12724, 12734,	6735, 6816, 7880,	527, 785, 830, 852,
12772, 12785,	7924, 7968, 9643,	874, 1038, 1083,
12798, 12861,	9803, 9842, 10190,	1105, 1127, 1289,
12871, 12881,	11667, 13838,	1334, 1356, 1378,
12919, 12932,	13855, 16274,	4617, 4629, 5170,
12945, 13008,	18084, 18835,	8697, 8801, 8825,
13018, 13028,	19603, 19790,	9406, 9451, 9584,
13066, 13079,	19829, 20682,	9629, 9690, 9718,
13092, 13155,	21442, 21445,	9729, 9753, 10728,
13165, 13175,	22197, 22200,	10842, 11450,
13213, 13226,	22749, 22791,	11474, 11485,
13239, 13302,	23849, 24908,	11507, 11543,
13312, 13322,	24952, 24987, 24990	11571, 11582,
13360, 13373,	\m@th 399, 11224, 11229,	11606, 13900,
13386, 13568,	11235, 14119,	13924, 13935,
13580, 13592,	14134, 16843,	13957, 16221,
13629, 13643, 13657	23921, 24030,	16222, 16557,



17655, 19081, 19126, 19148, 19170, 19218, 19267, 19289, 19313, 19480, 19518, 19529, 19558, 19678, 19706, 19717, 19741, 20097, 20220, 20227, 20248, 20255, 20262, 20326, 20827, 20950, 20957, 20978, 20985, 20992, 21056, 21590, 21713, 21720, 21741, 21748, 21755, 21819, 25192	\marginpar ... 7446, 8154, 20434, 21185, 21940, 24116	20304, 20883, 21005, 21019, 21034, 21646, 21768, 21782, 21797
\maketitledetailsnewline .. 10837, 10852, 10854, 10855, 10856, 10857, 10858	\marginparpush 7379, 25006	\mc@col@status@write 18114, 18135
\maketitledetailswidth 10829, 10831, 10832, 10833, 10834, 10849	\marginparsep 4607, 5055, 7420, 7423, 7427, 7579, 7586, 15296, 15298, 15302, 15307, 15310, 15312, 25017, 25019	\mc@gridwarn 18104
\maketitlehookb .. 17705	\marginparwidth 4606, 5056, 7419, 7424, 7436, 7534, 7804, 7897, 7941, 7985, 15296, 15298, 15310, 15312, 24925, 24969, 25019	\mc@lastcol@status@write 18120, 18143
\maketitlehookc .. 17707	\markboth 125, 8905, 16571	\mdf@footnotedistance@length 17043
\maketitlenamefullwidth . 10823, 10824, 10826	\math@cr@@@align .. 350	\mdf@footnoteinput 17051
\maketitlenamemaxwidth . 10821, 10822, 10826	\mathindent 14120, 14136	\mdf@footnoteoutput 17040
\maketitlenamewidth 10825, 10826, 10832, 10844	\mathsurround . 430, 9922	\mdf@frametitleaboveskip@length 17035
\maketitlepage 8783, 8825	\max@poem@no 9100, 9202, 9203	\mdf@frametitlealignment 17016
\maketitlepicturewidth 10827, 10828, 10834, 10863	\maxdepth 13763, 13774, 15145, 15152	\mdf@frametitlebelowskip@length 17036
\MakeUppercase . 126, 620, 648, 649, 664, 755, 914, 1020, 1167, 1271, 9293, 9367, 9471, 9557, 9682, 9683, 9871, 11424, 11696, 13883, 16572, 18954, 19052, 19210, 19446, 19671, 19672, 19849	\maxdimen 10231, 10232, 10234, 10294, 10295, 10297, 13564, 13576, 13588, 13625, 13639, 13653, 14000, 14039, 14040, 14041, 14075, 14076, 14077, 14780, 14941, 14942, 14944, 14990, 14991, 14993, 17805, 17806, 17808, 17905, 17906, 17908, 22413, 22452, 23981, 23984, 23989, 23993, 23997, 24001, 24005, 24009, 24013, 24017, 24202, 24792, 24793, 24795, 24839, 24840, 24842	\mdf@frametitlefont 17018
\margininline 20433, 21184, 21939	\mbox ... 15257, 20153, 20275, 20289,	\mdf@frametitlefontcolor 17017
\marginnote 8376		\mdf@horizontalmargin@equation 16993
		\mdf@ignorevbadness 17027
		\mdf@lrbox . 16986, 17015
		\mdf@par@local ... 17009
		\mdf@patchamsthm . 16987
		\mdfframedtitleenv 17014
		\mdfframetitleboxdepth 17031
		\mdfframetitleboxheight 17030
		\mdfframetitleboxtotalheight 17032
		\mdfframetitleboxwidth 17029
		\mdseries 319, 10722, 10724, 10726, 10727, 10814, 10815, 10816, 10819, 10820
		\meaning 5375, 5378, 5673, 6124, 6143, 6158, 6176, 6184, 6193, 6260



\mediabutton	21923, 21955,	\mintagvsep 11238
. 17580, 17640, 17641	21964, 22028,	\missingfigure
\medskip 9007	22030, 22032, 24160, 24190
\medskipamount	22033, 22034,	\mix 17074, 17075, 17082,
. . . . 1826, 1835,	23424, 23426, 23429	17083, 17109,
1844, 2916, 2931,	\metropolis@block . 3239	17126, 17149,
2946, 3147, 3159,	\metropolis@blockadjust	17152, 17154,
3171, 3240, 11735 3259, 3260,	17177, 17209,
\mem@makecol 13753, 13775	3261, 3265, 3266, 3267	17217, 17226,
\memRTLleftskip . . 17678	\metropolis@blocksep	17237, 17248,
\memRTLraggedleft 17683	. . . 3259, 3265, 3282	17250, 17255,
\memRTLraggedright 17682	\metropolis@parskip	17256, 17258,
\memRTLrightskip . 17679 3283, 3286	17259, 17261,
\memRTLvleftskip . 17680	\metropolis@progressinheadfoot	17273, 17282,
\memRTLvrightskip 17681	. . . 3541, 3548, 3550	17285, 17286,
\message . 4478, 4479,	\metropolis@progressinheadfoot@linewidth	17297,
14781, 14789,	. . . 3546, 3548, 3550	17307, 17308,
14793, 14798,	\metropolis@progressonsectionpage	17310, 17311,
14806, 14812,	. . . 3226, 3232, 3234	17316, 17317,
14822, 14827,	\metropolis@progressonsectionpage@linewidth	17335,
14829, 14836,	. . . 3230, 3232, 3234	17337, 17342,
14844, 14857,	\metropolis@strut .	17381, 17388,
14865, 14870, 3272, 3274	17389, 17392,
14875, 14888,	\MH 11233, 11237, 11242,	17410, 17412,
14899, 14907, 14919	11243, 11247,	17415, 17417,
\MessageBreak	11251, 11252,	17420, 17427,
. 149, 6378,	11256, 11264,	17435, 17437,
6392, 6404, 6416,	11266, 11271,	17490, 17495,
7460, 7556, 7783,	11283, 11291,	17506, 17507,
7784, 7852, 8456,	11296, 11299,	17510, 17541,
8457, 8458, 8460,	11302, 11304,	17546, 17548,
8461, 8465, 8466,	11305, 11307,	17555, 17556,
8467, 8469, 8470,	11308, 11311,	17559, 17574,
17756, 17757,	11312, 11314,	17578, 17581,
18087, 18106,	11315, 11317,	17583, 17592,
18175, 20046,	11319, 11320,	17595, 17605,
20220, 20227,	11322, 11323,	17606, 17608,
20248, 20255,	11326, 11327,	17631, 17637, 17641
20262, 20410,	11329, 11330,	\mkern 23922,
20417, 20449,	11332, 11337,	23923, 24031, 24737
20458, 20522,	11338, 11339,	\mobile 5132
20524, 20526,	11340, 11341,	\Mobilefone 5092
20527, 20528,	11342, 11343,	\mobilesymbol
20775, 20950,	11344, 11345,	. 5092, 10756, 10854
20957, 20978,	11354, 11356,	\mode . . . 15449, 15493,
20985, 20992,	11360, 11361, 11363	15529, 17251, 17584
21161, 21168,	\MHInternalSyntaxOff	\modernpoem 9255
21200, 21209, 11378, 16983	\modernpoem@obeylines
21273, 21275,	\MHInternalSyntaxOn 9002, 9255
21277, 21278, 11218, 16977	\modernpoem@par . . .
21279, 21538,	\MidFrameCommand 9002, 9003, 9219
21713, 21720,	. 14769, 14813, 14881	\month 3336, 4539
21741, 21748,	\minrowclearance . .	\morefloats . . 7686, 7783
21755, 21916,	. . 1513, 1547, 10027	



<code>\moreLRE</code> 4277, 4506, 18696, 24387	<code>\multicolumn</code> 16796, 22387	4302, 4325, 4326,
<code>\moreRLE</code> 4279, 4508, 18697, 24388	<code>\multiplefootnotemarker</code> 8195, 8211,	4327, 4328, 4387,
<code>\moveleft</code> 2513, 7836, 17999	8305, 8306, 8334,	4724, 4730, 4733,
<code>\moveright</code> 2513, 3370, 3376, 3385, 3393, 14227, 18097, 25089	8335, 8363, 8364, 11919, 11921, 11922	4734, 4735, 4736, 4737, 4738, 4739, 5036, 5122, 5127,
<code>\mp@footgroupv@r</code> 12036, 12078, 12112, 12259, 12400, 12547, 12694, 12841, 12988, 13135, 13282, 13473	<code>\multiply</code> 2531, 2542, 2720, 2724, 4323, 4549, 4591, 4596, 4980, 13478, 13530, 13791, 13792, 18596, 18600	5128, 5129, 5131, 5132, 5133, 5135, 5136, 5138, 5139, 5150, 5151, 5171, 5178, 5180, 5184, 5188, 5190, 5196, 5205, 5207, 5209, 5213, 5217, 5222,
<code>\mp@LTRfootgroupv@l</code> 12037, 12114, 12261, 12402, 12549, 12696, 12843, 12990, 13137, 13284, 13474, 13526	N	5234, 5258, 5262, 5291, 5498, 5506, 5514, 5522, 5539,
<code>\mpfootnoterule</code> 14464, 14468	<code>\n@xt</code> 4275, 4277, 4279, 4280, 4504, 4506, 4508, 4509	5545, 5551, 5557, 5563, 5569, 5575, 5581, 5588, 5591, 5594, 5597, 5604, 5608, 5611, 5618,
<code>\msg</code> . 4076, 4083, 6999, 7002, 7013, 15549, 17129, 17132, 17180, 17183, 17198, 17201, 17243	<code>\na</code> 18599, 18601, 18603, 18612, 18614, 18639, 18640	5621, 5629, 5635, 5647, 5653, 5665, 5668, 5670, 5677, 5681, 5687, 5694, 5697, 5700, 5703,
<code>\MT</code> 11257, 11263, 11265, 16978	<code>\narrower</code> 24668	5705, 5707, 5709, 5729, 5758, 5783, 5812, 5837, 5875, 5909, 5926, 5937,
<code>\mult@cols</code> 18193	<code>\NAT@bibitem@first@sw</code> 18315	5943, 5987, 5992, 6114, 6181, 6190, 6270, 6275, 6278, 6281, 6284, 6287,
<code>\mult@firstbox</code> 18111, 18125, 18131	<code>\nb</code> 18599, 18602, 18603, 18612, 18613, 18634, 18650, 18651	6290, 6294, 6297, 6311, 6323, 6336, 6351, 7124, 7125, 7127, 7130, 7133,
<code>\mult@footnotetext</code> 152, 154, 18178, 18181, 18194	<code>\NC@find</code> 22419	7136, 7139, 7142, 7145, 7148, 7299, 7300, 7301, 7302,
<code>\mult@info</code> 18085	<code>\NC@rewrite@X</code> 22418	7324, 7327, 7354, 7381, 7382, 7383, 7384, 7399, 7418,
<code>\mult@LTRfootnotetext</code> 156, 158, 18183, 18186, 18198	<code>\NeedsTeXFormat</code> . . . 4061, 4584, 4640, 4819, 5011, 5260, 5372, 7295, 7861, 8403, 8549, 8665, 8692, 8841, 8865, 8930, 10666, 10764	7454, 7456, 7457, 7462, 7463, 7465, 7466, 7473, 7474, 7475, 7483, 7486, 7574, 7592, 7802,
<code>\mult@rightbox</code> 18078, 18118, 18119, 18121, 18140, 18141, 18144	<code>\new@command</code> . . 5715, 5717	7810, 7820, 7823, 7831, 8000, 8001, 8002, 8003, 8004, 8005, 8006, 8007,
<code>\mult@RTLfootnotetext</code> 160, 162, 18188, 18191, 18202	<code>\new@poem@width</code> . . . 9017, 9018, 9019, 9020, 9105, 9139, 9142	
<code>\multfootsep</code> . . 8196, 8214	<code>\newblock</code> 5258, 9117, 9217, 18309, 18311	
<code>\multi@column@out</code> 13810, 18220	<code>\newboolean</code> . . 7303, 7306, 7308, 7310, 7311, 7323, 7387, 7397, 7464, 7487, 7788, 8412, 8671, 8698	
<code>\multicol@leftmargin</code> 18088, 18097	<code>\newbox</code> 9072, 9073	
<code>\multicols</code> 18163	<code>\newcommand</code> . . 2100, 2108, 2825, 2833, 2852, 3335, 3738, 4065, 4235, 4242, 4243, 4247, 4248, 4256, 4259, 4262, 4266, 4286, 4287,	



8008, 8009, 8010,	19999, 20000,	5221, 5296, 6623,
8011, 8012, 8013,	20728, 20729,	8886, 9074, 10669,
8014, 8015, 8016,	21491, 21492,	10671, 10673,
8017, 8018, 8019,	24071, 24073,	10675, 10740,
8020, 8021, 8022,	24378, 24379,	10767, 10769,
8023, 8024, 8025,	24427, 24428,	10771, 10773,
8034, 8084, 8103,	24529, 24651,	10836, 14338,
8122, 8144, 8150,	24652, 24752,	16985, 24069, 24070
8175, 8176, 8210,	24880, 24881, 25039	\newinsert
8366, 8367, 8368,	\newcount	4282, 4511, 7689,
8376, 8385, 8394,	4318, 4319, 4377,	7690, 7691, 7692,
8407, 8408, 8531,	4544, 4545, 4587,	7693, 7694, 7695,
8584, 8664, 8677,	4588, 5289, 5299,	7696, 7697, 7698,
8711, 8712, 8713,	5303, 5727, 6454,	7699, 7700, 7701,
8714, 8715, 8716,	6557, 6717, 6778,	7702, 7703, 7704,
8717, 8718, 8769,	6858, 12079, 24744	7705, 7706, 7707,
8783, 8959, 8966,	\newcounter 8083, 9201,	7708, 7709, 7710,
8975, 8979, 8989,	14145, 14340,	7711, 7712, 7713,
9008, 9205, 9206,	22978, 22982, 22983	7714, 7715, 7716,
10837, 11031,	\newdimen	7717, 7718, 7719,
11032, 11041,	8963, 8964, 9014,	7720, 7721, 7722,
11048, 11064,	11750, 12079, 15069	7738, 7739, 7740,
11070, 11086,	\NewDocumentCommand	7741, 7742, 7743,
11093, 11754, 4353,	7744, 7745, 7746,
11768, 11795,	6896, 6950, 6965,	7747, 7748, 7749,
11799, 11805,	6983, 7006, 7034,	7750, 7751, 7752,
11811, 11966,	7040, 7043, 7058,	7753, 7754, 7755,
11969, 12083,	7072, 7088, 7100,	7756, 7757, 7758,
12223, 12234,	7112, 7186, 7200,	7759, 7760, 7761,
12364, 12375,	7205, 7214, 7234,	7762, 7763, 12063,
12511, 12522,	7252, 7266, 7271,	12068, 12074, 12076
12658, 12669,	7276, 7281, 7286, 7291	\newlength
12805, 12816,	\newenvironment . . .	5140, 5141, 5142,
12952, 12963,	4771, 4782, 4791,	5144, 5145, 5146,
13099, 13110,	4800, 5235, 7433,	5148, 5149, 5232,
13246, 13257,	7448, 7451, 7489,	7415, 7416, 7417,
13393, 13404,	7616, 9190, 9254,	7471, 7488, 8276,
13437, 13500,	16492, 24431,	10821, 10823,
13680, 13740,	24441, 24607,	10825, 10827,
13775, 13776,	24616, 24625, 24634	10829, 23010,
13777, 13778,	\newfloat@@setwithin	23012, 23013, 23726
14250, 14253, 18342,	\newline 5203,
14342, 14346,	18348, 18356, 18358	7650, 20450,
14348, 14354,	\newfloat@Error . . 18361	20459, 21201,
14370, 14394,	\newfloat@setwithin	21210, 21956, 21965
14406, 14461, 18328	\newlinechar 4451
14507, 14508,	\newif 4068,	\newlinetospace . . .
14509, 14562,	4069, 4070, 4071,	7647, 7667, 7668,
14564, 14694,	4072, 4073, 4245,	7669, 8906, 8907, 8908
14697, 14700,	4246, 4249, 4250,	\newlistentry 22975, 23042
14703, 15582,	4251, 4252, 4254,	\newpage 517,
16686, 16697,	4255, 4490, 4491,	539, 866, 886,
18149, 18152,	4492, 4493, 4494,	1119, 1139, 1370,
18155, 18446,	4495, 5013, 5042,	1390, 8802, 8839,



8840, 9743, 9765,	\no@bib@break	22879, 22895,
10663, 11499,	. 20396, 21147, 21902	22896, 22912,
11519, 11596,	\noalign . 1426, 9128,	22913, 22930,
11618, 13949,	12086, 16804,	22931, 22949,
13969, 16804,	16805, 16806,	22950, 22969,
17669, 19162,	16845, 20614,	22970, 23004,
19182, 19303,	20616, 21366,	23005, 23040,
19325, 19548,	21368, 22121, 22123	23202, 23203,
19570, 19731, 19753	\nobibliography ... 8080	23312, 23314,
\newpoem@tabcr	\nobidilogo 4556	23405, 23437,
. . . 9218, 9227, 9228	\nobreak 14,	23442, 23445,
\newsavebox . . 4770,	16, 220, 222, 569,	23914, 23919,
7432, 7467, 7468	587, 703, 704, 718,	23927, 24028,
\newskip	744, 932, 933,	24029, 24033,
4808, 4809, 4810,	947, 963, 1188,	24734, 24735, 24739
5718, 13423, 14931	1189, 1203, 1230,	\node 3463, 3465, 3470,
\newthought 8605	2268, 2275, 2592,	3471, 3473, 3474,
\NewTokenList 6664	2594, 2596, 3726,	24114, 24144, 24150
\newtoks 4821,	7159, 8203, 8543,	\noexpand 416,
5386, 5387, 6455,	8544, 9028, 9030,	4843, 4844, 4858,
6456, 6626, 6639,	9036, 9314, 9315,	4859, 4886, 4889,
6664, 6717, 9015,	9329, 9353, 9492,	4892, 5324, 5382,
14347, 18692, 24383	9493, 9507, 9531,	5391, 5395, 5415,
\newXeTeXintercharclass	9646, 9654, 9666,	5419, 5535, 5672,
. 4379, 4380	9797, 9813, 9845,	5673, 5675, 5733,
\next 24775, 24778	9850, 9858, 10078,	5761, 5787, 5815,
\next@tdpage . . 20154,	11391, 11404,	5841, 5844, 5878,
20163, 20234,	11647, 11670,	5881, 6119, 6120,
20271, 20280,	11675, 11684,	6121, 6123, 6124,
20284, 20294,	11728, 11729,	6141, 6143, 6161,
20298, 20309,	13832, 13848,	6162, 6163, 6166,
20313, 20884,	13857, 13861,	6173, 6174, 6175,
20893, 20964,	13869, 16548,	6177, 6183, 6184,
21001, 21010,	16550, 16595,	6186, 6192, 6193,
21014, 21024,	16942, 17042,	6195, 6257, 6259,
21028, 21039,	18048, 18059,	6260, 6474, 6620,
21043, 21647,	18060, 18071,	6625, 6631, 6679,
21656, 21727,	18072, 18838,	6707, 6710, 6713,
21764, 21773,	18840, 18993,	6714, 6798, 6805,
21777, 21787,	18994, 19008,	6808, 6809, 6826,
21791, 21802, 21806	19032, 19366,	6830, 6832, 6833,
\next@tpage . . 20153,	19367, 19381,	6834, 6842, 6843,
20160, 20206,	19405, 19597,	6844, 6847, 6848,
20282, 20296,	19613, 19784,	6849, 6884, 8052,
20311, 20883,	19800, 19831,	8054, 8062, 8455,
20890, 20936,	19835, 19843,	8458, 8464, 8467,
21012, 21026,	20371, 22556,	9149, 9152, 9155,
21041, 21646,	22603, 22620,	9207, 10621,
21653, 21699,	22627, 22773,	10973, 11025,
21775, 21789, 21804	22776, 22804,	14147, 14148,
\nincolumnfootnotes	22805, 22827,	14154, 14155,
. 13115	22828, 22844,	14207, 15082,
\no 3422, 3447, 3467	22845, 22861,	15092, 16042,
	22862, 22878,	16052, 16060,



16061, 16062,	13627, 13641,	13543, 17006, 18912
16064, 16090,	13655, 13668,	\normalcolor . . 2234,
16098, 16099,	13679, 13693,	4988, 10039,
16100, 16102,	13702, 13939,	10252, 10317,
16131, 16132,	15160, 17733,	10549, 10568,
16133, 16135,	18969, 18978,	11352, 12048,
16162, 16163,	19420, 19429,	13734, 13747,
16164, 16166,	19496, 19539,	14641, 14761,
16193, 16194,	19721, 20036,	14966, 15013,
16195, 16197,	20075, 20154,	15114, 15124,
16835, 16904,	20157, 20161,	15131, 16581,
16907, 17508,	20371, 20556,	17044, 18073,
17773, 18401,	20567, 20765,	20663, 21416,
18402, 18403,	20805, 20884,	22171, 23789,
20113, 20114,	20887, 20891,	23812, 23818,
20115, 20116,	21307, 21318,	24034, 24280,
20117, 20118,	21528, 21568,	24740, 24813,
20393, 20394,	21647, 21650,	24862, 24889,
20843, 20844,	21654, 22062,	25095, 25111, 25142
20845, 20846,	22073, 24092,	\normalfont 25, 39, 53,
20847, 20848,	24095, 24097,	69, 86, 253, 267,
21144, 21145,	24099, 24102,	282, 300, 506, 509,
21606, 21607,	24106, 24108,	856, 858, 1111,
21608, 21609,	24164, 24226, 24667	1360, 1362, 3149,
21610, 21611,	\nointerlineskip . .	3161, 3173, 4620,
21899, 21900, 28, 243,	4623, 4733, 4738,
22283, 22355,	596, 780, 1015,	4739, 4741, 4742,
22392, 22393,	1262, 1956, 1969,	4743, 4744, 4745,
22466, 22473,	2485, 2573, 2586,	4746, 4747, 7381,
22985, 23517,	2593, 2923, 2938,	8000, 8001, 8002,
23550, 23557,	2953, 3276, 3346,	8090, 8109, 8128,
23562, 23563,	3351, 3367, 3401,	8194, 8429, 8436,
23649, 24053,	3406, 3540, 3602,	8443, 8635, 9642,
24054, 24055,	3607, 3750, 3767,	9662, 9732, 9735,
24056, 24057,	3845, 3852, 3868,	9841, 9856, 11224,
24058, 24059,	3941, 3947, 3962,	11229, 11235,
24060, 24061,	9392, 9546, 9824,	11488, 11491,
24303, 24318,	10890, 10911,	11585, 11588,
24346, 24352,	11446, 11746,	11666, 11682,
24365, 24698, 25043	13878, 14427,	11930, 11934,
\noindent . . 507, 679,	14752, 16523,	11936, 11942,
688, 987, 1240,	16602, 17025,	11946, 11948,
1249, 2874, 2881,	18095, 18208,	11954, 11958,
2888, 3291, 3297,	19047, 19471,	11960, 13854,
3303, 4621, 7442,	19626, 19811,	13867, 13938,
7635, 8226, 8244,	20093, 20823,	13941, 14711,
8262, 8379, 8388,	21586, 25014, 25022	14715, 14717,
8397, 8607, 8627,	\nopagebreak	14723, 14727,
8788, 8790, 8792,	. . . 9082, 9092, 16806	14729, 14735,
8983, 9363, 9553,	\nopagenumbers 5222	14739, 14741,
9733, 9935, 11489,	\normalbaselines . 24511	16494, 16530,
11586, 11731,	\normalbaselineskip	16535, 16581,
11797, 13566,	323, 7340, 13477,	17018, 17659,
13578, 13590,	13491, 13529,	18073, 18432,



18440, 18449,	9596, 9625, 9698,	11015, 11021,
19152, 19154,	9712, 9766, 11456,	11024, 11275,
19293, 19295,	11470, 11520,	11278, 16542, 18166
19490, 19497,	11551, 11565,	\numberline
19533, 19540,	11619, 13906,	. . . 7628, 16742,
19720, 19723,	13920, 13970,	16747, 17785,
19828, 19841,	16461, 16478,	22701, 23824,
20663, 21416,	18049, 18059,	24042, 24045, 24048
22171, 23030,	18060, 18071,	\numberline@box . . .
23035, 23036,	18072, 18967, 23408, 23409
23444, 23789,	18970, 19093,	\numberline@tempa 24044
23812, 23818,	19122, 19183,	\numberwithin 341
24034, 24740, 25142	19232, 19261,	\numexpr 5938,
\normalfootnotes . .	19326, 19418,	23175, 23287, 23517
. 11901, 11912	19421, 19498,	\nxLcs . . . 4749, 4750, 4751
\normallineskip . . .	19512, 19571,	
. 5080, 17005, 18911	19686, 19700,	O
\normalparindent 43,	19754, 20171,	\obeylines . . . 9118, 9219
57, 73, 257, 271, 286	20196, 20234,	\ocgbase . . . 17564, 17566
\normalRTLparaLTRfootnotes	20901, 20926,	\oddpage
. 13500	20964, 21664,	4588, 4592, 4593,
\normalsfcodes	21689, 21727,	4594, 4597, 4598, 4599
. 14220, 25082	22308, 22314,	\oddsidemargin
\normalsize 319, 1587,	22336, 22773, 4610, 5051,
1597, 1625, 1667,	22804, 22827,	11195, 11199,
1776, 1790, 1812,	22844, 22861,	11205, 15316,
2501, 2849, 7333,	22878, 22895,	15325, 15329,
7334, 7341, 7908,	22912, 22930,	20122, 20852,
7952, 7996, 8090,	22949, 22969,	21615, 25064, 25068
8109, 8128, 8506,	23004, 23405,	\offinterlineskip .
10724, 10816,	23914, 24028, 24734 2194, 2205
14218, 17791,	\number . . 8, 140, 214,	\on@stripcols@break
19579, 20083,	4542, 4543, 5323, 10380
20090, 20813,	5324, 5347, 5352,	\onecolumn
20820, 21576,	5733, 5750, 5752,	. . 653, 669, 919,
21583, 23444,	5761, 5775, 5777,	1172, 5089, 9298,
24936, 24980, 25080	5787, 5804, 5806,	9476, 9687, 18959,
\NOT . 7535, 7536, 7575,	5815, 5829, 5831,	19215, 19676, 22736
7595, 7599, 8282,	5841, 5844, 5861,	\only 2491, 2519
8311, 8340, 8422, 8426	5863, 5867, 5869,	\opening . . . 11716, 16583
\not@eq@if . . . 5479, 5481	5878, 5881, 5895,	\OptArg 4750, 4816
\noteqnewif 5475	5897, 5901, 5903,	\OptArg@i 4816, 4817
\NR@part 604,	5910, 5912, 5913,	\OptArg@ii . . . 4816, 4818
606, 11408, 11410	5915, 5916, 5919,	\OptArgs 4815
\NR@spart 607,	5920, 5927, 5929,	\optparams
609, 11411, 11413	5930, 6135, 6749,	7509, 8366, 8367,
\null 472, 486, 540, 677,	6864, 6870, 6876,	8368, 8370, 8371, 8372
680, 797, 826, 887,	6879, 6885, 6889,	\OR 7503,
985, 988, 1050,	9100, 9194, 10443,	7575, 7595, 7599, 7851
1079, 1140, 1238,	10445, 10454,	\or 1463,
1241, 1301, 1330,	10458, 10522,	1464, 1465, 1467,
1391, 8543, 9117,	10543, 10897,	1468, 1488, 1489,
9361, 9364, 9418,	10918, 10963,	1490, 1494, 1495,
9447, 9551, 9554,	10969, 10972,	1496, 1497, 1498,



1502, 1503, 1531,
 1532, 1533, 1535,
 1536, 4539, 4540,
 4541, 5280, 10010,
 10011, 10012,
 10014, 10015,
 15886, 15890,
 23017, 23020,
 23023, 23967,
 24078, 24085,
 24307, 24356,
 24767, 24768, 24770
 \orig@footnotetext
 .. 153, 18180, 18197
 \orig@LTRfootnotetext
 .. 157, 18185, 18201
 \orig@RTLfootnotetext
 .. 161, 18190, 18205
 \origin@RaggedLeft
 . 18940, 18942, 18943
 \origin@RaggedRight
 . 18941, 18942, 18943
 \originalHbadness .
 24140, 24158
 \othermargin 929
 \outer 4581
 \outer@nobreak
 5006, 7902, 7946,
 7990, 24930, 24974
 \outputpenalty 10586,
 10589, 10598,
 10601, 10611,
 10614, 16910, 16911
 \overfullrule . 5040, 5041
 \OVP@box
 . 18430, 18438, 18452
 \OVP@picture 18429, 18444

P
 \p@ 27, 30, 31,
 32, 100, 104, 230,
 234, 242, 245, 246,
 247, 323, 473, 562,
 579, 591, 593, 595,
 598, 646, 651, 662,
 666, 695, 711, 729,
 736, 772, 778, 798,
 912, 916, 923, 939,
 956, 974, 1009,
 1011, 1014, 1017,
 1051, 1165, 1169,
 1180, 1196, 1214,
 1222, 1254, 1260,
 1302, 4283, 4512,

5079, 5080, 5084,
 5085, 5266, 7335,
 7336, 7337, 7344,
 7345, 7346, 7348,
 7349, 8554, 8555,
 8556, 8558, 8559,
 8625, 9291, 9295,
 9306, 9322, 9338,
 9345, 9384, 9390,
 9419, 9469, 9473,
 9484, 9500, 9516,
 9523, 9538, 9544,
 9597, 9641, 9647,
 9652, 9656, 9658,
 9661, 9664, 9668,
 9670, 9680, 9685,
 9699, 9790, 9805,
 9819, 9821, 9823,
 9826, 9840, 9846,
 9851, 9854, 9859,
 10095, 10105,
 10118, 10128,
 10141, 10151,
 10164, 10174,
 10471, 10478,
 10637, 10657,
 10875, 10876,
 11383, 11397,
 11441, 11443,
 11445, 11448,
 11457, 11552,
 11641, 11665,
 11671, 11676,
 11680, 11685,
 11741, 11743,
 11745, 11748,
 11793, 11794,
 13825, 13840,
 13853, 13858,
 13862, 13865,
 13870, 13873,
 13875, 13877,
 13880, 13907,
 14008, 14426,
 14429, 14430,
 14431, 14432,
 14433, 14465,
 15187, 15194,
 15233, 15240,
 15285, 16509,
 16513, 16522,
 16525, 16526,
 16527, 16579,
 16597, 16599,

16601, 16604,
 17711, 18041,
 18053, 18065,
 18159, 18160,
 18207, 18210,
 18211, 18212,
 18952, 18956,
 18985, 19001,
 19017, 19024,
 19039, 19045,
 19094, 19208,
 19212, 19233,
 19358, 19374,
 19390, 19397,
 19463, 19469,
 19499, 19591,
 19605, 19621,
 19623, 19625,
 19628, 19669,
 19674, 19687,
 19777, 19792,
 19806, 19808,
 19810, 19813,
 19827, 19832,
 19836, 19839,
 19844, 20084,
 20088, 20091,
 20096, 20636,
 20654, 20814,
 20818, 20821,
 20826, 21388,
 21407, 21577,
 21581, 21584,
 21589, 22143,
 22162, 22734,
 23011, 23179,
 23182, 23186,
 23291, 23294,
 23298, 23710,
 23713, 23717,
 23723, 23838,
 24022, 24728, 25152
 \p@enumiv 87, 301, 629,
 764, 1029, 1280,
 2679, 5250, 9376,
 9566, 9880, 11433,
 11705, 13892,
 16495, 19061,
 19455, 19651,
 19858, 20400,
 21151, 21906, 22671
 \p@subfigure 22366
 \p@subtable 22367
 \PackageError



..... 145, 5452, 5501, 5504, 5509, 5512, 5517, 5520, 5525, 5528, 5720, 7300, 8408, 16677, 16684, 18171, 22631, 22989, 24754	\PackageInfo .. 5723, 7302, 18923, 24064	\PackageWarning 139, 5281, 5721, 6331, 6448, 9196, 10678, 10776, 14149, 14886, 16612, 18105, 18165, 18322, 22552, 22980, 23331, 23422	\PackageWarningNoLine 5310, 5722, 5751, 5776, 5805, 5830, 5862, 5868, 5896, 5902	\page@sofar .. 165, 18077	\pagebreak 16805, 24210, 24219	\pagecontents 18756	\pagedepth 24204	\pagefillstretch . 24216	\pagefilstretch .. 24215	\pagefootnoterule 14463, 14471	\pagegoal 14780, 14782, 14787, 14794, 14835, 14837, 16916, 18011, 24207	\pageinwindow 10197	\pagenumbering 5087, 8890	\pageref 5226, 5228	\pageshrink .. 10433, 10436, 10462, 10486, 14796, 14800, 14816, 14842, 14854, 24210	\pagestretch 10487, 14795, 14816, 14854, 24214	\pagestyle 2201, 4586, 5078, 5086, 5229, 7655, 8891, 10762	\pagetotal ... 14782, 14787, 14793, 17668, 18009, 18012, 18023, 24202, 24207, 24265	\paperheight ... 3039, 3044, 3051, 3344, 3345, 3350, 3368, 3402, 3403, 3733, 5015, 5018, 5021, 5024, 5027, 5030, 5033, 5034, 11158, 20127, 20857, 21620	\paperwidth .. 2073, 2211, 2533, 2550, 2564, 3095, 3435, 3437, 3439, 3440, 3453, 3460, 3461, 3465, 3473, 3474, 3491, 3494, 3497, 3518, 3520, 3525, 3527, 3542, 3544, 3546, 3548, 3569, 3605, 3632, 3715, 3717, 3722, 3724, 3735, 3759, 3772, 3775, 3781, 3786, 3808, 3816, 3828, 3848, 3854, 3856, 3870, 3874, 3896, 3900, 3908, 3911, 3917, 3920, 3927, 3930, 3944, 3949, 3951, 3964, 3968, 3987, 3990, 3993, 3999, 4002, 4018, 4021, 4036, 5016, 5019, 5022, 5025, 5028, 5031, 5034, 5035, 11158, 11165, 11175, 20125, 20855, 21618	\par 5, 15, 47, 61, 77, 108, 109, 110, 111, 211, 221, 238, 239, 240, 261, 275, 290, 322, 325, 432, 475, 481, 483, 484, 503, 546, 552, 556, 568, 587, 680, 690, 704, 717, 744, 806, 816, 823, 824, 852, 891, 897, 901, 933, 947, 962, 988, 1002, 1059, 1069, 1076, 1077, 1105, 1144, 1150, 1154, 1189, 1202, 1230, 1241, 1251, 1310, 1320, 1327,	1328, 1356, 1396, 1402, 1407, 1412, 1415, 1584, 1588, 1591, 1594, 1599, 1619, 1622, 1627, 1659, 1664, 1671, 1769, 1773, 1779, 1800, 1808, 1815, 1826, 1835, 1844, 1863, 2280, 2485, 2592, 2846, 2850, 2876, 2883, 2890, 2905, 2916, 2920, 2931, 2935, 2946, 2950, 3121, 3128, 3134, 3140, 3147, 3159, 3171, 3193, 3200, 3214, 3221, 3240, 3293, 3299, 3305, 3616, 3618, 3666, 3687, 3695, 3763, 3765, 3861, 3863, 3956, 3958, 4581, 4617, 5004, 7529, 7537, 7596, 7597, 7600, 7601, 7626, 7635, 7636, 7805, 7821, 8545, 8660, 8661, 8662, 8663, 8788, 8790, 8792, 8810, 8811, 8812, 8986, 9093, 9107, 9118, 9136, 9211, 9219, 9244, 9315, 9328, 9353, 9364, 9427, 9437, 9444, 9445, 9493, 9506, 9531, 9554, 9605, 9615, 9622, 9623, 9646, 9654, 9666, 9701, 9707, 9709, 9710, 9729, 9772, 9778, 9782, 9796, 9813, 9845, 9850, 9858, 9937, 10078, 10883, 10904, 11391, 11403, 11459, 11465, 11467, 11468, 11485, 11524, 11530, 11534, 11554, 11560, 11562, 11563, 11582,
---	---	--	---	---------------------------	---	--------------------------	------------------------	--------------------------	--------------------------	---	--	--------------------------	---------------------------	---------------------------	---	---	--	---	--	---	---	--



11625,	11631,	19120,	19148,	22072,	22074,
11635,	11646,	19187,	19193,	22085,	22092,
11670,	11675,	19197,	19241,	22397,	23041,
11684,	11718,	19251,	19258,	23047,	23204,
11723,	11726,	19259,	19289,	23313,	23437,
11728,	11729,	19333,	19339,	23933,	24035,
11739,	12042,	19344,	19349,	24092,	24093,
12160,	12163,	19352,	19367,	24099,	24100,
12166,	12304,	19380,	19405,	24102,	24110,
12307,	12310,	19421,	19431,	24163,	24429,
12448,	12451,	19496,	19501,	24430,	24439,
12454,	12595,	19507,	19509,	24440,	24608,
12598,	12601,	19510,	19529,	24617,	24626,
12742,	12745,	19539,	19577,	24635,	24702,
12748,	12889,	19582,	19585,	24741,	25131, 25152
12892,	12895,	19596,	19613,	\par@updaterelative	
13036,	13039,	19689,	19695,	. 20165, 20895, 21658	
13042,	13183,	19697,	19698,	\paragraph 8441	
13186,	13189,	19717,	19760,	\paragraphfootnotes	
13330,	13333,	19766,	19770, 13447	
13336,	13668,	19783,	19800,	\parbox 5175,	
13679,	13693,	19831,	19835,	5177,	10750,
13702,	13831,	19843,	20074,	11734,	15687,
13848,	13857,	20168,	20169,	15689,	15693,
13861,	13869,	20174,	20177,	15695,	15726,
13909,	13915,	20179,	20186,	15727,	15730,
13917,	13918,	20190,	20192,	15731,	15788,
13935,	13974,	20194,	20209,	15789,	15792,
13980,	13984,	20213,	20235,	15793,	15817,
14143,	14637,	20243,	20371,	15819,	15823,
16517,	16518,	20490,	20547,	15825,	16863,
16519,	16539,	20555,	20558,	17721,	17750,
16549,	16557,	20566,	20568,	18233,	18235,
16585,	16590,	20579,	20586,	18236,	18238,
16593,	16595,	20804,	20898,	18240,	18241,
16718,	16843,	20899,	20904,	18243,	18245,
16998,	17021,	20907,	20909,	18247,	18248,
17025,	17655,	20916,	20920,	18250,	18252,
17727,	17733,	20922,	20924,	18253,	18254,
17739,	17743,	20939,	20943,	18255,	18256,
17749,	17764,	20965,	20973,	18257,	18259,
17783,	17792,	21241,	21298,	18260,	18261,
18049,	18061,	21306,	21309,	18262,	18263,
18074,	18235,	21317,	21319,	18264,	18265,
18247,	18309,	21330,	21337,	18266,	18267,
18563,	18734,	21567,	21661,	18268,	18270,
18735,	18736,	21662,	21667,	18271,	18272,
18737,	18830,	21670,	21672,	18273,	18275,
18831,	18838,	21679,	21683,	18276,	18277,
18839,	18899,	21685,	21687,	18278,	18280,
18970,	18980,	21702,	21706,	18281,	18282,
18994,	19007,	21728,	21736,	18283,	18284,
19032,	19102,	21996,	22053,	18285,	18287,
19112,	19119,	22061,	22064,	18288,	18289,



18290, 18291,	9111, 9214, 9294,	24435, 24445,
18292, 18294,	9312, 9325, 9348,	24546, 24646,
18295, 18296,	9413, 9430, 9472,	24669, 24670, 24730
18297, 18298,	9490, 9503, 9526,	\parsep . . . 999, 7349,
20595, 21347, 22102	9591, 9608, 9642,	7350, 8559, 8560,
\parfillskip 13,	9662, 9684, 9733,	8598, 8625, 24545
219, 566, 583, 699,	9793, 9808, 9841,	\parshape 9934, 14908,
715, 740, 927, 943,	9855, 9961, 9992,	14916, 18392,
960, 1184, 1200,	10083, 11386,	18426, 18569,
1226, 8536, 9112,	11400, 11489,	18734, 18736,
9310, 9326, 9349,	11586, 11643,	19495, 19538,
9488, 9504, 9527,	11666, 11681,	20055, 20057,
9794, 9809, 9965,	11796, 12060,	20068, 20070,
10084, 11387,	12155, 12299,	20784, 20786,
11401, 11644,	12443, 12590,	20798, 20800,
13595, 13599,	12737, 12884,	21547, 21549,
13603, 13829,	13031, 13178,	21561, 21563,
13844, 16547,	13325, 13594,	24429, 24439,
17005, 18042,	13598, 13602,	24575, 24610,
18054, 18066,	13707, 13828,	24612, 24613,
18853, 18866,	13843, 13854,	24614, 24619,
18879, 18890,	13866, 13939,	24621, 24622,
18989, 19005,	15159, 16513,	24623, 24628,
19028, 19362,	16546, 17001,	24630, 24631,
19378, 19401,	18043, 18055,	24632, 24637,
19594, 19609,	18067, 18302,	24639, 24640, 24641
19781, 19796,	18854, 18867,	\parskip 104,
22582, 22611,	18880, 18891,	234, 651, 666, 916,
22641, 22765,	18955, 18991,	1169, 2205, 2920,
22796, 22819,	19004, 19027,	2935, 2950, 3241,
22836, 22853,	19088, 19105,	3286, 4614, 5083,
22870, 22887,	19211, 19227,	7358, 8029, 8580,
22904, 22922,	19244, 19364,	8588, 8651, 8806,
22941, 22961,	19377, 19400,	9110, 9213, 9248,
22996, 23191,	19496, 19539,	9295, 9473, 9685,
23303, 23371,	19576, 19593,	10587, 10599,
23373, 23437,	19608, 19673,	10612, 11722,
23907, 23909,	19721, 19780,	11725, 11727,
24023, 24646, 24729	19795, 19828,	11729, 16513,
\parindent 12,	19840, 20036,	16589, 16592,
43, 57, 73, 104,	20075, 20765,	16594, 17001,
218, 234, 257, 271,	20805, 21528,	17010, 18569,
286, 507, 565, 582,	21568, 22592,	18902, 18956,
650, 665, 701, 714,	22629, 22733,	19212, 19576,
739, 792, 809, 915,	22766, 22797,	19674, 22549,
930, 942, 959, 996,	22820, 22837,	22734, 23843,
1045, 1062, 1108,	22854, 22871,	24201, 24205, 24545
1168, 1186, 1199,	22888, 22905,	\part 23, 16533
1225, 1296, 1313,	22923, 22942,	\partopsep . . . 2676,
2874, 2881, 2888,	22962, 22997,	8601, 17706,
3291, 3297, 3303,	23190, 23302,	17708, 18386, 18420
4621, 5082, 7357,	23376, 23378,	\PassOptionsToClass
8028, 8537, 8579,	23843, 23904,	8843, 8844, 8845,
8587, 8652, 8805,	23905, 24024,	8846, 8847, 8867,



8868, 8869, 8870, 8871	\pgf@picminy 18500, 18514	\pgfpicturetrue ...
\PassOptionsToPackage	\pgf@picture 18503 1972, 18493
..... 7860, 8690	\pgf@picture@serial@count	\pgfpoint 1614,
\pbs 18460, 18478 18494, 18495	1943, 1945, 1946,
\pdf 15418, 15420, 15429,	\pgf@process	1947, 1950, 1951,
15450, 15451, 15531	. 18518, 18521, 18528	1964, 1966, 2566,
\pdfannot 15451,	\pgf@relevantforpicturesizefalse	2572, 2579, 2585,
15453, 15494, 18517	2756, 2776, 2799,
15496, 15532,	\pgf@relevantforpicturesizetrue	2986, 2988, 2989,
15534, 15561, 15566 18501	2990, 2992, 2993,
\pdfdict 15420, 15426,	\pgf@remember@layerlist@globally	2994, 3002, 3004,
15437, 15447, 18535	3005, 3006, 3008,
15450, 15484,	\pgf@resetpathsizes	3009, 3010, 3355,
15487, 15494, 18502	3362, 3775, 3781,
15530, 15532, 15538	\pgf@restore@layerlist@from@global	116, 3874, 3900, 3968
\pdfencryptsetup 18539	\pgfpointorigin ... 3781
... 4353, 4364, 4367	\pgf@shift@baseline	\pgfsetcolor 1972
\pdffile 15421 18519	\pgfsetfading . 3776,
\pdflastxpos .. 5733,	\pgf@trimleft 18521	3817, 3875, 3901, 3969
5761, 5841, 5878	\pgf@trimleft@final	\pgfsetfillcolor ..
\pdflastypos .. 5787,	. 18523, 18524, 18526 3774, 3812,
5815, 5844, 5881	\pgf@trimright ... 18528	3814, 3873, 3899, 3967
\pdfm@box 16462,	\pgf@trimright@final	\pgfsetfillopacity 2503
16470, 16479, 16487	. 18530, 18531, 18533	\pgfsetlinewidth .. 2982
\pdfmeta 15527	\pgf@x 18522,	\pgfsys@discardpath
\pdfsavepos 5743, 5745,	18526, 18529, 18533 18542
5768, 5770, 5797,	\pgf@y 18519	\pgfsys@endpicture 18545
5799, 5822, 5824,	\pgfdeclarehorizontalshading	\pgfsys@endscope . 18544
5854, 5856, 5888, 5890 3733	\pgfsys@markposition
\pdfstringdefDisableCommand	\pgf@defobject 18506
..... 16417	. 2756, 2776, 2799	\pgfsys@shadingoutsidepgfpicture
\penalty	\pgfmathsetmacro .. 3434 18554
. 801, 1054, 1305,	\pgfpathcircle 1614	\pgfsys@typesetpicturebox
5336, 9032, 9354,	\pgfpathclose . 2995, 3011 18549
9422, 9532, 9600,	\pgfpathcurveto 1944,	\pgftext
9814, 9922, 9928,	2987, 2991, 3003, 3007	1616, 1792, 1793,
10583, 10595,	\pgfpathlineto 1943,	1966, 2504, 2505,
10608, 13422,	1950, 1951, 2986, 3002	2565, 2573, 2578,
13596, 13600,	\pgfpathqcurveto ..	2586, 3356, 3363, 3783
13604, 13849, 1942,	\pgftransformrotate
14817, 19033,	2984, 2985, 3000, 3001 3354, 3361
19097, 19236,	\pgfpathqlineto 2759,	\pgftransformscale
19406, 19614,	2760, 2779, 2780, 2569, 2582
19801, 23205,	2782, 2783, 2802, 2803	\pgftransformshift
23831, 23939, 24206	\pgfpathqmoveto 1966,
\pgf@baseline 18518	1941, 2758, 2778,	2572, 2585, 3355, 3362
\pgf@insertlayers 18540	2781, 2801, 2983, 2999	\pgfuseobject
\pgf@nodecallback 18496	\pgfpathrectangle 2767, 2771,
\pgf@oldpicture .. 18503 1964, 2566,	2790, 2794, 2810, 2814
\pgf@picmaxx .. 18497,	2579, 3775, 3781,	\pgfusepath .. 1615,
18509, 18511, 18529	3816, 3874, 3900, 3968	1952, 1965, 2567,
\pgf@picmaxy 18499, 18513	\pgfpic 18549	2580, 3777, 3782,
\pgf@picminx	\pgfpicture 18490	3818, 3876, 3902, 3970
. 18498, 18512, 18522	\pgfpictureid 18495, 18506	



<code>\pgfusepathqfill</code> ..	<code>\poem@startedfalse</code>	6929, 6930, 6933,
..... 2761,	... 9120, 9229, 9235	6937, 6942, 6943, 6946
2784, 2804, 2996	<code>\poem@startedtrue</code> .	<code>\pRLE</code> 4278, 4279, 4507, 4508
<code>\pgfusepathqstroke</code> 3012 9078,	<code>\process@cols</code> . 18078,
<code>\pgfuses shading</code> 1966,	9079, 9119, 9221,	18111, 18125, 18131
3740, 3742, 3806,	9223, 9228, 9236, 9238	<code>\ProcessKeyOptions</code> 4204
3849, 3894, 3945, 4052	<code>\poem@verse</code>	<code>\ProcessOptions</code> ...
<code>\pgfutil@gobble</code> .. 18496	... 9016, 9086, 9089	5045, 7325, 8416,
<code>\pgfutil@ifnextchar</code>	<code>\poem@width</code>	8675, 8707, 8848,
..... 18503	9019, 9020, 9024,	8872, 10680, 10778
<code>\phantom</code> ... 17254, 18100	9101, 9103, 9106, 9139	<code>\protect</code>
<code>\phantomsection</code> ... 5173	<code>\poem@write@aux</code> ...	427, 4276, 4277, 4278,
<code>\phone</code> 5133	... 9142, 9194, 9206	4279, 4450, 4505,
<code>\phonesymbol</code>	<code>\poemblocksep</code>	4506, 4507, 4508,
. 5093, 10757, 10855	... 9013, 9117, 9217	4825, 4831, 4837,
<code>\photo</code> 5138	<code>\poemcolsep skip</code> ...	4843, 4852, 4858,
<code>\picbox</code> 18674 9004, 9033	5996, 5997, 6625,
<code>\picinwindow</code> 10217	<code>\poemextrabaseskip</code>	6631, 7155, 7628,
<code>\picwd</code> 18562,	... 9006, 9094, 9129	14207, 14651,
18565, 18673, 18675	<code>\poemmargin skip</code> ...	14665, 15406,
<code>\place@tag</code> . 350, 351, 353	... 9005, 9027, 9028	15458, 15470,
<code>\plainauthor</code>	<code>\poemskip</code> 9007, 9107, 9138	15500, 15513,
.... 7667, 8710,	<code>\postbibhook</code> 17799	15557, 16742,
8712, 8751, 8752, 8755	<code>\postCutedStrip</code> .. 10609	16747, 16826,
<code>\plainfootnotes</code> .. 11912	<code>\postdisplaypenalty</code>	17785, 22387,
<code>\plainpublisher</code> 14117, 14131	22388, 22392,
... 8713, 8778, 8779	<code>\postmath</code> 9928	22400, 22701,
<code>\plaintitle</code> 7668, 7669,	<code>\PotEndMark</code>	23047, 24372, 25043
8710, 8711, 8734,	. 11227, 11232, 11235	<code>\protected</code>
8735, 8738, 8906, 8908	<code>\preCutedStrip</code>	4505, 4507, 5720,
<code>\plitemsep</code> 8599 10585, 10597	5721, 5722, 5723,
<code>\plparsep</code> 8598	<code>\predisplaydirection</code>	5944, 5952, 5954,
<code>\plpartopsep</code> 8601 18782,	5960, 6138, 6154,
<code>\pLRE</code> 4276, 4277, 4505, 4506	18783, 25139, 25140	6170, 6193, 6195,
<code>\PLS@Rotate</code>	<code>\predisplaypenalty</code>	6248, 6303, 6318,
. 18482, 18484, 18486 14116, 14130	18698, 18708,
<code>\pltopsep</code> 8600	<code>\premath</code> 9924	18718, 18726,
<code>\poem@finish</code>	<code>\prepare@bidi@copyins</code>	24280, 24389,
... 9143, 9193, 9200 14925,	24399, 24409, 24418
<code>\poem@line</code> 9070, 9076, 9127	14958, 15007, 15165	<code>\protected@edef</code> . 44,
<code>\poem@linebegin</code> ...	<code>\preparefootins</code> ...	58, 74, 258, 272,
..... 9027, 9085 14957, 15006	287, 2307, 2324,
<code>\poem@lineend</code> . 9028, 9091	<code>\PrependToTokenList</code> 6667	2341, 2357, 2373,
<code>\poem@lineparsebegin</code>	<code>\prepnext@tok</code>	2389, 8227, 8245,
... 9039, 9096, 9123	1460, 1470, 1518,	8263, 11825,
<code>\poem@lineparseend</code>	1550, 10002, 10030	11839, 11853,
... 9065, 9077, 9134	<code>\presetkeys</code> 24192	11866, 11878,
<code>\poem@lineversesep</code>	<code>\prevdepth</code>	11890, 12127,
..... 9029, 9088	5266, 7529, 7537,	12137, 12147,
<code>\poem@needrun</code> . 9021,	10504, 10953,	12185, 12198,
9140, 9195, 9197	11007, 17711, 18102	12211, 12274,
<code>\poem@obeylines</code> 9122,	<code>\prg</code> 6916,	12283, 12292,
9191, 9231, 9255	6920, 6921, 6924,	12329, 12341,
<code>\poem@prop</code> ... 9103, 9205		12353, 12415,



12425,	12435,	23778, 23783, 23787	18944,	19200,
12473,	12486,	\ProvidesClass	19478,	19661,
12499,	12562,	. . . 5012, 8842, 8866	19869,	19998,
12572,	12582,	\ProvidesExplPackage	20727,	21490,
12620,	12633, 17061	22245,	22278,
12646,	12709,	\ProvidesFile 1,	22338,	22364,
12719,	12729,	132, 166, 207,	22369,	22403,
12767,	12780,	338, 356, 361,	22478,	22508,
12793,	12856,	363, 461, 654, 904,	22527,	22547,
12866,	12876,	1157, 1418, 1554,	22576,	22605,
12914,	12927,	1572, 1892, 1988,	22654,	22738,
12940,	13003,	2072, 2076, 2483,	23048,	23822,
13013,	13023,	2606, 2692, 2703,	24068,	24197,
13061,	13074,	2820, 2824, 3023,	24273, 24377, 25317	
13087,	13150,	3026, 3093, 3188,	\ProvidesPackage . .	
13160,	13170,	3313, 3317, 3322,	4066, 4585, 4641,	
13208,	13221,	3412, 3484, 3538,	4820, 5261, 5373,	
13234,	13297,	3561, 3589, 3709,	7296, 7862, 8404,	
13307,	13317,	3732, 3799, 3887,	8550, 8666, 8693,	
13355,	13368,	3982, 4041, 4051,	8931, 10667, 10765	
13381,	13562,	9283, 9461, 9639,	\prune 18579,	
13574,	13586,	9672, 9891, 9946,	18617, 18621,	
13623,	13637,	9988, 9990, 9993,	18626, 18630,	
13651,	14519,	10031, 10074,	18642, 18653, 18680	
14536,	14552,	10089, 10187,	\prw@mkboth . . 22707,	
14581, 14596, 14611		10225, 10869,	22712, 22724, 22729	
\protected@write . .		11034, 11153,	\ps@@scalebox 18826	
. 4167,		11156, 11217,	\ps@empty 2220	
4171, 7064, 7065,		11379, 11541,	\ps@navigation 2116	
7067, 7078, 7079, 7081		11715, 11749,	\pspicture . 18788, 18795	
\protected@xdef . . .		13821, 13998,	\psset 18799, 18806	
. . . . 2418, 2444,		14027, 14034,	\pst@hbox . . 18811, 18819	
2470, 8290, 8319,		14111, 14141,	\pst@tempc	
8348, 8731, 8748,		14150, 14156,	. 18810, 18817, 18821	
8764, 8775, 14484,		14306, 14336,	\pst@tempd	
14493, 14650,		14679, 14746,	. 18810, 18817, 18821	
14655, 14664,		14923, 15166,	\publisher . . . 8768, 8769	
14670, 16061,		15293, 15335,	\publishers	
16099, 16132,		15577, 15878,	. 20346, 21076, 21839	
16163, 16194, 16257		16491, 16578,	\put 10096, 10097,	
\providecommand . . .		16582, 16605,	10098, 10099,	
5090, 5091, 5092,		16618, 16671,	10100, 10101,	
5093, 5094, 5095,		16775, 16944,	10106, 10107,	
5106, 5107, 5108,		16975, 16984,	10108, 10109,	
5109, 5110, 5111,		17059, 17643,	10110, 10111,	
5112, 5113, 5114,		17800, 18038,	10119, 10120,	
5115, 5116, 5117,		18076, 18232,	10121, 10122,	
5118, 5119, 5120,		18299, 18327,	10123, 10124,	
5121, 5374, 8188,		18365, 18373,	10129, 10130,	
8195, 8196, 8605,		18408, 18428,	10131, 10132,	
10741, 10746,		18458, 18481,	10133, 10134,	
14369, 23736,		18489, 18553,	10142, 10143,	
23740, 23745,		18559, 18787,	10144, 10145,	
23749, 23774,		18828, 18844,	10146, 10147,	



15832, 15836, 15838	873, 874, 875, 880,	8353, 8364, 8422,
\rangle 4734	881, 882, 883, 916,	8619, 8627, 8632,
\ratio 3227, 3542	932, 954, 972, 981,	8663, 8848, 8872,
\rawtext 18569,	1016, 1041, 1042,	8968, 8973, 8976,
18575, 18597,	1043, 1047, 1056,	8983, 9021, 9027,
18598, 18679, 18683	1065, 1082, 1083,	9122, 9140, 9169,
\rbrace 24501, 24510	1088, 1089, 1090,	9176, 9183, 9195,
\rcb . 4735, 4738, 4739, 4743	1091, 1094, 1097,	9231, 9295, 9302,
\rcol@footinsskip .	1101, 1126, 1127,	9314, 9320, 9336,
..... 14938, 14987	1128, 1133, 1134,	9393, 9409, 9410,
\realfootnote 16254	1135, 1136, 1169,	9411, 9415, 9424,
\recomputelengths .	1176, 1188, 1194,	9433, 9450, 9451,
..... 5151, 5168	1212, 1263, 1292,	9456, 9457, 9458,
\recomputethemlengths	1293, 1294, 1298,	9459, 9473, 9480,
..... 5150,	1307, 1316, 1333,	9492, 9498, 9514,
5166, 10830, 10835	1334, 1339, 1340,	9547, 9587, 9588,
\reenable@package@load	1341, 1342, 1345,	9589, 9593, 9602,
..... 7036, 7051	1348, 1352, 1377,	9611, 9628, 9629,
\reflectbox 15227	1378, 1379, 1384,	9634, 9635, 9636,
\refname 619, 620, 754,	1385, 1386, 1387,	9637, 9685, 9692,
755, 1019, 1020,	1475, 1476, 1493,	9693, 9694, 9715,
1270, 1271, 5237,	1494, 1495, 1894,	9716, 9717, 9718,
8640, 11423, 11424	2065, 2423, 2449,	9723, 9724, 9725,
\refstepcounter ...	2475, 2487, 2494,	9726, 9750, 9751,
..... 14132,	2528, 2530, 2531,	9752, 9753, 9754,
14684, 14690,	2537, 2539, 2541,	9759, 9760, 9761,
16730, 16736,	2542, 2554, 2570,	9762, 9788, 9934,
17776, 18383,	2571, 2583, 2584,	9948, 9949, 9950,
18418, 20441,	2628, 2708, 2711,	9955, 9956, 9957,
21192, 21947, 22698	2713, 2714, 2715,	9958, 9961, 9965,
\regex 17089,	2926, 2941, 2956,	9966, 9967, 9968,
17094, 17097,	3259, 3261, 3265,	9969, 9970, 10070,
17100, 17103,	3267, 3336, 3376,	10088, 10240,
17104, 17140,	3385, 3393, 4174,	10303, 10434,
17145, 17147,	4175, 4450, 4481,	10436, 10471,
17191, 17192, 17204	4628, 4629, 4630,	10497, 10527,
\reinsert@footnotes	4635, 4636, 4637,	10680, 10778,
..... 13815	4638, 4908, 4916,	10870, 10871,
\relax 2, 8, 10,	4924, 4975, 5045,	10872, 10873,
12, 14, 29, 86, 104,	5348, 5353, 5359,	10874, 10886,
133, 167, 208, 214,	5374, 5589, 5592,	10907, 10961,
216, 218, 220, 234,	5606, 5637, 5655,	10973, 10976,
244, 300, 313, 331,	5715, 5917, 5921,	11013, 11025,
427, 466, 467, 468,	5931, 5938, 5951,	11028, 11189,
489, 490, 491, 492,	6135, 6465, 6466,	11207, 11268,
497, 498, 499, 500,	6470, 6509, 6510,	11347, 11395,
524, 525, 526, 527,	6552, 6575, 6702,	11452, 11453,
528, 533, 534, 535,	6716, 6779, 6781,	11454, 11473,
536, 560, 651, 666,	6790, 6791, 6807,	11474, 11479,
673, 703, 709, 727,	6815, 6832, 6843,	11480, 11481,
781, 788, 789, 790,	6848, 7329, 7827,	11482, 11506,
794, 803, 812, 829,	8036, 8144, 8207,	11507, 11508,
830, 835, 836, 837,	8211, 8215, 8295,	11513, 11514,
838, 841, 844, 848,	8306, 8324, 8335,	11515, 11516,



11545,	11546,	15458,	15470,	19140,	19144,
11547,	11568,	15500,	15513,	19169,	19170,
11569,	11570,	15557,	15640,	19171,	19176,
11571,	11576,	15642,	15645,	19177,	19178,
11577,	11578,	15658,	15660,	19179,	19212,
11579,	11603,	15663,	15909,	19221,	19222,
11604,	11605,	15920,	15931,	19223,	19229,
11606,	11607,	15942,	15956,	19238,	19247,
11612,	11613,	15967,	15978,	19264,	19265,
11614,	11615,	15989,	16004,	19266,	19267,
11639,	11788,	16019,	16060,	19272,	19273,
11789,	11790,	16079,	16098,	19274,	19275,
11791,	11792,	16117,	16131,	19278,	19281,
11922,	12002,	16150,	16162,	19285,	19310,
12020,	12100,	16181,	16193,	19311,	19312,
12104,	12156,	16212,	16294,	19313,	19314,
12247,	12251,	16328,	16359,	19319,	19320,
12300,	12388,	16388,	16494,	19321,	19322,
12392,	12444,	16513,	16524,	19366,	19372,
12535,	12539,	16536,	16542,	19388,	19414,
12591,	12682,	16544,	16546,	19472,	19477,
12686,	12738,	16548,	16608,	19482,	19483,
12829,	12833,	16826,	17023,	19484,	19515,
12885,	12976,	17026,	17029,	19516,	19517,
12980,	13032,	17030,	17031,	19518,	19523,
13123,	13127,	17037,	17646,	19524,	19525,
13179,	13270,	17647,	17648,	19526,	19555,
13274,	13326,	17649,	17650,	19556,	19557,
13425,	13438,	17710,	17814,	19558,	19559,
13440,	13455,	17914,	18040,	19564,	19565,
13462,	13493,	18042,	18043,	19566,	19567,
13511,	13545,	18046,	18052,	19589,	19674,
13682,	13684,	18054,	18055,	19680,	19681,
13777,	13778,	18058,	18064,	19682,	19703,
13823,	13902,	18066,	18067,	19704,	19705,
13903,	13904,	18070,	18163,	19706,	19711,
13923,	13924,	18209,	18494,	19712,	19713,
13929,	13930,	18497,	18498,	19714,	19738,
13931,	13932,	18499,	18500,	19739,	19740,
13956,	13957,	18509,	18511,	19741,	19742,
13958,	13963,	18512,	18513,	19747,	19748,
13964,	13965,	18514,	18689,	19749,	19750,
13966,	14003,	18753,	18843,	19775,	20017,
14005,	14009,	18914,	18920,	20030,	20032,
14047,	14083,	18932,	18956,	20038,	20084,
14112,	14122,	18963,	18993,	20085,	20091,
14166,	14186,	18999,	19015,	20092,	20095,
14187,	14202,	19048,	19084,	20098,	20118,
14304,	14466,	19085,	19086,	20121,	20122,
14488,	14497,	19090,	19099,	20123,	20125,
14659,	14674,	19108,	19125,	20127,	20138,
14779,	14801,	19126,	19131,	20141,	20142,
14839,	14950,	19132,	19133,	20143,	20199,
14999,	15406,	19134,	19137,	20240,	20246,



20267,	20322,	22168,	22285,	23949,	23953,
20323,	20324,	22322,	22385,	23970,	23974,
20325,	20326,	22400,	22410,	24023,	24024,
20327,	20341,	22412,	22441,	24027,	24075,
20342,	20343,	22556,	22628,	24083,	24224,
20344,	20345,	22646,	22647,	24307,	24356,
20346,	20347,	22734,	22745,	24371,	24464,
20348,	20349,	22763,	22766,	24531,	24543,
20350,	20352,	22769,	22794,	24594,	24672,
20370,	20644,	22797,	22800,	24675,	24677,
20660,	20746,	22817,	22820,	24729,	24730,
20759,	20761,	22823,	22834,	24733,	24753,
20767,	20814,	22837,	22840,	24762,	24766,
20815,	20821,	22851,	22854,	24801,	24848,
20822,	20825,	22857,	22866,	25146, 25147, 25148	
20828,	20848,	22868,	22871,	\remainx	18235
20851,	20852,	22874,	22883,	\remainxox .	18270, 18277
20853,	20855,	22885,	22888,	\remainxoxx	
20857,	20868,	22891,	22902,	. 18280, 18289, 18298	
20871,	20872,	22905,	22908,	\remainxx ..	18238, 18240
20873,	20929,	22920,	22923,	\remainxxx	
20970,	20976,	22926,	22939,	.. 18243, 18245,	
20997,	21052,	22942,	22945,	18247, 18272, 18275	
21053,	21054,	22959,	22962,	\remainxxxx ..	18250,
21055,	21056,	22965,	22977,	18252, 18254,	
21057,	21071,	22992,	22994,	18256, 18282,	
21072,	21073,	22997,	23000,	18284, 18287,	
21074,	21075,	23014,	23044,	18291, 18294, 18296	
21076,	21077,	23045,	23046,	\remainxxxxx	
21078,	21079,	23175,	23199,	.. 18259, 18261,	
21080,	21082,	23287,	23316,	18263, 18265, 18267	
21120,	21396,	23328,	23340,	\remove@strip .	17822,
21413,	21509,	23345,	23348,	17852, 17922, 17952	
21522,	21524,	23352,	23354,	\RemoveFromHook ..	16606
21530,	21577,	23368,	23370,	\renewcommand . . .	19,
21578,	21584,	23378,	23396,	20, 21, 22, 87, 169,	
21585,	21588,	23400,	23412,	199, 202, 204, 206,	
21591,	21611,	23413,	23415,	225, 226, 227, 228,	
21614,	21615,	23421,	23429,	301, 341, 464, 503,	
21616,	21618,	23431,	23503,	505, 559, 576, 590,	
21620,	21631,	23517,	23551,	594, 599, 600, 601,	
21634,	21635,	23558,	23564,	602, 630, 670, 692,	
21636,	21692,	23651,	23710,	708, 726, 734, 747,	
21733,	21739,	23713,	23717,	749, 750, 751, 752,	
21760,	21815,	23723,	23768,	765, 771, 777, 784,	
21816,	21817,	23837,	23845,	785, 795, 852,	
21818,	21819,	23846,	23848,	854, 920, 937,	
21820,	21834,	23849,	23862,	950, 953, 971,	
21835,	21836,	23873,	23877,	978, 1004, 1005,	
21837,	21838,	23882,	23887,	1006, 1007, 1008,	
21839,	21840,	23895,	23899,	1013, 1030, 1037,	
21841,	21842,	23908,	23909,	1038, 1048, 1105,	
21843,	21845,	23920,	23928,	1107, 1173, 1177,	
21875,	22151,	23939,	23945,	1193, 1211, 1220,	



1233, 1253, 1259,
1265, 1266, 1267,
1268, 1281, 1288,
1289, 1299, 1356,
1358, 1563, 1893,
2077, 2250, 2297,
2314, 2331, 2348,
2364, 2380, 2404,
2430, 2456, 2626,
2680, 2821, 3239,
4617, 4619, 5037,
5038, 5039, 5075,
5076, 5081, 5130,
5134, 5165, 5170,
5251, 7333, 7342,
7383, 7501, 7504,
7505, 7509, 7510,
7662, 7663, 8012,
8013, 8014, 8015,
8016, 8017, 8018,
8019, 8020, 8074,
8189, 8198, 8219,
8237, 8255, 8370,
8371, 8372, 8454,
8463, 8515, 8523,
8547, 8552, 8563,
8564, 8565, 8566,
8567, 8568, 8569,
8635, 8640, 8642,
8643, 8660, 8661,
8662, 8663, 8720,
8721, 8722, 8724,
8728, 8729, 8730,
8734, 8735, 8741,
8745, 8746, 8747,
8751, 8752, 8757,
8761, 8762, 8763,
8772, 8773, 8774,
8778, 8779, 8801,
8825, 8887, 8900,
8905, 8913, 9299,
9303, 9319, 9335,
9343, 9357, 9377,
9383, 9389, 9395,
9396, 9397, 9398,
9399, 9400, 9402,
9404, 9406, 9416,
9477, 9481, 9497,
9513, 9521, 9535,
9537, 9543, 9567,
9573, 9574, 9575,
9576, 9577, 9578,
9580, 9582, 9584,
9594, 9690, 9729,

9731, 9787, 9802,
9818, 9822, 9827,
9829, 9831, 9833,
9834, 9835, 9836,
9837, 9838, 9861,
9881, 9947, 9952,
9974, 9981, 9991,
10075, 10080,
10092, 10115,
10138, 10161,
10188, 10204,
10681, 10721,
10722, 10723,
10724, 10725,
10726, 10727,
10728, 10742,
10747, 10779,
10813, 10814,
10815, 10816,
10817, 10818,
10819, 10820,
10830, 10842,
11030, 11031,
11032, 11154,
11157, 11161,
11187, 11352,
11353, 11380,
11394, 11434,
11440, 11444,
11450, 11485,
11487, 11537,
11538, 11539,
11540, 11543,
11582, 11584,
11638, 11652,
11654, 11656,
11658, 11659,
11660, 11661,
11662, 11663,
11687, 11706,
11716, 11729,
11740, 11744,
11817, 11831,
11845, 11859,
11871, 11883,
13822, 13837,
13872, 13876,
13893, 13900,
13935, 13937,
13987, 13988,
13989, 13990,
13991, 13992,
13994, 13996,
14142, 14152,

14257, 14276,
14278, 14280,
14282, 14283,
14284, 14285,
14286, 14287,
14289, 14291,
14293, 14295,
14296, 14297,
14298, 14299,
14300, 14301,
14341, 14409,
14683, 14689,
14708, 14720,
14732, 14747,
15294, 15304,
16495, 16553,
16554, 16555,
16556, 16579,
16583, 16596,
16600, 16874,
17644, 17655,
17678, 17679,
17680, 17681,
17682, 17683,
17684, 17685,
17687, 17689,
17691, 17693,
17694, 17696,
17697, 17704,
17705, 17707,
17713, 17714,
18233, 18236,
18241, 18248,
18257, 18268,
18273, 18278,
18285, 18292,
18309, 18311,
18328, 18378,
18413, 18829,
18832, 18841,
18845, 18858,
18871, 18884,
18896, 18960,
18982, 18998,
19014, 19022,
19036, 19038,
19044, 19062,
19068, 19069,
19070, 19071,
19072, 19073,
19075, 19077,
19080, 19081,
19091, 19148,
19150, 19217,



19218,	19230,	21085,	21086,	22975,	23043,
19289,	19291,	21094,	21095,	23324,	23389,
19355,	19371,	21098,	21099,	23702,	23704,
19387,	19395,	21103,	21106,	23706,	23722,
19409,	19411,	21108,	21127,	23729,	23731,
19433,	19434,	21152,	21181,	23733,	23753,
19435,	19436,	21182,	21183,	23767,	23772,
19437,	19438,	21184,	21187,	23792,	23795,
19440,	19442,	21228,	21245,	23796,	23811,
19456,	19462,	21259,	21265,	23817,	23823,
19468,	19474,	21345,	21357,	23943,	24050,
19480,	19488,	21359,	21380,	24072,	24090,
19529,	19531,	21382,	21384,	24112,	24124,
19588,	19602,	21387,	21393,	24160,	24649,
19617,	19620,	21401,	21403,	24650,	24879,
19624,	19629,	21406,	21412,	24880,	24881, 25152
19631,	19633,	21414,	21496,	\RenewDocumentCommand	
19635,	19636,	21500,	21504, 7063, 7077,	
19637,	19638,	21508,	21575,	15515, 17247, 17580	
19639,	19652,	21582,	21590,	\renewenvironment 84,	
19678,	19717,	21640,	21642,	298, 618, 639, 655,	
19719,	19774,	21761,	21763,	675, 682, 753, 905,	
19789,	19805,	21848,	21849,	983, 990, 1018,	
19809,	19814,	21853,	21854,	1158, 1236, 1243,	
19816,	19818,	21857,	21858,	1269, 1989, 2241,	
19820,	19821,	21862,	21865,	2258, 2667, 7604,	
19822,	19823,	21867,	21882,	7607, 7610, 7613,	
19824,	19825,	21907,	21936,	8611, 8621, 8629,	
19859,	20004,	21937,	21938,	8645, 8856, 9284,	
20008,	20012,	21939,	21942,	9359, 9365, 9462,	
20016,	20082,	21983,	22000,	9549, 9555, 9673,	
20089,	20097,	22014,	22020,	9869, 9932, 9953,	
20147,	20149,	22100,	22112,	10087, 11422,	
20268,	20270,	22114,	22135,	11694, 13881,	
20356,	20357,	22137,	22139,	14129, 14764,	
20358,	20361,	22142,	22148,	17795, 18300,	
20362,	20376,	22156,	22158,	18945, 18965,	
20401,	20430,	22161,	22167,	18972, 19050,	
20431,	20432,	22169,	22247,	19201, 19416,	
20433,	20436,	22250,	22255,	19423, 19444,	
20477,	20494,	22257,	22259,	19640, 19662,	
20508,	20514,	22261,	22266,	19847, 20365,	
20593,	20605,	22268,	22273,	21116, 21871,	
20607,	20628,	22275,	22577,	22548, 22659,	
20630,	20632,	22606,	22612,	22662, 22690, 24513	
20635,	20641,	22644,	22658,	\renewrobustcmd . . .	
20649,	20651,	22672,	22684,	. 17014, 17040, 17051	
20653,	20659,	22740,	22743,	\renewtagform 16982	
20661,	20733,	22790,	22809,	\repeat . . 4383, 4384,	
20737,	20741,	22831,	22848,	4385, 6729, 6736,	
20745,	20812,	22865,	22882,	10203, 10479,	
20819,	20827,	22899,	22917,	13434, 18587,	
20877,	20879,	22935,	22936,	18634, 18645,	
20998,	21000,	22955,	22956,	18656, 18684, 22424	



<code>\RequirePackage</code>	4236,	12413,	12423,	13902,	14425,
	4237, 4238, 4239,	12433,	12471,	14440,	14450,
	4356, 4642, 4643,	12484,	12497,	14573,	14603,
	5047, 5048, 5049,	12560,	12570,	16521,	16600,
	5050, 5057, 5058,	12580,	12618,	16959,	16967,
	5073, 5126, 7298,	12631,	12644,	18206,	19044,
	7360, 7362, 7369,	12707,	12717,	19084,	19221,
	7390, 7394, 7430,	12727,	12765,	19468,	19482,
	7431, 7654, 7864,	12778,	12791,	19624,	19680,
	7865, 7866, 7867,	12854,	12864,	19809,	20089,
	8071, 8072, 8187,	12874,	12912,	20141,	20819,
	8406, 8581, 8592,	12925,	12938,	20871, 21582, 21634	
	8644, 8670, 8678,	13001,	13011,	<code>\rightfootnoterule</code>	
	8695, 8850, 8851,	13021,	13059, 4144,	
	8852, 8853, 8854,	13072,	13085,	10871, 11789,	
	8855, 8874, 8875,	13148,	13158,	14438, 15155, 25148	
	8876, 8877, 8878,	13168,	13206,	<code>\rightline</code>	. 18786, 24663
	8879, 10091,	13219,	13232,	<code>\rightlinenumbers</code>	.
	14151, 16945,	13295,	13305, 16645, 16653	
	16976, 17060, 22246	13315,	13353,	<code>\rightmargin</code>	... 998,
<code>\RequireXeTeX</code> 4489	13366,	13379,	8597, 8616, 8624,	
<code>\reserved@a</code>	4954, 4958,	13560,	13572,	8630, 14901,	
	4964, 4967, 4970,	13584,	13621,	14905, 18839,	
	4973, 5438, 5442,	13635,	13649,	20030, 20759,	
	5983, 5984, 5985,	14218,	14513,	21522, 24536,	
	7156, 7157, 23333,	14514,	14530,	24547, 24553,	
	23334, 23335,	14531,	14546,	24559, 24567, 24571	
	23336, 23337,	14547, 14577,		<code>\rightskip</code> 12,
	23339, 23340,	14578, 14592,		13, 218, 219, 317,	
	23341, 23343,	14593, 14607,		321, 565, 582, 585,	
	23345, 23348,	14608, 16864,		586, 673, 686, 697,	
	23352, 23385,	24935, 24979, 25079		698, 703, 714, 739,	
	23386, 23389,	<code>\ResetCounterPerPage</code>		742, 743, 925, 926,	
	23390, 23939, 23940 4359, 5291		932, 942, 945, 946,	
<code>\reserved@b</code>	.. 4934,	<code>\resizebox</code> 15248	959, 981, 1176,	
	4935, 5438, 5442, 5443	<code>\restore@protect</code>	.. 5998	1182, 1183, 1188,	
<code>\reserved@d</code>	.. 5437, 5442	<code>\restoreCaptionSkip</code>		1199, 1225, 1228,	
<code>\reset@dir</code>	. 18753, 24464 15671		1229, 1247, 2018,	
<code>\reset@font</code>	.. 38, 52,	<code>\restorecounters@</code>	11279	2019, 2022, 2827,	
	68, 252, 266, 281,	<code>\restylefloat</code> 7854	2837, 3323, 3325,	
	2304, 2321, 2338,	<code>\resumename</code> 5127	8535, 8542, 8543,	
	2353, 2369, 2385,	<code>\righskip</code> 23045	9113, 9302, 9308,	
	7907, 7951, 7995,	<code>\right</code>	24501, 24510, 24512	9309, 9314, 9325,	
	8223, 8224, 8241,	<code>\right@cor</code>	... 17824,	9348, 9351, 9352,	
	8242, 8259, 8260,	17825, 17924, 17925		9480, 9486, 9487,	
	11821, 11835,	<code>\right@footnoterule</code>		9492, 9503, 9526,	
	11849, 11864,	26, 241, 466, 594,		9529, 9530, 9793,	
	11876, 11888,	777, 788, 1013,		9808, 9811, 9812,	
	12125, 12135,	1041, 1259, 1292,		9948, 9949, 9950,	
	12145, 12183,	2349, 2365, 9389,		10076, 10077,	
	12196, 12209,	9409, 9543, 9587,		10083, 11386,	
	12272, 12281,	9692, 9822, 11444,		11389, 11390,	
	12290, 12327,	11452, 11545,		11400, 11643,	
	12339, 12351,	11744, 13876,		12059, 13706,	



13828,	13843,	22960,	22961,	19924, 19940, 19951
13846,	13847,	22969,	22994,	\rot@label . 19873, 19916
16546,	16547,	22995,	22996,	\rot@LR 19884, 19929
17004,	17678,	23004,	23044,	\rot@mess@toks 19876,
17679,	18042,	23046,	23843,	19888, 19898,
18046,	18047,	23905,	23906,	19907, 19919,
18054,	18059,	23907,	23913,	19934, 19946, 19956
18066,	18071,	23916,	23963,	\rot@message 19907, 19956
18850,	18852,	24023,	24028,	\rot@pageref 19874, 19917
18863,	18865,	24051,	24058,	\rotate 19970
18876,	18878,	24427,	24428,	\rotatebox . . . 14302,
18887,	18889,	24644,	24669,	15603, 15652,
18963,	18976,	24670, 24729, 24734		15865, 16946,
18987,	18988,	\RL . . 16421, 18743, 24454		16948, 16950,
18993,	19004,	\rlap 318, 506,		17073, 17081,
19027,	19030,	855, 1359, 1594,		17603, 19893,
19031,	19360,	4620, 9732, 11488,		19902, 19940, 19951
19361,	19366,	11585, 13938,		\rotateframe 14264, 14301
19377,	19400,	14753, 15186,		\rotFPbot 19894,
19403,	19404,	15232, 15298,		19901, 19941, 19950
19414,	19427,	15299, 15312,		\rotFPtop 19892,
19477,	19593,	15313, 16580,		19903, 19939, 19952
19608,	19611,	18100, 18772,		\rrb 4737, 4747
19612,	19617,	19151, 19292,		\rsb 4736, 4745
19618,	19780,	19490, 19533,		\RTL . . 18736, 24439, 24441
19795,	19798,	19720, 20149,		\RTL@column@boxes .
19799,	20022,	20270, 20879,		. 18124, 18151, 18156
20751,	21514,	21000, 21642,		\RTL@outputdblcol .
22559,	22581,	21763, 22313, 24474		. . 10227, 14035,
22586,	22597,	\RLE . 4278, 4507, 16420,		14982, 17801,
22610,	22614,	18743, 18744,		24788, 24879, 24880
22634,	22637,	18748, 24077,		\RTLbidityftesidenotemarginpar
22642,	22646,	24454, 24455, 24459		. . . 7956, 8256, 8397
22647,	22763,	\rmfamily 784,		\RTLcases . . 24511, 24514
22764,	22765,	1037, 1288, 8425,		\RTLcite
22773,	22794,	8478, 8481, 8485,		8183, 8303, 8332,
22795,	22796,	8488, 8492, 8495,		8361, 8383, 8392, 8401
22804,	22817,	8499, 8502, 8506,		\RTLdblcol 24880
22818,	22819,	8509, 19080, 19217		\RTLdfnmakecol . . . 11031
22827,	22834,	\romannumeral		\RTLfootfootmark . .
22835,	22836, 6775, 6776,		. . 11807, 11951,
22844,	22851,	9142, 9205, 11287,		12166, 12310,
22852,	22853,	11290, 11336,		12454, 12601,
22861,	22868,	14259, 14260,		12748, 12895,
22869,	22870,	14261, 14262,		13042, 13189,
22878,	22885,	14264, 14265,		13336, 13604, 14732
22886,	22887,	14266, 14267,		\RTLfootmarkstyle .
22895,	22902,	14268, 14271,	 11926, 11965
22903,	22904,	14272, 14273, 24539		\RTLfootnote . . . 471,
22912,	22920,	\rot@float@box 19877,		545, 2430, 4824,
22921,	22922,	19878, 19879,		4837, 8372, 8722,
22930,	22939,	19893, 19902,		9697, 9771, 11550,
22940,	22941,	19920, 19921,		11624, 14316,
22949,	22959,	19922, 19923,		14330, 14483,



14681, 14689, 19226, 19332, 19487, 19575, 19685, 19759, 20146, 20876, 21639	18619, 18630, 18632, 18653, 18655	\scr@dte@current 23499, 23502
\RTLfootnotetext 4892, 4903, 9155, 9165, 14665, 14668, 16090, 16907, 22473, 22477	\rule 47, 61, 77, 261, 275, 290, 2311, 2328, 2345, 2361, 2377, 2393, 5175, 10735, 11368, 11372, 11375, 11802, 11808, 11814, 14524, 14541, 14557, 14585, 14600, 14615, 17254	\scr@dte@def@l@targetocline 23210 \scr@dte@def@l@tocline 23460 \scr@dte@def@l@undottedtocline 23049 \scr@dte@donumwidth 23729, 23730 \scr@dte@largetocline@init 23211 \scr@dte@nosub 23515, 23517, 23547, 23548, 23550, 23555, 23557, 23562, 23563, 23575, 23580, 23588, 23593, 23647, 23649, 23800 \scr@dte@numberline@box 23408, 23435 \scr@dte@pagenumberwidth 23446 \scr@dte@tocline 23324, 23807 \scr@dte@tocline@init 23461 \scr@dte@tocline@numberwidth 23411, 23414, 23416, 23419 \scr@dte@tocline@numbox .. 23410, 23412, 23426 \scr@dte@undottedtocline@init 23050 \scr@endstrut . 20547, 20557, 20568, 20579, 21298, 21308, 21319, 21330, 22053, 22063, 22074, 22085 \scr@ifundefinedorrelax .. 20520, 20533, 21271, 21284, 22026, 22039, 23084, 23132, 23177, 23243, 23289, 23316, 23337, 23342, 23398, 23513, 23515, 23544, 23547, 23548, 23555, 23573, 23575, 23586,
\RTLfootscript 11926, 11954, 11958, 11960, 14735, 14739, 14741		
\RTLfoottextfont 11808, 11836, 11889, 11982, 12145, 12166, 12209, 12290, 12310, 12351, 12433, 12454, 12497, 12580, 12601, 12644, 12727, 12748, 12791, 12874, 12895, 12938, 13021, 13042, 13085, 13168, 13189, 13232, 13315, 13336, 13379, 13584, 13604, 13649	S \s 17103, 17104 \save@dir .. 18752, 24463 \savebox 11293, 15600, 15602, 15682 \saveCaptionSkip . 15632 \savecounters@ ... 11276 \saved@@dir .. 18752, 18753, 24463, 24464 \saved@tempdimb 10401, 10484, 10493 \sbox 11359, 15634, 15651, 16712, 16865, 17072, 17080, 17272, 17559, 17598, 17603, 17715, 17730, 17762, 22596, 22613, 23410, 25129	
\RTLmarginnote 8394	\SC@FLOAT 22247, 22255, 22259, 22266, 22268, 22273, 22275	
\RTLmarginpar 24940	\SC@justify@caption .. 22250, 22257, 22261, 22267, 22269, 22274, 22276	
\RTLmulticolcolumns 18149	\sc@wm@text 11155	
\RTLsidenote .. 8126, 8368	\scalebox 15246	
\RTLthanks . 471, 491, 526, 545, 8722, 8730, 8747, 8763, 8774, 9697, 9717, 9752, 9771, 11550, 11570, 11605, 11624, 14663, 17648, 19226, 19266, 19312, 19332, 19487, 19517, 19557, 19575, 19685, 19705, 19740, 19759, 20146, 20325, 20876, 21055, 21639, 21818	\scantokens .. 6134, 6146 \scr@@makesinglelinecaption .. 20465, 20485, 20508, 21216, 21236, 21259, 21971, 21991, 22014 \scr@compatibility .. 20098, 20199, 20322, 20828, 20929, 21052, 21591, 21692, 21815	
\rtside 18617,		



23588, 23604,	\SectFont 678,687,986,	\setbeamersize
23644, 23645,	994, 1239, 1248,	... 2077,3095,3675
23647, 23663,	9362,9552,18968,	\setbeamertemplate
23716, 23743,	18977, 19419, 19428 3024,
23762, 23781, 23797	\sectfont 18833	3027, 3028, 3030,
\scr@LT@array	\section ... 619,647,	3031, 3182, 3183,
.. 20605,20606,	663,678,684,687,	3184, 3189, 3197,
20618, 21357,	754,913,986,992,	3225, 3290, 3296,
21358, 21370,	994, 1019, 1166,	3302, 3308, 3310,
22112, 22113, 22125	1239, 1245, 1248,	3314, 3315, 3318,
\scr@makemultilinecaption	1270, 5171, 5237,	3319, 3320, 3329,
.. 20467,20472,	8427, 8449, 8517,	3535, 3539, 3557,
20514, 21218,	8525, 8640, 8643,	3627, 3795, 3883,
21223, 21265,	8647, 9362, 9552,	3978, 4044, 4046, 4057
21973, 21978, 22020	11423, 18968,	\SetBoolean 5498
\scr@makesinglelinecaption	18974, 18977,	\setboolean 7304,7305,
..... 20469,	19419, 19425, 19428	7307, 7309, 7314,
20477, 21220,	\sectionbib 22684	7315, 7319, 7320,
21228, 21975, 21983	\sectionfont .. 5111,	7391, 7395, 7398,
\scr@parindent	5119, 10726, 10819	7403, 7405, 7409,
. 20720,21483,22238	\sectionstyle . 5119,5177	7411, 7789, 8413,
\scr@samed@footnotetext	\sectiontitlecolour	8414, 8415, 8672,
..... 20001,	... 5102,10688,	8673,8674,8699,8700
20005, 20730,	10696, 10703,	\setbox ... 407,1466,
20734, 21493, 21497	10710, 10717,	1468, 1469, 1525,
\scr@samed@LTRfootnotetext	10787, 10793,	1912, 1918, 1927,
.. 19999,20002,	10799, 10805, 10811	1972, 1973, 2004,
20009, 20728,	\selectfont 359,5939,	2049, 2054, 2065,
20731, 20738,	8788, 8790, 8792,	2119, 2121, 2123,
21491, 21494, 21501	18432, 18440, 18449	2125, 2130, 2141,
\scr@samed@RTLfootnotetext	\separatorcolumnwidth	2156, 2161, 2170,
.. 20000,20003, 5142,	2185, 2223, 2225,
20013, 20729,	5143, 5154, 5160,	2227, 2229, 2235,
20732, 20742,	5176, 5181, 5187,	2298, 2315, 2332,
21492, 21495, 21505	5245, 10833, 10863	2350, 2366, 2382,
\scr@smashdp	\SepMark ... 24523,24524	2493, 2513, 2517,
.. 20539,20570,	\seq . 6914,6919,17335,	2556, 2561, 2591,
20573, 21290,	17336, 18470, 18473	2600, 2968, 2971,
21321, 21324,	\set@color	3373, 3382, 3390,
22045, 22076, 22079	.. 10034,10039,	3759, 4007, 4026,
\scr@trim@spaces . 23335	10047, 10053,	4304, 4525, 4986,
\scr@tso@figure@pagenumberformat	10061, 10068,	7835, 7891, 7894,
..... 23811	10073, 14760,	7935, 7938, 7979,
\scr@tso@table@pagenumberformat	24276, 24280, 24376	7982, 9041, 9052,
..... 23817	\set@split@topskip@to	9258, 9272, 9906,
\scr@v@is@ge 10399,10657	9933, 9938, 9970,
. 20017,20746,21509	\set@typeset@protect	10005, 10034,
\scr@v@is@gt 21087,21109 14213,	10191, 10192,
\scr@v@is@le .. 21102,	14217, 22360,	10196, 10199,
21105, 21861, 21864	24704, 25051, 25053	10209, 10213,
\scriptsize .. 1694,	\SetatBoolean 5514	10216, 10220,
1803, 3341, 8563	\setbaselineskip .. 5937	10230, 10233,
\scshape 9645	\setbeamerfont 1694,1803	10234, 10248,
\secshape .. 19576,19617		10265, 10281,



10293,	10296,	14038,	14041,	24005,	24009,
10297,	10311,	14054,	14074,	24013,	24017,
10324,	10340,	14077,	14091,	24268,	24276,
10365,	10366,	14142,	14183,	24381,	24433,
10370,	10402,	14188,	14574,	24443,	24473,
10403,	10405,	14589,	14604,	24474,	24666,
10406,	10409,	14624,	14815,	24692,	24791,
10410,	10438,	14824,	14828,	24794,	24795,
10444,	10447,	14852,	14866,	24809,	24838,
10455,	10493,	14936,	14943,	24841,	24842,
10494,	10524,	14944,	14960,	24856,	24919,
10544,	10581,	14985,	14992,	24922,	24963,
10592,	10605,	14993,	15009,	24966,	24994,
10655,	10879,	15060,	15072,	25008,	25026, 25092
10887,	10888,	15106,	15108,	\SetCaptionDefault	
10892,	10900,	15119,	15144, 1887, 1889	
10908,	10909,	15169,	15178,	\setcaptionfont ... 7383	
10913,	10928,	15185,	15186,	\setchapterpreamble	
10931,	10936,	15231,	15232, 21121, 21876	
10940,	10948,	16822,	16833,	\setcitationfont .. 8018	
10985,	10988,	16914,	16920,	\setcounter ... 488,	
10993,	10997,	16924,	16933,	523, 796, 828, 872,	
11002,	11860,	16990,	17022,	1049, 1081, 1125,	
11872,	11884,	17028,	17804,	1300, 1332, 1376,	
12005,	12007,	17807,	17808,	4627, 8091, 8110,	
12023,	12025,	17830,	17835,	8129, 8161, 8411,	
12080,	12083,	17845,	17863,	8923, 9201, 9417,	
12090,	12168,	17868,	17904,	9449, 9595, 9627,	
12192,	12205,	17907,	17908,	9714, 9749, 11472,	
12312,	12335,	17930,	17935,	11505, 11567,	
12347,	12456,	17945,	17963,	11602, 13922,	
12480,	12493,	17968,	17999,	13955, 14243,	
12603,	12627,	18080,	18096,	17676, 18381,	
12640,	12750,	18561,	18575,	18416, 19092,	
12774,	12787,	18578,	18597,	19124, 19168,	
12897,	12921,	18598,	18604,	19231, 19263,	
12934,	13044,	18605,	18616,	19309, 19514,	
13068,	13081,	18618,	18620,	19554, 19702,	
13191,	13215,	18622,	18625,	19737, 20108,	
13228,	13338,	18627,	18629,	20321, 20394,	
13362,	13375,	18631,	18641,	20838, 21051,	
13410,	13411,	18643,	18652,	21145, 21601,	
13418,	13428,	18654,	18669,	21814, 21900, 22987	
13431,	13433,	18671,	18679,	\setdefaultbibitems	
13435,	13564,	18681,	18690, 24528	
13576,	13588,	18771,	18772,	\setdefaultmarginpar	
13606,	13625,	19962,	19972, 25030	
13631,	13639,	19983,	19990,	\setDefaults 15589	
13645,	13653,	22301,	22349,	\setfloatalignment 7463	
13663,	13674,	22390,	22440,	\setfootnoteLR ... 14505	
13690,	13699,	22510,	22560,	\setfootnoteRL ... 14503	
13718,	13726,	23981,	23984,	\setkeys 1896,	
13741,	13757,	23989,	23993,	1897, 1991, 1996,	
13767,	14017,	23997,	24001,	1998, 2000, 2079,	



2244, 2254, 2278,	15610, 15612,	\setthesection ... 17693
2279, 2413, 2439,	15614, 15618,	\settoheight 11236
2465, 2490, 9897,	15620, 16897,	\settowidth . 90,304,
9914, 11257,	19003, 19025,	624, 759, 1024,
11263, 11265,	19376, 19398,	1275, 2672, 3419,
15177, 15221,	19606, 19778,	3423, 3426, 5147,
15591, 19881,	19793, 20049,	9371, 9561, 9875,
19926, 22550, 24161	20778, 21541,	10824, 11281,
\setlatin 4242	22585, 22586,	11428, 11700,
\setlength 563,	22634, 22635,	13887, 16498,
580, 713, 737, 940,	22637, 23011,	19056, 19450,
958, 995, 996, 997,	23015, 23016,	19646, 19853,
998, 999, 1198,	23018, 23019,	20387, 20465,
1223, 3226, 3241,	23021, 23022,	21138, 21216,
3286, 3541, 4811,	23024, 23025,	21893, 21971,
4812, 4813, 5015,	23027, 23028,	22666, 23946, 23948
5016, 5018, 5019,	23188, 23300,	\Setversedim
5021, 5022, 5024,	23727, 24592, 24595	... 8936, 8940, 8966
5025, 5027, 5028,	\setLR 18778, 24492	\SetWatermarkText 11154
5030, 5031, 5033,	\setLTR 18739,	\sevendcolumnfootnotes
5034, 5035, 5040,	18740, 18753, 12821
5041, 5079, 5080,	18778, 18779,	\sf@size 16530
5082, 5083, 5084,	24450, 24451,	\sfcode 94,308,635,767,
5085, 5143, 5152,	24464, 24492, 24493	1032, 1283, 2686,
5153, 5156, 5158,	\setLTRbibitems .. 24527	9379, 9569, 9886,
5161, 5162, 5164,	\setLTRcitationfont 8019	11436, 11711,
5167, 5233, 5243,	\setLTRmarginnotefont	13895, 16502,
5244, 5245, 7328, 8016	18314, 19064,
7355, 7356, 7357,	\setLTRmarginpar . 25029	19458, 19657,
7358, 7379, 7385,	\setLTRsidenotefont 8013	19864, 20404,
7386, 7419, 7422,	\setLTRtable 4248	21155, 21910, 22677
7426, 7472, 7524,	\setmarginnotefont 8015	\shadowbox 11353
7525, 8026, 8027,	\setnonlatin 4243	\shadowsize .. 11363,
8028, 8029, 8035,	\setparsizes	11367, 11368,
8277, 8570, 8571,	. 20165, 20895, 21658	11371, 11372, 11375
8572, 8573, 8574,	\setRL 18777, 24491	\shipout 14213,
8575, 8576, 8577,	\setRTL . 18738, 18741,	15083, 15093, 25050
8579, 8580, 8582,	18753, 18777,	\shortauthors
8585, 8586, 8587,	24103, 24143,	.. 116, 117, 122,
8588, 8805, 8806,	24177, 24449,	16562, 16563, 16568
9324, 9346, 9502,	24452, 24464, 24491	\shortcite 18316
9524, 9791, 9806,	\setRTLbibitems .. 24526	\shorttitle
10081, 10822,	\setRTLcitationfont 8020	.. 115, 116, 122,
10826, 10828,	\setRTLmain 4497	16561, 16562, 16568
10831, 11239,	\setRTLmarginnotefont	\showbox 14889
11384, 11399, 8017	\showoutput 14889
11967, 11970,	\setRTLmarginpar . 25028	\sidebarheight
11984, 13827,	\setRTLsidenotefont 8014 2133, 2141,
13841, 14622,	\setRTLtable 4247	2151, 2164, 2170, 2180
15163, 15271,	\setsidenotefont .. 8012	\sidecaptionsep ...
15272, 15278,	\setSingleSpace 22248,
15279, 15281, 11913, 11918	22249, 22256,
15282, 15593,	\setspace@singlespace	22260, 22266,
15594, 15606,	... 8222, 8240, 8258	22268, 22273, 22275



<code>\sidenote</code>	8088, 8142, 8180, 8275, 8366	18977, 19083, 19220, 19428, 19481, 19679, 20140, 20870, 21633	7650, 7783, 7784, 9645, 9844, 10419, 10421, 10443, 10445, 11669, 13856, 14789, 14797, 14798, 14822, 14830, 16613, 16846, 16847, 17380, 18086, 18088, 18089, 18090, 18091, 19830, 19875, 19918, 20045, 20219, 20226, 20248, 20254, 20261, 20409, 20774, 20949, 20956, 20978, 20984, 20991, 21160, 21537, 21712, 21719, 21741, 21747, 21754, 21915, 22460, 22462, 22519, 23428, 23430, 24065, 24756, 24999
<code>\sidenotes</code>	8185		
<code>\sideways</code>	19988		
<code>\sixcolumnfootnotes</code>	12674	<code>\smallcaps</code> 8906, 8907, 8908	
<code>\sixinon</code>	4953, 4975	<code>\smallskip</code>	
<code>\size@chapter</code>	18833	. . . 18235, 18240, 18247, 18256, 18267, 18272, 18277, 18284, 18291, 18298, 18830	
<code>\skip</code>	4283, 4512, 9129, 9130, 10933, 10990, 12000, 12018, 12047, 12064, 12069, 12075, 12077, 13444, 13732, 13745, 13784, 13792, 14640, 14926, 14927, 14938, 14940, 14987, 14989, 15043, 15048, 15111, 15122, 15129, 15163, 18214, 18759, 18765, 24887	<code>\smallskipamount</code> 3155, 3167, 3179	
<code>\skip@</code>	323, 324	<code>\smash</code> . . . 7580, 7585, 7596, 7597, 7600, 7601, 7808, 10882, 10903, 14753, 18775, 24478, 24485	
<code>\slideentry</code>	2704	<code>\socket</code> 15349, 15392, 15434, 15489	
<code>\sloppy</code>	43, 57, 73, 93, 257, 271, 286, 307, 631, 766, 1031, 1282, 2682, 5252, 9378, 9568, 9882, 11435, 11707, 13894, 14921, 16501, 17007, 18313, 18913, 19063, 19457, 19653, 19860, 20403, 21154, 21909, 22673	<code>\SOUL@apo</code> 22295	
<code>\slshape</code>	704, 933, 1189, 5199, 9315, 9493, 10724, 10725, 10815, 10816, 10818, 18994, 19367, 19582	<code>\SOUL@comma</code> 22294	
<code>\small</code> 465, 687, 787, 994, 1040, 1248, 1291, 4653, 5113, 5203, 5208, 5238, 8552, 8553, 8618, 8626, 8631, 8650, 9408, 9586, 9691, 11451, 11544, 13901,		<code>\SOUL@do</code> 22297	
		<code>\SOUL@eventuallyxhyphen</code> 22284	
		<code>\SOUL@grave</code> 22296	
		<code>\SOUL@ignorespacesfalse</code> 22288	
		<code>\SOUL@lasttoken</code> 22291	<code>\spacefactor</code> 8201, 8206, 8212, 8215
		<code>\SOUL@lowerthan</code> 22281	<code>\spaceskip</code> 22328, 22333
		<code>\SOUL@minus</code> 22293	<code>\special</code> 4305, 4399, 4410, 4423, 4436, 4526, 4568, 4616, 18772, 18810, 18812, 18815, 18817, 18821, 18823, 22516, 22517, 22521, 22522, 22524, 24474
		<code>\SOUL@postamble</code> 22298	<code>\spinemargin</code> 11167, 11169, 11173, 11177
		<code>\SOUL@preamble</code> 22290	<code>\split@prev</code> 14462, 14470, 14475
		<code>\SOUL@soeventuallyskip</code> 22285	<code>\splitbotmark</code> 14826
		<code>\SOUL@spaceskip</code> 22286	<code>\splitfirstmark</code> 10237, 10300, 14044, 14080, 14825, 14947, 14996, 17811, 17911, 24798, 24845
		<code>\SOUL@start</code> 22279	<code>\SplitFootnoteRule</code> 4145, 14461
		<code>\SOUL@ulcolor</code> 22310, 22316, 22322, 22330	<code>\splitfootnoterule</code> 14465, 14473
		<code>\SOUL@uldp</code> 22322	
		<code>\SOUL@uleveryspace</code> 22324	
		<code>\SOUL@ulht</code> 22322	
		<code>\SOUL@ulleaders</code> 22310, 22316, 22332	
		<code>\SOUL@uloverlap</code> 22303	
		<code>\SOUL@ulunderline</code> 22300	
		<code>\SOUL@word</code> 22292	
		<code>\soulomit</code> 22283	
		<code>\space</code> 4066, 4218, 4257, 4260, 4263, 4465, 4542, 4558, 4561, 4564, 6120, 6258, 6372, 6386, 6400, 6410, 7644, 7649,	



<code>\splitmaxdepth</code>	6434, 6442, 6448,	18825, 18923,
. . 41, 55, 71, 255,	8099, 8118, 8137,	18924, 20045,
269, 284, 10231,	8169, 8289, 8318,	20219, 20220,
10294, 11989,	8347, 9099, 14242,	20226, 20227,
14039, 14075,	14343, 14412,	20248, 20254,
14517, 14534,	14483, 14492,	20255, 20261,
14550, 14941,	16256, 16784,	20262, 20409,
14990, 17805,	18376, 18380,	20411, 20417,
17905, 24792, 24839	18411, 18415,	20449, 20450,
<code>\splittopskip</code> . . . 41,	19872, 19915,	20458, 20459,
55, 71, 255, 269,	20440, 20441,	20522, 20523,
284, 11988, 12081,	21191, 21192,	20526, 20527,
12084, 12221,	21946, 21947, 25122	20774, 20949,
12222, 12227,	<code>\stopbreaks</code> 11730	20950, 20956,
12228, 12232,	<code>\str</code> 6918, 6919,	20957, 20978,
12233, 12237,	17092, 17143,	20984, 20985,
12238, 12362,	17215, 17233,	20991, 20992,
12363, 12368,	17295, 17319,	21160, 21162,
12369, 12373,	17324, 17398,	21168, 21200,
12374, 12378,	17429, 17442,	21201, 21209,
12379, 12509,	17464, 17518, 17550	21210, 21273,
12510, 12515,	<code>\stretch</code> 1527,	21274, 21277,
12516, 12520,	1530, 10007, 10010	21278, 21537,
12521, 12525,	<code>\string</code> 371,	21712, 21713,
12526, 12656,	606, 609, 613,	21719, 21720,
12657, 12662,	616, 1437, 4168,	21741, 21747,
12663, 12667,	4172, 5282, 5284,	21748, 21754,
12668, 12672,	5322, 5375, 5381,	21755, 21915,
12673, 12803,	5453, 5455, 5467,	21917, 21923,
12804, 12809,	5468, 5471, 5472,	21955, 21956,
12810, 12814,	5482, 5483, 5486,	21964, 21965,
12815, 12819,	5487, 5490, 5491,	22028, 22029,
12820, 12950,	5494, 5495, 5713,	22032, 22033,
12951, 12956,	5733, 5761, 5787,	22486, 22553,
12957, 12961,	5815, 5841, 5844,	24064, 24321,
12962, 12966,	5878, 5881, 5965,	24368, 24756, 24776
12967, 13097,	5966, 5972, 6120,	<code>\strip@prefix</code> . 6163, 6176
13098, 13103,	6142, 6163, 6166,	<code>\strip@pt</code> 2547,
13104, 13108,	6193, 6195, 6258,	5589, 5938, 11103,
13109, 13113,	6331, 6378, 6379,	11106, 11111,
13114, 13244,	6392, 6393, 6404,	11114, 13482, 13534
13245, 13250,	6405, 6416, 6417,	<code>\stripsep</code> 10282, 10341,
13251, 13255,	6448, 6462, 6463,	10357, 10364,
13256, 13260,	6464, 6465, 6469,	10584, 10596,
13261, 13391,	7783, 7784, 10043,	10610, 17839,
13392, 13397,	10046, 10064,	17841, 17848,
13398, 13402,	10067, 11410,	17939, 17941,
13403, 13407,	11413, 11417,	17948, 18010,
13408, 14516,	11420, 14793,	18013, 18015, 18022
14533, 14549,	14794, 14795,	<code>\strut</code> . 47, 61, 77, 261,
14820, 14821, 18571	14796, 14797,	275, 290, 3116,
<code>\stepcounter</code>	14919, 15253,	3441, 3445, 3451,
. . . . 2417, 2443,	15254, 18444,	3454, 3463, 3465,
2469, 5282, 6428,	18795, 18807,	3470, 3471, 3473,



3474, 3616, 3618,	13541, 14517,	\tablinesep 22383
3763, 3765, 3859,	14524, 14534,	\tabskip 422,
3861, 3863, 3954,	14541, 14550,	9109, 16835,
3956, 3958, 4728,	14557, 14585,	16836, 16839,
11738, 12160,	14600, 14615,	22356, 22394, 24699
12163, 12166,	16808, 16824,	\tabular 22455
12304, 12307,	16883, 17023,	\tabularnewline 431,
12310, 12448,	20490, 20492,	16803, 22358, 24701
12451, 12454,	20586, 20588,	\tabularx 22446
12595, 12598,	21241, 21243,	\tabularxcolumn . . 22408
12601, 12742,	21337, 21339,	\tag 440,
12745, 12748,	21996, 21998,	442, 446, 450, 453, 455
12889, 12892,	22092, 22094,	\tagform@ 348
12895, 13036,	22350, 22351,	\tamark 17659
13039, 13042,	22386, 24693, 24694	\tbl . . 411, 414, 420, 439,
13183, 13186,	\subfig@oldlabel . .	443, 16787, 16829,
13189, 13330, 7514, 7516	16831, 16838,
13333, 13336,	\subfigure . . . 7513, 7520	16850, 16853, 16856
13596, 13600,	\subitem	\tcb@icolorbox . . 22544
13604, 17021,	109, 239, 8661, 16518	\tcb@vbox 22531
20509, 20538,	\subjclass 336	\tcd . . 18568, 18575, 18576
20550, 20561,	\subject	\tcdsav 18568
20570, 21260,	. 20345, 21075, 21838	\tcl . . 18592, 18593, 18599
21289, 21301,	\subparagraph	\tcn 18576, 18577, 18599,
21312, 21321,	. . . 8463, 8464, 8467	18600, 18601, 18602
22015, 22044,	\subsection	\Telefon 5093
22056, 22067,	. . . 5178, 8434, 8450	\tencolumnfootnotes
22076, 22596, 22601	\subsectioncolour 13262
\strutbox 41,	. . . 5104, 10689,	\TeX 16422, 18754,
55, 71, 255, 269,	10697, 10704,	18755, 18776,
284, 405, 409,	10711, 10718,	24465, 24466, 24479
2311, 2328, 2345,	10788, 10794,	\text 15416
2361, 2377, 2393,	10800, 10806, 10812	\textbf 5206,
10500, 11803,	\subsectionfont 5112,	8607, 14766,
11809, 11815,	5120, 10727, 10820	14768, 14770, 14772
11989, 12221,	\subsectionstyle . .	\textbullet 3308, 5090,
12227, 12232, 5120, 5179	10681, 10745, 10779
12237, 12362,	\subsubitem	\textcolor
12368, 12373,	110, 240, 8662, 16519	. . 11352, 11367,
12378, 12509,	\subsubsection	11371, 11374, 14756
12515, 12520,	. . . 8454, 8455, 8458	\textdef@ 357
12525, 12656,	\subtable 7520	\textdir 17558
12662, 12667,	\supereject 4581	\textendash 793, 1046,
12672, 12803,	\switchlinenumbers	1109, 1297, 9414,
12809, 12814, 16657,	9592, 19089, 19228
12819, 12950,	16659, 16664, 16666	\textheight 4601, 5054,
12956, 12961,	\symbol 4741, 4751	10265, 10324,
12966, 13097,	\sys 4081, 17313	14929, 15593,
13103, 13108,		19880, 19925,
13113, 13244,	T	20126, 20131,
13250, 13255,	\t@cb@bchapsec . . . 22658	20132, 20133,
13260, 13391,	\tabcaption 15642, 15660	20856, 20861,
13397, 13402,	\tabcolsep 394, 1408,	20862, 20863,
13407, 13489,	16819, 19345, 24498	



21619, 21624,	20937, 20941,	11455, 11473,
21625, 21626, 25121	21617, 21627,	11506, 11523,
\textit 23047	21660, 21700,	11548, 11568,
\textsf 4330	21704, 22567,	11603, 11622,
\textsl . . 7667, 7668, 7669	24810, 24818,	13905, 13923,
\textsuperscript . .	24857, 25096, 25112	13956, 13973,
. . . 8214, 11963,	\textwidth@footnoterule	17646, 19087,
11964, 11965, 468,	19099, 19125,
20081, 20811, 21574	790, 1043, 1294,	19136, 19137,
\texttt 4751,	9411, 9589, 9694,	19146, 19169,
4815, 4817, 4818, 6451	11454, 11547,	19186, 19224,
\textwidth . . . 1870,	13904, 14432,	19238, 19264,
1896, 1991, 2048,	14443, 18211,	19277, 19278,
2049, 2064, 2065,	19086, 19223,	19287, 19310,
2138, 2161, 2168,	19484, 19682,	19330, 19485,
2210, 2211, 2212,	20143, 20873, 21636	19515, 19555,
2261, 2265, 2269,	\textwidthfootnoterule	19573, 19683,
2301, 2318, 2335, 4146,	19703, 19738,
3044, 3051, 3068,	10873, 11791,	19757, 20144,
3074, 3080, 3227,	14441, 15156, 25149	20323, 20874,
3230, 3232, 3353,	\TeXeTOff . 18687, 24379	21053, 21637, 21816
3370, 3372, 3376,	\TeXeTOOn 18686,	\thanks 335
3380, 3385, 3388,	18688, 24378, 24380	\the 125, 126, 455,
3393, 3396, 3755,	\TeXeTstate . . 18686,	1424, 1519, 1520,
4292, 4298, 4600,	18687, 24378, 24379	1522, 1523, 2085,
5052, 5143, 5152,	\TF@conlab	2087, 2093, 2095,
5153, 5165, 5167,	. 14749, 14751, 14758	2489, 2980, 2986,
7422, 7426, 7525,	\TF@savecolor 14755, 14760	2988, 2989, 2990,
7826, 7827, 8967,	\TF@Title 14758	2992, 2993, 2994,
10249, 10257,	\thanklessauthor . .	3002, 3004, 3005,
10312, 10505, 8715,	3006, 3008, 3009,
10545, 10555,	8748, 8751, 8788	3010, 3336, 3437,
10735, 10750,	\thanklesspublisher	3439, 3440, 3441,
10822, 10831, 8716,	3443, 3444, 3445,
10945, 11166,	8775, 8778, 8792	3450, 3451, 3453,
11176, 11182,	\thanklesstitle 8714,	3454, 3460, 3461,
11212, 14054,	8731, 8734, 8790	3463, 3465, 3470,
14060, 14092,	\thanks 335,	3471, 3473, 3474,
14183, 14188,	469, 489, 524, 543,	4230, 4316, 4477,
14627, 14961,	791, 803, 829, 840,	4537, 4592, 4594,
15010, 15018,	841, 850, 873, 890,	4597, 4599, 4884,
15299, 15302,	1044, 1056, 1082,	4886, 4889, 4892,
15307, 15313,	1093, 1094, 1103,	4897, 4900, 4903,
16995, 17869,	1126, 1143, 1295,	5008, 5388, 5390,
17877, 17969,	1307, 1333, 1344,	5391, 5412, 5414,
18000, 18160,	1345, 1354, 1377,	5415, 6135, 6464,
18195, 18196,	1395, 4628, 8714,	6559, 6614, 6642,
18199, 18200,	8715, 8716, 8717,	6644, 6651, 6653,
18203, 18204,	8720, 8727, 8728,	6655, 6657, 6658,
18209, 18212,	8744, 8745, 8760,	6659, 6670, 6677,
20124, 20134,	8761, 8772, 9412,	6679, 6684, 6688,
20167, 20207,	9424, 9450, 9590,	6689, 6694, 6699,
20211, 20854,	9602, 9628, 9695,	6707, 6710, 6714,
20864, 20897,	9715, 9750, 9769,	6720, 6804, 6805,



6806, 6831, 8056,
8066, 8201, 8212,
9018, 9025, 9149,
9152, 9155, 9159,
9162, 9165, 9270,
9893, 9898, 9942,
10003, 10236,
10238, 10299,
10301, 10381,
10401, 10407,
10411, 10418,
10419, 10420,
10421, 10422,
10423, 10443,
10445, 10454,
10458, 10481,
10482, 10483,
10485, 10486,
10487, 10488,
10521, 10585,
10597, 10609,
12002, 12020,
13493, 13545,
13682, 14043,
14045, 14079,
14081, 14341,
14355, 14356,
14359, 14360,
14363, 14416,
14420, 14475,
14651, 14665,
14782, 14789,
14793, 14794,
14795, 14796,
14797, 14798,
14806, 14812,
14819, 14820,
14822, 14827,
14829, 14830,
14844, 14870,
14900, 14901,
14902, 14907,
14908, 14909,
14919, 14946,
14948, 14995,
14997, 15223,
15268, 16043,
16051, 16052,
16058, 16060,
16089, 16090,
16096, 16098,
16129, 16131,
16160, 16162,
16191, 16193,

16571, 16572,
16846, 16847,
16848, 16904,
16907, 17508,
17810, 17812,
17823, 17840,
17847, 17853,
17910, 17912,
17923, 17940,
17947, 17953,
18023, 18086,
18088, 18089,
18090, 18091,
18092, 18307,
18402, 18403,
18495, 18519,
18526, 18533,
18693, 18694,
19888, 19898,
19907, 19934,
19946, 19956,
20114, 20115,
20116, 20394,
20844, 20845,
20846, 21145,
21607, 21608,
21609, 21900,
22379, 22380,
22410, 22429,
22431, 22455,
22460, 22462,
22463, 22466,
22467, 22470,
22473, 22474,
22477, 22614,
23356, 23426,
23429, 23431,
23517, 23847,
23850, 23851,
23853, 23855,
23859, 23864,
23868, 23879,
23880, 23883,
23889, 23893,
23901, 23902,
23939, 23955,
23959, 24058,
24221, 24233,
24238, 24259,
24260, 24262,
24384, 24385,
24539, 24596,
24762, 24764,
24776, 24797,

24799, 24844, 24846
\the@cornersize ...
..... 14009, 14010
\thealgocf 169
\theAlgoLine 199
\theBackrefHyperFootnoteCounter
..... 14685, 14691
\thechapter ... 320,
8423, 9395, 9401,
9403, 9405, 9573,
9579, 9581, 9583,
9645, 9828, 9830,
9832, 9833, 9834,
9844, 11653,
11655, 11657,
11658, 11659,
11669, 13856,
13987, 13993,
13995, 13997,
14277, 14279,
14281, 14282,
14283, 14290,
14292, 14294,
14295, 14296,
16771, 17684,
17693, 17695,
17696, 17697,
18348, 18836,
19068, 19074,
19076, 19078,
19433, 19439,
19441, 19443,
19630, 19632,
19634, 19635,
19815, 19817,
19819, 19820,
19821, 19830,
21088, 21090,
21103, 21106,
21110, 21112,
21850, 21862,
21865, 21868, 22701
\thecontentspage ..
..... 8481,
8488, 8495, 8502, 8509
\thedate . 8710, 8718, 8764
\theenumiv 87,
90, 301, 304,
630, 765, 1030,
1281, 2680, 5251,
9377, 9567, 9881,
11434, 11706,
13893, 16495,
16498, 19062,



19456, 19652,	16062, 16100,	17684, 17686,
19859, 20401,	16133, 16164,	18356, 18358,
21152, 21907, 22672	16195, 16257, 17053	19068, 19069,
\theequation	\thempfootnote	19433, 19434,
9400, 9578, 9827, 14629, 17053	19635, 19636,
11652, 13992,	\theorem@indent . . .	19821, 19822,
14276, 14289, 18390,	20357, 21086,
16581, 17694,	18391, 18424, 18425	21094, 21849, 21853
19073, 19442,	\theorem@prework . 18384	\thesubparagraph 22,
19629, 19814,	\theoremnumbering .	228, 602, 752,
21108, 21867, 25142 18402, 18403	1007, 1268, 9399,
\thefigure . . . 9402,	\theorempostskipamount	9577, 9838, 11540,
9580, 9829, 11654, 18385, 18419	11663, 13991,
13994, 14278,	\theoremprskipamount	14287, 14300,
14291, 17696, 18388, 18422	16556, 17691,
19075, 19438,	\thepage	19072, 19437,
19631, 19816,	4590, 4595, 5228,	19639, 19825,
21103, 21862, 22366	7555, 7667, 7668,	20362, 21099, 21858
\thefootdir@label .	7669, 7678, 7679,	\thesubsection . . 19,
. . 14341, 14344,	8894, 8895, 8906,	20, 225, 226, 599,
14372, 14377,	8907, 8908, 10622,	600, 749, 750,
14395, 14398, 14418	10640, 24265, 24999	1004, 1005, 1265,
\thefootnote 505, 795,	\theparagraph . . . 21,	1266, 8437, 9396,
854, 1048, 1107,	22, 227, 228, 601,	9397, 9574, 9575,
1299, 1358, 4619,	602, 751, 752,	9835, 9836, 11537,
9416, 9594, 9731,	1006, 1007, 1267,	11538, 11660,
11487, 11584,	1268, 8444, 9398,	11661, 13988,
13937, 15943,	9399, 9576, 9577,	13989, 14284,
19091, 19150,	9837, 9838, 11539,	14285, 14297,
19230, 19291,	11540, 11662,	14298, 16553,
19488, 19531,	11663, 13990,	16554, 17685,
19719, 20147,	13991, 14286,	17688, 19069,
20268, 20877,	14287, 14299,	19070, 19434,
20998, 21640, 21761	14300, 16555,	19435, 19636,
\thefootnotemark . .	16556, 17689,	19637, 19822,
. 20081, 20811, 21574	17692, 19071,	19823, 20357,
\theHchapter 18348	19072, 19436,	20359, 21094,
\theHLT@tables . . . 16781	19437, 19638,	21096, 21853, 21855
\theHsection 18356, 18358	19639, 19824,	\thesubsubsection 20,
\theindex . 99, 229, 16508	19825, 20361,	21, 226, 227,
\thelstlisting 16742,	20363, 21098,	600, 601, 750,
16747, 16770, 16773	21100, 21857, 21859	751, 1005, 1006,
\thempfn	\ther@tfl@t . . 19873,	1266, 1267, 9397,
2407, 2433, 2459,	19874, 19916, 19917	9398, 9575, 9576,
4909, 4917, 4925,	\thesection 19,	9836, 9837, 11538,
8290, 8296, 8319,	225, 599, 749,	11539, 11661,
8325, 8348, 8354,	1004, 1265, 8430,	11662, 13989,
9170, 9177, 9184,	9395, 9396, 9573,	13990, 14285,
14484, 14489,	9574, 9834, 9835,	14286, 14298,
14493, 14498,	11537, 11659,	14299, 16554,
14629, 14655,	11660, 13987,	16555, 17687,
14660, 14670,	13988, 14283,	17690, 19070,
14675, 15910,	14284, 14296,	19071, 19435,
15921, 15932,	14297, 16553,	19436, 19637,



19638, 19823,	\threecolumnfootnotes	\titlepagestyle ...
19824, 20358, 12239	. 20317, 21047, 21810
20361, 21095,	\time 4320, 4324, 4546, 4550	\titlespacing
21098, 21854, 21857	\tiny 4667, 8192, 8564	... 8448, 8449, 8450
\thetable 9404,	\title .. 332, 497, 533,	\titlestyle . 5116, 10846
9582, 9831, 11656,	835, 880, 1088,	\tl 7019,
13996, 14280,	1133, 1339, 1384,	7021, 7025, 7028,
14293, 17697,	4635, 5130, 5169,	15348, 15391,
19077, 19440,	8709, 8724, 9456,	15416, 15418,
19633, 19818,	9634, 9723, 9759,	15424, 15429,
21106, 21865, 22367	11479, 11513,	15435, 16779,
\TheTokenList 6668	11576, 11612,	16781, 16785,
\thinline ... 10095,	13929, 13963,	17075, 17083,
10105, 10118,	19131, 19176,	17088, 17090,
10128, 10141,	19272, 19319,	17091, 17092,
10151, 10164, 10174	19523, 19564,	17093, 17095,
\thispagestyle	19711, 19747,	17096, 17098,
..... 102, 114,	20342, 21072, 21835	17101, 17105,
232, 521, 650, 665,	\TitleBarFrame	17114, 17118,
870, 915, 1123,	.. 14747, 14766,	17121, 17126,
1168, 1374, 8795,	14768, 14770, 14772	17131, 17139,
8817, 8838, 9294,	\titlecolour . 5099, 10782	17141, 17142,
9472, 9684, 9747,	\titlecontents 8476,	17143, 17144,
11503, 11600,	8483, 8490, 8497, 8504	17146, 17148,
11717, 11720,	\TitleFont 784,	17150, 17151,
13953, 16511,	800, 891, 893, 899,	17153, 17159,
16560, 16584,	1037, 1053, 1144,	17163, 17166,
16587, 17674,	1146, 1152, 1288,	17167, 17170,
18955, 19166,	1304, 1396, 1398,	17177, 17182,
19211, 19307,	1404, 1407, 1408,	17190, 17193,
19552, 19673,	1413, 9421, 9599,	17194, 17195,
19735, 20317,	19080, 19096,	17196, 17197,
21047, 21810, 22733	19187, 19189,	17200, 17206,
\thm@topsepadd 18385,	19195, 19217,	17207, 17208,
18386, 18389,	19235, 19333,	17213, 17215,
18419, 18420, 18423	19335, 19341,	17222, 17226,
\thmbox 22553	19344, 19345, 19350	17231, 17233,
\thmbox@box 22560	\titlefont	17235, 17237,
\thmbox@dim .. 22557,	.. 5108, 5116, 10815	17256, 17262,
22558, 22559, 22564	\titleformat .. 8420,	17263, 17264,
\thmbox@head 22556	8427, 8434, 8441	17265, 17266,
\thmbox@leftmargin 22565	\titlehead	17278, 17281,
\thmbox@rightmargin	. 20344, 21074, 21837	17284, 17286,
..... 22566	\titlepage 676,	17310, 17311,
\thmbox@start 22573	984, 1237, 9360,	17313, 17322,
\thmbox@style . 22551,	9550, 18966, 19417	17325, 17326,
22552, 22554, 22574	\titlepage@restore	17327, 17328,
\thmbox@tail 22574	.. 20112, 20118,	17329, 17330,
\thmbox@vskip 22569, 22571	20138, 20240,	17332, 17338,
\thr@@ . 368, 384, 1434,	20267, 20842,	17343, 17346,
1452, 1476, 1485,	20848, 20868,	17347, 17360,
12363, 12369,	20970, 20997,	17362, 17363,
12374, 12379,	21605, 21611,	17364, 17365,
22286, 22483, 22503	21631, 21733, 21760	17366, 17367,



17368, 17377,	\tocstyle@feature@entryvskip	123,
17380, 17384, 23837, 23840	125, 1519, 1520,
17385, 17386,	\tocstyle@feature@leaders	1522, 1523, 8049,
17389, 17403, 23920, 23925	8050, 8056, 10003,
17409, 17422,	\tocstyle@feature@pagenumberbox	14825, 14826,
17427, 17431, 23928, 23931	14827, 16569, 16571
17452, 17460,	\tocstyle@feature@pagenumberdots	122,
17461, 17486, 23929, 23931	126, 4303, 4316,
17490, 17491,	\tocstyle@feature@parfillskip	4524, 4537, 10235,
17492, 17505, 23908, 23909	10236, 10237,
17577, 17578,	\tocstyle@feature@raggedhook	10238, 10298,
17586, 17587, 23844	10299, 10300,
17588, 17589,	\tocstyle@feature@spaceafternumber	12301, 14042,
17599, 17600, 23945,	14043, 14044,
17601, 17606,	23949, 23970, 23974	14045, 14078,
17611, 17613,	\tocstyle@indentstyle	14079, 14080,
17616, 17617, 23895, 23965	14081, 14945,
17622, 17623,	\tocstyle@l@define	14946, 14947,
17628, 17640, 17641	.. 23982, 23985,	14948, 14994,
\tmpcount 6858, 6884	23990, 23994,	14995, 14996,
\toaddress . 11726, 16593	23998, 24002,	14997, 15220,
\toc@headstar 22723, 22728	24006, 24010,	15223, 15257,
\tocbasic@DependOnPenaltyAndTOCLevel	24014, 24018, 24050	15259, 15263,
..... 23327	\tocstyle@macrochangewarning	15265, 15268,
\tocbasic@SetPenaltyByTOCLevel 24038, 24045	16040, 16043,
..... 23455	\tocstyle@numberline	16568, 16572,
\TOCEntryStyleStartInitCode 23824, 23943	17809, 17810,
.. 20627, 20640,	\tocstyle@samedottedtocline	17811, 17812,
20658, 21379, 24040	17909, 17910,
21392, 21411,	\tocstyle@samednumberline	17911, 17912,
22134, 22147, 22166 24048	22429, 22449,
\toclevel@subfigure	\tocstyle@depth	22455, 24796,
..... 22937	23847, 23859,	24797, 24798,
\toclevel@subtable 22957	23879, 23880,	24799, 24843,
\TOCLineLeaderFill	23883, 23901,	24844, 24845, 24846
..... 20644,	23902, 23951,	\tolerance
20660, 21396,	23953, 23955, 23959	.. 12156, 12300,
21413, 22151,	\tocstyle@TOC	12444, 12591,
22168, 23477, 23768	.. 23847, 23850,	12738, 12885,
\tocstyle@@numberline	23851, 23853,	13032, 13179, 13326
..... 23946,	23855, 23859,	\toname 11726, 16593
23948, 23966,	23860, 23862,	\topheight
23968, 23971, 23973	23863, 23867,	.. 18580, 18582,
\tocstyle@activate@all@l	23871, 23872,	18583, 18584,
..... 24059	23875, 23876,	18586, 18592,
\tocstyle@activate@features	23879, 23880,	18594, 18596,
..... 23836	23883, 23885,	18597, 18598,
\tocstyle@dottedtocline	23887, 23888,	18661, 18662,
..... 23823	23892, 23897,	18663, 18664,
\tocstyle@feature@dothook	23898, 23901,	18668, 18669, 18673
..... 23922	23902, 23951,	\topins
\tocstyle@feature@entryhook	23953, 23954, 23958	18756
..... 23918	today 4330,	\topmargin ... 4605,
	4539, 4554, 8718	5053, 11208,
		14227, 20121,



20851, 21614, 25088	\ttl@changecentercr	21563, 22286,
\topmark 10235, 22588	22384, 22482,
10244, 10298,	\ttl@contentsstretch	22490, 22849,
10307, 14042, 22626	24474, 24475,
14051, 14078,	\ttl@corr	24712, 24716, 24718
14087, 14945,	. 22641, 22642, 22645	\two@digits . . 4325,
14954, 14994,	\ttl@endlongest . . 22604	4326, 4543, 4551, 4552
15003, 17809,	\ttl@filleft 22578, 22607	\twocolumn 514,
17818, 17909,	\ttl@filright 22579, 22608	647, 663, 863,
17918, 24796,	\ttl@glcmds 22591	913, 1116, 1166,
24805, 24843, 24852	\ttl@hmode@error . 22590	1367, 4589, 9292,
\topsep	\ttl@leaders 22643	9470, 9681, 9740,
2677, 4793, 4802,	\ttl@lselect 22650, 22653	10621, 11496,
5243, 7348, 8558,	\ttl@makeline 22584, 22639	11593, 13946,
8600, 17706, 17708	\ttl@margin 22638, 22644	17665, 18953,
\topskip 313,	\ttl@midlongest . . 22603	19159, 19209,
4613, 10399,	\ttl@outnoblock . . 22617	19300, 19545,
14831, 14833,	\ttl@savel@chapter 22652	19670, 19728,
14838, 17712,	\ttl@savel@part . . 22649	20291, 20297,
18003, 22699,	\ttlh@hang 22583	20300, 21021,
22705, 22710,	\turn 19960	21027, 21030,
22717, 22722, 22727	\turnbox 19981	21784, 21790,
\TOTALHEIGHT 22515, 22519	\tw@ 367,	21793, 22699,
\totalheight 15250	375, 1433, 1441,	22705, 22710,
\tovalue	1475, 1479, 1484,	22717, 22722, 22727
6742, 6829, 6837,	4965, 5966, 12222,	\twocolumnfootnotes
6868, 6881, 6887, 6888	12228, 12233, 12092
\tracingmacros 6857	12238, 14014,	\TX@ 22406,
\traditionalconnverses	14015, 14824,	22407, 22435, 22436
. . . 8956, 8979, 8995	14828, 14829,	\TX@align . . 22459, 22461
\traditionalhalfverses	14843, 14847,	\TX@arith 22421
. 8945,	14852, 14855,	\TX@ckpt . . . 22411, 22457
8949, 8956, 8989	14866, 14870,	\TX@col@width . 22408,
\traditionalpoem . . 9191	14871, 14872,	22414, 22419, 22462
\traditionalpoem@cr	14873, 14876,	\TX@cols
. . . 9069, 9118, 9119	15175, 15176,	. 22415, 22419, 22463
\traditionalpoem@obeylines	15186, 15188,	\TX@endtabularx . . .
. 8999, 9191	15189, 15191, 16029,
\traditionalpoem@par	15192, 15195,	16040, 16046, 22404
. . . 8999, 9000, 9118	15197, 15198,	\TX@find@endtabularxa
\trimb 8051, 8058	15232, 15234, 22406, 22407
\trimc 8060	15235, 15237,	\TX@find@endtabularxb
\trivlist	15238, 15241, 22436
. 14133, 18387, 18421	15243, 15244,	\TX@find@endtabularxbb
\ttdefault . 10721, 10813	18096, 18103, 22434
\ttfamily	18104, 18112,	\TX@ftn . 22431, 22466,
4653, 4738, 4739,	18113, 18118,	22468, 22470,
4741, 4742, 4743,	18119, 18132,	22473, 22475, 22477
4744, 4745, 4746, 4747	18133, 18140,	\TX@ftntext 22425
\ttl@a 22619, 22621	18141, 18164,	\TX@LTrftntext
\ttl@b 22614,	18169, 18772, 22426, 22465
22615, 22619, 22621	18773, 20068,	\TX@newcol 22408
\ttl@beginlongest 22589	20070, 20798,	\TX@old@table 22413
\ttl@calc . . 22584, 22596	20800, 21561,	



10409,	10499,	18618,	18622,	3765, 3780, 3863, 3958
10528,	10582,	18627,	18631,	<code>\usebeamerfont</code>
10593,	10606,	18643,	18654,	1587, 1597, 1598,
10656,	10887,	18674,	18677,	1610, 1625, 1626,
10890,	10891,	18682,	18756,	1646, 1667, 1668,
10908,	10911,	18757,	18761,	1676, 1699, 1720,
10912,	10937,	18766,	24603,	1741, 1776, 1777,
10944,	10949,	24794,	24841, 24890	1794, 1812, 1813,
10954,	10994,	<code>\unvcopy</code> 10368, 10406,		1828, 1830, 1837,
10999,	11003,	10410,	10438,	1839, 1846, 1848,
11008,	11861,	10444,	10448,	1859, 1875, 1884,
11873,	11885,	10456,	10931, 10988	2609, 2619, 2631,
11977,	12008,	<code>\uppercase</code> 320,		2641, 2654, 2730,
12026,	12050,	820, 840, 1073,		2849, 2850, 2866,
12055,	12091,	1093, 1324, 1344,		2867, 2868, 2901,
12175,	12193,	9441, 9619, 19116,		2918, 2924, 2933,
12206,	12319,	19136, 19255, 19277		2939, 2948, 2954,
12336,	12348,	<code>\upercasenonmath</code> .		2962, 3046, 3052,
12463,	12481, 115, 16561		3069, 3075, 3081,
12494,	12610,	<code>\uppermargin</code> 11180		3121, 3122, 3128,
12628,	12641,	<code>\uppertitleback</code> . . .		3134, 3140, 3149,
12757,	12775,	. . 20219, 20254,		3161, 3173, 3211,
12788,	12904,	20347, 20949,		3217, 3271, 3285,
12922,	12935,	20984, 21077,		3342, 3356, 3363,
13051,	13069,	21712, 21747, 21840		3433, 3492, 3495,
13082,	13198,	<code>\upshape</code> . 8481, 8488,		3499, 3504, 3522,
13216,	13229,	8495, 8502, 8509,		3529, 3581, 3616,
13345,	13363,	10722, 10726,		3618, 3682, 3694,
13376,	13410,	10727, 10814,		3719, 3726, 3763,
13613,	13632,	10819, 10820, 18831		3765, 3838, 3847,
13646,	13660,	<code>\urlstyle</code> 5072		3859, 3863, 3865,
13671,	13687,	<code>\use</code> 17206		3914, 3923, 3933,
13696,	13721,	<code>\usebeamercolor</code> 1611,		3943, 3954, 3958,
13729,	13736,	1647, 1663, 1670,		3960, 3996, 4005, 4024
13743,	13749,	1677, 1700, 1721,		<code>\usebeamertemplate</code>
13787,	14575,	1742, 1795, 1858,	 1861,
14590,	14605,	1874, 1885, 1899,		2119, 2123, 2134,
14643,	14648,	1904, 1914, 1975,		2143, 2152, 2165,
14818,	14828,	2007, 2010, 2055,		2172, 2181, 2214,
14855,	14943,	2142, 2171, 2611,		2223, 2227, 2235,
14992,	15064,	2620, 2633, 2642,		2290, 2295, 2612,
15066,	15110,	2656, 2733, 2740,		2616, 2634, 2637,
15115,	15121,	2745, 2900, 2998,		2657, 2735, 2737,
15125,	15132,	3037, 3047, 3053,		2742, 2747, 2903,
15148,	16914,	3116, 3121, 3122,		3213, 3505, 3703, 3726
16920,	16928,	3128, 3134, 3140,		<code>\usebox</code>
16935,	17028,	3149, 3151, 3161,		4778, 4788, 7446,
17046,	17807,	3163, 3173, 3175,		7578, 7580, 7585,
17836,	17838,	3210, 3216, 3293,		7587, 7596, 7597,
17846,	17864,	3299, 3305, 3342,		7600, 7601, 7808,
17866,	17907,	3356, 3363, 3503,		11298, 11301,
17936,	17938,	3604, 3616, 3618,		11309, 11316,
17946,	17964,	3639, 3686, 3693,		11324, 11331,
17966,	18021,	3702, 3726, 3763,		11374, 15600,



15604,	15687,	20509,	20510,	14355,	14356,
15689,	15693,	20541,	20542,	14359,	14360,
15695,	15700,	20547,	20552,	14363,	20440,
15702,	15706,	20553,	20556,	21191,	21946, 22410
15708,	15712,	20563,	20564,	\var@@leftcolumn@badness	
15714,	15718,	20568,	20574,	. 10407, 10419, 10425	
15720,	15726,	20575,	20579,	\var@@rightcolumn@badness	
15727,	15730,	20631,	20634,	. 10411, 10421, 10426	
15731,	15735,	20644,	20650,	\var@@thecol@num ..	
15736,	15739,	20652,	20816, 10351,	
15740,	15743,	20824,	20898,	10353, 10622, 10640	
15744,	15747,	20904,	20907,	\vbadness 10232,	
15748,	15762,	20909,	20912,	10295, 12081,	
15763,	15765,	20920,	20922,	12084, 14040,	
15766,	15778,	20965,	21260,	14076, 14182,	
15779,	15781,	21261,	21292,	14942, 14991,	
15782,	15788,	21293,	21298,	17806, 17906,	
15789,	15792,	21303,	21304,	18570, 24793, 24840	
15793,	15797,	21307,	21314,	\vbox ... 318, 425, 433,	
15798,	15801,	21315,	21319,	1469, 1536, 1895,	
15802,	15805,	21325,	21326,	2013, 2127, 2133,	
15806,	15809,	21330,	21383,	2141, 2151, 2164,	
15810,	15817,	21386,	21396,	2170, 2180, 2194,	
15819,	15823,	21402,	21405,	2209, 2231, 2298,	
15825,	15830,	21579,	21587,	2315, 2332, 2350,	
15832,	15836,	21661,	21667,	2366, 2382, 2493,	
15838,	15842,	21670,	21672,	2495, 2513, 2517,	
15844,	15848,	21675,	21683,	2556, 2561, 2573,	
15850,	15863,	21685,	21728,	2586, 2591, 2592,	
15865,	18430,	22015,	22016,	2926, 2941, 2956,	
18438,	18452,	22047,	22048,	2971, 3059, 3348,	
18689,	18690, 24381	22053,	22058,	3368, 3610, 3620,	
\usecounter 92,		22059,	22062,	3645, 3665, 3667,	
306, 628, 763,		22069,	22070,	3760, 3768, 4989,	
1028, 1279, 2617,		22074,	22080,	7835, 7836, 7838,	
2678, 5249, 8596,		22081,	22085,	9011, 9933, 9938,	
9375, 9565, 9879,		22138,	22141,	10016, 10196,	
11432, 11704,		22151, 22157, 22160		10199, 10216,	
13891, 16500,		\UseMathForPositioningText		10220, 10233,	
19060, 19454,	 393		10248, 10265,	
19650, 19857,		\UseTaggingSocket .		10281, 10296,	
20393, 20398,	 391, 400,		10311, 10324,	
21144, 21149,		419, 434, 16778,		10340, 10365,	
21899, 21904, 22670		16788, 16837,		10366, 10405,	
\usefontofkomafont		16852, 16929, 16938		10406, 10409,	
..... 20479,		\usetocbasicnumberline		10410, 10438,	
20516, 21230,	 23407		10444, 10447,	
21267, 21985, 22022				10455, 10494,	
\usekomafont		V		10524, 10544,	
.. 20086, 20094,		\vadjust . 9027, 9028, 9035		10552, 10557,	
20168, 20174,		\valign 12082, 12085		10564, 10571,	
20177, 20179,		\value 3431,		10581, 10592,	
20182, 20190,		3432, 8094, 8113,		10605, 10655,	
20192, 20235,		8132, 8164, 14341,		10661, 10879,	



10887,	10888,	17868,	17907,	9011, 9361, 9364,
10896,	10900,	17930,	17935,	9418, 9447, 9551,
10908,	10909,	17937,	17945,	9554, 9596, 9625,
10917,	10931,	17963,	17968,	9698, 9712, 10887,
10936,	10940,	17999,	18476,	10908, 11456,
10943,	10947,	18604,	18605,	11470, 11551,
10948,	10965,	18618,	18622,	11565, 13906,
10972,	10988,	18627,	18631,	13920, 18762,
10993,	10997,	18643,	18654,	18967, 18970,
10998,	11001,	18669,	18671,	19093, 19122,
11002,	11017,	18673,	18676,	19232, 19261,
11024,	11860,	18681,	18718,	19418, 19421,
11872,	11884,	18725,	18726,	19498, 19512,
12005,	12007,	18733,	18842,	19686, 19700, 25093
12023,	12025,	20519,	21270,	\vfill ... 3124, 3699,
12174,	12192,	22025,	22362,	4581, 8791, 12082,
12205,	12318,	22396,	22401,	12085, 13777,
12335,	12347,	22560,	23981,	18669, 18674,
12462,	12480,	23984,	23989,	18675, 19890,
12493,	12609,	23993,	23997,	19905, 19937,
12627,	12640,	24001,	24005,	19954, 20171,
12756,	12774,	24009,	24013,	20196, 20210,
12787,	12903,	24017,	24409,	20234, 20901,
12921,	12934,	24417,	24418,	20926, 20940,
13050,	13068,	24426,	24593,	20964, 21664,
13081,	13197,	24598,	24690,	21689, 21703, 21727
13215,	13228,	24707,	24794,	\vfuzz 3059,
13344,	13362,	24809,	24841,	8062, 8065, 8066
13375,	13410,	24856,	25009,	\vleftskip . 17680, 17681
13564,	13576,	25050, 25089, 25092		\voffset 4609
13588,	13612,	\vboxL 18726,		\voidb@x . 2600, 9906, 9970
13625,	13631,	19880, 19925, 24418		\vphantom 24144
13639,	13645,	\vboxR 18718, 24409		\vpic . 18594, 18604, 18605
13653,	13718,	\vcenter 425,		\vrightskip 17680, 17681
13726,	13741,	1533, 10013,		\vrule 407, 1548,
14054,	14091,	22396, 24511,		1650, 1656, 1664,
14183,	14188,	24600, 24601, 24690		1671, 1680, 1689,
14213,	14228,	\veqno 339, 340		1703, 1712, 1724,
14253,	14574,	\verb 22409		1733, 1745, 1754,
14589,	14604,	\VerbBox ... 11355, 11357		2073, 3378, 3379,
14624,	14815,	\verse@i 9041,		3386, 3387, 3394,
14828,	14852,	9072, 9078, 9086, 9127		3395, 3606, 3642,
14943,	14960,	\verse@ii 9052, 9073, 9079,		3649, 3653, 4009,
14992,	15009,	9081, 9087, 9089, 9127		4028, 7837, 7838,
15108,	15119,	\versewidth 10252, 10317,		9010, 9012, 10028,
15144,	16833,	... 9004, 9014, 9106		10549, 10568,
16914,	16920,	\vfil 472, 486, 677, 680,		14056, 14097,
16924,	16927,	797, 826, 985, 988,		14966, 15013,
16933,	16934,	1050, 1079, 1238,		16822, 16900,
16990,	17028,	1241, 1301, 1330,		17290, 17552,
17562,	17712,	2135, 2153, 2166,		17633, 17840,
17807,	17830,	2182, 2497, 2557,		17847, 17872,
17835,	17837,	3398, 3611, 3622,		17940, 17947,
17845,	17863,			



17974, 18003,
18116, 18127,
22322, 22350,
22391, 24693,
24813, 24862, 25023
\vsizе 10630,
14203, 14780,
14831, 16923,
16941, 20116,
20133, 20846,
20863, 21609, 21626
\vskip 321,
324, 473, 476, 482,
541, 547, 553, 557,
695, 798, 807, 817,
888, 892, 898, 902,
923, 1051, 1060,
1070, 1141, 1145,
1151, 1155, 1180,
1302, 1311, 1321,
1392, 1397, 1403,
1407, 1413, 1416,
1826, 1835, 1844,
1911, 1957, 1970,
1974, 2023, 2025,
2027, 2029, 2031,
2032, 2916, 2923,
2926, 2931, 2938,
2941, 2946, 2953,
2956, 2971, 3147,
3155, 3159, 3167,
3171, 3179, 3240,
3323, 3325, 3345,
3350, 3368, 3403,
3405, 3508, 3531,
3569, 3609, 3621,
3668, 3683, 3688,
3696, 3704, 3728,
3751, 3760, 3791,
3807, 3823, 3825,
3846, 3851, 3858,
3866, 3869, 3895,
3906, 3936, 3942,
3953, 3963, 4052,
5004, 9067, 9094,
9130, 9131, 9137,
9247, 9249, 9306,
9345, 9419, 9428,
9438, 9484, 9523,
9597, 9606, 9616,
9647, 9652, 9656,
9658, 9664, 9668,
9670, 9699, 9702,
9708, 9767, 9773,

9779, 9783, 9805,
9846, 9851, 9859,
10282, 10341,
10502, 10506,
10584, 10587,
10596, 10599,
10610, 10612,
10952, 11006,
11457, 11460,
11466, 11521,
11525, 11531,
11535, 11552,
11555, 11561,
11620, 11626,
11632, 11636,
11671, 11676,
11685, 12002,
12020, 12047,
13682, 13722,
13730, 13732,
13745, 13840,
13858, 13862,
13870, 13907,
13910, 13916,
13971, 13975,
13981, 13985,
14227, 14231,
14232, 14640,
14816, 14854,
14859, 15111,
15122, 15129,
15149, 16710,
16723, 16871,
16883, 17043,
17706, 17708,
17711, 17752,
17761, 17769,
17838, 17839,
17841, 17848,
17865, 17938,
17939, 17941,
17948, 17965,
18010, 18022,
18041, 18053,
18065, 18569,
18586, 18607,
18673, 18759,
18765, 18985,
19024, 19094,
19103, 19113,
19184, 19188,
19194, 19198,
19233, 19242,
19252, 19327,

19334, 19340,
19344, 19350,
19353, 19358,
19397, 19499,
19502, 19508,
19572, 19578,
19583, 19586,
19605, 19687,
19690, 19696,
19755, 19761,
19767, 19771,
19792, 19832,
19836, 19844,
20085, 20092,
20175, 20178,
20180, 20189,
20191, 20193,
20236, 20496,
20498, 20502,
20504, 20596,
20599, 20815,
20822, 20905,
20908, 20910,
20919, 20921,
20923, 20966,
21247, 21249,
21253, 21255,
21348, 21351,
21578, 21585,
21668, 21671,
21673, 21682,
21684, 21686,
21729, 22002,
22004, 22008,
22010, 22103,
22106, 22569,
22571, 22793,
22812, 22833,
22850, 22867,
22884, 22901,
22919, 22938,
22958, 22993,
23182, 23838,
24022, 24201,
24205, 24224,
24615, 24624,
24633, 24642,
24728, 24887,
25009, 25088,
25101, 25128, 25136
\vspace
3043, 3045, 3073,
3079, 3085, 3194,
3201, 3222, 3283,



5172, 7439, 7529, 7537, 8155, 8159, 8221, 8226, 8239, 8244, 8257, 8262, 8379, 8388, 8397, 8478, 8485, 8492, 8499, 8506, 8789, 8833, 8837, 9641, 9661, 9840, 9854, 11665, 11680, 11725, 11727, 11729, 13853, 13865, 16592, 16594, 17010, 17023, 19827, 19839, 22699, 22705, 22710, 22717, 22722, 22727			24235, 24279, 24475, 24667, 25130
\vsplit	10191,		\WF@everypar 24198
10192, 10209,			\WF@adjlw . . 24238, 24263
10213, 10234,			\WF@adjtlm . 24260, 24263
10297, 10403,			\WF@box 24235, 24268, 24269
10493, 10658,			\WF@floatfalse 24201,
12090, 14041,			24209, 24219, 24222
14077, 14824,			\WF@fltmes 24228
14944, 14993,			\WF@info 24208,
17808, 17908,			24218, 24221,
18575, 18578,			24230, 24265, 24267
18597, 18598,			\WF@ovh 24235
18616, 18620,			\WF@place . . 24233, 24239
18625, 18629,			\WF@putfigmaybe . . 24199
18641, 18652,			\WF@size . . . 24212, 24266
18679, 24795, 24842			\WF@startwrapping 24271
			\WF@wfname
			. 24230, 24265, 24267
\vss . . 318, 2144, 2173,			\WF@wrapil . 24259, 24262
2597, 3646, 10268,			\whilecondition 6743,
10327, 10510,			6757, 6846, 6878
10516, 10532,			\whiledo 14187
10538, 10552,			\widowpenalty
10557, 10564,			. . . 93, 307, 634,
10571, 10659,			766, 1031, 1282,
10944, 10954,			2685, 5252, 9115,
10999, 11008,			9378, 9568, 9885,
14254, 16920,			11435, 11710,
16935, 17563,			13894, 16501,
18604, 18605,			18313, 19063,
18676, 18842, 24603			19457, 19656,
			19863, 20403,
			21154, 21909, 22676
\vtop . . 425, 433, 1468,			\WIDTH 22511, 22519
1535, 7896, 7940,			\width . . 14774, 15175,
7984, 9939, 10015,			15263, 15265,
16813, 22362,			17599, 17608, 17632
22396, 22401,			\widthof . . . 11223, 11228
24599, 24690,			\windowbox . 18671, 18677
24707, 24924, 24968			\wlog . 10480, 10521, 10543
			\write 5321, 5732, 5760,
			5786, 5814, 5840,
			5843, 5877, 5880,
			7156, 9000, 9003,
			9207, 22448, 24775
			\WriteEndXPostaux 5758
			\WriteEndYPostaux 5875
			\WriteEndYPostaux 5812
			\WriteStartXPostaux
		 5729
			\WriteStartYPostaux
		 5837



9034, 9037, 9078,	11374,	11375,	15241,	15243,
9079, 9081, 9087,	11381,	11386,	15315,	15321,
9101, 9105, 9109,	11400,	11500,	16509,	16513,
9110, 9111, 9112,	11597,	11643,	16530,	16534,
9113, 9114, 9127,	11653,	11655,	16546,	16558,
9201, 9213, 9214,	11657,	11666,	16575,	16620,
9221, 9223, 9236,	11681,	11802,	16622,	16676,
9238, 9246, 9290,	11808,	11814,	16683,	16688,
9294, 9295, 9306,	11928,	11933,	16699,	16771,
9307, 9310, 9312,	11940,	11945,	16790,	16792,
9325, 9348, 9401,	11952,	11957,	16825,	16833,
9403, 9405, 9413,	12058,	12059,	16836,	16859,
9430, 9468, 9472,	12060,	12155,	16863,	16900,
9473, 9484, 9485,	12299,	12443,	16914,	16919,
9488, 9490, 9503,	12590,	12737,	16920,	16924,
9526, 9579, 9581,	12884,	13031,	16928,	16980,
9583, 9591, 9608,	13178,	13325,	17001,	17003,
9642, 9662, 9679,	13419,	13490,	17025,	17054,
9684, 9685, 9744,	13542,	13594,	17668,	17671,
9793, 9808, 9828,	13598,	13602,	17695,	17820,
9830, 9832, 9841,	13705,	13706,	17824,	17834,
9855, 9908, 9909,	13707,	13782,	17895,	17920,
9920, 9922, 10005,	13828,	13843,	17924,	17934,
10007, 10012,	13854,	13866,	17992,	18009,
10026, 10028,	13950,	13993,	18018,	18020,
10029, 10034,	13995,	13997,	18041,	18053,
10035, 10036,	14026,	14169,	18065,	18085,
10037, 10038,	14226,	14254,	18096,	18102,
10072, 10083,	14277,	14279,	18302,	18307,
10203, 10371,	14281,	14290,	18348,	18358,
10394, 10427,	14292,	14294,	18690,	18734,
10430, 10433,	14470,	14524,	18736,	18771,
10441, 10452,	14541,	14557,	18772,	18773,
10462, 10465,	14585,	14600,	18782,	18783,
10470, 10473,	14615,	14629,	18811,	18819,
10477, 10504,	14633,	14709,	18842,	18887,
10507, 10513,	14714,	14721,	18888,	18905,
10529, 10535,	14726,	14733,	18951,	18955,
10589, 10601,	14738,	14821,	18956,	18985,
10614, 10633,	14871,	14878,	18986,	18989,
10636, 10657,	14904,	14905,	18991,	19004,
10885, 10906,	14906,	14927,	19027,	19074,
10923, 10924,	14928,	15094,	19076,	19078,
10926, 10927,	15169,	15170,	19088,	19105,
10935, 10957,	15171,	15178,	19163,	19207,
10959, 10962,	15185,	15186,	19211,	19212,
10980, 10981,	15187,	15188,	19227,	19244,
10983, 10984,	15189,	15191,	19304,	19345,
10992, 11009,	15192,	15194,	19358,	19359,
11011, 11014,	15195,	15197,	19362,	19364,
11337, 11359,	15231,	15232,	19377,	19400,
11361, 11363,	15233,	15234,	19439,	19441,
11366, 11368,	15235,	15237,	19443,	19497,
11370, 11372,	15238,	15240,	19540,	19549,



19576,	19593,	21658,	21684,	24433,	24434,
19608,	19630,	21729,	22055,	24439,	24443,
19632,	19634,	22102,	22178,	24444,	24473,
19668,	19673,	22181,	22187,	24474,	24475,
19674,	19732,	22201,	22207,	24536,	24537,
19780,	19795,	22217,	22227,	24538,	24615,
19815,	19817,	22293,	22294,	24624,	24633,
19819,	19828,	22295,	22296,	24642,	24646,
19840,	19877,	22301,	22302,	24664,	24665,
19878,	19879,	22306,	22318,	24695,	24706,
19922,	19923,	22352,	22375,	24714,	24719,
19924,	19962,	22387,	22391,	24728,	24905,
19966,	19967,	22484,	22488,	24909,	24949,
19972,	19976,	22495,	22506,	24953,	24994,
19977,	19978,	22549,	22581,	24998,	25001,
19983,	19984,	22582,	22592,	25011,	25012,
19985,	19990,	22596,	22597,	25016,	25023,
19994,	19995,	22598,	22601,	25060,	25086,
20040,	20055,	22610,	22611,	25099,	25139, 25140
20068,	20076,	22613,	22614,	\z@skip .. 5004, 14224,	
20085,	20092,	22616,	22624,	14225,	17001,
20095,	20165,	22629,	22644,	17004,	18902,
20191,	20236,	22733,	22734,	22356,	22361,
20549,	20595,	22810,	22900,	22394,	22400,
20671,	20680,	22918,	23011,	24645,	24646,
20683,	20689,	23190,	23302,	24699,	24705, 25086
20699,	20709,	23366,	23373,	\zifrefundefined ..	
20769,	20784,	23376,	23723, 14372, 14395	
20798,	20806,	23727,	23838,	\zref@extractdefault	
20815,	20822,	23843,	23848, 14377, 14398	
20825,	20895,	23896,	24022,	\zref@labelbyprops	
20921,	20966,	24208,	24215, 14344, 14418	
21300,	21347,	24216,	24234,		
21423,	21426,	24250,	24253,	☒	
21432,	21446,	24262,	24263,	\	4384
21452,	21462,	24265,	24269,	\	4384
21472,	21532,	24276,	24277,		
21547,	21561,	24278,	24279,	☒	
21569,	21578,	24374,	24379,	\	4385
21585,	21588,	24381,	24429,	\	4385

